200

200

FARNHAM

BOURNE CORNER

1931

780104

Section **A** **for the en**
AIR MIN

FOR OFFICIAL USE.
AINFALL ORGANIZATION.

FORM 1090. **REC** **1931.**

Kept at Bourne Corne

in the County of

ſfly Snow.

Diameter of Funnel of Gau
Height of top of Gauge abov
,, Ground ,,

31st. Sleet.

~~day 10~~

THE MORNING **US DAY.**

An observer who does not conform to this rule should ... ist of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·18	·01	·17		·25		·02	·05	·01			1
2	·26	·09		·35				·01		·04	·02	·06	2
3	·07	Trace	·15		·53		·01	·11	·56		·26	·21	3
4			Trace	·25	·05		·08		·10		·30		4
5				·20		·48	·07	·04	·04	·02		·23	5
6		·13		·16		·05	·04				·27	·04	6
7				Trace	·25	·18	·08	·43		·29	·57	·02	7
8	·03	·09	·03	·03	·03	·03		·20			·06		8
9		·09	Trace	·04		·11					·60		9
10	·07	·11					·04	·23					10
11		·36						Trace.					11
12	·03						·08	·04					12
13		·01	Trace				·12						13
14		·13				Trace.	·68	·80					14
15	·04	·04		·07	·09		·10	·40			·03		15
16				·15	·28	·15	Trace	·29	·05				16
17	·03	·03		·26	·01	·08	·42	·08	·14				17
18	·04	·10	·05	·15		·09	·06	·96			·48		18
19	·07			·53		·41	·48	·19					19
20				·14				·42					20
21	·04		Trace						·02		·02		21
22	·38		·03	·04	·23				·03				22
23	·32		Trace	·09	·50	·16					·20	·06	23
24	·01	·01	·01	·43		·10	·38	·24					24
25				·59			·74					Trace.	25
26		·04		·20			·48				·30		26
27	·14	·43	Trace	·06	1·41		·12			·02			27
28	·04	✳ ·21		·04	·15					·04	·02		28
29	·06			Trace	·23		·11			·09			29
30		×						·08		Trace	·01	·02	30 ✳
31	·21	×		×	·06	×	·04		×		×	·03	31 ✳
TOTAL	1·84	2·05	·28	3·95	3·82	2·09	4·13	4·54	·99	·51	3·14	·67	YEAR'S TOTAL 28·01
*Days with ·01 in. or more.	17 ~~4~~	16 ~~3~~	6 ~~4~~	20 ~~1~~	13 ~~2~~	12 ~~1~~	19 ~~1~~	17 ~~2~~	8 ~~2~~	7 ~~3~~	14 ~~5~~	8 ~~3~~	157 ~~31~~
*Days with ·04 in. or more.	13	13	2	19	11	11	18	15	6	4	9	5	126

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Miss T M Beedles

P.T.O.

200

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Bourne Corner, Farnham

in the County of Surrey.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 365 ft.

✻ Feb: 28th. Chiefly Snow.

✻ Dec: 30th + 31st. Sleet.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·18	·01	·17		·25		·02	·05	·01			1
2	·26	·09		·35				·01		·04	·02	·06	2
3	·07	Trace	·15		·53		·01	·11	·56		·26	·21	3
4			Trace	·25	·05		·08		·10		·30		4
5				·20		·48	·07	·04	·04	·02		·23	5
6		·13		·16		·05	·04				·27	·04	6
7				Trace	·25	·18	·08	·43		·29	·57	·02	7
8	·03	·09	·03	·03	·03	·03		·20			·06		8
9		·09	Trace	·04		·11					·60		9
10	·07	·11					·04	·23					10
11		·36						Trace.					11
12	·03						·08	·04					12
13		·01	Trace				·12						13
14		·13				Trace.	·68	·80					14
15	·04	·04		·07	·09		·10	·40			·03		15
16				·15	·28	·15	Trace	·29	·05				16
17	·03	·03		·26	·01	·08	·42	·08	·14				17
18	·04	·10	·05	·15		·09	·06	·96			·48		18
19	·07			·53		·41	·48	·19					19
20				·14				·42					20
21	·04		Trace						·02		·02		21
22	·38		·03	·04	·23				·03				22
23	·32		Trace	·09	·50	·16					·20	·06	23
24	·01	·01	·01	·43		·10	·38	·24					24
25				·59			·74					Trace.	25
26		·04		·20			·48				·30		26
27	·14	·43	Trace	·06	1·41		·12			·02			27
28	·04	✻ ·21		·04	·15					·04	·02		28
29	·06			Trace	·23		·11			·09			29
30		✕						·08		Trace	·01	·02.	30 ✻
31	·21	✕		✕	·06	✕	·04		✕		✕	·03.	31 ✻
TOTAL	1·84	2·05	·28	3·95	3·82	2·09	4·13	4·54	·99	·51	3·14	·67	YEAR'S TOTAL 28·01
*Days with ·01 in. or more.	17 ~~4~~	16 ~~3~~	6 ~~4~~	20 ~~1~~	13 ~~2~~	12 ~~1~~	19 ~~1~~	17 ~~2~~	8 ~~2~~	7· ~~3~~	14 ~~5~~	8 ~~3~~	157 ~~31~~
*Days with ·04 in. or more.	13	13	2	19	11	11	18	15	6	4	9	5	126

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Miss T. M. Beedles

[P.T.O.

Civic A.

200/5

BRAUNSTON

CHILWORTH

1936 - 1940

780105

Section A for the entry of D

AIR MINISTRY

tation No. 200/5

L ORGANIZATION

FORM 1090

REGIST

Kept at Chilworth (BR

in the County of Surrey

043/36

Diameter of Funnel of Gauge

Height of top of Gauge above Grour

,, Ground ,, Sea L

THE MORNING MEASUREM **DAY**

An observer who does not conform to t *ollowing*

year in the space on the right of this

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.30	-	.03	.15	-	.34	.23	-	-	-	.08	.05		1
2	.01	tr	.01	-	-	.45	.01	.03	-	-	.13	tr		2
3	tr	tr	tr	.45	-	tr	.03	-	.31	-	.15	tr		3
4	.01	-	.08	tr	-	.07	-	-	.27	-	.11	.10		4
5	.41	-	.05	-	-	-	-	.03	.02	-	.01	.06		5
6	.52	-	.01	-	-	.06	-	.01	.18	tr	.69	-		6
7	.03	-	.07	-	-	.01	.03	-	.01	tr	.16	.09		7
8	.40	-	.07	-	tr	-	.24	-	tr	.02	.17	.15		8
9	.70	-	.02	-	-	-	.34	-	.08	.01	.01	.01		9
10	tr	-	tr	.01	-	-	.04	.04	tr	-	.03	tr		10
11	-	.02	-	.01	-	-	.07	-	-	-	1.45	tr		11
12	-	tr	-	.06	tr	.56	.28	-	.17	-	.11	.01		12
13	-	tr	-	tr	-	.02	-	-	tr	.05	.17	.85		13
14	-	.07	-	tr	-	.08	.40	-	-	.01	.02	.85		14
15	-	.02	tr	-	-	-	-	-	.29	.01	.02	.25		15
16	.32	.08	tr	.01	-	-	.03	-	.01	tr	.26	.15		16
17	.20	.77	tr	-	.02	.35	.01	.01	.02	.01	.15	.33		17
18	.01	.20	-	-	-	.63	.15	-	tr	.09	.02	.12		18
19	.30	.02	.08	.17	-	.42	.50	.10	[illegible]	tr	.02	.01		19
20	.22	.08	.03	.25	-	.10	.06	-	.39	-	tr	-		20
21	.01	.20	-	.42	.05	.17	.13	-	.01	-	.01	tr		21
22	.04	.20	.25	.01	.60	.10	.24	-	.01	-	tr	.10		22
23	.10	.03	.05	.07	-	-	.06	-	-	.11	tr	.02		23
24	.03	.12	tr	-	-	-	.14	-	.17	.43	tr	tr		24
25	.11	tr	.21	.20	-	-	.10	-	.31	.18	tr	tr		25
26	.17	.12	.02	.05	-	-	.22	-	.01	.04	.05	.03		26
27	.24	.01	.02	-	-	-	.74	tr	.14	.12	.01	tr		27
28	.94	tr	.29	-	-	.10	.09	-	.01	.01	.01	.10		28
29	.03	.09	.04	-	-	.06	-	-	-	.02	.17	.03		29
30	.20	✕	tr	-	.05	.17	.06	-	-	.79	-	.01		30
31	.11	✕	.33	✕		✕	.29		✕	.28	✕	.39		31
TOTAL	5.41	2.03	1.66	1.86	0.72	3.69	4.46	0.22	2.49	2.18	3.09	3.71	Year's Total 31.52	[illegible] print
* Days with .01 in. or more.	24	15	18	13	4	17	25	6	18	16	24	21	201	
* Days with .04 in. or more.	17	10	5	9	3	15	20	2	10	9	14	14	128	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Ernest Ramsay. [P.T.O.

Civic A.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station No.** 200/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Chilworth (BRAUNSTON)

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 10½ in.

,, Ground ,, Sea Level 170 ft.

568043/36

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.30	-	.03	.15	-	.34	.23	-	-	-	.08	.05		1
2	.01	tr	.01	-	-	.45	.01	.03	-	-	.13	tr		2
3	tr	tr	tr	.45	-	tr	.03	-	.31	-	.15	tr		3
4	.01	-	.08	tr	-	.07	-	-	.27	-	.11	.10		4
5	.41	-	.05	-	-	-	-	.03	.02	-	.01	.06		5
6	.52	-	.01	-	-	.06	-	.01	.18	tr	.69	-		6
7	.03	-	.07	-	-	.01	.03	-	.01	tr	.16	.09		7
8	.40	-	.07	-	tr	-	.24	-	tr	.02	.17	.15		8
9	.70	-	.02	-	-	-	.34	-	.08	.01	.01	.01		9
10	tr	-	tr	.01	-	-	.04	.04	tr	-	.03	tr		10
11	-	.02	-	.01	-	-	.07	-	-	-	1.45	tr		11
12	-	tr	-	.06	tr	.56	.28	-	.17	-	.11	.01		12
13	-	tr	-	tr	-	.02	-	-	tr	.05	.17	.85		13
14	-	.07	-	tr	-	.08	.40	-	-	.01	.02	.85		14
15	-	.02	tr	-	-	-	-	-	.29	.01	.02	.25		15
16	.32	.08	tr	.01	-	-	.03	-	.01	tr	.26	.15		16
17	.20	.77	tr	-	.02	.35	.01	.01	.02	.01	.15	.33		17
18	.01	.20	-	-	-	.63	.15	-	tr	.09	.02	.12		18
19	.30	.02	.08	.17	-	.42	.50	.10	-	tr	.02	.01		19
20	.22	.08	.03	.25	-	.10	.06	-	.29	-	tr	-		20
21	.01	.20	-	.42	.05	.17	.13	-	.01	-	.01	tr		21
22	.04	.20	.25	.01	.60	.10	.24	-	.01	-	tr	.10		22
23	.10	.03	.05	.07	-	-	.06	-	-	.11	tr	.02		23
24	.03	.12	tr	-	-	-	.14	-	.17	.43	tr	tr		24
25	.11	tr	.21	.20	-	-	.10	-	.31	.18	tr	tr		25
26	.17	.12	.02	.05	-	-	.22	-	.01	.04	.05	.03		26
27	.24	.01	.02	-	-	-	.74	tr	.14	.12	.01	tr		27
28	.94	tr	.29	-	-	.10	.09	-	.01	.01	.01	.10		28
29	.03	.09	.04	-	-	.06	-	-	-	.02	.17	.03		29
30	.20	✕	tr	-	.05	.17	.06	-	-	.79	-	.01		30
31	.11	✕	.33	✕		✕	.29		✕	.28	✕	.39		31
TOTAL	5.41	2.03	1.66	1.86	0.72	3.69	4.46	0.22	2.49	2.18	3.09	3.71	Year's Total 31.52	Print it
* Days with .01 in. or more.	24	15	18	13	4	17	25	6	18	16	24	21	201	print
* Days with .04 in. or more.	17	10	5	9	3	15	20	2	10	9	14	14	128	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Ernest Ramsay. [P.T.O.

Cir A

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — **Station No.** 200/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Chilworth

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 10½ in.

,, Ground ,, Sea Level 170 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.44	.10	.02	.05	–	–	–	Tr	–	–	.87	1.22		1
2	.02	.36	Tr	.66	–	–	–	–	.19	Tr	.02	.51		2
3	Tr	.18	.02	–	–	–	–	–	–	–	.01	.01		3
4	.10	.93	–	.01	–	–	–	–	–	–	Tr	.22		4
5	.09	.03	.25	–	–	–	.16	Tr	–	–	.02	.01		5
6	.06	.25	.81	.06	.31	–	.03	–	–	.05	.02	Tr		6
7	.01	.35	.01	.03	.05	–	–	–	.03	.04	Tr	.01		7
8	.01	.01	.02	–	.12	.02	–	–	–	.01	.10	.29		8
9	Tr	Tr	Tr	.38	.04	.02	.05	.02	.28	.01	.01	.06		9
10	–	Tr	.66	.26	.14	.31	–	.14	–	–	Tr	.48		10
11	–	–	.15	–	.10	.04	–	–	–	–	–	.01		11
12	.23	.19	.14	.02	1.19	.31	Tr	.41	.14	–	Tr	.49		12
13	.21	.04	.57	.09	.01	.04	–	.62	.45	–	Tr	.93		13
14	.03	.06	.12	.01	–	.02	–	.46	.04	–	Tr	.02		14
15	.39	.12	.03	.24	–	Tr	.27	–	.09	–	.01	.01		15
16	.01	.07	.52	.35	–	.02	–	.24	.35	–	–	.01		16
17	1.13	.04	.16	.03	–	–	–	–	.04	.01	.02	–		17
18	.05	.16	Tr	.03	.08	.20	–	–	.06	.01	.11	.15		18
19	.04	.01	.07	.09	Tr	.15	.20	–	.04	.01	.01	–		19
20	.60	Tr	.07	.19	.68	Tr	–	–	.04	.01	.01	.03		20
21	.66	.41	.11	.05	.11	–	.02	–	Tr	–	.03	.03		21
22	.50	.02	Tr	–	.11	.26	.08	–	–	1.32	.34	.07		22
23	.12	.06	.03	–	.11	–	–	–	–	.32	.01	.01		23
24	.46	.32	.01	–	.11	–	–	–	.10	.58	.02	.01		24
25	.19	.53	.28	–	.01	–	–	–	.05	.14	.01	.02		25
26	.01	.05	.05	–	.07	–	–	–	.01	.26	.01	Tr		26
27	.03	.14	Tr	.19	.01	–	–	–	.02	.16	Tr	Tr		27
28	–	.05	Tr	.02	–	–	–	Tr	–	.09	Tr	.07		28
29	.05		–	–	–	.05	–	Tr	Tr	.02	.11	.06		29
30	.32	✕	–	–	–	.06	–	Tr	–	.13	.13	.01		30
31	.30	✕	–	✕	–	✕	–	–	✕	.29	✕	.05		31
TOTAL	6.06	4.48	4.10	2.76	3.25	1.50	0.81	1.89	1.93	3.46	1.87	4.79	Year's Total 36.90	✓
* Days with .01 in. or more.	26	24	21	19	17	13	7	6	16	18	20	26	213	✓
* Days with .04 in. or more.	19	20	14	12	14	9	6	5	13	11	6	13	142	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Ernest Ramsay. [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 200/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Chilworth

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 10½ in.

,, Ground ,, Sea Level 170 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	Tr	Tr	Tr	–	.02	.16	.81	–	.03	.20	.01	.09		1
2	.17	Tr	Tr	.07	.20	–	.08	–	–	.09	–	.02		2
3	.03	–	Tr	–	.06	.01	Tr	–	–	.48	.02	.01		3
4	.03	–	Tr	–	–	.01	.49	.07	–	.09	Tr	.12		4
5	Tr	–	Tr	.01	–	–	.10	–	–	.36	Tr	Tr		5
6	.02	–	–	–	–	–	.08	–	.01	.10	.01	.01		6
7	.02	Tr	Tr	–	–	–	.36	.18	.03	.02	–	.09		7
8	.27	–	Tr	–	–	–	.06	.19	Tr	.27	.01	.06		8
9	.15	.01	–	–	–	.01	.01	.03	–	.01	–	1.04		9
10	.01	.07	–	–	–	–	Tr	.01	Tr	.03	Tr	.20		10
11	.21	–	–	–	–	–	Tr	–	–	Tr	.25	.12		11
12	.27	.01	–	–	.02	–	Tr	.03	–	.08	Tr	.01		12
13	.28	Tr	Tr	–	–	–	Tr	.01	–	.03	.43	.24		13
14	.31	.02	Tr	–	.11	–	–	–	.04	–	.01	.01		14
15	.18	.06	–	–	.01	–	.43	.01	–	.42	Tr	.59		15
16	.13	.04	Tr	–	Tr	–	.01	–	–	Tr	.06	.89		16
17	.01	.06	Tr	–	Tr	–	.01	–	.15	.11	.01	–		17
18	.05	–	–	–	.01	–	.01	–	.22	Tr	.48	–		18
19	Tr	Tr	–	–	–	–	Tr	.04	.12	–	.38	.03		19
20	.01	–	–	–	–	–	–	–	.03	Tr	.76	.05		20
21	.01	–	–	–	–	–	–	.04	.09	Tr	.03	.26		21
22	Tr	Tr	–	.01	–	.03	–	.04	Tr	.01	.22	.20		22
23	–	.01	–	.01	–	Tr	–	–	.05	Tr	.04	.10		23
24	.06	Tr	.09	.10	.01	–	–	–	.17	Tr	.08	–		24
25	.05	–	.16	Tr	.10	–	.01	–	.01	.04	1.24	.14		25
26	.20	.20	.03	–	–	Tr	–	–	.18	.25	.01	.10		26
27	.07	.03	–	–	.20	.28	.47	–	.46	.03	.29	Tr		27
28	.02	.06	–	–	.13	.10	–	.49	.04	Tr	.01	.15		28
29	.20		–	Tr	.27	Tr	–	–	Tr	–	.21	.20		29
30	.04	×	–	.04	.08	.01	–	–	.13	.09	.18	.01		30
31	.19	×	–	×	.17	×	–	–	×	.12	×	.22		31
TOTAL	2.99	0.57	0.28	0.24	1.39	0.61	2.93	1.14	1.76	2.83	4.74	4.95	Year's Total 24.43	
* Days with .01 in. or more.	26	11	3	6	14	8	14	12	16	20	22	26	178	
* Days with .04 in. or more.	17	6	2	3	9	3	9	7	11	14	13	19	113	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Ernest Ramsey

[P.T.O.

COPY FOR OFFICIAL USE

File No. 657695/37

Section **A** for the entry of Daily Observations

Station No. 200/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Bramston Dorking Rd Chilworth

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ... ft. 10½ in.

,, Ground ,, Sea Level 170 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	Tr	.03	.35	.27	–	–	–	.01	–	Tr	.02		1
2	.04	–	–	.04	.01	–	.13	.72	.35	Tr	.02	Tr		2
3	.39	.01	–	.42	–	–	.05	.15	–	.01	.29	.39		3
4	.15	Tr	.33	.05	.02	–	.12	1.14	–	.40	.08	.01		4
5	Tr	.01	–	.17	.05	–	.56	Tr	–	.21	.53	.09		5
6	.34	.01	.01	–	.36	–	.26	.01	–	.01	.25	.01		6
7	.01	.12	–	–	–	–	.01	.03	–	.02	.18	.32		7
8	.01	.11	.16	–	–	–	.02	–	Tr	.39	.31	.13		8
9	.11	.07	Tr	–	–	–	–	.04	–	.15	.02	.25		9
10	.22	Tr	–	–	–	.21	–	.08	.01	.11	.02	Tr		10
11	Tr	–	.25	–	.01	Tr	–	–	Tr	.41	.02	.01		11
12	.01	–	Tr	–	.01	.07	–	–	–	Tr	–	.01		12
13	.01	–	–	.04	–	.02	.10	–	.01	1.70	Tr	.01		13
14	.71	–	.01	.02	.09	.01	.07	–	.01	.35	.52	.03		14
15	.57	–	.01	.01	–	.29	.02	–	.14	.55	.34	.01		15
16	.44	Tr	.06	.03	1.19	.05	.14	–	.01	.06	.26	–		16
17	.42	.04	.02	.01	.23	.08	.35	–	–	Tr	.06	Tr		17
18	.24	.01	.02	–	.02	–	.23	–	Tr	.22	.29	Tr		18
19	.37	–	–	–	Tr	–	.37	–	–	.04	.01	.01		19
20	.34	.01	–	–	–	.12	.50	–	.01	–	Tr	.04		20
21	.03	.27	.06	–	–	.08	.02	–	.07	.01	–	–		21
22	.23	.38	–	.03	–	.22	.14	–	.02	–	.08	–		22
23	Tr	Tr	.01	.19	–	.01	.08	.01	Tr	.11	.63	.02		23
24	.33	Tr	.01	.13	–	.03	.01	–	–	.12	.01	Tr		24
25	.52	.20	.10	.01	–	–	.04	–	–	.13	.41	.01		25
26	.05	Tr	.04	–	–	Tr	–	Tr	–	.14	.26	.02		26
27	.01	.23	.10	.10	–	.01	Tr	Tr	–	.13	.07	.06		27
28	Tr	.14	.06	.15	–	.02	–	–	–	.16	.14	.09		28
29	–		–	.52	–	–	.01	–	–	.02	.04	–		29
30	–		–	.82	–	–	–	.01	–	Tr	.08	.01		30
31	–		–		–		.31	.12		.01		.01		31
TOTAL	3.57	1.61	1.28	3.11	2.26	1.22	3.54	2.31	0.64	5.46	4.92	1.56	Year's Total 33.48	
* Days with .01 in. or more.	24	14	17	18	11	14	22	10	10	24	25	22	211	
* Days with .04 in. or more.	17	9	9	12	6	8	16	6	3	18	19	8	131	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Ernest Ramsay

P.T.O.

File No 657695/37

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 200/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at BRAUNSTON, DORKING Rd CHILWORTH

in the County of SURREY

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 10½ in.

,, Ground ,, Sea Level 170 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.01	Tr	-	Tr	-	-	-	-	-	.02	-		1
2	Tr	.10	-	.33	.03	-	.05	-	-	.11	.74	.03		2
3	Tr	.32	-	.04	-	-	-	-	-	.10	1.04	.07		3
4	Tr	.01	Tr	.01	-	-	-	-	-	.22	.06	.02		4
5	.01	.01	-	-	-	-	.22	-	-	.06	.53	.15		5
6	.26	.22	-	-	-	-	.06	-	-	.31	Tr	Tr		6
7	.31	.19	-	-	.02	-	.16	-	.02	.01	Tr	Tr		7
8	Tr	Tr	-	.03	-	-	.06	-	-	.37	.03	.36		8
9	Tr	-	-	.04	-	-	Tr	.07	.03	.15	.45	.11		9
10	-	-	-	-	-	-	.12	.07	Tr	.10	.09	.02		10
11	Tr	.01	.01	.02	-	-	.22	-	-	-	.82	.01		11
12	-	.01	.16	Tr	-	-	.06	-	.30	.01	.03	.02		12
13	Tr	.01	.79	.01	-	Tr	.01	Tr	.01	.01	1.31	Tr		13
14	Tr	-	.04	.09	-	-	.07	Tr	Tr	.10	.01	.31		14
15	.01	-	Tr	.02	.19	.06	.66	-	.13	.02	.45	.01		15
16	.02	.59	.34	.05	-	.07	.37	-	.13	.64	.87	.01		16
17	Tr	.01	.22	-	-	-	.03	-	-	.01	.68	.01		17
18	Tr	.25	.14	.34	-	-	.31	.02	.12	.14	.05	.16		18
19	-	.08	.04	.08	-	-	.05	-	.65	Tr	.18	.01		19
20	-	Tr	.08	.01	-	.01	.03	.01	.11	.21	.02	.01		20
21	.02	-	Tr	-	.71	-	.05	.01	.01	.01	.35	Tr		21
22	-	.01	.04	.01	-	.61	.01	Tr	.02	.02	.01	-		22
23	-	.04	.09	.24	.02	Tr	-	-	Tr	Tr	.01	.01		23
24	-	Tr	Tr	.21	-	-	.29	-	-	Tr	.01	.01		24
25	Tr	-	1.01	Tr	.04	.01	.07	-	-	.02	Tr	-		25
26	.96	.21	.44	-	.10	Tr	-	-	-	Tr	Tr	Tr		26
27	.41	.51	Tr	.04	.05	-	.04	-	-	.01	-	-		27
28	.44	.01	-	.01	.07	-	-	-	.01	-	Tr	Tr		28
29	.19	.20	.12	.06	.01	Tr	-	-	Tr	-	-	.22		29
30	.26	✕	-	.12	-	-	-	-	-	.17	-	.01		30
31	.02	✕	-	✕	-	✕	-	-	✕	.95	✕	.04		31
TOTAL	2.91	2.80	3.52	1.76	1.24	.76	2.94	.18	1.54	3.75	7.76	1.60	Year's Total 30.76	
* Days with .01 in. or more.	12	20	14	20	10	5	21	5	12	23	22	21	185	
* Days with .04 in. or more.	7	11	12	12	6	3	17	2	6	14	14	8	112	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Ernest Ramsay

P.T.O.

FARNHAM CASTLE R

180/3

Section JA for the entry of Da… …tion No. 200/6

AIR MINISTRY.– … ORGANIZATION

FORM 1090

REGIST…

200/6

FARNHAM CASTLE

1939 - 1940

780105

Kept at Farnham

in the County of Surrey

Diameter of Funnel of Gauge…

Height of top of Gauge above Ground…

" Ground " Sea Lev…

April 1939.

… 1939

THE MORNING MEASUREME… …DAY

Jan. 1, following

An observer who does not conform to thi… …lowing year in the space on the right of this pa…

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				·26	·27	–	·01	tr	·91	–	–	·02		1
2				·02	tr	–	·06	·67	·28	–	·03	tr		2
3				·37	–	–	–	·20	–	tr	·30	·18		3
4				·13	tr	–	·11	·50	–	·40	·10	tr		4
5				·13	·07	–	·20	·30	–	·30	·37	·12		5
6				tr	·07	–	·37	·01	–	tr	·43	tr		6
7				–	tr	–	tr	·05	–	·20	·35	·19		7
8				tr	–	–	·02	tr	–	·41	·41	·29		8
9				–	–	–	–	·05	–	·10	·04	·21		9
10				–	–	·08	–	·09	tr	·12	·01	–		10
11				–	–	tr	–	–	–	·20	·03	–		11
12				–	–	·07	–	–	–	tr	–	–		12
13				·04	–	·02	·20	–	·03	1·55	tr	·02		13
14				·04	·07	·02	·03	–	tr	·28	·46	–		14
15				tr	·55	·33	·07	–	·11	·65	·22	·02		15
16				·02	·19	·07	·16	–	tr	·02	·30	–		16
17				·01	·16	–	·24	–	–	·03	·06	–		17
18				–	–	·19	·29	–	–	·06	·30	–		18
19				–	–	–	·06	–	–	·09	–	·02		19
20				–	–	–	·47	·03	–	–	–	·04		20
21				–	–	·11	·01	–	·05	–	–	–		21
22				tr	–	·22	·12	–	·01	tr	·10	–		22
23				·17	–	·01	·11	tr	–	·01	·84	·02		23
24				·04	–	·07	·03	–	–	·04	tr	–		24
25				–	–	–	·03	–	–	·04	·25	–		25
26				–	–	·04	–	·07	–	·15	·26	–		26
27				·04	–	tr	tr	–	–	·07	·14	·05		27
28				·14	–	·03	tr	–	–	·07	·08	·12		28
29				·33	–	tr	·03	–	–	·08	·06	–		29
30		✕		·76	–	·18	·04	–	–	·02	·03	·01		30
31		✕		✕	–	✕	–	–	✕	·04	✕	–		31
TOTAL				~~1·74~~ 2·50	1·38	1·44	2·66	1·97	1·39	4·93	5·17	1·31	Year's Total ..	
* Days with .01 in. or more.				15 ~~14~~	7	14	21	10	5	23	23	14	..	
* Days with .04 in. or more.				12 ~~11~~	7	10	14	8	3	19	19	8	..	

WH

* See Instruction 3 (f) on other side. A.C. HUNT. ESQ.

† Spare column, no entries required.

(Signed) ………………………………………… [P.T.O.

FARNHAM (CASTLE RD)

1803

Section **A** for the entry of Daily Observations

Station No. 200/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Farnham

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

„ Ground „ Sea Level 256 ft.

Record Commenced April 1939. MWR.

Daily Values during 1939

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				·26	·27	-	·01	tr	·91	-	-	·02		1
2				·02	tr	-	·06	·67	·28	-	·03	tr		2
3				·37	-	-	-	·20	-	tr	·30	·18		3
4				·13	tr	-	·11	·50	-	·40	·10	tr		4
5				·13	·07	-	·20	·30	-	·30	·37	·12		5
6				tr	·07	-	·37	·01	-	tr	·43	tr		6
7				-	tr	-	tr	·05	-	·20	·35	·19		7
8				tr	-	-	·02	tr	-	·41	·41	·29		8
9				-	-	-	-	·05	-	·10	·04	·21		9
10				-	-	·08	-	·09	tr	·12	·01	-		10
11				-	-	tr	-	-	-	·20	·03	-		11
12				-	-	·07	-	-	-	tr	-	-		12
13				·04	-	·02	·20	-	·03	1·55	tr	·02		13
14				·04	·07	·02	·03	-	tr	·28	·46	-		14
15				tr	·55	·33	·07	-	·11	·65	·22	·02		15
16				·02	·19	·07	·16	-	tr	·02	·30	-		16
17				·01	·16	-	·24	-	-	·03	·06	-		17
18				-	-	·19	·29	-	-	·06	·30	-		18
19				-	-	-	·06	-	-	·09	-	·02		19
20				-	-	-	·47	·03	-	-	-	·04		20
21				-	-	·11	·01	-	·05	-	-	-		21
22				tr	-	·22	·12	-	·01	tr	·10	-		22
23				·17	-	·01	·11	tr	-	·01	·84	·02		23
24				·04	-	·07	·03	-	-	·04	tr	-		24
25				-	-	-	·03	-	-	·04	·25	-		25
26				-	-	·04	-	·07	-	·15	·26	-		26
27				·04	-	tr	tr	-	-	·07	·14	·05		27
28				·14	-	·03	tr	-	-	·07	·08	·12		28
29				·33	-	tr	·03	-	-	·08	·06	-		29
30		✕		·76	-	·18	·04	-	-	·02	·03	·01		30
31		✕		✕		✕	-	-	✕	·04	✕	-		31
TOTAL				~~1·74~~ 2·50	1·38	1·44	2·66	1·97	1·39	4·93	5·17	1·31	Year's Total ..	
* Days with .01 in. or more.				15 ~~14~~	7	14	21	10	5	23	23	14	..	
* Days with .04 in. or more.				12 ~~11~~	7	10	14	8	3	19	19	8	..	

* See Instruction 3 (f) on other side. A.C. HUNT, ESQ.

† Spare column, no entries required.

(Signed) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. ~~180/3~~ 200/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Farnham (Castle Street)

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 256 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9														9
10								·03						10
11														11
12														12
13			·64								1·12			13
14												·30		14
15							·67							15
16		·75												16
17														17
18				·35										18
19									·74					19
20														20
21					·32									21
22						·55								22
23														23
24														24
25														25
26	·90													26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕	·77	✕			31
													Year's Total	
TOTAL	3·20	2·97	2·95	1·48	·99	·88	2·32	·03	1·74	3·87	7·61	1·28	29·32	✓
* Days w'th .01 in. or more.	13	15	14	15	7	6	19	1	11	~~15~~ 17	19	15	152	✓
* Days with .04 in. or more.	8	13	11	12	6	5	15	0	9	15	14	8	116	✓

* See Instruction 3 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) X A. C. HUNT ESQ

[P.T.O.

Section | A | for th

201.

COPY FOR OFFICIAL USE.

INFALL ORGANIZATION.

1931 .

201 .

PUTTENHAM

1931 – 40 .

780105

~~This~~

This record

well withi

until 1930 w

low this year it is 3 low

, low total 23/4/32

DAY.

the reading made on January 1st of the following

Jan. 1, following

es and Instructions Overleaf.

	P.W	Puttenham
1926	27.97	27.01
1927	37.80	36.46
1928	31.13	29.75
1929	28.67	28.54
1930	29.34	24.82
1931	25.19	21.85

Ⓐ

Perhaps a leak.

write got file

						e	July	August	Sept.	Oct.	Nov.	Dec.	Date
							in.	in.	in.	in.	in.	in.	
							t	·05	·70	t	t	t	1
							—	t	·33	·02	t	·02	2
							t	·11	·65	t	·08	·08	3
							·02	t	·01	·01	·11	t	4
							·04	·01	·03	t	·05	·15	5
							·13	t	t	·30	·25	·05	6
							t	·26	t	·06	·37	·03	7
8	t	·07	·02	·02	·05	·25	t	·14	t	t	·05	t	8
9	t	·04	·05	t	t	·01	t	t	t	t	·43	·01	9
10	t	·09	·01	t	—	·04	t	·17	t	t	·75	t	10
11	·05	·31	t	—	t	t	t	t	·03	t	·18	t	11
12	·03	t	t	—	—	t	·02	·02	·27	t	t	t	12
13	t	—	t	—	—	t	·09	t	t	t	t	—	13
14	·01	·10	—	·05	—	t	·78	·60	t	t	t	—	14
15	t	—	—	—	·06	—	·04	·24	t	t	·01	·05	15
16	t	·08	—	·12	·25	·10	t	·07	·07	t	t	t	16
17	·01	·05	—	·26	·06	t	·30	·03	·08	t	t	t	17
18	·03	·10	·10	·04	t	·07	·06	·84	t	t	·28	—	18
19	·05	—	—	·32	t	·24	·47	·10	·04	t	t	—	19
20	·04	·06	·06	·16	t	t	t	·19	t	t	t	t	20
21	t	—	t	·06	·25	—	t	t	t	t	t	t	21
22	·24	—	·02	t	—	—	—	t	t	t	t	t	22
23	·16	·04	t	·04	·35	·06	—	t	·02	t	·10	t	23
24	t	t	·02	·47	·08	·08	·15	·12	t	t	t	t	24
25	·05	—	t	·21	·08	t	·58	—	t	t	·01	t	25
26	·10	·02	—	·08	t	—	·35	—	t	—	·12	—	26
27	·02	·30	—	·04	·55	—	·09	—	—	t	·02	—	27
28	·04	·07	—	·02	·10	—	t	—	t	·01	t	·01	28
29	·06	X	—	t	·15	—	·09	—	t	·08	t	—	29
30	·01	X	—	t	t	—	t	—	·01	t	t	—	30
31	·15	X	—	X	·15	X	t	—	X	t	X	t	31
TOTAL	1·24	1·46	·41	2·83	2·80	1·62	3·21	2·95	1·64	·48	2·81	·40	YEAR'S TOTAL 21·85
*Days with ·01 in. or more.	18	15	8	19	15	12	15	15	12	6	15	8	158
*Days with ·04 in. or more.	12	14	4	17	15	10	13	12	7	3	12	4	123

40-9999

*See Instruction 2 (f) on other side.

(Signed) Edmund ... Thelwell

MP/20

[P.T.O.

Section | A | for th

201.

COPY FOR OFFICIAL USE.

AL OFFICE.—BRITISH RAINFALL ORGANIZATION.

AINFALL IN 1931 .

apx 1" low
letter re low total 23/4/32

This record agreed very well with Pilgrim Wood until 1930 when it was 4½ low this year it is 3" low

(A)

	P.W	Puttenham
1926	27·97	27·01
1927	37·80	36·46
1928	31·13	29·75
1929	28·67	28·54
1930	29·34	24·82
1931	25·19	21·85

Perhaps a leak.

write get ful.

ITED TO THE PREVIOUS DAY.

he reading made on January 1st of the following

Jan. 1, following

es and Instructions Overleaf.

						e	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
							in.	in.	in.	in.	in.	in.	
							t	·05	·10	t	t	t	1
							—	t	·33	·02	t	·02	2
							t	·11	·65	t	·08	·08	3
							·02	t	·01	·01	·11	t	4
							·04	·01	·03	t	·05	·15	5
							·13	t	t	·30	·25	·05	6
							t	·26	t	·06	·37	·03	7
8	t	·07	·02	·02	·06	·25	t	·14	t	t	·05	t	8
9	t	·04	·05	t	t	·01	t	t	t	t	·43	·01	9
10	t	·09	·01	t	—	·04	t	·17	t	t	·75	t	10
11	·05	·31	t	—	t	t	t	t	·03	t	·18	t	11
12	·03	t	t	—	—	t	·02	·02	·27	t	t	t	12
13	t	—	t	—	—	t	·09	t	t	t	t	—	13
14	·01	·10	—	·05	—	t	·78	·60	t	t	t	—	14
15	t	—	—	—	·06	—	·04	·24	t	t	·01	·05	15
16	t	·08	—	·12	·25	·10	t	·07	·07	t	t	t	16
17	·01	·05	—	·26	·06	t	·30	·03	·08	t	t	t	17
18	·03	·10	·10	·04	t	·07	·06	·84	t	t	·28	—	18
19	·05	—	—	·32	t	·24	·47	·10	·04	t	t	—	19
20	·04	·06	·06	·16	t	t	t	·19	t	t	t	t	20
21	t	—	t	·06	·25	—	t	t	t	t	t	t	21
22	·24	—	·02	t	—	—	—	t	t	t	t	t	22
23	·16	·04	t	·04	·35	·06	—	t	·02	t	·10	t	23
24	t	t	·02	·47	·08	·08	·15	·12	t	t	t	t	24
25	·05	—	t	·21	·08	t	·58	—	t	t	·01	t	25
26	·10	·02	—	·08	t	—	·35	—	t	—	·12	—	26
27	·02	·30	—	·04	·55	—	·09	—	—	t	·02	—	27
28	·04	·07	—	·02	·10	—	t	—	t	·01	t	·01	28
29	·06	×	—	t	·15	—	·09	—	t	·08	t	—	29
30	·01	×	—	t	t	—	t	—	·01	t	t	—	30
31	·15	×	—	×	·15	×	t	—	×	t	×	t	31
TOTAL	1·24	1·46	·41	2·83	2·80	1·62	3·21	2·95	1·64	·48	2·81	·40	YEAR'S TOTAL 21·85
*Days with ·01 in. or more.	18	15	8	19	15	12	15	15	12	6	15	8	158
*Days with ·04 in. or more.	12	14	4	17	15	10	13	12	7	3	12	4	123

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Edmund [illegible]

P.T.O.

201.

Section A for th

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Berthorpe, Puttenham

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

„ Ground „ Sea Level 350 ft.

apr 1" low

letter re low total 23/4/32

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	t	·04	—	·15	t	·20	t	·08	·10	t	t	t	1
2	·14	·09	t	·30	t	t	—	t	·33	·02	t	·02	2
3	·05	t	·13	·20	·41	t	t	·11	·65	t	·08	·08	3
4	t	t	t	t	·09	—	·02	t	·01	·01	·11	t	4
5	t	t	t	·17	t	·41	·04	·01	·03	t	·05	·15	5
6	—	t	t	·12	—	·01	·13	t	t	·30	·25	·05	6
7	t	t	t	t	·17	·15	t	·26	t	·06	·37	·03	7
8	t	·07	·02	·02	·08	·25	t	·14	t	t	·05	t	8
9	t	·04	·05	t	t	·01	t	t	t	t	·43	·01	9
10	t	·09	·01	t	—	·04	t	·17	t	t	·75	t	10
11	·05	·31	t	—	t	t	t	t	·03	t	·18	t	11
12	·03	t	t	—	—	t	·02	·02	·27	t	t	t	12
13	t	—	t	—	—	t	·09	t	t	t	t	—	13
14	·01	·10	—	·05	—	t	·78	·60	t	t	t	—	14
15	t	—	—	—	·06	—	·04	·24	t	t	·01	·05	15
16	t	·08	—	·12	·25	·10	t	·07	·07	t	t	t	16
17	·01	·05	—	·26	·06	t	·30	·03	·08	t	t	t	17
18	·03	·10	·10	·04	t	·07	·06	·84	t	t	·28	—	18
19	·05	—	—	·32	t	·24	·47	·10	·04	t	t	—	19
20	·04	·06	·06	·16	t	t	t	·19	t	t	t	t	20
21	t	—	t	·06	·25	—	t	t	t	t	t	t	21
22	·24	—	·02	t	—	—	—	t	t	t	t	t	22
23	·16	·04	t	·04	·35	·06	—	t	·02	t	·10	t	23
24	t	t	·02	·47	·08	·08	·15	·12	t	t	t	t	24
25	·05	—	t	·21	·08	t	·58	—	t	t	·01	t	25
26	·10	·02	—	·08	t	—	·35	—	t	—	·12	—	26
27	·02	·30	—	·04	·55	—	·09	—	—	t	·02	—	27
28	·04	·07	—	·02	·10	—	t	—	t	·01	t	·01	28
29	·06	×	—	t	·15	—	·09	—	t	·08	t	—	29
30	·01	×	—	t	t	—	t	—	·01	t	t	—	30
31	·15	×	—	×	·15	×	t	—	×	t	×	t	31
TOTAL	1·24	1·46	·41	2·83	2·80	1·62	3·21	2·95	1·64	·48	2·81	·40	YEAR'S TOTAL 21·85
*Days with ·01 in. or more.	18	15	8	19	15	12	15	15	12	6	15	8	158
*Days with ·04 in. or more.	12	14	4	17	15	10	13	12	7	3	12	4	123

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Edward

P.T.O.

XPUTTENHAM (BERTHORPE)X

Cow np 1931.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 201

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Surrey/6

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Berthorpe, Puttenham

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 350 ft.

Note up to & including April 26th there was a leak in the gauge. I had it repaired on your suggestion & trust it is now correct if not I will get a new one.

*Monthly totals Jan-April amended for leak by surrounding stns. Observer informed on 906 9:2:33. observer agrees

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following (see 17956/32)

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	·02		·03	·89		·01	·11		·04	·02	t	1
2	t			·20	·13	t		·07	t	t	t	·16	2
3	t			·17	·10	·01		t	·22	·02	t	t	3
4	·01	t	t	·01		·19		t	·37	t	·01		4
5	·07	t	t	t	·01	t	·30			t		t	5
6	·25		t	·25		t	t		·07	t			6
7	·01		·02	·03	t	t	·01		·09	·09		t	7
8			·20	·03	·36		t		·09	·35	t	t	8
9	·24	·01		·05	·41				·27		t	t	9
10	·65	·02	·02	·19	·06	·08		t	·05	·13	·03	t	10
11	·20	t	t	·10	·02	t	t	t	·01	t	·03	t	11
12	·01	t	t	t	t		·05	·03	·03	·19	·01	·01	12
13	·05	t	t	·06	·03		·10		·08	·79	t	·02	13
14	·08	·02		·04	·07		t		·02	·02	t	t	14
15	·02	·01	t	·03	·12		t			·12	t	t	15
16	·15	t		·17	·06			t		t	t	t	16
17	·01	t		·02			·05			·02	·01	t	17
18	t	t		t			·12		·15		·11	t	18
19	t	t		t			t		·05	·16	·02	t	19
20	t	t		·19	·01			·37	t	·66	·19	·01	20
21	·01	t	·01	·05	1·12		t	·09		·27	t	·08	21
22	·01	t	·17	t	·31		·20	t	·35	·31	·27	t	22
23	t	·05	·01	·02	·34	t			·13	·65	t	·09	23
24		·05	t	t		t	·33		·10	·09	·04	t	24
25	·01	·01	t	·01		·02	·86		t	·22	·02	·01	25
26	t	t	·08	·02			·06			t	·02	t	26
27	t	t	·13	·18	·33		·13			·30	·02	t	27
28	t	t	·02	·02	·13		·17		t	·01	t	t	28
29	t		·29	·11	·15	·02		·06	·15	·31	·27	·02	29
30	t	×	·01	·08	t	1·02	t	·02	·25	·01	t	·10	30
31		×	·12	×	t	×	·05		×	t	×	·04	31 (25·46)
TOTAL	~~1·85~~ (2·85)	~~·16~~ (·44)	~~1·08~~ (1·58)	~~2·06~~ (2·56)	4·65	1·34	2·44	·75	2·48	4·76	1·07	·54	YEAR'S TOTAL ~~[illegible]~~
*Days with ·01 in. or more.	17	8	12	24	19	6	14	7	18	21	15	10	171
*Days with ·04 in. or more.	9	2	6	14	15	3	12	5	15	16	5	5	107

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Edward H. Tuckwell

XCAPT. E. H. TUCKWELL, M.C.X

P.T.O.

COPY FOR OFFICIAL USE.

Section A **for the entry of Daily Observations.** **Station No** 201.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at BERTHORPE, PUTTENHAM
in the County of Surrey
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft .... in.
,, Ground ,, Sea Level 350 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	·31	·15		t					·01	·01		1
2	·29	t	·42		·73					·01	t		2
3	t	·16	·36		·02						·01		3
4	·15	·01	·02		·44					t	·04		4
5	·06	·01	·35		·03								5
6	t	·09	·04		·31					·14	·06		6
7	·17	·06	·01		·15					·14	t	·03	7
8	·02	t	t		·02		·17			·05			8
9		·01			t		·16			·20	·12		9
10		·64				·04	·02	t		·27	·07		10
11	·38	t			·02	·03	·75	t			t		11
12	t	t		·02	t	·11	·01	·07	1·02		t	t	12
13	·06				·08	·06	·33	·01	·15	·01	·04		13
14	t					t	·03	t		·16	·34	t	14
15	·49		·14			t	·14	·34		t	t		15
16	t		·91			·06	·03	t	t	·04	t		16
17	t		·34			·10	t	·01	·03	t	·09		17
18	·17	·02	·23	t		·28				t	t		18
19	t	·13	·06	·01		·02	·13	t	·42		·03	·04	19
20	t	·03	·15	·09		·03			·04		t	·01	20
21		·10	·01	t	·01	·80				·01	t	t	21
22		·01				1·41		·17	·18	·29	·03		22
23		t		·17	·44	·12		·39	·28	·06	t		23
24		1·18		·13		·79			·16	·01	t		24
25		1·00		·41	t	·05			·07	t	·02	·04	25
26		1·02		·03	·02	·09			·10	·05	t	·04	26
27		t			·33	t	t		·01	·22	t	·15	27
28		t		t	·04		·33			·18		·09	28
29	·05	×	·02	·09	t		·03			·06		t	29
30	·12	×	·11	t					·22			·04	30
31	·16	×	·01	×		×		·5	×	·01	×	t	31
TOTAL	2·22	4·78	3·33	·95	2·64	3·29	2·13	1·04	2·68	1·92	·86	·44	YEAR'S TOTAL 26·28
*Days with ·01 in. or more.	13	16	17	8	14	15	12	7	12	19	12	8	153
*Days with ·04 in. or more.	12	10	12	5	8	12	7	5	10	13	7	6	107

40-9999

*See Instruction 2 (*f*) on other side. D

(*Signed*) Edward H. [illegible]

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 201.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at BERTHORPE, PUTTENHAM

in the County of Surrey

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 360 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01		tr					·30	·01	·07	·02	·35		1
2	·08		·11	·10	·03				·93	·25	·01	·22		2
3	·01	·04	[illegible]	·02	tr					·16	tr	·11		3
4	·09		·06	·19	·09					·04	·07	·35		4
5	tr		·01	tr	·02	tr		·04		tr	·17	·46		5
6	·01		·34	tr	·18	·10		·16		·26	·09	·70		6
7	·08		tr		tr	·03		·16		·12	tr	·30		7
8					·08			·04	·21		·52	·02		8
9	tr		·03						tr		1·19	·60		9
10	tr		·23	·26			·07	tr		tr	·59	·02		10
11	·57		·45	·15			·15	·18	tr		tr	·21		11
12	·05	tr	·01	tr			·24	·13	tr			·09		12
13	·60		·02	·04				·11		tr	tr	·24		13
14	·11		·56	·03	tr	tr			tr	tr	·44	·55		14
15	·01		·06	tr	·12	tr				·16	·15	·69		15
16	·12	tr	·23	·63	·07				tr	·12	tr	tr		16
17	·03	tr	·02	·23	·01					·15	·01	·18		17
18	·17		·03	·05	tr				tr	tr	tr	·40		18
19			·44	·05	tr	tr	tr		·06	·01	tr	·10		19
20			·03	tr		tr	·61	tr		tr	tr	·02		20
21		tr	tr	·26		·07	·11	·06	tr	·08	tr	tr		21
22		tr		tr			·74	·07	·19		·01	·06		22
23		tr		·20		·33			tr		·01	·04		23
24		·01	·07	·11		·08	·44		·10	·01	tr	tr		24
25	·13	·01	tr	·15	·04	·49			tr	·12		·50		25
26	·03	tr	tr	·27	tr	·15			·02	tr		·03		26
27	tr			·02		·01			·01	·04		·24		27
28	tr	·01		tr		·37	tr	·95				·19		28
29		×		tr		·tr		·02	·11		tr	·01		29
30	·08	×						·02	·01	tr	tr	·41		30
31	·05	×		×		×		tr	×	·12	×			31
													Year's Total	
TOTAL	2·23	·07	2·70	2·16	·64	1·63	2·36	2·24	1·65	1·71	3·28	7·12	27·79	
*Days with ·01 in. or more.	18	4	17	17	9	9	7	13	10	15	13	28	160	
*Days with .04 in. or more.	12	1	10	13	5	7	7	11	6	13	8	22	115	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 201

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Berthorpe, Puttenham.

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 350 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.15	.01	.22	.06	tr	.09	.39		.33	.05	.27	tr		1
2	.02		tr			tr			.18	.35	.03			2
3		.02	tr	.04		.14			.20	.77	.10	.01		3
4		.06		.19		.11		tr	.18	.33	.03	.06		4
5		.15	.06	.04		.30			.53	.04	tr	.01		5
6	.07		.01	.20		.66				.07	.01	.02		6
7	.01	tr		.25		.11				tr	.87	.13		7
8			tr	.35		.03				.20	.36	.01		8
9	.02	.01	tr	.28		.43			.04	.77	.06	.03		9
10	.08	tr	.01	.01		tr					.22	.02		10
11	.32	tr		.13		.18	.21				.51	tr		11
12	tr	.05		.17		.16		.23	.02		.96	tr		12
13	.06	.15		.13	.06	.03			tr	tr	.02	.10		13
14	tr	tr		.19	.17	.03			.01	tr	.15			14
15	tr	.12		.57	.03	.07			.09		.32	.06		15
16	tr	.02	tr	.03	tr	.08			.77	.03	.75	.04		16
17	.01			.05	tr	.19	.01	tr	.34	tr	.21	tr		17
18	tr	tr		.22	.17	.06	tr	.02	.01	.03	.02			18
19		.03		.05	.49	.08	.24		.01	.01	.14	.02		19
20	tr	.38		.20	.31	.08	.16		.05	tr	.35			20
21	tr	.55		tr	tr	tr	tr		tr	.10	.01	tr		21
22	tr	.07	.05	.09			tr	.35	.13		tr	tr		22
23	tr	tr	.05	tr	tr			.26	.08	.22	tr	.08		23
24	.03	.68	tr	.22	.16			1.75	.35	.03	tr	.20		24
25	.05	.25			.25	.60			tr		tr	.34		25
26		.50						.20	.10	tr	tr	.64		26
27	tr	.70			.01		tr	.02	.15	tr	.10	.35		27
28		.12					tr	.05	.25	.02	tr	.18		28
29	tr	×						.01	.65	.02	tr	.46		29
30	.04	×		.04				.81	tr	.15	.67	.52		30
31	tr	×		×		×		tr	×	.55	×			31
TOTAL	.86	3.87	.40	3.51	1.65	3.43	1.01	3.70	4.47	3.74	6.16	3.65	Year's Total. 3645	
* Days with .01 in. or more.	12	18	6	22	9	19	5	10	21	18	22	20	182	
* Days with .04 in. or more.	7	12	4	20	7	16	4	7	17	12	16	13	135	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 201

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936

TO:
WITH
RECD
4 JAN 1937
INITIALS IF ACKN
RELEVANT FILE & LATEST
FILE NO.
TO ON

Kept at BERTHORPE, PUTTENHAM
in the County of SURREY.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 350 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·31	·02	·03	·17		·13	·16	·32			·09	·04		1
2	·	·07	tr	·01		·45	tr	·06			·02	tr		2
3		tr		·42		·06	·06		·23		·29	tr		3
4	tr		·10	tr		·06	tr		·35		·06	·11		4
5	·44	tr	·02		tr	·02		·04	tr		tr	·07		5
6	·55					·04		tr	·16		·58	tr		6
7	·22		·07			·06	·02		·2		·16	·09		7
8	·32		·09			tr	·04			·02	·17	·13		8
9	·50		·02			tr	·40		·11	·02	tr	·01		9
10	·14			tr			·05	·65		tr	tr	tr		10
11	tr	·05		·10			·07	tr		1·03	tr			11
12	tr		tr	·05	tr	·45	·16	tr	·39		·21	·20		12
13						·06	tr			·01	·14	·46		13
14		·06		tr		·10	·56		tr		·14	·96		14
15	·02	·04		tr			tr		tr	tr	·04	·18		15
16	·63	·11					·03		·12	tr	·21	·05		16
17	·12	·92			tr	·11	·02		tr	tr	·21	·32		17
18	·07	·12		tr		·20	·15		·01		·01	·09		18
19	·33	·02	·03	tr		·77	·07	·8		tr	·02	tr		19
20	·14	·08	·12	·41		·23	·05		·62	tr		tr		20
21	tr	·01	tr	·44	tr	·21	tr		tr		tr	tr		21
22	·09	·53	·16	·01	·50	·07	·16		tr		tr	·09		22
23	·03		·32	·07	·02	tr	·21			·08	tr	tr		23
24	·04			tr	tr	tr	tr		·07	·46	tr	tr		24
25	·05		·11	·17	tr		·10		·61	·11	tr			25
26	·02	·13	·12	·02			·04		·03	·09	tr	·03		26
27	·32	tr	tr				tr		·10	·18	tr	tr		27
28	1·02	tr	·18				·97			tr	tr	·08		28
29	·04	·07	·7			·16	·07		tr	·02	·17	·04		29
30	·11	✕			·19	·31	·02			·59		tr		30
31	·16	✕	·34	✕	tr	✕	·30		✕	·42	✕	·25		31
													Year's Total	
TOTAL	5·67	2·17	2·41	1·87	·71	3·49	3·71	1·87	3·00	2·00	3·55	3·2	33·65	✓
* Days with .01 in. or more.	23	14	15	11	3	18	22	5	13	11	17	18	170	✓
* Days with .04 in. or more.	20	10	11	8	2	17	18	5	11	7	14	16	139	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Edward .... Capt [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 201

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Berthorpe, Puttenham Guildford

in the County of Surrey.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " Ground " Sea Level 350 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·60	·10	·01				tr				·89	·75		1
2	·02	·36	tr	·08			tr		·40	·03	·01	·45		2
3	tr	·16		·48						tr	tr	·01		3
4	·09	·73	tr	tr							tr	·25		4
5	·10	·08	·17	tr			·14	tr		tr	tr			5
6	·07	·07	1·01	·01	·18		·09			·06	tr			6
7		·52	·01	·07	·01		tr		·03	·04	·02	tr		7
8	tr	·01	·02	tr	·15	·02	tr			tr	·04	·19		8
9	tr	tr		·40	·08	·08	·04	·02	·27	tr		·20		9
10			·70	·28	·11	·34	·04	·28		tr		·42		10
11	tr		·13	tr	·29	·38	·07			tr	tr	·01		11
12	·26	·25	·15	·13	·60	·30	·02	·29	·15	tr		·28		12
13	·22	·05	·34	·09	1·0			·11	·47	tr	tr	1·42		13
14	·02	·04	·33	·01	·18	·02		·11	·03	tr		·01		14
15	·37	·09	·01	·18		tr	·29		·11		tr	·01		15
16	tr	·14	·56	·32		tr		·30	·55			tr		16
17	·85	·01	·16	·04			tr		·20	tr	·03			17
18	·50	·09	·01	·01	·04	·04			·01		·10	·10		18
19	·05	·11	·08	·10		·17	tr		·06			·09		19
20	·62	tr	·01	·13	·50		tr		·02	tr		·01		20
21	·58	·50	·10	·03	·08		·08			tr	tr	·04		21
22	·56	·04	tr	tr	·10	·34				·86	·48	·08		22
23	·23	·06	·11		·07					·26	tr	tr		23
24	·48	·50	·03						·09	·73		tr		24
25	·20	·38			·08				·06	·85		·01		25
26	tr	·31	·26		·16					·11				26
27	·02	·12	·02	·11					tr	·46		tr		27
28	tr	·08		·03		tr		·01	tr	·10		·05		28
29	·02	×				·04			tr	·01	·07			29
30	·34	×				·10				·24	·24	tr		30
31	·30	×		×		×			×	·03	×	·06		31
TOTAL	6·50	4·80	4·22	2·50	2·55	1·83	·77	1·12	2·45	3·78	1·88	4·44	Year's Total 36·84	/ ✓
* Days with .01 in. or more.	22	24	21	18	15	11	8	7	14	13	9	20	182	/ ✓
* Days with .04 in. or more.	18	22	13	13	14	9	7	5	10	10	6	14	141	/ ✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Edward H.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 201

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at BERTHORPE, PUTTENHAM.

in the County of SURREY.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 350 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	tr	tr			·04	·14	·20		·01	·03	tr	·09		1
2	·06	tr		·05	·02	tr	·26			·21	tr	·03		2
3	tr				·22	·02	tr			·48	·02			3
4	·03					·01	·22	·06		·02	tr	·09		4
5				tr		tr	·13	tr		·37	tr	tr		5
6	·03					tr	·03	·01	·01	·01	·01	tr		6
7	·02	·01				tr	·31	·20	·01	·17	tr	·04		7
8	·23					tr	·25	·62	·02	·33	tr			8
9	·13	tr				tr	tr	·03		·03	tr	·99		9
10	·10	·10				tr	·01	·01		·03	·01	·18		10
11	·23	·03					·01	·01		tr	·19	·12		11
12	·32	tr			·63			·31	tr	·09	·06	tr		12
13	·28							tr		·06	·37	·16		13
14	·34		tr		·09		·03	tr	·01	tr	·01	tr		14
15	·13	·06			tr		·32		tr	·33	tr	·26		15
16	·16	·06	·01				·01	·01		·02		·35		16
17		·08	tr		·01		·01		·04	·22	tr	tr		17
18	·05	tr			·01	tr	tr		·45	tr	·51	tr		18
19	tr	tr			tr		tr	·07	·07		·20	tr		19
20	tr						tr		·09		·67	·02		20
21	tr						tr	·01	·10			·13		21
22	tr		tr	·01		·03	tr		·01		·18	·42		22
23		tr		·04					·11		·11	tr		23
24	tr	tr	·08	·01	·01				·19	tr	·07	tr		24
25	·13	tr	·09	·03	·06		·03	tr	·03	·05	1·47	·12		25
26	·25	·13	·04		·01	tr	tr		·14	·26	·25	·18		26
27	·08	·04	tr		·01	·28	·34		·48	·05		·01		27
28	·03	·07			·33	·08	tr	·40	·01	tr		·15		28
29	·12				·20			·08	tr	tr		·18		29
30	·05	X		tr	·13	·02			·10	·13	·31	tr		30
31	·27	X		X	·15	X			X	·15	X	·25		31
TOTAL	3·04	·58	·22	·14	1·32	·58	2·16	1·76	1·88	3·04	4·44	3·77	Year's Total 22·93	22·93 ✓
* Days with .01 in. or more.	21	9	4	5	15	7	15	13	18	20	16	19	162	✓
* Days with .04 in. or more.	17	7	3	2	8	3	8	7	10	14	12	16	107	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 201

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at BERTHORPE, PUTTENHAM

in the County of SURREY.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 350 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02		·02	·28	·31				·03		tr	·01		1
2	·06				·01		·15	·61	·58		·04	tr		2
3	·31			·30			tr	·26		tr	·38	·23		3
4			·26	·13			·09	·98	tr	·44	·06	·03		4
5	·16		tr	·13	·09		·08			tr	·42	·07		5
6	·36		tr	tr	·63		·27			tr	·11	·02		6
7	·13	·09			tr		·01	·05		·02	·27	·15		7
8	·01	·11			tr		·03	·07		·33	·60	·22		8
9	·11	·08	·24					·04		·20	·05	·16		9
10	·31					·14		·09	tr	·10	·07	tr		10
11			·24			tr		tr	·02	·47	·03	·01		11
12			tr			·03		tr		tr		·01		12
13			·01	·04		·06	·06		·02	1·64	tr	·01		13
14	·62			·07	·06	·02	·06		·02	·27	·52	·04		14
15	·53		·07	·01	·82	·24	·04		·05	·67	·18	·01		15
16	·45			·03	·18	·13	·21		·01	·27	·33	tr		16
17	·30	·03	tr	·02	·14	tr	·36			tr	·13	tr		17
18	·33		·01		tr	·09	·17		tr	·06	·32			18
19	·18			tr			·27			·13	·03			19
20	·32					tr	·46		tr		tr	·05		20
21	·05	·22	·04		tr	·16	·26		·07		tr			21
22	·20	·36	tr	·01		·21	·08	·14	·02		·05			22
23	·03		·01	·20	tr	·01	·04		tr	·04	·69	tr		23
24	·13		·04	·10		·05	·21	·01	tr	·04	tr	·01		24
25	·80	·24	·06	·02			·07		tr	·01	·28	·01		25
26			·04	tr		·03			tr	·15	·24	·01		26
27	·06	·15	·10	·11		·01	·03	tr		·12	·16			27
28		·21	·08	·27		·07				·05	·11			28
29			tr	·24			·06	tr		·01	·05	·01		29
30		X	tr	·93		·05		tr		·02	·08			30
31		X		X		X	·27	·06	X	·06	X			31
TOTAL	5·37	1·49	1·22	2·89	2·24	1·30	3·28	2·31	·82	5·10	5·20	1·06	Year's Total 32·28	
* Days with .01 in. or more.	22	9	14	17	8	15	22	10	9	21	24	18	189	
* Days with .04 in. or more.	18	8	10	12	7	10	19	9	3	16	23	7	141	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** — **Station No.** 201

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193 40

Kept at Bulthorpe, Puttenham

in the County of Surrey

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1' ft. ... in.

,, Ground ,, Sea Level 350 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·01			t		t			t	·03			1
2		·10		·69	·02	t	·04			·09	·67	·02		2
3	t	·29		·05	t	t	·01	t		·20	1·16	·08		3
4	t	·08		t	t	t	·01			·18	·10	·03		4
5	·01	·01			t		·01			·08				5
6	·32	·23			·01	t	·25			·28				6
7		·24	t	t	·03	t	·26		t	·42		·01		7
8	·01		t	·03	t	t	·10		·04		·03	·29		8
9				·01	t	t	·01	t	·03	·08	·32	·16		9
10			t	·02	t	t	·15	·02	·01	·24	·08	·05		10
11		·01			t	t	·07		·11	t	·90	·02		11
12		·01	·24	·01	t		·07	t	·17	t	·06			12
13	t		·66	t	t	t	t	t	·01	t	1·32	·01		13
14		·01	·23	·09	·02	t	·79		·03	·18	t	·23		14
15		t	·01	·01	·16	·03	·19		·01	·02	·39	·02		15
16	·03	·36	·22	·16		·07	·09		·26	·55	·89	·01		16
17			·37	·01		t	·03		t	t	·63	t		17
18	t	·24	·12	·40	t	t	·33	·03	t	·27	·09	·15		18
19		·09	·13	·06		t	·04		·90	t	·07	·02		19
20	t	·01	·03	·03		t	·02	·01	·14	·07	·11	t		20
21	·02	t	·04	t	·28	t	·15	·02	t	·15	·30	t		21
22	t	t	·03	·02	·30	·42	t		·13	·07	t	t		22
23		·07	·06	·16	·02	·38	·34		t	t	t	·01		23
24		t	t	·23		t	·05		t		t	·02		24
25	t		·56	t	t	·01	·03		t	·02		t		25
26	·90	·16	·65	·01	·18	t	·07		t	t	t	·02		26
27	·22	·37	·01	·46	t	·01	·01		t	t		t		27
28	·54	·02	t	·02	·16	t			·01	t	t	t		28
29	·25	·18		·10	·09	·01			t	t	t	·23		29
30	·13	✕	t	·09	t	t			t	·15	t	·01		30
31	·10	✕		✕	t	✕			✕	·82	✕	·05		31
TOTAL	2·53	2·49	3·36	2·66	1·27	·93	3·12	·08	1·85	3·87	7·15	1·44	Year's Total 30·75	
* Days with .01 in. or more.	11	19	15	21	11	7	24	4	13	18	17	20	170	
* Days with .04 in. or more.	7	12	10	11	6	3	16	0	7	16	15	8	111	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

WANBOROUGH (GREYF

201|5

WANBOROUGH GREYFRIARS

1934 - 1939

780105

C

Section **A** for the entry of Daily

AIR MINISTRY.—M

n No. 201|5

RGANIZATION

FORM 1090

REGISTE

Kept at The Gardens, Grey

in the County of Surrey

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREMENT

An observer who does not conform to this r *ing year in the space on the right of this paragraph.*

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·51	·10	—	·08	—	—	—	—	·05	—	·75	·72		1
2	—	·36	—	·49	—	—	—	—	·35	—	—	·49		2
3	—	·14	—	—	—	—	—	—	—	—	—	·01		3
4	·09	·64	—	—	—	—	—	—	—	—	—	·25		4
5	·08	·08	·15	—	—	—	·13	—	—	—	—	—		5
6	·06	·06	—	—	·21	—	—	—	—	—	·04	—		6
7	—	·43	·76	—	—	—	—	—	·04	—	—	—		7
8	—	—	—	—	·17	—	—	—	—	—	~~·25~~ ·05	·27		8
9	—	—	·02	·35	·04	·05	·02	—	·28	—	—	—		9
10	—	—	·55	·28	·07	·31	·04	·25	—	—	—	·48		10
11	—	—	·15	—	·32	·33	·06	—	—	—	—	—		11
12	·22	·21	·14	·11	·56	·34	—	·36	·05	—	—	·19		12
13	·20	·05	·30	·12	—	·03	—	·29	·49	—	—	1·21		13
14	—	·05	·31	—	—	—	—	·15	·03	—	—	—		14
15	·29	·09	—	·16	—	—	·27	—	·08	—	—	—		15
16	—	—	·43	·30	—	—	—	·26	·59	—	—	—		16
17	·61	—	·15	·11	—	—	—	—	·18	—	·03	·05		17
18	·37	·11	·02	—	·04	—	—	—	—	—	·10	—		18
19	—	·05	·06	·09	—	·25	—	—	·06	—	—	·15		19
20	·56	—	—	·11	·59	—	—	—	·04	—	—	—		20
21	·50	·43	·14	·03	—	—	—	—	—	—	—	·02		21
22	·46	—	·03	—	·13	·34	·09	—	—	·85	·41	·07		22
23	·24	—	—	—	—	—	—	—	—	·24	—	—		23
24	·37	·51	·08	—	·04	—	—	—	·07	·55	—	—		24
25	·25	·34	·19	—	·09	—	—	—	·06	·71	—	—		25
26	—	·21	—	—	·16	—	—	—	—	·14	—	—		26
27	·02	·17	—	·11	—	—	—	—	—	·48	—	—		27
28	—	·03	—	·03	—	—	—	—	—	·11	·08	·06		28
29	—	×	—	—	—	·04	—	—	—	—	—	·04		29
30	·32	×	—	—	—	·08	—	—	—	·02	·31	—		30
31	·28	×	—	×	—	×	—	—	×	·04	×	·04	d	31
TOTAL	5·43 ✓	4·06 ✓	3·48 ✓	2·37 ✓	2·42 ✓	1·77 ✓	·61	1·31	2·37 ✓	3·14 ✓	1·77 ✓	4·05 ✓	Year's Total 32·78	✓ ✓ print
* Days with .01 in. or more.	~~18~~	~~19~~	~~16~~	~~14~~	~~12~~	~~9~~	~~6~~	~~5~~	~~14~~	~~9~~	~~8~~	~~15~~	~~145~~	
* Days with .04 in. or more.	17 ✓	18 ✓	13 ✓	12 ✓	12 ✓	8 ✓	5 ✓	5 ✓	13 ✓	8 ✓	7 ✓	13 ✓	131	✓ GB.

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) A Grant [P.T.O.

N

THE HEAD GARDENER

WHARBOROUGH (GREYF

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 201|5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at The Gardens, Greyfriars, Guildford

in the County of Surrey /6

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 400 ft. approx.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·51	·10	—	·08	—	—	—	—	·05	—	·75	·72		1
2	—	·36	—	·49	—	—	—	—	·35	—	—	·49		2
3	—	·14	—	—	—	—	—	—	—	—	—	·01		3
4	·09	·64	—	—	—	—	—	—	—	—	—	·25		4
5	·08	·08	·15	—	—	—	·13	—	—	—	—	—		5
6	·06	·06	—	—	·21	—	—	—	—	—	·04	—		6
7	—	·43	·76	—	—	—	—	—	·04	—	—	—		7
8	—	—	—	—	·17	—	—	—	—	—	·05 ~~·25~~	·27		8
9	—	—	·02	·35	·04	·05	·02	—	·28	—	—	—		9
10	—	—	·55	·28	·07	·31	·04	·25	—	—	—	·48		10
11	—	—	·15	—	·32	·33	·06	—	—	—	—	—		11
12	·22	·21	·14	·11	·56	·34	—	·36	·05	—	—	·19		12
13	·20	·05	·30	·12	—	·03	—	·29	·49	—	—	1·21		13
14	—	·05	·31	—	—	—	—	·15	·03	—	—	—		14
15	·29	·09	—	·16	—	—	·27	—	·08	—	—	—		15
16	—	—	·43	·30	—	—	—	·26	·59	—	—	—		16
17	·61	—	·15	·11	—	—	—	—	·18	—	·03	·05		17
18	·37	·11	·02	—	·04	—	—	—	—	—	·10	—		18
19	—	·05	·06	·09	—	·25	—	—	·06	—	—	·16		19
20	·56	—	—	·11	·59	—	—	—	·04	—	—	—		20
21	·50	·43	·14	·03	—	—	—	—	—	—	—	·02		21
22	·46	—	·03	—	·13	·34	·09	—	—	·85	·41	·07		22
23	·24	—	—	—	—	—	—	—	—	·24	—	—		23
24	·37	·51	·08	—	·04	—	—	—	·07	·55	—	—		24
25	·25	·34	·19	—	·09	—	—	—	·06	·71	—	—		25
26	—	·21	—	—	·16	—	—	—	—	·14	—	—		26
27	·02	·17	—	·11	—	—	—	—	—	·48	—	—		27
28	—	·03	—	·03	—	—	—	—	—	·11	·08	·06		28
29	—	×	—	—	—	·04	—	—	—	—	—	·04		29
30	·32	✕	—	—	—	·08	—	—	—	·02	·31	—		30
31	·28	✕	—	✕	—	✕	—	—	✕	·04	✕	·04		31
TOTAL	5·43	4·06	3·48	2·37	2·42	1·77	·61	1·31	2·37	3·14	1·77	4·05	Year's Total 32·78	print
* Days with .01 in. or more.	18	19	16	14	12	9	6	5	14	9	8	15	145	C.B.
* Days with .04 in. or more.	17	18	13	12	12	8	5	5	13	8	7	13	131	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

N

(*Signed*) A Grant [P.T.O.

THE HEAD GARDENER

Cor A

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 201/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at The Gardens, Greyfriars Hogs Back Guildford

in the County of Surrey.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	—	—	·05	·11	·19	—	—	·01	—	·08		1
2	·04	—	—	·05	—	—	·18	—	—	·19	—	·02		2
3	—	—	—	—	—	—	—	—	—	·40	—	—		3
4	—	—	—	—	—	—	·13	·04	—	·02	·02	·09		4
5	·03	—	—	—	—	—	·10	—	—	·38	—	—		5
6	·01	—	—	—	—	—	·09	—	—	—	—	—		6
7	·02	—	—	—	—	—	·24	·17	—	·17	—	·02		7
8	·20	—	—	—	—	—	·22	·62	·11	·27	—	—		8
9	·12	·01	—	—	—	—	—	·03	—	—	—	·81		9
10	·09	·05	—	—	—	—	·01	·02	—	—	—	·04		10
11	·19	—	—	—	—	—	—	—	~~·02~~	—	·04	·21		11
12	·31	—	—	—	·03	—	—	·04	—	·08	·11	—		12
13	·28	—	—	—	—	—	—	—	—	·09	·39	—		13
14	·26	—	—	—	—	—	·03	—	·02	—	—	—		14
15	·06	·07	—	—	—	—	·36	—	—	·32	—	·21		15
16	·20	—	—	—	—	—	—	—	—	·03	·02	—		16
17	—	·10	—	—	—	—	·02	—	·03	·17	—	—		17
18	·04	—	—	—	—	—	—	—	·47	—	·44	—		18
19	—	—	—	—	—	—	—	·07	·08	—	·17	·01		19
20	—	—	—	—	—	—	—	—	·05	—	·54	·16		20
21	·01	—	—	—	—	—	—	·01	·09	—	·02	·43		21
22	—	—	—	·02	—	·02	—	·06	—	—	—	·29		22
23	—	—	—	·04	—	—	—	—	·09	—	·09	—		23
24	—	—	·06	—	—	—	—	—	·17	—	·07	—		24
25	·11	—	·09	·04	·11	—	—	·02	·04	·06	1·51	·02		25
26	·22	·17	—	—	—	—	·02	—	·16	·25	—	·01		26
27	·08	·04	—	—	—	·28	·26	—	·44	·04	·24	—		27
28	—	·06	—	—	·32	·07	—	·40	—	—	—	·16		28
29	·12	—	—	—	·14	—	—	·02	—	—	·09	·18		29
30	·05	✕	—	—	·14	·05	—	—	·09	·09	·23	—		30
31	·22	✕	—	✕	·13	✕	—	—	✕	·12	✕	·24	"d"	31
TOTAL	2·66	·50	·15	·15	·92	·53	1·85	1·50	1·84	2·69	3·98	2·98	Year's Total 19·75	?
* Days with .01 in. or more.	~~21~~	~~7~~	~~2~~	~~4~~	~~7~~	~~5~~	~~13~~	~~12~~	~~13~~	~~17~~	~~15~~	~~17~~	~~133~~	
* Days with .04 in. or more.	19	6	2	3	6	4	9	7	11	14	12	12	105	

Print with query GB 10/3/39 ✓

✓

✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) A Grant

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 201/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Greyfriars Guildford

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·52	—	·02	·41	·28	[illegible]	—	·13	—	—	—			1
2	—	—	—	·12	—	—	·24	·02	·59	—	·04	·03		2
3	·29	·03	—	·18	—	—	—	·56	—	—	·37	—		3
4	—	—	·22	·14	—	—	·08	·26	—	·44	·11	·20		4
5	—	—	—	·11	·07	—	·09	·85	—	·25	·31	·03		5
6	·30	—	—	—	·54	—	·25	—	—	—	·09	·06		6
7	·03	·10	~~·21~~	—	—	—	—	·05	—	·02	·11	·15		7
8	·03	·11	~~·20~~	—	—	—	·05	·08	—	·34	·62	·18		8
9	·05	·09	—	—	—	—	—	—	—	·16	·65	—		9
10	·26	—	—	—	—	—	—	—	—	—	·05	—		10
11	·04	—	·21	—	—	·17	—	—	—	·44	—	·02		11
12	—	—	—	—	—	·05	—	—	—	—	—	—		12
13	—	—	—	·04	—	—	·08	—	—	1·63	—	—		13
14	·58	—	—	·08	·08	—	—	—	·03	·34	·52	—		14
15	·45	—	—	—	·51	·26	·04	—	·07	·62	·17	·07		15
16	·49	—	—	—	·37	·12	·30	—	—	·25	·32	—		16
17	·21	·02	—	—	—	·07	·36	—	—	—	·37	—		17
18	·28	—	—	·02	—	·13	·25	—	—	·08	·48	—		18
19	·17	—	—	—	—	—	·24	—	—	—	·03	—		19
20	·27	—	·03	—	—	—	·55	—	·03	·10	—	—		20
21	·04	·19	—	—	—	·09	·16	·08	—	—	—	—		21
22	·17	·29	·19	—	—	·21	·10	—	·07	—	—	—		22
23	·02	—	— ✓	·28	—	·05	·05	—	—	·08	·72	—		23
24	·32	—	— ✓	—	—	·06	·17	—	—	·06	—	—		24
25	·36	·34	·07 ✗	—	—	—	·11	—	—	—	·26	—		25
26	—	—	— ✓	—	—	—	·09	—	—	·15	·27	—		26
27	—	·11	·08 ✗	·02	—	—	—	—	—	·10	·03	—		27
28	—	·21	·07	·33	—	·07	—	—	—	—	·12	·15		28
29	—	×	—	·26	—	—	—	—	—	·09	·04	—		29
30	·09	✕	—	·89	—	07	—	—	—	—	·06	—		30
31	—	✕	—	✕	—	✕	—	·09	✕	·03	✕	—		31
TOTAL	4·97	1·49	1·09	2·88	1·85	1·35	3·21	2·12	·79	5·18	5·19	·89	Year's Total 31·01	
* Days with .01 in. or more.	~~21~~	~~10~~	~~9~~	~~13~~	~~6~~	~~12~~	~~18~~	~~9~~	~~5~~	~~18~~	~~22~~	~~9~~	~~152~~	"d"
* Days with .04 in. or more.	18	8	7	11	6	12	18	8	3	16	21	6	134	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) A Grant

[P.T.O.

202

Section **A** for the entry of Dai

AIR MINISTRY.—

PY FOR OFFICIAL USE.

ORGANIZATION.

FORM 1090.

REGISTE

202

GUILDFORD

LITTLETON

1931- 1940

480105

Kept at Littleton, Guildf

in the County of Surrey

202

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASURE

An observer who does not conform to this rule

year in the space on the right of this paragraph.

owing

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·06		·14		·02		·01	·05				1
2	·18	·06		·30					·52	·02		·05	2
3	·05		·12	·31	·46			·13	·82		·13	·13	3
4		·01			·03		·02		·02		·16		4
5				·21	·01	·37	·10	·03	·03		·07	·17	5
6		·07		·16			·02			·36	·22	·05	6
7					·20	·25		·38		·03	·39	·02	7
8	·02	·07	·01		·05	·29		·16			·05		8
9		·03	·06	·01		·02					·59		9
10		·13	·01			·05		·14			·67		10
11	·05	·31							·02		·18		11
12	·02						·05	·01	·45				12
13							·17						13
14	·01	·10					·90	·38					14
15	·02	·01		·08	·09		·16	·20				·06	15
16		·11		·16	·25	·07		·12	·04				16
17		·01		·31	·02		·37	·03	·11	·03			17
18	·02	·05	·05	·06		·10	·05	1·10			·49		18
19	·04			·56		·28	·68	·10	·03				19
20		·06		·21				·30			·02		20
21	·03				·30								21
22	·24		·03	·04					·02				22
23	·23			·03	·29	·07			·04		·12		23
24			·01	·42	·10	·06	·21	·14					24
25	·05			·52	·06		·73				·01		25
26		·01		·08			·44				·28		26
27	·12	·31		·09	·65		·06				·01		27
28	·01	·05		·02	·05							·03	28
29	·05				·16		·08			·09			29
30	·02	✕						·03					30
31	·22	✕		✕	·18	✕			✕		✕		31
TOTAL	1·38	1·45	·29	3·71	2·90	1·58	4·04	3·26	2·15	·53	3·39	·51	YEAR'S TOTAL 25·19
*Days with ·01 in. or more.	18	17	7	19	16	11	15	16	12	5	15	7	158
*Days with ·04 in. or more.	10	12	3	16	13	9	13	11	7	2	12	5	113

40-9999

(Signed) Herbert Powell

P.T.O.

*See Instruction 2 (*f*) on other side.

202

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Littleton, Guildford

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 320 ft.

Station no. 202

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·06		·14		·02		·01	·05				1
2	·18	·06		·30					·52	·02		·05	2
3	·05		·12	·31	·46			·13	·82		·13	·13	3
4		·01			·03		·02		·07		·16		4
5				·21	·01	·37	·10	·03	·03		·07	·17	5
6		·07		·16			·02			·36	·22	·05	6
7					·20	·25		·38		·03	·39	·02	7
8	·02	·07	·01		·05	·29		·16			·05		8
9		·03	·06	·01		·02					·59		9
10		·13	·01			·05		·14			·67		10
11	·05	·31							·02		·18		11
12	·07						·05	·01	·45				12
13							·17						13
14	·01	·10					·90	·38					14
15	·02	·01		·08	·09		·16	·20				·06	15
16		·11		·16	·25	·07		·12	·04				16
17		·01		·31	·02		·37	·03	·11	·03			17
18	·02	·05	·05	·06		·10	·05	1·10			·49		18
19	·04			·56		·28	·68	·10	·03				19
20		·06		·21				·30			·02		20
21	·03				·30								21
22	·24		·03	·04					·02				22
23	·23			·03	·29	·07			·04		·12		23
24			·01	·42	·10	·06	·21	·14					24
25	·05			·52	·06		·73				·01		25
26		·01		·08			·44				·28		26
27	·12	·31		·09	·65		·06				·01		27
28	·01	·05		·02	·05							·03	28
29	·05				·16		·08			·09			29
30	·02	×						·03					30
31	·22	×		×	·18	×			×		×		31
TOTAL	1·38	1·45	·29	3·71	2·90	1·58	4·04	3·26	2·15	·53	3·39	·51	YEAR'S TOTAL 25·19
*Days with ·01 in. or more.	18	17	7	19	16	11	15	16	12	5	15	7	158
*Days with ·04 in. or more.	10	12	3	16	13	9	13	11	7	2	12	5	113

40-9999

(*Signed*) Herbert Powell [P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 202

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Pilgrim Ward, Littleton, Guildford
in the County of Surrey
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 320 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	·01		·02	·34			·04		·06	·02		1
2				·21	·10			·04	·20	·03		·14	2
3				·26	·10			·01	·46	·03			3
4	·01					·18					·02		4
5	·12		·01		·01		·26		·06				5
6	·37			·26					·05				6
7	·02		·05	·02	·02				·06	·10			7
8	·01		·22	·02	·32				·24	·31			8
9	·45	·01^{sn}		·08	·37								9
10	1·02	·10^{sn}		·24	·06	·04			·01	·11			10
11	·23			·10					·01		·02	·02	11
12	·17	·01						·02	·05	·23			12
13	·07			·10	·02		·03		·01	·75	·01	·02	13
14	·07	·01		·07	·03					·01			14
15				·06	·13					·08			15
16	·19			·27	·03		·01						16
17				·02			·02			·05			17
18							·12		·11		·1[illegible]		18
19									·04	·15	·01		19
20				·31	·01			·21		·62	·18	·02	20
21	·02	·01	·01	·06	1·22			·05		·26		·07	21
22			·28		·24		·26		·33	·29	·29	·01	22
23		·08	·02	·02	·30	·01			·11	·62		·07	23
24		·09					·33		·09	·07	·04		24
25	·01			·02		·01	·85			·20	·02	·01	25
26			·04	·01			·05			·02	·01		26
27			·54	·19	·37		·10			·30	·03		27
28			·01	·02	·10		·17			·02			28
29			·37	·09	·09	·02		·04	·12	·31	·04	·05	29
30		×		·07		1·10	·01	·03	·24		·27	·11	30
31		×	·11	×		×	·02		×		×	·05	31
TOTAL	2·84	0·32	1·63	2·52	3·86	1·36	2·23	0·44	2·19	4·62	1·06	0·57	YEAR'S TOTAL 23·64
*Days with ·01 in. or more.	15 ✓	8 ✓	11 ✓	23 ✓	19 ✓	6 ✓	13 ✓	8 ✓	17 ✓	22 ✓	14 ✓	11 ✓	167
*Days with .04 in. or more.	10 ✓	3 ✓	7 ✓	15 ✓	13 ✓	3 ✓	8 ✓	5 ✓	14 ✓	17 ✓	6 ✓	6 ✓	107

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Herbert C. Powell

P.T.O.

202

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Pilgrim Wood, Littleton

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 320 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	·28	·15							·01				1
2	·29		·40		·37						·01			2
3		·15	·33		·02									3
4	·13		·01		·34						·02			4
5	·06	·01	·36		·02									5
6		·11	·04		·38					·10	·05			6
7	·17	·02	·03		·13					·11		·02		7
8	·01				·01		·12			·05				8
9		·01					·15			·13	·11			9
10		·60				·05	·02			·30	·05			10
11	·35				·02	·02	·60	·10						11
12				·01		·13			1·28		·02			12
13	·06				·05	·02	·36	·01	·09		·04			13
14							·02			·16	·44			14
15	·31		·17				·03	·46						15
16			·76			·07	·16			·01				16
17			·42			·18		·01	·01		·09			17
18	·15	·03 sn	·20			·33								18
19		·06 sn	·07	·02		·02	·03		·45		·02	·01		19
20		·01	·10	·08		·02			·02					20
21						·16		·14	·09	·01				21
22						·03		·35	·01	·27	·03			22
23				·12	·17	·20			·24	·07				23
24		·99		·10		·38			·11					24
25		1·06		·34					·09		·02	·03		25
26		1·02		·03		·12			·01	·05		·02		26
27					·02					·20		·09		27
28					·36		·21			·19		·06		28
29	·08		·01	·05	·10		·02			·09				29
30	·13	×	·13	·03					·16	·02		·04		30
31	·15	×		×		×		·06	×		×			31
TOTAL	1·96	4·35	3·18	·78	1·99	1·73	1·72	1·13	2·56	1·77	~~·89~~ ·90 ·90	·27	Year's Total 22·34 ✓	
*Days with ·01 in. or more.	13	13	15	9	13	14	11	7	12	16	12	7	142	
*Days with ·04 in. or more.	12	9	12	5	8	9	6	5	8	12	6	3	95	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Herbert A Power

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 202

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Pilgrim Wood, Littleton

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 315 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01							·30	·02	·07	·01	·33		1
2	·05		·11	·05	·02				·84	·22	·01	·22		2
3		·03		·01				·01		·14		·06		3
4	·09		·04	·05	·08					·03	·03	·42		4
5			·02		·01			·03			·07	·45		5
6	·01		·31		·19	·12		·20		·21	·07	·80		6
7	·06					·01		·10		·11		·33		7
8					·07			·03	·29		·61	·02		8
9	·01		·03								1·20	·50		9
10			·28	·24				·01			·61	·01		10
11	·48		·40	·13			·03	·12				·24		11
12	·04						·20	·11				·05		12
13	·50		·02	·03			·16	·09		·01	·12	·14		13
14	·10		·52	·03		·01					·40	·72		14
15			·03		·10					·20	·13	·55		15
16	·10		·28		·03					·09				16
17	·02		·01	·03	·01					·13	·01	·17		17
18	·23		·02	·21								·42		18
19			·42	·05					·05		·01	·08		19
20			·04	·01			·75	·01		·01		·02		20
21				·27		·04	·32	·04		·10				21
22							62	·13	·19		·01	·06		22
23				·20		·43						·04		23
24		·05	·05	·07		·06	·31		·08	·01				24
25	·17			·14	·04	·11				·14		·48		25
26	·01			·27		·12			·02			·04		26
27				·02		·01				·02		·22		27
28		·01				·15		·75				·23		28
29							·01	·02	·12					29
30	·06	×						·04	·01			·45		30
31	·03	×		×		×			×	·20	×	·03		31
TOTAL	1·97	·09	2·58	1·81	·55	1·06	2·40	1·99	1·62	1·69	3·29	7·08	Year's Total. 26·13	
* Days with .01 in. or more.	17	3	16	17	9	10	8	16	9	16	14	27	162	
* Days with .04 in. or more.	11	1	10	11	5	7	6	10	6	11	8	23	109	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Herbert A Powell.

P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 202

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Pilgrim Wood, nr Guildford

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 320 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·11	·02	·14	·06		·05	·79		·17	·03	·18			1
2	·01								·26	·27	·03			2
3		·01	·02	·05		·04			·12	1·07	·08	·01		3
4		·04		·20		·09			·21	·22	·04	·05		4
5		·14	·05	·03		·18			·48	·02		·01		5
6	·02	·01	·01	·16		·62				·10	·01	·02		6
7	·01	·01 sn		·23		·06				·02	·90	·14		7
8	·01			·30		·03				·18	·48			8
9				·29		·45			·03	·71	·07			9
10	·10		·04								·16	·03		10
11	·38			·10		·14	·14				·50			11
12		·05				·25		·09	·02		·85			12
13	·04	·11		·13	·05	·06					·02			13
14				·11	·18	·03					·14	·08		14
15		·12		·51	·01	·13			·08		·41	·03		15
16		·02		·02		·05			·58	·02	·65	·02		16
17	·01			·04		·17		·01			·21			17
18				·23	·11	·02	·02		·35	·62	·01			18
19		·02		·02	·50	·07	·21		·01	·01	·09	·01		19
20		·35		·28	·07	·08	·20		·04		·25			20
21		·62								·10	··			21
22		·07	·04	·01				·21	·15					22
23			·05					·26	·04	·18		·12		23
24	·03	·73			·17			1·92	·31			·17		24
25	·04	·45		·20	·24	1·04						·37		25
26		·35 sn						·19	·08		·03	·49		26
27		·70						·02	·13		·08	·33		27
28		·15			·22			·03	·02	·01		·20		28
29								·01	·81	·01		·36		29
30	·05	×		·02				·66	·02	·18	·60	·46		30
31		×		×		×			×	·50	×	·45		31
TOTAL	0·81	3·97	0·35	2·99	1·55	3·56	1·36	3·40	3·91	3·65	5·79	3·35	Year's Total. 34·69	
* Days with .01 in. or more.	12	19	7	20	9	19	5	10	20	18	22	19	180	
* Days with .04 in. or more.	6	13	5	15	8	16	4	6	15	10	17	12	127	

40-9999

† Spare column, no entries required.

(*Signed*) Herbert A. Powell

* See Instruction 2 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 202

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193 .

Kept at Pilgrim Wood, Littleton

in the County of Surrey

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. – in.

" Ground " Sea Level 320 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.35	.01	.02	.15		.20	.18	.47			.07	.03		1
2	.07	.01				.43	.01	.04			.02			2
3				.45		.02	.02		.20		.27			3
4			.08			.05			.37		.07	.10		4
5	.40		.02					.03	.01		.01	.04		5
6	.39					.01			.16		.61			6
7	.18		.06			.04	.08				.10	.03		7
8	.27		.05				.05		.01	.02	.12	.15		8
9	.59		.01				.46		.10	.01		.02		9
10	.11						.06	.37						10
11		.03		.01			.05	.02			1.02			11
12				.05	.01	.48	.14		.22		.27	.12		12
13				.02		.05	.01				.29	.53		13
14		.07				.07	.50			.03	.03	1.15		14
15		.02							.14			.19		15
16	.44	.10		.01			.03				.20	.04		16
17	.04	.81				.17			.01		.21	.34		17
18	.18	.05				.16	.13				.01	.11		18
19	.32	.03	.01			.85	.09	.06		.04	.01			19
20	.16	.07	.07	.50		.08	.05		.42					20
21		.01		.36	.05	.17								21
22	.10	.44	.14		.62	.05	.10					.08		22
23	.01	.02	.21	.06	.02		.23			.06				23
24	.03	.12							.08	.44		.01		24
25	.07		.07	.23			.15		.70	.05	.04			25
26	.02	.12	.13	.02			.09		.03	.11		.04		26
27	.37								.07	.12				27
28	.87		.15				1.06		.01			.08		28
29	.04	.07	.05			.29	.06			.02	.15	.02		29
30	.11	✕			.05	.27				.67				30
31	.15	✕	.31	✕		✕	.15		✕	.50	✕	.18		31
TOTAL	5.27	1.98	1.38	1.86	0.75	3.39	3.70	0.99	2.53	2.07	3.41	3.26	Year's Total 30.59	
* Days with .01 in. or more.	23	16	15	11	5	17	22	6	15	12	18	19	179	✓
* Days with .04 in. or more.	20	9	11	7	3	15	18	4	10	8	14	14	133	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Herbert A. Powell [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 202

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Pilgrim Wood, Artington

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·68	·10	·01	·05							·93	·72		1
2	·01	·42		·64					·32	·01	·01	·79		2
3		·15	·02											3
4	·10	·72										·24		4
5	·08	·07	·17				·13	tr.						5
6	·06	·05	1·15 sn		·24		·01			·04	·01			6
7		·51		·07	·02				·03	·03				7
8			·01 sn		·07	·02					·04	·17		8
9				·29	·08	·02	·04	·02	·26			·20		9
10			·70	·27	·10	·28		·19				·40		10
11			·16		·21	·04	·05							11
12	·21	·17	·13	·08	·68	·24	·01	·22	·13			·29		12
13	·21	·04	·36	·11		·05		·33	·25			1·22		13
14	·02	·03	·27			·01		·14	·02			·01		14
15	·40	·07		·20			·25		·08					15
16	·01	·12	·55	·31		·01		·25	·63					16
17	·80		·14	·03					·19		·02			17
18	·50	·08		·01	·04	·06			·02		·07	·10		18
19	·04	·12	·07	·08		·17			·06			·06		19
20	·58		·07	·14	·58				·05					20
21	·53	·46	·04	·04			·01					·02		21
22	·48	·02	·02		·15	·31	·06			·95	·35	·07		22
23	·27	·04	·01		·07		·02			·33				23
24	·43	·39			·01				·06	·63		·01		24
25	·20	·37	·25		·16				·08	·57				25
26		·20	·02							·09		·01		26
27	·02	·26		·11					·02	·43		·04		27
28	·02 sn	·06		·03						·07				28
29	·03					·07				·03	·06	·03		29
30	·31	✕				·06				·16	·21	·01		30
31	·28 sn	✕		✕		✕			✕	·05	✕	·04		31
TOTAL	6·27	4·45	4·15	2·46	2·41	1·34	·58	1·15	2·20	3·33	1·70	4·43	Year's Total 34·47	✓ ✓
* Days with .01 in. or more.	24	22	19	16	13	13	9	6	15	13	9	19	178	✓ ✓
* Days with .04 in. or more.	18	20	13	13	11	9	5	5	11	10	6	13	134	✓ ✓

† Spare column, no entries required.

(*Signed*) Herbert W. Powell. [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 202

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Pilgrim Wood, Littleton

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ..... ft. ..... in.

,, Ground ,, Sea Level 325 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					·03	·11	·44		·01	·02		·07		1
2	·08			·04	·02		·05			·22		·02		2
3					·23					·42	·01			3
4	·03						·36	·04		·02		·10		4
5	·01						·10			·40				5
6	·02						·07							6
7	·01						·31	·20	·01	·08		·03		7
8	·22						·23	·37	·01	·36		·02		8
9	·14							·03		·02		1·04		9
10	·07	·07						·01				·18		10
11	·19										·18	·11		11
12	·33	·01			·02			·02		·05	·05			12
13	·28									·07	·36	·16		13
14	·31				·07		·01		·01		·01			14
15	·06	·08					·30			·37		·28		15
16	·23	·02	·01							·01	·02	·31		16
17		·07							·02	·13				17
18	·05								·33		·49			18
19								·05	·07		·20	·01		19
20									·05		·85			20
21								·03	·08		·01	Sn ·43		21
22				·01		·02		·05			·17	Sn ·27		22
23				·03					·03		·10	Sn ·01		23
24			·06						·15		·05			24
25	·13		·10	·03	·10		·01		·02	·06	1·45	Sn ·08		25
26	·24	·18	·02						·30	·27		Sn ·15	✓	26
27	·05	·03				·27	·37		·57	·02	·26			27
28	·02	·06			·29	·09		·44	·01			·13		28
29	·11				·22			·06			·08	·22		29
30	·04	✕		·01	·07				·06	·07	·29			30
31	·23	✕		✕	·13	✕			✕	·12	✕	·21		31
TOTAL	2·85	0·52	0·19	0·12	1·18	0·49	2·25	1·30	1·73	2·72	4·58	3·83	Year's Total 21·76	
* Days with .01 in. or more.	22	8	4	5	10	4	11	11	16	18	17	20	146	
* Days with .04 in. or more.	17	5	2	1	7	3	9	8	8	13	13	15	101	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Herbert A Powell

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 202

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Pilgrim Wood, Littleton

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ~~3~~1 ft. — in.

,, Ground ,, Sea Level 325 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			·02	·38	·27			·02	·07			·01		1
2	·06			·02	·01		·12	·66	·35		·02	·01		2
3	·27			·31				·19			·35	·28		3
4	·14		·30	·16			·10	1·05		·44	·07	·03		4
5				·15	·09		·21			·27	·43	·05		5
6	·31				·97		·27	·01			·10	·01		6
7	·02	·14						·02		·04	·22	·10		7
8		·12	·21				·01	·01		·31	·39	·24		8
9	·12	·07						·02		·16	·10	·15		9
10	·27					·17	·07	·09	·01	·07	·03	·15		10
11			·20						·02	·52	·02			11
12					·01	·02	·02					·01		12
13				·03		·03	·01		·02	1·67		·01		13
14	·67			·06	·06	·01	·06			·28	·50	·03		14
15	·51		·03		·89	·20	·20		·11	·60	·07	·01		15
16	·45		·12	·02	·22	·18	·40			·26	·46			16
17	·27	·02	·02		·13		·23				·12			17
18	·25		·01			·10	·15			·03	·27			18
19	·19						·23			·17		·02		19
20	·31					·02	·40					·04		20
21	·04	·22	·04			·07	·17		·08					21
22	·18	·37	·01			·19	·12		·03		·05			22
23	·02			·18			·03			·13	·67	·02		23
24	·21		·02	·14		·03	·03			·06	·01	·01		24
25	·62	·28	·06				·04				·30	·01		25
26	·02		·01							·13	·23	·02		26
27	·01	·21	·07	·11						·10	·17			27
28		·11	·08	·23		·03	·03			·06	·11	·11 SA		28
29				·18			·03			·06	·03			29
30		✕		1·04							·08			30
31		✕		✕		✕	·23	·04	✕	·01	✕	·01		31
TOTAL	4·94	1·54	1·20	3·00	2·65	1·05	2·78	2·11	·69	5·37	4·80	1·17	Year's Total 31·30	
* Days with .01 in. or more.	21	9	15	14	9	12	19	10	8	20	24	20	181	
* Days with .04 in. or more.	17	8	8	11	7	6	14	5	4	18	19	8	125	

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) Herbert a Sowell

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 202

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at PILGRIM WOOD

in the County of SURREY

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 310 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											·02			1
2		·07	~~·57~~	·57			·02			·06	·75	·01		2
3		·30	~~·04~~	·04						·16	1·20	·08		3
4		·05								·20	·06	·02		4
5		·01			·05		·04			·07	·45	·12		5
6	·31	·18					·21			·27				6
7	·26	·21					·09							7
8			~~·02~~	·02			·02			·32	·02	·32		8
9			~~·02~~	·02				~~·03~~	·03	·12	·37	·15		9
10							·10			·15	·07	·04		10
11		·02^{Sn}	~~·01~~	·01			·03				·87			11
12			·21	·01			·10	~~·10~~	·10		·05			12
13		·01^{Sn}	·61					~~·17~~	·17		1·12			13
14	·01		·11^{Sn}	·07				~~·04~~		·16		·25		14
15				·02	·18	·17	·72	~~·02~~	·02	·02	·34	·02		15
16	·02	·47^{Sn}	·20	·09		·05	·25	~~·27~~	·27	·65	1·00	·02		16
17			·28				·02				·43			17
18		·26	·14	·37			·31	·04	·01	·24	·05	·17		18
19		·07	·07	·04			·05		·86		·12	·01		19
20		·01	·01	·03					·10	·05	·05			20
21	·01^{Sn}		·04		·23		·21	·02		·12	·34			21
22	·01^{Sn}		·03	·02	·35	·69			·05	·03				22
23		·05	·06	·16	·01	·11					·01			23
24				·27			·34					·02		24
25			·58				·04			·02				25
26	·86	·15	·70		·14		·01							26
27	·51	·45		·07			·04							27
28	·49^{Sn}	·02		·01	·08									28
29	·16^{Sn}	·16	·08	·05	·01							·23		29
30	·31	×		·11						·14				30
31	·02	×		×		×			×	1·02	×	·05		31
TOTAL	2·79	2·49	3·12	1·93	1·05	1·02	2·60	·06	1·61	3.80	7·32	1·51	Year's Total 29·30	
* Days with .01 in. or more.	12	17	13	19	8	4	18	2	9	18	19	15	154	
* Days with .04 in. or more.	7	12	11	12	6	4	13	1	6	15	16	10	113	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Herbert A. Powell

[P.T.O.

203

Section **A** for the entry of
AIR MINISTRY

FOR OFFICIAL USE.
ALL ORGANIZATION.

FORM 1090.

REGIS

1.

Kept at Briarfield. Gu
in the County of Surrey

Diameter of Funnel of Gauge
Height of top of Gauge above Groun
,, Ground ,, Sea L

203

GUILDFORD
BRIARFIELD

1931 - 1932

780105

THE MORNING MEASU Y.

An observer who does not conform to *following*
year in the space on the right of this paragraph.

Jan. 1, following
—

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	8	–	14	2	3	–	1	18	Tr	–	–	1
2	17	7	12	30	2	–	–	–	43	2	Tr	8	2
3	6	1	–	33	50	–	–	15	73	–	16	11	3
4	–	–	–	–	3	–	2	–	2	Tr	11	–	4
5	–	10	–	21	–	40	10	3	3	–	Tr	17	5
6	–	500	–	17	–	1	2	–	–	35	32	6	6
7	–	500	–	–	–	26	–	38	–	2	41	3	7
8	S. 13	7	–	–	26	32	–	16	–	Tr	4	Tr	8
9	–	11	S 8	1	Tr	1	1	–	–	–	60	–	9
10	–	5	–	–	–	6	–	15	3	{–	64	Tr	10
11	6	28	–	–	–	–	–	–	43	{1	19	–	11
12	4	–	–	–	–	–	6	Tr	–	–	–	–	12
13	–	–	Tr	–	–	–	14	–	–	–	–	–	13
14	2	10	Tr	–	–	–	90	38	–	–	–	–	14
15	2	–	–	–	11	–	12	20	Tr	–	–	7	15
16	–	S 3	–	11	26	8	–	11	4	–	–	Tr	16
17	–	2	–	32	3	–	37	8	12	4	Tr	Tr	17
18	3	10	7	9	–	24	6	101	Tr	–	53	–	18
19	5	–	–	61	–	14	62	10	3	–	–	–	19
20	–	8	1	20	–	Tr	–	24	–	–	3	–	20
21	4	–	4	Tr	30	2	–	–	Tr	–	–	–	21
22	25	–	–	5	1	9	–	–	2	–	13	–	22
23	19	–	3	3	30	7	–	–	6	–	2	–	23
24	–	–	–	49	10	9	25	16	–	–	–	–	24
25	5	–	–	43	6	–	72	–	Tr	–	26	–	25
26	–	–	Tr	12	–	–	46	–	–	–	13	–	26
27	12	30	–	9	60	–	6	–	–	Tr	3	–	27
28	2	5	–	3	5	–	–	–	2	–	Tr	5	28
29	7	–	–	–	18	–	9	–	–	11	1	–	29
30	3	×	–	–	–	–	–	4	–	–	–	–	30
31	21	×	–	×	17	×	–	–	×	Tr	×	–	31
TOTAL	1.56	1.46	.35	3.73	296	1.70	4.00	3.20	214	.55	3.61	.57	YEAR'S TOTAL 25.83
*Days with ·01 in. or more.	18	15	6	18	15	12	16	15	13	6	16	7	157
*Days with ·04 in. or more.	13	12	4	15	12	9	13	13	7	3	12	6	119

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) L. Beatrice Swaine [P.T.O.

203

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193/.

Kept at Briarfield. Guildown, Guildford

in the County of Surrey.

Diameter of Funnel of Gauge Same.

Height of top of Gauge above Ground „ ft. „ in.

„ Ground „ Sea Level „ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following —

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	8	–	14	–2	3	–	1	18	Tr	–	–	1
2	17	7	12	30	–2	–	–	–	43	2	Tr	8	2
3	6	1	–	33	50	–	–	15	73	–	16	11	3
4	–	–	–	–	3	–	2	–	2	Tr	11	–	4
5	–	10	–	21	–	40	10	3	3	–	Tr	17	5
6	–	500	–	17	–	1	2	–	–	35	32	6	6
7	–	500	–	–	–	26	–	38	–	2	41	3	7
8	3.13	7	–	–	26	32	–	16	–	Tr	4	Tr	8
9	–	11	S 8	1	Tr	1	1	–	–	–	60	–	9
10	–	5	–	–	–	6	–	15	3	–	64	Tr	10
11	6	28	–	–	–	–	–	–	43	1	19	–	11
12	4	–	–	–	–	–	6	Tr	–	–	–	–	12
13	–	–	Tr	–	–	–	14	–	–	–	–	–	13
14	2	10	Tr	–	–	–	90	38	–	–	–	–	14
15	2	–	–	–	11	–	12	20	Tr	–	–	7	15
16	–	S 3	–	11	26	8	–	11	4	–	–	Tr	16
17	–	2	–	32	3	–	37	8	12	4	Tr	Tr	17
18	3	10	7	9	–	24	6	101	Tr	–	53	–	18
19	5	–	–	61	–	14	62	10	3	–	–	–	19
20	–	8	1	20	–	Tr	–	24	–	–	3	–	20
21	4	–	4	Tr	30	–2	–	–	Tr	–	–	–	21
22	25	–	–	5	1	–2	–	–	2	–	13	–	22
23	19	–	3	3	30	7	–	–	6	–	2	–	23
24	–	–	–	49	10	9	25	16	–	–	–	–	24
25	5	–	–	43	6	–	72	–	Tr	–	26	–	25
26	–	–	Tr	12	–	–	46	–	–	–	13	–	26
27	12	30	–	9	60	–	6	–	–	Tr	3	–	27
28	2	5	–	3	5	–	–	–	2	–	Tr	5	28
29	7	–	–	–	18	–	9	–	–	11	1	–	29
30	3	×	–	–	–	–	–	4	–	–	–	–	30
31	21	×	–	×	17	×	–	–	×	Tr	×	–	31
TOTAL	1.56	1.46	.35	3.73	296	1.70	4.00	3.20	214	.55	3.61	.57	YEAR'S TOTAL 25.83
*Days with ·01 in. or more.	18	15	6	18	15	12	16	15	13	6	16	7	157
*Days with ·04 in. or more.	13	12	4	15	12	9	13	13	7	3	12	6	119

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) L. Beatrice Swaine [P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. **Station No.** 203

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Briarfield . Guildford

in the County of Surrey

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: 4

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	10	1	-	3	33	-	-	4	-	7	-	-	1
2	-	-	-	17	8	-	-	4	-	4	-	13	2
3	1	-	-	21	12	-	-	1	-	6	-	Tr	3
4	Tr	-	-	-	-	19	-	-	60	-	3	-	4
5	14	-	1	-	-	Tr	26	-	8	-	-	-	5
6	40	-	-	25	-	-	-	-	6	-	-	-	6
7	1	-	7	4	1	-	-	-	8	12	-	1	7
8	-	-	20	6	33	-	-	-	24	29	-	-	8
9	40		Tr	11	36	-	-	-	-	Tr	-	-	9
10	1.42	3.11	-	23	6	6	7	-	2	12	Tr	-	10
11	21	Tr	-	10	Tr	-	-	-	1	-	3	-	11
12	18	-	-	-	-	-	-	2	7	22	1	Tr	12
13	5	1	-	-	-	-	5	-	-	76	1	-	13
14	8	TR	-	20	3	-	-	Tr	-	-	-	1	14
15	TR	1	-	8	18	-	-	Tr	-	Tr	-	-	15
16	16	-	-	26	5	-	4	-	-	-	-	-	16
17	-	-	-	2	-	-	5	-	-	4	Tr	-	17
18	-	-	-	-	-	-	14	-	14	-	12	-	18
19	-	-	-	-	-	-	-	-	5	-	1	-	19
20	-	-	-	31	1.20	-	-	34	-	61	19	1	20
21	3	1	1	6	19	-	-	7	-	26	Tr	8	21
22	Tr	-	{	-	27	-	24	-	34	31	26	-	22
23	1	10	39	1	-	-	Tr	-	13	60	Tr	9	23
24	-	-	-	-	-	10	38	-	11	8	5	Tr	24
25	-	-	-	-	39	Tr	80	-	Tr	20	2	Tr	25
26	-	-	7	-	-	1	8	-	Tr	7	1	-	26
27	-	-	50	-	39	-	13	-	-	30	5	-	27
28	-	-	2	17	10	-	14	-	-	3	-	-	28
29	-	-	37	2	9	-	-	6	14	26	3	4	29
30	-	×	Tr	9	Tr	1.03	2	Tr	23	Tr	25	10	30
31		×	12	×	-	×	4	-	×	2	×	10	31
TOTAL	3.20	25	1.76	2.42	4.18	1.39	2.44	.58	2.30	4.46	1.07	.57	YEAR'S TOTAL 24·62
*Days with ·01 in. or more.	14	6	10	19	17	5	14	7	15	20	14	9	150
*Days with .04 in. or more.	10	2	7	15	15	4	13	5	13	18	6	6	114

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) L. Beatrice Swaine

P.T.O.

Section **A** for the ent
AIR MIN
INFALL ORGANIZATION.

Station No. 203|1

FORM 1090.

REC 1935. ~~int~~ c 1935 X

Kept at "LAUGHARNE

in the County of SURRE

X

853964/28

Diameter of Funnel of Gauge

Height of top of Gauge abo

,, Ground ,,

203|1
GUILDFORD
WARREN RD
1935 -1940

480105

THE MORNING MEA AY.

An observer who does not con t of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1										·03	·17	–		1
2										·24	·02	–		2
3										1·19	·10	–		3
4										·24	TR	·10		4
5										·01	·01	·01		5
6										·44	·02	·01		6
7										·06	·94	·15		7
8										·17	·58	·01		8
9										·61	·05	–		9
10										–	·16	·04		10
11										–	·42	–		11
12										–	·80	–		12
13									–	–	·02	–		13
14									·06	TR	·14	·09		14
15									·07	–	·46	·04		15
16									·42	·02	·62	·01		16
17									TR	–	·12	–		17
18									·26	·02	TR	TR		18
19									·05	–	·07	·01		19
20									–	–	·15	–		20
21									·04	·01	TR	–		21
22									·10	–	–	–		22
23									·06	·16	–	·08		23
24									·27	–	–	·14		24
25									–	–	–	·33		25
26									·06	–	TR	·53		26
27									·12	–	·09	·33		27
28									·66	·01	–	·10		28
29									·28	–	TR	·39		29
30		×							TR	·11	·47	·53		30
31		×		×		×			×	·39	×	·36		31
TOTAL										3·71	5·41	3·26	Year's Total —	
* Days with .01 in. or more.										16	20	19	—	
* Days with .04 in. or more.										10	16	14	—	

40-9999. WOKING WATER & GAS CO. † Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) ....

N

X Colin Docwra Esq. X

Engineer & Manager

P.T.O.

COPY FOR OFFICIAL USE 16

Section **A** for the entry of Daily Observations. Station No. 203/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

c 1935

Kept at "LAUGHARNE LODGE", WARREN ROAD, GUILDFORD.

in the County of SURREY. X GUILDFORD (WARREN RD) X

853964/28

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 375 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1										·03	·17	-		1
2										·24	·02	-		2
3										1·19	·10	-		3
4										·24	TR	·10		4
5										·01	·01	·01		5
6										·44	·02	·01		6
7										·06	·94	·15		7
8										·17	·58	·01		8
9										·61	·05	-		9
10										-	·16	·04		10
11										-	·42	-		11
12										-	·80	-		12
13									-	-	·02	-		13
14									·06	TR	·14	·09		14
15									·07	-	·46	·04		15
16									·42	·02	·62	·01		16
17									TR	-	·12	-		17
18									·26	·02	TR	TR		18
19									·05	-	·07	·01		19
20									-	-	·15	-		20
21									·04	·01	TR	-		21
22									·10	-	-	-		22
23									·06	·16	-	·08		23
24									·27	-	-	·14		24
25									-	-	-	·33		25
26									·06	-	TR	·53		26
27									·12	-	·09	·33		27
28									·66	·01	-	·10		28
29									·28	-	TR	·39		29
30		✕							TR	·11	·47	·53		30
31		✕		✕		✕			✕	·39	✕	·36	Year's Total	31
TOTAL										3·71	5·41	3·26	-	
* Days with .01 in. or more.										16	20	19	-	
* Days with .04 in. or more.										10	16	14	-	

40-9999. WOKING WATER & GAS Co. † Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) P.T.O.

N X Colin Docwra Esq X Engineer & Manager

X GUILDFORD (WARREN ROAD) X Surrey 6

203|1

CROWN COPYRIGHT RESERVED.

Section A for the entry of Daily Observations. Station No. 853964/28.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936 .

Kept at ~~Langthorne Lodge, Warren Road, Guildford.~~

in the County of Surrey

853964/28

1935 [illegible]

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 375 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·46		·02	·09		·26	·20	·06			·07	·04		1
2	·02		·01			·67		·02			·05			2
3				·55		·01	·02		·25		·21			3
4	TR		·07			·06			·32		·08	·10		4
5	·38		·05					·03	·06			·04		5
6	·31					·01			·14		·58			6
7	·13		·06			·04	·02		·01		·15			7
8	·28		·06				·16			·06	·14	·19		8
9	·43		·01				·34		10	·01				9
10	·09						·08	·14	TR					10
11		·01		TR			·10				1·04			11
12				·05	·01	·53	·15		·14		·19	·08		12
13				·02		·02				·04	·22	·47		13
14		·08				·06	·43		·02			·90		14
15	·05	·03							·26		·02	·16		15
16	·08	·11		·01			·03		·01		·21	·08		16
17	·39	·75				·35			·01	TR	·16	·22		17
18	·16	·09				·05	·11			·07		·10		18
19	·28	·02	·02	·06		1·33	·10	·08						19
20	·12	·07	·05	·41		·16	·08		·48					20
21	TR.	·05		·42	·03	·16	TR							21
22	·11	·37	·12		·55	·07	·20					·12		22
23	·02	·02	·24	·06			·14			·09				23
24	·02	·13					·03		·11	·37				24
25	·10		·16	·18			·10		·40	·16	·07			25
26	·08	10	·07	·02			·08		·01	·03		·05		26
27	·26		·02				·02		·16	·08				27
28	·91		·22			·13	·83					·08		28
29	·04	·06	·03			·07	·05			·02	·15	·01		29
30	·09	✕			·05	·18	·02			·70				30
31	·15	✕	·30	✕		✕	·44		✕	·50	✕	·28		31
TOTAL	4·96	1·89	1·51	1·87	·64	4·16	3·73	·33	2·48	2·13	3·34	2·92	Year's Total. 29·96	
* Days with .01 in. or more.	24	14	17	11	4	18	23	5	16	12	15	16	175	
* Days with .04 in. or more.	21	10	11	8	2	15	17	3	11	9	14	15	136	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) X COLIN DOCWRA ESQ X

[P.T.O.]

203/1

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 853964/28.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Laugharne Lodge, Warren Rd Guildford

in the County of Surrey

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 375 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·45	·07	·01								·91	·92		1
2		·26		·71					·28			·62		2
3		·15	·02									·01		3
4	·09	·79										·25		4
5	·08	·07	·18				·13	TR						5
6	·05	·07	·12	·04	·29		·04			·05	·03			6
7		·47	·74	·04					·02	·03				7
8			·11		·11	·03					·03	·19		8
9				·33	·04	·02	·05	·06	·28			·23		9
10			·62	·22	·15	·30		·20				·37		10
11			·12		·11	·24	·07							11
12	·21	·20	·13	·07	·75	·23		·60	·15			·31		12
13	·21	·04	·51	·07		·06		·29	·36			·99		13
14	·01	·07	·22			·03		·25	·04					14
15	·39	·07		·22			·20		·08					15
16		·08	·52	·37				·24	·23					16
17	·74		·17	·02					·05		·03			17
18	·40	·13		·02	·03	·13			·01		·08	·12		18
19	·04	·04	·06	·08		·17	·01		·06			·04		19
20	·54		·09	·22	·65				·03					20
21	·48	·37	·07	·03			·01					·03		21
22	·55	·02	·01		·15	·30	·09			1·12	·37	·08		22
23	·17	·03			·09					·31				23
24	·50	·38							·10	·56				24
25	·19	·41	·27		·11				·05	·24				25
26		·21	·02							·15				26
27	·03	·09		·15					·01	·40				27
28		·07		·02						·08		·08		28
29		X				·04				·02	·07	·05		29
30	·36	×				·11				·04	·20			30
31	·22	×		×		×			×	·16	×	·05		31
													Year's Total	
TOTAL	5·70	4·09	3·99	2·61	2·48	1·66	·60	1·64	1·75	3·16	1·72	4·34	33·74	✓
* Days with .01 in. or more.	20	22	19	16	11	12	8	6	15	12	8	16	165	✓
* Days with .04 in. or more.	18	20	15	12	10	9	6	6	11	10	5	14	136	✓

40-9999.

WOKING WATER & GAS CO.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

Engineer & Manager.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 853964/28.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

203/1

Kept at Laugharne Lodge, Warren Road, Guildford.

in the County of SURREY.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 375 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					.07	.12	.45		TR	.02		.06		1
2	.12			.05	.13		.06			.24		.01		2
3					.23	.01				.35	.01			3
4	.04					.01	.30	.05		.01		.12		4
5				TR			.43			.44				5
6	.02						.07		.01					6
7	TR						.40	.17	TR	.09		.03		7
8	.23						.14	.21	.01	.28		.03		8
9	.12	.01						.04		.02		1.02		9
10	.06	.09				.07	.01	.01				.18		10
11	.20						TR			.02	.19	.14		11
12	.25				.02			.02		.06				12
13	.25	.04						.03		.05	.38	.18		13
14	.26	TR			.09		TR		.03					14
15	.08	.07					.33			.39		.35		15
16	.15	.03	.01		.01		.02	.01		.01	.09	.50		16
17		.08							.03	.11				17
18	.05				.01				.34		.40			18
19								.05	.09		.21			19
20									.05		.78			20
21	.01							.01	.09		.02			21
22				.01		.04		.05			.15			22
23				.02					.05		.13	1.03		23
24			.07		TR				.16		.05			24
25	.09		.06	.08	.12		.02		TR	.06	1.13			25
26	.17	.17	.02						.19	.23				26
27	.05	.03				.27	.36		.42	.04	.25			27
28	.01	.05			.27	.07		.53	.03			.13		28
29	.20				.21			TR	TR		.07	.18		29
30	.04	✕		.01	.14	.01			.07	.10	.25			30
31	.17	✕		✕	.12	✕			✕	.09	✕	.21		31
TOTAL	2.57	.57	.16	.17	1.42	.60	2.59	1.18	1.57	2.61	4.11	4.17	Year's Total 21.72	
* Days with .01 in. or more.	21	9	4	5	12	8	12	12	14	19	15	22_	15_3	
* Days with .04 in. or more.	18	6	2	2	9	5	9	7	9	14	13	15_	10_9	

WOKING WATER & GAS CO.

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) .... [P.T.O.

203/1

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station ~~No. 853964/28~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Laugharne Lodge, Warren Road, Guildford

in the County of Surrey

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 375 ft.

acc ER

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			.02	.37	.31			.02	.01					1
2	.04				.01		.14	.60	.35		.04			2
3	.27			.31				.19			.26	.28		3
4	.14		.28	.17			.15	1.09		.34	.07			4
5				.16	.07		.24			.19	.41	.05		5
6	.29		.04		.31		.19				.12			6
7		.12						.04		.04	.19	.14		7
8		.10	.16				.02	.02		.32	.28	.25		8
9	.06	.06						.03		.14	.10	.18		9
10	.25					.18		.08	.01	.09	.02			10
11			.23			.02				.38				11
12					.01	.07								12
13				.02		.01			.02	1.74				13
14	.51		TR	.06	.07	.01	.13		.02	.33	.44	.07		14
15	.45				.91	.20	.04		.13	.65				15
16	.42			.03	.28	.16	.14		.01	.07	.48			16
17	.31	.03	.08		.10		.15				.10			17
18	.26		.02			.13	.11				.26			18
19	.23	.01					.23			.22				19
20	.36					.08	.48					.07		20
21	.04	.21	.07			.02	.09		.14					21
22	.18	.30				.20	.15		.02					22
23	.01		.02	.18			.07			.07	.69			23
24	.19			.14		.06	.02			.13				24
25	.57	.35	.07	TR			.04				.30			25
26			.03							.20	.19			26
27	.04	.20	.09	.13						.08	.14			27
28		.12	.06	.21		.02				.08	.12	.16		28
29				.21			.01			.08	.02			29
30		✕		1.07							.11			30
31		✕		✕		✕	.22	.09	✕		✕			31
TOTAL	4.62	1.50	1.17	3.06	2.07	1.16	2.62	2.16	.71	5.15	4.34	1.20	Year's Total 29.76	
* Days with .01 in. or more.	19	10	13	13	9	13	19	9	9	18	20	10	162	
* Days with .04 in. or more.	18	8	9	11	7	8	16	6	3	18	18	8	130	

WOKING WATER & GAS CO.

† Spare column, no entries required.

(*Signed*)

Engineer & Manager

* See Instruction 3 (f) on other side.

P.T.O.

203/1

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. ~~853964/28.~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at Laugharne Lodge, Warren Road, Guildford

in the County of Surrey

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 375 ft.

see letter of [illegible]

Snow again.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		✓									.02			1
2		✓ (.26)		.43							.58			2
3		✓ ~~1.76~~		.03						.25	1.05	.11		3
4		.08		.01						.18	.06	.03		4
5							.09			.09	.42	.06		5
6	.28	.17					.25			.16				6
7	.30	.22					.02							7
8									.03	.34	.02	.29		8
9									.03	.17	.37	.13		9
10							.11			.10	.05			10
11		✓					.04				.67			11
12			.18				.19							12
13		✓	.58						.27		1.17			13
14		(.70)	.22	.17						.11		.28		14
15					.20	.11	.60				.23	.02		15
16		✓	.17	.05		.05	.22		.22	.65	1.01			16
17			.23				.03				.61			17
18		✓ ~~.50~~	.19	.36			.22			.17	.09	.14		18
19			.08	.03					.80		.10			19
20		.11					.07	.01	.17		.04			20
21			.04		.40		.15			.18	.26			21
22			.04		.32	.61			.02					22
23		.07	.06	.17	.02	.12								23
24				.31			.31			.04		.02		24
25			.70				.03							25
26	.81	.15	.76		.12									26
27	✓	.39		.06			.07							27
28	✓	.01			.09									28
29	(1.50) ✓	.16	.08	.07								.21		29
30	✓	✕		.12										30
31	✓	✕		✕		✕			✕	.90	✕	.07		31
TOTAL	2.89 ~~1.39~~	2.32 ~~3.68~~	3.33	1.81	1.15	.89	2.40	.01	1.54	3.34	6.75	1.36	Year's Total 7 27.59	
* Days with .01 in. or more.	8	16	13	12	6	4	15	1	7	13	17	11	123	
* Days with .04 in. or more.	7	12	13	9	5	4	12		4	13	15	8	102	

† Spare column, no entries required.

WOKING WATER & GAS CO.

(*Signed*) Engineer & Manager.

* See Instruction 3 (f) on other side.

[P.T.O.

X Guildford (Pewley H

Section A for the entry of Daily Obs

AIR MINISTRY.—METEO

FORM 1090.

REGISTER

Kept at ~~Pewley Hill – Guildfo~~

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft

,, Ground ,, Sea Level 36

THE MORNING MEASUREMENT

An observer who does not conform to this rule sho
year in the space on the right of this paragraph

203/5
GUILDFORD
PEWLEY HILL RES
1936 - 1940

780105

R OFFICIAL USE.
NIZATION.

203/5

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·35	0·01	0·01	0·13	—	0·20	0·18	0·36	—	—	0·07	0·04	1
2	0·13	—	0·01	Tr	—	0·45	0·01	0·01	—	—	0·04	—	2
3	Tr	—	~~0~~ —	0·48	—	0·03	0·01	—	0·24	—	0·23	Tr	3
4	—	—	0·08	—	—	0·06	Tr	—	0·36	—	0·09	0·09	4
5	0·33	—	0·04	—	—	Tr	—	0·04	0·02	Tr	Tr	0·07	5
6	0·36	—	—	—	—	Tr	—	—	0·13	Tr	0·63	—	6
7	0·12	—	0·06	—	—	0·05	0·08	—	0·01	Tr	0·12	Tr	7
8	0·29	—	0·06	—	—	—	0·06	—	Tr	0·04	0·16	0·19	8
9	0·52	—	0·01	—	—	—	0·44	—	0·12	0·02	Tr	Tr	9
10	0·10	—	—	Tr	—	Tr	0·07	0·22	Tr	Tr	—	—	10
11	—	0·02	—	—	—	Tr	0·01	Tr	Tr	—	0·91	Tr	11
12	—	—	—	0·05	0·01	0·52	0·13	Tr	0·19	—	0·26	0·14	12
13	—	—	—	0·09	—	0·04	—	Tr	Tr	0·01	0·01	0·50	13
14	—	0·07	—	—	—	0·08	0·49	—	Tr	0·03	0·23	1·03	14
15	Tr	0·02	—	—	—	Tr	—	—	0·18	—	0·01	0·19	15
16	0·43	0·10	—	0·01	—	—	0·03	—	0·01	—	0·21	0·05	16
17	0·05	0·78	—	—	Tr	0·22	Tr	—	0·01	—	0·17	0·32	17
18	0·11	0·06	—	—	—	0·14	0·09	Tr	Tr	—	Tr	0·11	18
19	0·32	0·03	0·01	0·01	—	1·15	0·11	0·08	—	0·13	0·02	Tr	19
20	0·13	0·08	0·04	0·47	—	0·50	0·07	—	0·46	—	—	—	20
21	—	Tr	0·01	0·40	—	0·16	Tr	—	—	—	Tr	Tr	21
22	0·10	0·38	0·10	Tr	0·56	0·12	0·12	—	Tr	—	Tr	0·10	22
23	0·01	0·02	0·26	0·06	0·01	—	0·21	—	Tr	0·07	—	—	23
24	0·02	0·12	—	—	—	—	Tr	—	0·11	0·43	—	0·01	24
25	0·06	Tr	0·07	0·22	Tr	—	0·16	—	0·36	0·12	0·03	—	25
26	0·05	0·10	0·12	0·01	Tr	Tr	0·07	—	0·02	0·04	0·01	0·03	26
27	0·30	—	Tr	—	—	—	Tr	—	0·09	0·10	—	—	27
28	0·90	—	0·14	—	—	—	0·84	Tr	Tr	Tr	—	0·07	28
29	0·04	0·06	0·09	—	—	0·24	0·06	Tr	Tr	0·01	0·15	0·03	29
30	0·10	×	Tr	—	0·04	0·31	—	—	—	0·54	—	0·01	30
31	0·13	×	0·29	×	Tr	×	0·15	—	×	0·65	×	0·17	31
TOTAL	4·95 ✓	1·85 ✓	1·40 ✓	1·93 ✓	0·62 ✓	4·27 ✓	3·39 ~~3·48~~	0·71 ✓	2·31 ✓	2·19 ✓	3·35 ✓	3·15 ✓	YEAR'S TOTAL 30·12 ~~30·21~~
*Days with ·01 in. or more.	23	14	17	11	4	16	21	5	15	13	18	18	175
*Days with ·04 in. or more.	21	9	12	8	2	15	18	4	10	9	13	13	134

Print
print ✓

40-9999

*See Instruction 2 (*f*) on other side.

N X BOROUGH SURVEYOR X

(Signed) J. Whipwood

P.T.O.

X Guildford (Pewley St

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL ~~USE~~.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

203/5

Kept at ~~Pewley Hill – Guildford~~

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 365 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·35	0·01	0·01	0·13	—	0·20	0·18	0·36	—	—	0·07	0·04	1
2	0·13	—	0·01	tr	—	0·45	0·01	0·01	—	—	0·04	—	2
3	tr	—	—	0·48	—	0·03	0·01	—	0·24	—	0·23	tr	3
4	—	—	0·08	—	—	0·06	tr	—	0·36	—	0·09	0·09	4
5	0·33	—	0·04	—	—	tr	—	0·04	0·02	tr	tr	0·07	5
6	0·36	—	—	—	—	tr	—	—	0·13	tr	0·63	—	6
7	0·12	—	0·06	—	—	0·05	0·08	—	0·01	tr	0·12	tr	7
8	0·29	—	0·06	—	—	—	0·06	—	tr	0·04	0·16	0·19	8
9	0·52	—	0·01	—	—	—	0·44	—	0·12	0·02	tr	tr	9
10	0·10	—	—	tr	—	tr	0·07	0·22	tr	tr	—	—	10
11	—	0·02	—	—	—	tr	0·01	tr	tr	—	0·91	tr	11
12	—	—	—	0·05	0·01	0·52	0·13	tr	0·19	—	0·26	0·14	12
13	—	—	—	0·09	—	0·04	—	tr	tr	0·01	0·01	0·50	13
14	—	0·07	—	—	—	0·08	0·49	—	tr	0·03	0·23	1·03	14
15	tr	0·02	—	—	—	tr	—	—	0·18	—	0·01	0·19	15
16	0·43	0·10	—	0·01	—	—	0·03	—	0·01	—	0·21	0·05	16
17	0·05	0·78	—	—	tr	0·22	tr	—	0·01	—	0·17	0·32	17
18	0·11	0·06	—	—	—	0·14	0·09	tr	tr	—	tr	0·11	18
19	0·32	0·03	0·01	0·01	—	1·15	0·11	0·08	—	0·13	0·02	tr	19
20	0·13	0·08	0·04	0·47	—	0·50	0·07	—	0·46	—	—	—	20
21	—	tr	0·01	0·40	—	0·16	tr	—	—	—	tr	tr	21
22	0·10	0·38	0·10	tr	0·56	0·12	0·12	—	tr	—	tr	0·10	22
23	0·01	0·02	0·26	0·06	0·01	—	0·21	—	tr	0·07	—	—	23
24	0·02	0·12	—	—	—	—	tr	—	0·11	0·43	—	0·01	24
25	0·06	tr	0·07	0·22	tr	—	0·16	—	0·36	0·12	0·03	—	25
26	0·05	0·10	0·12	0·01	tr	tr	0·07	—	0·02	0·04	0·01	0·03	26
27	0·30	—	tr	—	—	—	tr	—	0·09	0·10	—	—	27
28	0·90	—	0·14	—	—	—	0·84	tr	tr	tr	—	0·07	28
29	0·04	0·06	0·09	—	—	0·24	0·06	tr	tr	0·01	0·15	0·03	29
30	0·10	×	tr	—	0·04	0·31	—	—	—	0·54	—	0·01	30
31	0·13	×	0·29	×	tr	×	0·15	—	×	0·65	×	0·17	31
TOTAL	4·95	1·85	1·40	1·93	0·62	4·27	3·39 ~~3·48~~	0·71	2·31	2·19	3·35	3·15	YEAR'S TOTAL 30·12 ~~30·21~~
*Days with ·01 in. or more.	23	14	17	11	4	16	21	5	15	13	18	18	175
*Days with ·04 in. or more.	21	9	12	8	2	15	18	4	10	9	13	13	134

Print
print ✓

40-9999

*See Instruction 2 (*f*) on other side.

N X BOROUGH SURVEYOR X

(Signed) J. W. Higwood

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 203/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Pewley Hill Guildford

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 365 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·63	0·11	0·02	0·05	—	—	~~TR~~	—	—	TR	0·95	0·76		1
2	—	0·32	TR.	0·65	—	—	—	—	0·31	—	TR	0·73		2
3	0·01	0·16	0·04	—	—	TR	—	—	—	0·01	TR	0·01		3
4	0·08	0·59	—	TR	—	TR	TR	—	—	—	—	0·25		4
5	0·09	0·21	0·16	—	—	—	0·13	0·01	—	TR	0·02	—		5
6	0·06	TR.	0·91	0·01	0·26	—	0·03	—	—	0·04	0·02	—		6
7	—	0·56	—	0·07	TR	—	—	—	0·02	0·02	TR	TR		7
8	—	TR.	TR.	—	0·09	0·02	—	—	—	—	0·06	0·17		8
9	—	—	—	0·33	0·08	0·02	0·05	0·06	0·26	—	—	0·18		9
10	—	—	0·59	0·19	0·13	0·34	—	0·19	—	—	—	0·42		10
11	—	—	0·17	—	0·12	0·26	0·05	—	—	—	—	—		11
12	0·20	0·20	0·13	0·04	0·62	0·25	0·01	0·35	0·14	—	—	0·30		12
13	0·19	0·03	0·30	0·07	TR	0·06	—	0·63	0·26	—	—	1·08		13
14	0·01	0·07	0·36	TR	TR	0·02	—	0·23	0·02	—	—	TR		14
15	0·39	0·07	TR	0·22	—	TR	0·18	—	0·05	—	—	—		15
16	—	0·10	0·55	0·35	—	0·02	—	0·23	0·42	—	—	—		16
17	0·78	TR.	0·18	0·02	—	—	—	TR.	0·10	—	0·02	—		17
18	0·48	0·08	TR	0·03	0·04	0·09	—	—	—	—	0·08	0·12		18
19	0·03	0·09	0·07	0·08	—	0·17	TR	—	0·08	0·01	—	0·04		19
20	0·58	—	0·09	0·22	0·60	0·05	—	—	0·05	0·01	—	—		20
21	0·51	0·39	0·04	0·03	0·01	—	0·01	—	—	0·01	—	0·03		21
22	0·49	0·01	0·02	—	0·10	0·31	0·07	—	—	1·04	0·33	0·08		22
23	0·25	0·04	0·01	—	0·12	—	0·01	—	—	0·30	TR	—		23
24	0·49	0·40	0·01	—	—	—	—	—	0·06	0·60	—	0·02		24
25	0·17	0·40	0·26	—	0·17	—	—	—	0·06	0·40	—	—		25
26	TR	0·23	0·02	—	TR	—	—	—	—	0·04	TR	—		26
27	0·02	0·25	TR	0·13	—	—	—	—	0·02	0·40 ~~0·08~~	TR	—		27
28	0·01	0·04	—	0·02	—	TR	—	TR	—	0·08	—	0·05		28
29	0·01		—	—	—	0·04	—	0·01	—	0·02	0·08	0·03		29
30	0·35	✕	—	—	—	0·09	—	TR	—	0·19	0·20	—		30
31	0·22	✕	—	✕	—	✕	—	—	✕	0·06	✕	0·04		31
TOTAL	6·05	4·35	3·93	2·51	2·34	1·74	·54	1·71	1·85	3·23	1·76	4·31	Year's Total 34·32 ~~32·91~~	√
* Days with .01 in. or more.	23	21	19	17	12	14	9	8	14	16	9	17	179	√
* Days with .04 in. or more.	17	19	14	12	11	10	5	6	11	10	6	13	134	√

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 203/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Pewley Hill, Guildford.
in the County of Surrey.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 365 ft.

Circ. C sent 27/1/39

W. D

Tweks

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·01	Tr	Tr	/	0·03	0·10	0·37	/	/	0·06	0·10	0·32		1
2	0·08	/	/	0·04	0·04	/	0·07	/	0·01	/	0·01	0·07		2
3	Tr	/	/	/	0·26	Tr.	Tr.	/	/	0·27	/	0·02		3
4	0·03	/	/	/	/	0·01	0·24	0·06	/	0·43	·006	/		4
5	Tr	/	/	Tr.	/	Tr.	0·40	Tr.	/	0·01	/	0·11		5
6	0·02	/	/	/	/	/	0·09	Tr.	/	0·45	/	/		6
7	0·01	0·01	/	/	/	Tr.	0·38	0·18	0·01	/	/	/		7
8	0·20	/	/	/	/	Tr	0·19	0·21	·005	0·13	/	0·02		8
9	0·13	0·01	/	/	/	Tr.	Tr	0·02	·006	0·25	/	0·03		9
10	0·09	0·06	Tr.	/	/	0·05	/	0·01	/	0·12	/	1·05		10
11	0·17	/	/	/	/	/	0·01	/	/	/	/	0·16		11
12	0·33	0·01	/	/	0·02	/	/	0·02	/	0·02	0·16	0·16		12
13	0·26	Tr. Sn.	/	/	Tr.	/	/	Tr.	/	0·04	0·07	/		13
14	0·29	Tr.	/	/	0·08	/	/	0·01	/	0·08	0·39	0·15		14
15	Tr	0·03	/	/	/	/	0·25	/	0·04	/	/	/		15
16	0·29	0·02	Tr.	/	Tr.	/	0·01	Tr	/	0·39	/	0·34		16
17	/	0·07	/	/	Tr.	/	Tr.	/	/	0·01	0·06	0·42		17
18	0·06	/	Tr.	/	Tr	/	Tr	/	0·02	0·14	/	/		18
19	/	/	/	/	/	/	Tr.	0·06	0·37	/	0·44	/		19
20	/	/	/	/	0·01	/	/	/	0·07	/	0·21	·005	Snow.	20
21	0·01	/	Tr.	/	/	/	/	/	0·06	/	0·76	Tr	Snow.	21
22	/	/	Tr.	Tr.	/	0·02	/	0·02	0·08	/	0·01	0·37	Snow	22
23	/	/	/	0·02	/	Tr	/	0·04	/	/	0·16	0·24	Snow	23
24	/	/	0·07	Tr.	Tr.	/	/	/	0·03	/	0·15			24
25	0·11	0·01	0·06	0·04	0·11	/	0·01	/	0·13	Tr.	0·05	Tr.		25
26	0·20	0·15	0·03	/	/	Tr.	/	[illegible]	0·04	0·06	1·38	·008		26
27	0·06	0·03	/	/	Tr.	0·26	0·35	/	0·30	0·24	/	0·31		27
28	/	0·06	/	Tr.	0·25	0·09	/	/	0·44	0·03	0·27	/		28
29	0·20	—	/	Tr.	0·20	/	/	0·48	0·02	/	/	0·13		29
30	0·02	✕	/	0·01	0·15	0·01	/	0·48	/	/	0·06	0·20		30
31	0·22	✕	/	✕	0·13	✕	/	/	0·06 ✕	(0·10) 0·09	0·32 ✕	0·21		31
TOTAL	2·79	0·46	0·16	0·11	1·28	0·56	2·37	1·59	1·69 ~~1·63~~	2·86 ~~2·82~~	4·51 ~~4·28~~	4·00 ~~4·113~~	Year's Total ~~22·17~~	22·38
* Days with .01 in. or more.	21	11	3	4	11	7	12	12	~~14~~ 17	18	~~16~~ 17	18 ~~17~~	~~146.~~	151
* Days with .04 in. or more.	15	4	2	2	8	4	9	7	~~9~~ 10	14	14	14	~~102~~	103

† Spare column, no entries required.

(Signed) J. W. Hipwood

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations** Station No. 203/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Pewley Hill, Guildford

in the County of Surrey.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 365 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01		·02	·31	·28			·01	·05			·01		1
2	·05			·02	·01		·12	·61	·31		·03			2
3	·28			·29				·19			·26	·29		3
4	·12		·30	·22			·13	1·04	·31	·37	·08	·01		4
5				·14	·07		·20			·22	·42	·04		5
6	·29		·02		·44		·26				·12	·02		6
7	·02	·10								·07	·08	·13		7
8		·09	·15				·01	·03		·31	·35	·24		8
9	·08	·07						·03		·14	·10	·17		9
10	·26							·08		·08	·02			10
11			·21			·18				·44	·02	·01		11
12		Tr.			·01	·08								12
13				·03		·02	·01		·05	1·61		·01		13
14	·61		Tr.	·06	·04		·09		Tr.	·29	·48	·03		14
15	·48		·01	·02	·89	·21	·02		·14	·55	·07	·01		15
16	·49		·09	·02	·15	·18	·13		·01	·08	·43			16
17	·26	·03	·01	·01	·20		·16				·09			17
18	·27		·01			·16	·13			·06	·27			18
19	·22						·19			·14		·01		19
20	·32					·06	·45					·05		20
21	·08	·20	·07			·02	·09		·10					21
22	·19	·33				·20	·13		·02		·07			22
23	·02		·01	·14			·05			·07	·63	·015		23
24	·18		·01	·14		·05	·05			·10				24
25	·44	·36	·05				·03				·35			25
26	·02		·01	·01						·13	·26	·01		26
27	·02	·15	·07	·12						·09	·12			27
28		·13	·06	·20		·02				·09	·12	·09	Snow	28
29				·15			·02			·02	·03			29
30		✕		1·05		Tr.					·10			30
31		✕		✕		✕	·18	·06	✕		✕	·01		31
TOTAL	4·71	1·46	1·10	2·93	2·09	1·18	2·45	2·05	0·99	4·86	4·50	1·155	Year's Total 29·475	
* Days with .01 in. or more.	22	9	16	17	9	11	20	8	8	19	23	18	180	
* Days with .04 in. or more.	17	8	8	11	7	8	15	5	6	18	19	7	129	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

203/5

COPY FOR OFFICIAL USE. Form 1090.

Section A for the entry of Daily Observations. Station No.

AIR MINISTRY - METEOROLOGICAL OFFICE - BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1940.

Kept at Pewley Hill, Guildford Diameter of Funnell of Gauge 5 in.

in the County of Surrey. Height of top of Gauge above Ground 1 ft. 0 in.

Height of Ground above Sea Level 371 ft. 36.5

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Date	Jan.	Feb.	Mar.	Apr.	May	Jun.	Jly.	Aug.	Sep.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	-	-	-	-	-	-	-	-	-	.02	-		1
2	-	.10	-	0.46	-	-	0.03	-	-	.08	.68	.02		2
3	-	.23	-	0.02	-	-	-	-	-	.13	1.14	.08		3
4	-	.08	-	0.02	-	-	-	-	-	.13	.06	.02		4
5	-	.01	-	-	-	-	0.08	-	-	.06	.40	.07		5
6	.32	.20	-	-	-	-	0.20	-	-	.26	-	-		6
7	.28	.20	-	-	0.02	-	0.02	-	.04	-	.01	-		7
8	-	-	-	0.02	-	-	0.01	-	-	.34	.02	.34		8
9	-	-	-	0.01	-	-	-	-	.02	.13	.35	.12		9
10	-	-	-	-	-	-	0.10	-	-	.09	.05	.02		10
11	-	-	-	0.01	-	-	0.04	-	-	-	.87	.02		11
12	-	-	.20	-	-	-	0.11	-	.15	-	.05	.02		12
13	-	-	.66	-	-	-	-	-	.12	-	1.06	-		13
14	-	Snow	.13	0.07	-	-	0.03	-	-	.13	.01	.24		14
15	-	.30	.13	-	0.17	0.08	0.55	-	.03	-	.30	.01		15
16	-	-	.21	0.09	-	0.04	0.20	-	.19	.60	.84	.01		16
17	-	-	.44	-	-	-	0.03	-	-	-	.48	-		17
18	-	.22	.21	0.34	-	-	0.25	0.02	.08	.19	.08	.13		18
19	-	.10	.10	0.02	-	-	0.06	-	.75	-	.12	-		19
20	-	-	-	-	-	-	-	-	.20	.14	-	-		20
21	-	-	.03	-	0.50	-	0.15	0.01	-	.05	.33	-		21
22	-	-	.06	0.01	0.18	0.67	-	-	.02	.03	-	-		22
23	-	.06	.07	0.15	0.01	0.01	-	-	-	-	-	-		23
24	-	-	-	0.30	-	-	0.28	-	-	-	-	.01		24
25	-	-	.65	-	-	-	0.02	-	-	.01	-	.01		25
26	.80	.21	.85	-	0.12	0.01	-	-	-	-	-	-		26
27	.50	.45	-	0.03	-	-	0.06	-	-	-	-	-		27
28	.56	.02	-	-	0.07	-	-	-	-	-	-	-		28
29	.09	.16	.10	0.05	0.01	-	-	-	-	-	-	.24		29
30	.10		-	0.11	-	-	-	-	-	.10	-	.02		30
31	.10		-		-		-	-		.76		.04		31
Total	2.75	2.34	3.84	1.71	1.08	0.81	2.22	0.03	1.60	3.23	6.87	1.42		Year's Total
*Days with .01" or more	8	14	14	16	8	5	18	2	10	17	19	18		27.90 149
Days with .04" or more	8	12	13	8	5	3	12	0	7	15	15	8		106

† Spare Column, no entries required.

(Signed) ____________________

[IMG]

16 MAY 1

204

204

GUILDFORD

PEWLEY HILL

1931 -1940

780105

Section **A** for the entry of

AIR MINISTR

COPY FOR OFFICIAL USE.

ALL ORGANIZATION.

FORM 1090.

REGIS

31.

Kept at 10 Pewley H

in the County of Su

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea

THE MORNING MEAS

AY.

An observer who does not conform t

year in the space on the right of t

e following

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.06	Snow. Tr.	.15	—	.05	—	.02	.05	.02	—	—	1
2	.19	.06	—	.32	.02	Tr.	—	.01	.61	.03	.01	.06	2
3	.06	.02	.12	.33	.50	—	—	.16	.67	.01	.15	.16	3
4	Tr	.01	.01	.01	.04	—	.03	.01	.02	.01	.16	.01	4
5	Fog. frost .01	.01	—	.22	.02	.39	.12	.04	.03	—	.09	.20	5
6	—	.09	—	.17	—	.02	.03	—	—	.37	.27	.06	6
7	Fog. Tr	.01	.19	.01	.19	.27	—	.41	—	.02	.42	.03	7
8	—	.10	.03	.01	.04	.33	—	.14	—	.01	.03	—	8
9	.01	.06	.08	.02	Tr.	.03	.01	.01	—	—	.62	Tr.	9
10	.01	.12	.01	.01	—	.07	—	.14	—	Wetfog .01	.62	.01	10
11	.02	.30	—	—	Tr.	.01	—	—	—	wetfog .02	.21	—	11
12	.05	.01	—	—	—	—	.08	.03	.40	wetfog .01	—	—	12
13	.03	—	Tr.	—	—	—	.15	.01	—	—	—	—	13
14	.01	.12	—	—	—	—	.91	.37	—	—	.01	—	14
15	.01	.02	—	.16	.12	—	.07	.18	—	.01	Tr.	.08	15
16	.03	.09	—	.17	.25	.10	Tr.	.13	—	.01	Fog .01	—	16
17	.01	.03	—	.30	.03	.01	.40	.13	.17	.05	—	—	17
18	—	.10	.05	.10	—	.15	.06	1.05	—	.01	.55	—	18
19	.03	.01	.01	.62	—	.23	.58	.11	.05	.01	.01	Fog .01	19
20	.05	.07	.01	.19	—	.01	—	.23	—	—	.02	.01	20
21	.05	Tr.	—	.01	.38	—	—	—	—	—	—	—	21
22	.28	Tr.	.05	.04	—	—	—	—	.05	—	—	—	22
23	.26	—	Tr.	.04	.30	.08	—	—	.04	—	.15	—	23
24	.01	.01	.03	.47	.07	.11	.19	.17	—	—	—	—	24
25	.06	~~Tr.~~	Tr.	.52	.12	.01	.63	—	—	—	.02	—	25
26	.01	.02	Fog .01	.14	—	—	.47	—	.01	—	.24	—	26
27	.15	.31	Tr.	.09	.65	—	.11	—	—	.01	.03	—	27
28	.03	.05	—	.03	.09	—	—	—	—	.01	.01	Snow. .07	28
29	.06		—	Tr.	.20	—	.10	—	—	.12	.01	—	29
30	.03	×	—	—	—	—	Tr	.04	—	—	—	—	30
31	.26	×	—	×	.15	×	Tr.	.01	×	Tr.	×	—	31
TOTAL	1.72	1.68	.60	4.13	3.17	1.87	3.94	3.40	2.10	.74	3.64	.70	YEAR'S TOTAL 27.69
*Days with ·01 in. or more.	25	23	12	24	17	16	16	21	11	18	21	11	215
*Days with ·04 in. or more.	11	13	5	17	14	10	13	14	8	3	11	6	125

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Helena S. Pitman

[P.T.O.

Section **A** for the entry of Daily Observations. 2567/30 COPY FOR OFFICIAL USE. 204

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at 10 Pewley Hill Guildford
in the County of Surrey.

Station No 204.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 365.5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.06	Snow. Tr.	.15	—	.05	—	.02	.05	.02	—	—	1
2	.19	.06	—	.32	.02	Tr.	—	.01	.61	.03	.01	.06	2
3	.06	.02	.12	.33	.50	—	—	.16	.67	.01	.15	.16	3
4	Tr	.01	.01	.01	.04	—	.03	.01	.02	.01	.16	.01	4
5	Fog.frost .01	.01	—	.22	.02	.39	.12	.04	.03	—	.09	.20	5
6	—	.09	—	.17	—	.02	.03	—	—	.37	.27	.06	6
7	Fog. Tr	.01	.19	.01	.19	.27	—	.41	—	.02	.42	.03	7
8	—	.10	.03	.01	.04	.33	—	.14	—	.01	.03	—	8
9	.01	.06	.08	.02	Tr.	.03	.01	.01	—	—	.62	Tr.	9
10	.01	.12	.01	.01	—	.07	—	.14	—	wetfog .01	.62	.01	10
11	.02	.30	—	—	Tr.	.01	—	—	—	wetfog .02	.21	—	11
12	.05	.01	—	—	—	—	.08	.03	.40	wetfog .01	—	—	12
13	.03	—	Tr.	—	—	—	.15	.01	—	—	—	—	13
14	.01	.12	—	—	—	—	.91	.37	—	—	.01	—	14
15	.01	.02	—	.16	.12	—	.07	.18	—	.01	Tr.	.08	15
16	.03	.09	—	.17	.25	.10	Tr.	.13	—	.01	Fog .01	—	16
17	.01	.03	—	.30	.03	.01	.40	.13	.17	.05	—	—	17
18	—	.10	.05	.10	—	.15	.06	1.05	—	.01	.55	—	18
19	.03	.01	.01	.62	—	.23	.58	.11	.05	.01	.01	Fog .01	19
20	.05	.07	.01	.19	—	.01	—	.23	—	—	.02	.01	20
21	.05	Tr.	—	.01	.38	—	—	—	—	—	—	—	21
22	.28	Tr.	.05	.04	—	—	—	—	.05	—	—	—	22
23	.26	—	Tr.	.04	.30	.08	—	—	.04	—	.15	—	23
24	.01	.01	.03	.47	.07	.11	.19	.17	—	—	—	—	24
25	.06	Tr.	Tr.	.52	.12	.01	.63	—	—	—	.02	—	25
26	.01	.02	Fog .01	.14	—	—	.47	—	.01	—	.24	—	26
27	.15	.31	Tr.	.09	.65	—	.11	—	—	.01	.03	—	27
28	.03	.05	—	.03	.09	—	—	—	—	.01	.01	Snow. .07	28
29	.06		—	Tr.	.20	—	.10	—	—	.12	.01	—	29
30	.03	×	—	—	—	—	Tr	.04	—	—	—	—	30
31	.26	×	—	×	.15	×	Tr.	.01	×	Tr.	×	—	31
TOTAL	1.72	1.68	.60	4.13	3.17	1.87	3.94	3.40	2.10	.74	3.64	.70	YEAR'S TOTAL 27.69
*Days with ·01 in. or more.	25	23	12	24	17	16	16	21	11	18	21	11	215
*Days with ·04 in. or more.	11	13	5	17	14	10	13	14	8	3	11	6	125

40-9999

(Signed) Helena S. Pitman [P.T.O.

*See Instruction 2 (*f*) on other side.

204

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 204

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at 10 Pewley Hill. Guildford
in the County of Surrey
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 365. 5 - ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10	.02	—	.04	.35	—	.01	.05	.02	.07	.02	.01	1
2	.01	—	Fog & frost Tr.	.23	.12	—	—	.04	.20	.04	.01	.15	2
3	.01	—	—	.21	.14	—	—	—	.44	.06	—	Tr.	3
4	.01	—	—	Tr.	Tr.	.20	—	—	—	—	.04	Tr	4
5	.16	—	.02	—	.01	.02	.29	—	.08	—	—	—	5
6	.41	—	Tr.	.23	—	—	.01	—	.06	Tr.	—	—	6
7	.01	Fog Tr.	.07	.06	.01	—	—	—	.08	.11	—	Fog & frost .01	7
8	—	.01	.19	.03	.33	—	—	—	.24	.33	.01	.01	8
9	.46	Snow .02	.01	.12	.38	—	—	—	.01	Tr.	—	—	9
10	1.02	Snow .13	.01	.22	.07	.06	—	—	.02	.13	.01	—	10
11	.29	.01	—	Hail .10	.01	—	.07	.05	.03	.01	.03	.01	11
12	.24	.01	—	Tr.	—	—	.01	—	.06	.25	.02	.01	12
13	.08	.02	Fog. Tr	.12	.03	—	.17	—	.02	.73	.01	.02	13
14	.08	.02	Frost Tr.	.12	.04	—	—	.04	—	.02	.01	.01	14
15	.02	.01	—	.08	.15	—	—	—	—	.09	—	—	15
16	.19	.01	—	.28	.04	—	.02	—	.01	.01	—	—	16
17	.01	—	—	.03	—	—	.05	—	—	.05	.01	—	17
18	—	Tr.	—	—	.01	—	.16	—	.15	—	.11	—	18
19	—	—	—	—	—	—	—	—	.05	.20	.03	—	19
20	.01	—	—	.30	.01	—	—	.31	.01	.65	.18	.01	20
21	.04	—	.02	.09	1.20	—	—	.06	—	.28	Tr	.08	21
22	.01	.01	.29	Tr.	.15	—	.21	Tr	.37	.31	.29	.01	22
23	.01	.10	.20	.02	.22	.06	—	—	.14	.63	—	.10	23
24	—	.10	Hailstorm Tr.	Tr.	.01	—	.38	—	.11	.09	.06	.01	24
25	Fog .01	—	Tr	.04	—	.03	.81	—	.01	.21	.02	Fog. .01	25
26	—	—	.08	.02	—	Tr.	.10	—	.01	.05	.03	.01	26
27	—	—	.59	.20	.39	Tr	.11	—	—	.36	.07	.01	27
28	—	—	.03	.04	.08	—	.17	—	—	.05	.01	—	28
29	Tr.	—	.42	.13	.09	.03	—	.05	.15	.28	.05	.06	29
30	Tr.	×	.01	.07	.22	1.15	—	.02	.23	.01	.29	.11	30
31	—	×	.12	×	.01	×	.08	Tr.	×	—	×	.06	31
TOTAL	3.18	.47	2.06	2.78	4.07	1.55	2.65	.62	2.50	5.02	1.31	.70	YEAR'S TOTAL 26.91
*Days with ·01 in. or more.	21	13	14	23	24	7	16	8	23	25	21	19	214
*Days with .04 in. or more.	11	3	8	19	16	4	12	7	14	21	8	6	129

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Helena S. Pitman

P.T.O.

File No 23893/30.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 204

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at 10 Pewley Hill Guildford

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

„ Ground „ Sea Level 365.5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.09	.27	.16	—	—	—	—	—	—	.03	.01	—		1
2	.35	.01	.43	—	.40	—	—	—	—	.01	.01	—		2
3	Tr.	.16	.33	—	.03	—	—	—	—	—	.01	—		3
4	.15	.01	.04	—	.39	—	—	—	—	—	.06	—		4
5	.06	.01	.40	—	.04	—	—	—	—	—	—	—		5
6	.01	.13	.05	—	.41	—	—	—	—	.10	.06	—		6
7	.17	.04	.02	—	.17	—	—	—	—	.17	.01	.04		7
8	.02	.01	.01	—	.02	—	.15	—	—	.08	—	—		8
9	—	.01	—	—	.01	—	.17	—	—	.12	.12	—		9
10	.01	.58	—	—	—	.07	.03	—	—	.32	.08	—		10
11	.33	—	.01	—	.07	.08	.69	.10	—	—	Fog & frost Tr.	—		11
12	.01	—	—	.02	—	.16	.01	—	1.15	—	.02	—		12
13	.07	—	—	—	.07	.04	.35	—	.12	—	.06	.01		13
14	.01	—	—	—	.01	.01	.02	.05	Tr.	.18	.45	.01		14
15	.36	—	.19	—	—	.13	.04	.51	—	—	.01	—		15
16	—	—	.80	—	—	.11	.21	Tr.	.01	.03	.02	—		16
17	.01	—	.45	—	—	.20	—	.02	.03	—	.10	—		17
18	.14	Snow .06	.22	—	—	.44	—	—	—	—	.01	—		18
19	—	Snow .07	.10	.05	—	.03	.05	.01	.36	—	.04	.02		19
20	—	.03	.09	.13	—	.03	—	.01	.02	—	.01	.01		20
21	—	.02	.01	.01	.01	.25	—	.12	.21	.02	—	.01		21
22	—	—	—	—	—	.07	—	.31	.02	.34	.05	—		22
23	—	—	—	.13	.21	.12	—	.01	.20	.12	—	—		23
24	—	Snow & Rain .85	—	.12	—	.39	—	—	.27	.01	Tr.	—		24
25	—	.91	—	.36	—	.01	—	—	.04	.01	.04	.03		25
26	—	.93	—	.05	Tr.	.14	—	—	.04	.07	.02	.06		26
27	—	.01	—	—	.39	—	—	—	.01	.20	—	.09		27
28	—	—	—	—	.21	—	.25	—	.01	.24	—	.09		28
29	.08	×	.02	.06	.01	—	—	—	—	.18	—	Tr.		29
30	.14	×	.15	.03	—	—	.03	—	.17	.03	—	.07		30
31	.17	×	.01	×	—	×	Tr.	.08	×	.01	×	—		31
													Year's Total	
TOTAL	2.18	4.11	3.49	.96	2.45	2.28	2.00	1.22	2.66	2.27	1.19	.44	25.25	
*Days with ·01 in. or more.	18	18	19	10	16	17	12	10	15	20	20	11	186	
*Days with .04 in. or more.	12	10	13	7	10	13	8	6	9	12	10	5	115	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Helena G. Pitman

[P.T.O.

File No 23893/30

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 204

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at 10 Pewley Hill. Guildford
in the County of Surrey.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft - in.
,, Ground ,, Sea Level 365 - 5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	—	.01	—	.01	—	—	.28	.02	.09	.02	.37		1
2	.06	—	.13	.02	Fog Tr.	—	—	—	.80	.22	.01	.25		2
3	.02	.05	—	.03	—	—	—	.02	—	.13	Tr.	.08		3
4	.08	.01	.06	.09	.11	—	—	—	—	.04	.04	.51		4
5	.01	—	.03	Tr	.04	—	—	.04	—	—	.09	.45		5
6	.02	—	.33	.01	.20	.12	—	.18	—	.23	.07	.84		6
7	.07	—	.01	—	—	.02	—	.10	—	.13	Tr	.33		7
8	—	.01	—	—	.08	Fog Tr	—	.04	.34	—	.56	.03		8
9	.01	—	.03	—	Fog Tr.	—	—	—	Dew Tr.	—	1.21	.57		9
10	.01	—	.23	.25	—	—	—	.02	—	.01	.57	.02		10
11	.49		.37	.10	—	—	—	.07	—	—	Tr.	.24		11
12	.06	Frost Fog. .01	.02	.01	—	—	.26	.15	—	—	.01	.07		12
13	.48	.01	.03	.05	—	—	.15	.18	—	.01	.12	.17		13
14	.11	.01	.50	.05	—	.06	—	—	—	—	.37	.74		14
15	Tr	—	.05	—	.12	—	—	—	—	.17	.15	.53		15
16	.13	.01	.30	—	.06	—	—	—	—	.10	.01	—		16
17	.03	.01	.02	.07	.01	—	—	—	—	.11	.01	.19		17
18	.18	—	.05	.24	—	—	.02	—	—	Tr	.01	.43		18
19	—	—	.40	.12	—	Tr	Tr.	—	.10	.01	.01	.09		19
20	—	Fog. Tr	.05	.02	—	.01	.81	.02	—	.01	—	.02		20
21	—	—	.01	.27	—	.06	.43	.07	—	.10	.01	.01		21
22	—	Fog & frost .01	—	—	—	—	.19	.13	.20	—	.01	.08		22
23	—	.02	—	.25	—	.39	—	Tr	—	—	.01	.05		23
24	Tr.	.04	.08	.08	—	.04	.62	—	.08	.01	Fog Tr.	—		24
25	.17	—	.01	.16	.05	.37	—	—	—	.14	—	.46		25
26	.02	—	—	.29	—	.14	—	—	.03	Tr	—	.06		26
27	—	—	—	.02	—	.02	—	—	.01	.02	—	.21		27
28	—	.03	—	.01	—	.09	—	.76	Tr	.01	—	.24		28
29	—	—	—	—	—	—	.01	.02	.16	—	—	Tr.		29
30	.08	×	—	—	—	—	—	.05	.02	—	—	.40		30
31	.05	×	—	×	—	×	—	—	×	.20	×	.05		31
													Year's Total.	
TOTAL	2.10	.22	2.72	2.14	.68	1.32	2.49	2.13	1.76	1.74	3.29	7.49	28.08	
* Days with .01 in. or more:	20	12	21	20	9	11	8	16	10	19	19	28	193	
* Days with .04 in. or more.	12	2	12	13	7	8	6	12	6	12	9	24	123	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Helena S. Pitman

[P.T.O.

File No 23893/30.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 204

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at 10 Pewley Hill Guildford
in the County of Surrey
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 365.5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.13	.03	.10	.06	.01	.08	.70	—	.12	.04	.17	—		1
2	.02	—	Fog. Tr.	.01	—	.02	.01	—	.27	.31	.03	—		2
3	—	.01	.03	.07	—	.05	—	—	.13	1.17	.12	—		3
4	—	.05	—	.20	—	.18	—	—	.15	.29	.02	.10		4
5	—	.16	.05	.05	—	.20	—	—	.55	.02	.01	.01		5
6	.02	.01	.01	.18	—	.56	—	—	—	.23	.02	.02		6
7	.02	.02	—	.28	—	.08	—	—	—	.03	.87	.15		7
8	.01	—	.01	.37	—	.03	—	—	—	.22	.52	.01		8
9	.01	.01	—	.29	—	.45	—	—	.04	.72	.12	—		9
10	.10	—	.06	.01	—	.01	—	—	—	Tr	.19	.05		10
11	.34	—	—	.10	—	.15	.23	—	—	—	.47	—		11
12	Tr.	.04	.01	.01	—	.26	—	.11	.03	—	.88	—		12
13	.04	.11	—	.17	.06	.09	—	—	—	.01	.03	—		13
14	.01	.01	—	.09	.18	.05	—	—	.09	.01	.16	.10		14
15	—	.16	—	.54	.02	.07	—	—	.05	—	.45	.05		15
16	—	.04	.02	.03	.01	.05	—	—	.55	.03	.59	—		16
17	.02	Tr.	Tr.	.06	—	.18	.02	.02	.02	—	.19	—		17
18	—	Tr	—	.23	.20	.03	.06	.01	.35	.05	.02	—		18
19	—	.02	—	.03	.51	.07	.21	—	.05	.01	.07	.02		19
20	.01	.30	—	.27	.14	.09	.24	—	—	—	.21	—		20
21	.01	.63	—	Tr.	Tr.	Wet fog. Tr.	—	—	.15	.13	.01	—		21
22	—	.11	.04	—	—	—	—	.25	.05	.01	.01	—		22
23	—	Tr.	.08	—	—	—	—	.30	.06	.18	—	.09		23
24	.03	.71	.01	—	.22	—	—	2.01	.31	—	.01	.16		24
25	.07	.55	—	.19	.27	.70	—	.01	—	—	.02	.33		25
26	—	.32	—	—	—	—	—	.22	.09	.01	.01	.56		26
27	.01	.65	—	—	—	—	Tr.	.02	.16	—	.12	.28		27
28	—	.16	—	—	.12	—	.01	.01	.18	.02	.01	.23		28
29	.01		—	.01	—	—	—	.02	.78	.02	Tr.	.42		29
30	.07	×	—	.03	—	—	—	.72	.02	.17	.57	.51		30
31	.01	×	—	×	Tr.	×	—	—	×	.47	×	.46		31
TOTAL	.94	4.10	.42	3.28	1.74	3.40	1.48	3.70	4.20	4.15	5.90	3.55	Year's Total. 36.86	
* Days with .01 in. or more.	19	21	11	23	11	21	8	12	22	22	28	18	216	
* Days with .04 in. or more.	6	14	5	16	8	17	5	6	19	12	16	14	138	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Helena S. Pitman

[P.T.O.]

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 204

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at 10 Pewley Hill Guildford

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

„ Ground „ Sea Level 365.5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.37	.02	.03	.15	—	.19	.20	.35	—	—	.09	.05		1
2	.14	—	.01	.01	—	.56	.02	.04	—	—	.04	.01		2
3	.01	—	—	.49	—	.04	.04	—	.22	—	.26	.02		3
4	.01	—	.09	—	—	.07	—	—	.38	—	.09	.10		4
5	.33	—	.05	—	—	.01	—	.05	.03	—	.02	Snow .05		5
6	.39	—	—	—	—	.02	Tr.	.01	.14	—	.65	.02		6
7	.20	—	.07	—	—	.05	.10	—	.02	—	.16	.08		7
8	.31	—	.07	—	—	Dew. Tr.	.05	—	.01	.06	.19	.13		8
9	.53	—	.01	—	—	—	.50	—	.11	.03	.01	.01		9
10	.12	—	—	Tr.	—	—	.08	.18	.01	.01	—	—		10
11	—	Snow .05	—	.02	—	—	.09	.01	—	—	.98	.01		11
12	—	—	—	Snow .06	.02	.54	.16	—	.19	—	.29	.13		12
13	—	—	—	.06	—	.07	.01	—	—	.02	.01	.53		13
14	—	.08	—	Tr.	—	.09	.48	—	—	.04	.23	1.05		14
15	.01	.04	—	—	—	.01	Tr.	—	.22	—	.03	.21		15
Snow 16	.57	.12	—	.02	—	—	.03	—	.02	—	.23	.06		16
17	.13	.75	—	—	—	.23	.01	—	.01	—	.19	.36		17
18	.08	.08	—	—	—	.17	.14	—	—	—	.02	.13		18
19	.29	.05	.02	Tr.	—	1.10	.09	.10	—	.13	.02	.01		19
20	.15	.10	.05	.49	—	.49	.09	—	.45	.01	—	—		20
21	—	.01	.01	Snow .39	.05	.17	.01	—	Dew .01	—	Fog .01	—		21
22	.11	.38	.13	.01	.58	.14	.12	—	Dew. .01	—	Fog.frost Tr.	.11		22
23	.03	.03	.23	.07	.03	—	.22	—	—	.09	—	—		23
24	.04	.14	.01	.01	—	—	.01	—	.11	.42	—	.02		24
25	.10	—	.09	.23	—	—	.17	—	.34	.09	.05	—		25
26	.03	.12	.13	.01	—	—	.11	—	.05	.14	—	.05		26
27	.36	—	.01	—	—	—	.01	—	.10	.11	—	—		27
28	.91	—	.17	—	—	—	.86	—	.02	—	Fog. .01	.09		28
29	.06	Snow .06	.08	—	—	.20	.07	—	Mist Tr.	.03	.17	.04		29
30	.13	✕	Tr.	—	.05	.36	.01	—	—	.67	—	mist .01		30
31	.16	✕	.30	✕	.01	✕	.15	—	✕	.54	✕	.19		31
TOTAL	5.57	2.03	1.56	2.02	.74	4.51	3.83	.74	2.45	2.39	3.75	3.47	Year's Total 33.06	
* Days with .01 in. or more.	26	15	19	14	6	19	27	7	20	15	22	25	215 ✓	
* Days with .04 in. or more.	21	12	12	8	3	16	19	5	11	10	14	17	148 ✓	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Helena S. Pitman [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 204

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at 10 Pewley Hill Guildford
in the County of Surrey
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 365.5 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.65	.09	.03	.06	—	—	.03	—	Tr.	—	.93	.73		1
2	.02	.37	—	.64	—	—	—	—	.34	.02	.02	.78		2
3	.01	.19	.06	—	—	—	—	—	—	—	.01	.02		3
4	.09	.76	.01	.01	—	—	—	—	—	—	—	.25		4
5	.11	.10	.17	—	—	—	.15	.01	—	—	.01	—		5
6	.07	.06	snow 1.23	.02	.26	—	.04	—	—	.05	.03	—		6
7	—	.52	.02	.08	.02	—	—	—	.03	.04	Tr.	.01		7
8	—	.01	.02	—	.07	—	—	—	—	—	.07	.19		8
9	—	—	—	.31	.10	.03	.07	.07	.28	Fog .01	—	Snow .25		9
10	.01	—	.61	.24	.08	.35	Tr.	.20	—	—	—	.39		10
11	—	—	.18	—	.19	.31	.06	—	Tr.	.01	—	.02		11
12	.23	.21	.16	.06	.66	.26	.02	.29	.15	—	—	.27		12
13	.21	.06	.36	.08	.01	.06	—	.89	.24	—	—	1.13		13
14	.03	.07	.31	.01	—	.03	—	.23	.04	—	—	.01		14
15	.38	.09	.01	.23	—	Tr.	.20	—	.07	—	Fog .01	.01		15
16	.01	.12	.55	.36	—	.02	—	.25	.43	—	—	—		16
17	.74	.01	.21	.03	—	—	—	—	.14	Fog .01	.04	—		17
18	.49	.09	—	.03	.04	.11	—	—	.03	Fog .01	.08	.13		18
19	.04	.12	.09	.10	.01	.18	Tr.	—	.10	Fog .01	—	.04		19
20	.61	—	.10	.24	.60	—	—	—	.09	Fog .01	—	.01		20
21	.54	.40	.07	.05	.03	—	.02	Tr.	.01	Tr.	—	.04		21
22	.47	.02	snow .03	—	.15	.31	.07	—	—	.95	.32	.09		22
23	.28	.05	.03	—	.09	—	.03	—	—	.37	.01	.01		23
24	.48	.40	.02	—	.02	—	Tr.	—	.08	.62	—	.01		24
25	.19	.40	.26	—	.18	—	—	—	.08	.38	—	.03		25
26	—	.25	.04	—	—	—	—	—	—	.10	Fog. .01	—		26
27	.03	.22	.01	.14	—	—	—	—	.03	.49	—	—		27
28	Snow .03	Snow .09	—	.04	—	—	—	.01	—	.10	—	.06		28
29	Snow .04		—	Tr.	—	—	—	—	.01	.03	.08	.05		29
30	.34	✕	—	—	—	.11	—	Tr.	—	.18	.23	.01		30
31	.23	✕	—	✕	—	✕	—	—	✕	.06	✕	.06		31
TOTAL	6.33	4.70	4.58	2.73	2.51	1.77	.69	1.95	2.15	3.45	1.85	4.60	Year's Total 37.31	
* Days with .01 in. or more.	26	24	24	19	16	11	10	8	17	19	14	25	213	
* Days with .04 in. or more.	19	21	15	14	11	8	6	6	12	11	7	15	145	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Helena S. Pitman [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 204

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at 10 Pewley Hill Guildford

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" Ground " Sea Level 365.5 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	.01	—	—	.05	.12	.43	—	.02	.04	—	.08		1
2	.10	—	—	.06	.05	—	.09	—	—	.25	Tr.	.03		2
3	—	—	—	—	.29	—	.01	—	—	.45	.02	—		3
4	.04	—	—	—	—	.02	.12	.07	—	.02	.01	.13		4
5	.02	—	—	.01	—	.01	.26	—	—	.45	—	—		5
6	.03	—	—	—	—	—	.11	—	.02	.01	.01	—		6
7	.02	.01	—	—	—	—	.34	.20	.01	.13	.01	.04		7
8	.23	—	—	—	—	Tr.	.23	.21	.02	.34	—	.03		8
9	.12	.01	Tr.	—	—	.01	.01	.05	—	.04	—	1.09		9
10	.08	.07	—	—	—	.07	.01	.03	.01	.03	—	.19		10
11	.21	.01	—	—	—	.01	.01	—	.01	.02	.19	.14		11
12	.30	.03	—	—	.03	—	.01	.03	—	.52	.07	.01		12
13	.28	snow .02	—	—	Tr.	—	—	.02	—	.10	.37	.16		13
14	.31	—	wet fog .01	—	.10	—	.02	—	.05	—	.02	.01		14
15	.08	snow .10	—	—	.01	—	.27	—	—	.40	—	.34		15
16	.24	.04	.02	—	—	—	.02	.02	—	.03	.05	.40		16
17	—	.01	—	—	Tr.	—	.01	—	.04	.14	.01	—		17
18	.07	snow .10	—	—	.02	—	.01	—	.37	—	.45	—		18
19	.01	—	—	—	—	—	Tr.	.07	.08	—	.23	snow .03		19
20	Tr.	—	—	—	.02	—	—	—	.06	—	.75	snow .02		20
21	.01	—	—	—	—	—	—	.03	.10	—	.03	snow .26		21
22	Tr.	—	—	.01	—	.03	—	.06	.01	.01	.17	snow .31		22
23	—	—	.08	.03	—	—	—	—	.04	.01	.15	snow .02		23
24	—	.01	.07	.02	—	—	—	—	.14	.01	.06	snow .02		24
25	.11	.01	—	.06	.13	—	.03	.01	.04	.06	1.20	snow .08		25
26	.21	.17	.04	.01	.01	—	—	—	.30	.24	.01	snow & rain .24		26
27	.07	.04	.01	—	—	.29	.36	Tr.	.47	.04	.28	.01		27
28	.03	.07	—	—	.26	.09	—	.47	.03	—	—	.14		28
29	.17		—	—	.20	—	—	.06	Tr.	—	.09	.20		29
30	.05	✕	—	.03	.16	.02	—	Tr.	.09	.11	.31	—		30
31	.22	✕	—	✕	.15	✕	—	—	✕	12	✕	.24		31
TOTAL	3.02	.71	.23	.23	1.48	.67	2.35	1.33	1.91	3.57	4.49	4.22	Year's Total 24.21	
* Days with .01 in. or more.	25	16	6	8	14	10	19	14	20	24	22	25	203	
* Days with .04 in. or more.	18	7	3	2	9	4	9	8	12	16	14	16	118	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) Helena S. Pitman

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 204

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at 10 Pewley Hill Guildford

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 365.5 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	—	.03	.34	.32	—	—	.03	.05	—	—	.02		1
2	.06	—	—	.03	.03	—	.13	.60	.30	—	.05	—		2
3	.29	.01	—	.30	—	—	Tr.	.21	.01	.01	.25	.28		3
4	.13	—	.30	.24	.01	—	.14	.84	—	.35	.11	.02		4
5	—	Fog or frost Tr.	—	.16	.10	—	.23	Tr.	—	.25	.42	.06		5
6	.31	Frost .01	.03	.01	.45	—	.25	.01	—	—	.13	.03		6
7	.03	.12	Tr.	—	—	—	.01	.03	—	.09	.21	.13		7
8	.02	.11	.16	—	—	—	.03	.05	—	.29	.36	.27		8
9	.08	.08	.01	—	—	—	—	.03	—	.16	.12	.19		9
10	.27	.01	—	—	—	.19	—	.10	.01	.09	.03	.01		10
11	—	—	.24	—	—	—	—	—	.01	.46	.03	.02		11
12	—	Tr.	.01	—	.02	.09	—	—	—	—	—	.01		12
13	—	—	Tr.	.04	—	.04	.01	—	.03	1.13	—	.03		13
14	.62	—	.01	.07	.07	.03	.09	—	.01	.29	.47	.04		14
15	.52	—	.02	.01	.93	.22	.03	—	.17	.62	.08	.02		15
16	.46	—	.10	.03	.23	.18	.18	—	.02	.09	.44	Tr.		16
17	.31	.04	.03	.02	.16	Tr.	.19	—	—	—	.11	—		17
18	.27	.01	.03	—	.01	.15	.10	—	.01	.07	.28	—		18
19	.23	.01	—	—	—	—	.18	—	Tr	.17	.02	.02		19
20	.38	Tr.	.01	—	—	.07	.43	—	.02	.01	—	.05		20
21	.05	.22	.07	—	—	.03	.12	.01	.13	Wet fog .01	—	.01		21
22	.21	.32	.01	Tr.	—	.21	.15	—	.03	—	.07	—		22
23	.03	—	.01	.16	—	.01	.06	.01	Tr.	.08	.66	—		23
24	.24	—	.02	.15	—	.03	.04	—	—	.12	—	.04		24
25	Snow .62	.36	.07	.01	—	—	.05	—	—	—	.36	.01		25
26	.03	—	Snow .03	.02	—	—	.01	Tr.	—	.15	.23	—		26
27	.02	.20	.08	.13	—	Tr.	.01	Wet fog Dew .01	—	.11	.16	—		27
28	.01	.11	.07	.23	—	.05	Tr.	—	—	.08	.14	Snow .14		28
29	—		.01	.23	—	—	.03	—	—	.08	.04	—		29
30	—	✕	—	1.06	—	.01	—	—	—	.01	.12	—		30
31	—	✕	—	✕	—	✕	.23	.08	✕	.01	✕	.02		31
TOTAL	5.20	1.61	1.35	3.24	2.33	1.31	2.70	2.01	.80	4.73	4.89	1.42	Year's Total 31.59	
* Days with .01 in. or more.	24	14	22	19	11	14	23	13	13	24	24	21	222	
* Days with .04 in. or more.	17	9	8	12	7	9	16	6	4	19	21	9	137	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Helena S. Pitman

[P.T.O.

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations** **Station No.** 204

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at 10 Pewley Hill Guildford
in the County of Surrey
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 365.5 ft.

Letter sent 29.1.41 [illegible]

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	**Jan.**	**Feb.**	**Mar.**	**April**	**May**	**June**	**July**	**Aug.**	**Sept.**	**Oct.**	**Nov.**	**Dec.**		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	.02	.01	–	Tr.	–	Tr.	–	–	–	.04	.01		1
2	–	.09	–	.49	.01	–	.05	–	–	.08	.67	.02		2
3	–	.24	–	.04	–	–	.01	–	–	.20	1.17	.10		3
4	Fog .01	.08	–	.03	–	–	.01	–	–	.19	.08	.03		4
5	–	.02	–	–	–	–	.08	–	–	.08	.37	.09		5
6	.31	.19	–	–	Tr.	–	.24	–	–	.27	Tr.	.01		6
7	.28	.21	–	–	.03	–	.09	–	–	–	–	–		7
8	.01	.01	–	.03	–	–	.02	–	.05	.40	.04	.32		8
9	–	.01	–	.03	–	Tr.	–	.01	.04	.15	.36	.15		9
10	–	–	–	–	–	–	.12	.02	.01	.13	.07	.03		10
11	–	Snow .03	–	.02	–	–	.05	–	–	.01	.87	.03		11
12	–	.01	.21	.01	–	–	.15	–	.12	.01	.09	.01		12
13	–	Snow .02	.65	Tr.	–	–	.01	–	.19	.01	1.13	.01		13
14	–	–	Snow .26	.11	–	–	–	–	.01	.16	.01	.25		14
15	–	–	.01	.02	.18	.09	.58	–	.03	.02	.27	.02		15
16	Snow .03	Snow .41	.20	.11	Tr	.06	.22	–	.26	.60	1.00	.02		16
17	–	–	.30	.01	–	–	.05	–	.01	.01	.48	–		17
18	–	.24	.17	.37	–	–	.27	.03	.02	.22	.09	.15		18
19	–	.10	.09	.05	–	–	.05	–	.83	–	.11	Wet fog .01		19
20	–	.01	.02	.03	–	Tr.	.03	.02	.21	.08	.08	–		20
21	Snow .03	–	.05	Tr	.30	–	.23	.03	.01	.14	.37	–		21
22	Snow .01	–	.05	.02	.38	.61	–	Tr.	.05	.04	–	–		22
23	–	.06	.08	.15	.03	.12	Tr.	.01	.01	.01	.01	Tr.		23
24	–	.01	.01	.31	Tr.	Tr.	.36	–	–	–	.01	.03		24
25	–	–	.65	.01	Tr.	.01	.04	–	–	.03	Tr.	.01		25
26	.82	.16	.76	Tr.	.15	.03	.01	–	–	–	–	–		26
27	.53	.44	.01	.04	Tr.	–	.08	.01	–	–	–	–		27
28	Snow .46	.03	–	.02	.10	–	Tr.	–	.02	–	–	Tr.		28
29	Snow. .23	.17	.11	.06	.03	.01	–	–	–	–	–	.24		29
30	.18	✕	Tr.	.12	–	–	–	–	–	.16	–	.02		30
31	.03	✕	–	✕	–	✕	–	–	✕	.92	✕	.07		31
													Year's Total	
TOTAL	2.93	2.56	3.64	2.08	1.21	.93	2.75	.13	1.87	3.92	7.32	1.63	30.97	Prit
* Days with .01 in. or more.	13	22	18	22	9	7	22	7	16	23	21	22	202	WH.
* Days with .04 in. or more.	7	12	13	11	5	4	16	–	8	16	18	8	118	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Helena S. Pitman [P.T.O.

205

GUILFORD
WEST MOUNT
1931 - 1940

205

Section **A** for the entry o
AIR MINISTR

COPY FOR OFFICIAL USE.
ALL ORGANIZATION.

FORM 1090.

REGIS

31.

Kept at West Mount

in the County of Surre

Diameter of Funnel of Gauge......
Height of top of Gauge above Gro
,, Ground ,, Sea

THE MORNING MEA **DAY.**

An observer who does not conform *the following year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	·07	Tr	·15	—	·04	—	·02	·16	·01	—	—	1
2	·12	·06	—	·32	Tr	Tr	—	—	·46	·02	·01	·07	2
3	—	·01	·12	·30	·48	Tr	—	—	·74	—	·14	·15	3
4	—	Tr	Tr	Tr	·03	—	·04	·11	·02	·01	·15	Tr	4
5	—	·01	—	·21	·01	·37	·08	·05	·02	Tr	·08	·22	5
6	—	·08	—	·16	—	·04	—	—	Tr	·36	·26	·05	6
7	—	—	Tr	Tr	·22	·19	—	·10	—	·01	·41	·02	7
8	—	·08	·01	Tr	·02	·32	—	·43	—	Tr	·04	·01	8
9	—	·06	·07	·01	—	·01	·02	Tr	—	—	·59	·01	9
10	—	·10	·01	—	Tr	·07	—	·13	—	Tr	·74	·01	10
11	·08	·32	—	—	—	Tr	—	—	·03	·01 fog	·22	—	11
12	·03	Tr	—	Tr	Tr	—	·05	·01	·39	Tr	—	Tr	12
13	—	—	—	—	—	Tr	·16	·09	—	—	—	Tr	13
14	·02	·10	—	—	·02	Tr	·86	·26	—	—	Tr	—	14
15	·03	·02	—	·14	·09	—	·08	·20	—	—	Tr	·07	15
16	—	·08	—	·17	·23	·10	—	·11	·08	—	—	·01	16
17	—	Tr	—	·28	·02	Tr	·39	·14	·08	·04	—	—	17
18	·04	·11	·07	·07	Tr	·31	·06	1·04	—	·02	·51	—	18
19	·05	—	—	·59	—	—	·58	·10	·03	—	—	—	19
20	Tr	·06	·01	·18	—	·20	·01	·25	—	Tr	—	—	20
21	·04	—	Tr	—	·32	—	Tr	—	Tr	—	—	—	21
22	·25	—	·03	·05	Tr	—	Tr	—	·02	—	—	—	22
23	·27	—	Tr	·03	·32	·07	—	—	·05	—	·16	—	23
24	—	—	·03	·55	·10	·09	·23	·15	Tr	—	Tr	—	24
25	·05	Tr	—	·40	·06	—	·74	—	—	—	·02	—	25
26	—	·02	—	·17	Tr	—	·48	—	Tr	—	·28	—	26
27	·14	·32	—	·09	·69	—	·08	—	—	—	—	—	27
28	·02	·04	—	·03		—	—	—	—	Tr	—	·05	28
29	·06	×	—	—	·16 }	—	·09	—	—	·11	—	—	29
30	·03	×	—	—	—	—	—	·03	—	—	·03	—	30
31	·22	×	—	×	·17	×	—	—	×	—	×	·02	31
TOTAL	1·55	1·54	·35	3·90	2·94	1·81	3·95	3·22	2·08	·59	3·64	·69	YEAR'S TOTAL 26·26
*Days with ·01 in. or more.	17	17	8	19	17	12	16	17	12	9	15	12	171
*Days with ·04 in. or more.	12	13	3	16	9	11	14	14	7	3	12	6	111

40-9999

(*Signed*) Mary E. Powell

[P.T.O.

*See Instruction 2 (*f*) on other side.

205

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at West Mount Guildford

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	·07	Tr	·15	—	·04	—	·02	·16	·01	—	—	1
2	·12	·06	—	·32	Tr	Tr	—	—	·46	·02	·01	·07	2
3	—	·01	·12	·30	·48	Tr	—	—	·74	—	·14	·15	3
4	—	Tr	Tr	Tr	·03	—	·04	·11	·02	·01	·15	Tr	4
5	—	·01	—	·21	·01	·37	·08	·05	·02	Tr	·08	·22	5
6	—	·08	—	·16	—	·04	—	—	Tr	·36	·26	·05	6
7	—	—	Tr	Tr	·22	·19	—	·10	—	·01	·41	·02	7
8	—	·08	·01	Tr	·02	·32	—	·43	—	Tr	·04	·01	8
9	—	·06	·07	·01	—	·01	·02	·Tr	—	—	·59	·01	9
10	—	·10	·01	—	Tr	·07	—	·13	—	Tr	·74	·01	10
11	·08	·32	—	—	—	Tr	—	—	·03	·01 fog	·22	—	11
12	·03	Tr	—	Tr	Tr	—	·05	·01	·39	Tr	—	Tr	12
13	—	—	—	—	—	Tr	·16	·09	—	—	—	Tr	13
14	·02	·10	—	—	·02	Tr	·86	·26	—	—	Tr	—	14
15	·03	·02	—	·14	·09	—	·08	·20	—	—	Tr	·07	15
16	—	·08	—	·17	·23	·10	—	·11	·08	—	—	·01	16
17	—	Tr	—	·28	·02	Tr	·39	·14	·08	·04	—	—	17
18	·04	·11	·07	·07	Tr	·31	·06	1·04	—	·02	·51	—	18
19	·05	—	—	·59	—	—	·58	·10	·03	—	—	—	19
20	Tr	·06	·01	·18	—	·20	·01	·25	—	Tr	—	—	20
21	·04	—	Tr	—	·32	—	Tr	—	Tr	—	—	—	21
22	·25	—	·03	·05	Tr	—	Tr	—	·02	—	—	—	22
23	·27	—	Tr	·03	·32	·07	—	—	·05	—	·16	—	23
24	—	—	·03	·55	·10	·09	·23	·15	Tr	—	Tr	—	24
25	·05	Tr	—	·40	·06	—	·74	—	—	—	·02	—	25
26	—	·02	—	·17	Tr	—	·48	—	Tr	—	·28	—	26
27	·14	·32	—	·09	·69	—	·08	—	—	—	—	—	27
28	·02	·04	—	·03		—	—	—	—	Tr	—	·05	28
29	·06	X	—	—	·16	—	·09	—	—	·11	—	—	29
30	·03	X	—	—	—	—	—	·03	—	—	·03	—	30
31	·22	X	—	X	·17	X	—	—	X	—	X	·02	31
TOTAL	1·55	1·54	·35	3·90	2·94	1·81	3·95	3·22	2·08	·59	3·64	·69	YEAR'S TOTAL 26·26
*Days with ·01 in. or more.	17	17	8	19	17	12	16	17	12	9	15	12	171
*Days with ·04 in. or more.	12	13	3	16	9	11	14	14	7	3	12	6	111

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Mary E. Powell

P.T.O.

205

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 205

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at West Mount Guildford

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 220 ft.

days ✓

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	·01	—	·03	·36	—	—	—	·01	·06	·02	·01	1
2	Tr	—	—	·02	·06	—	Tr	·14	·33	·03	·01	·15	2
3	·01	—	—	·20	·11	—	—	Tr	·31	·06	—	·01	3
4	·01	—	—	—	Tr	·18	—	—	Tr	—	·03	—	4
5	·16	—	—	—	Tr	·01	·27	—	·07	—	—	—	5
6	·46	—	—	·24	—	—	—	—	·05	—	—	—	6
7	·01	—	·06	·05	·01	—	—	—	·08	·07	—	—	7
8	—	—	·20	·04	·35	—	—	—	·21	·32	Tr	—	8
9	·43	Tr	—	·10	·33	—	—	—	—	—	—	—	9
10	·92	·09	Tr	·23	·06	·05	—	—	·02	·12	Tr	—	10
11	·25	Tr	—	·08	·01	—	·11	·01	·02	Tr	·03	·01	11
12	·19	·01	—	Tr	·02	—	—	·02	·05	·23	·01	—	12
13	·09	·01	—	·12	Tr	—	—	—	Tr	·73	·01	·02	13
14	·09	·02	—	·09	·04	—	·08	·01	—	·01	·01	—	14
15	·01	·01	—	·07	·17	—	—	—	—	·08	—	Tr	15
16	·18	—	—	·25	—	—	·02	—	—	—	—	·01	16
17	Tr	—	—	·02	·03	—	·06	—	Tr	·06	Tr	·01	17
18	Tr	—	—	-	·01	—	·10	—	·13	—	·11	—	18
19	—	—	—	-	—	—	—	—	·04	·20	·03	—	19
20	—	—	—	x	Tr	—	—	·31	Tr	·65	·19	Tr	20
21	·02	—	Tr	·35	1·20	—	—	·07	—	·28	—	—	21
22	Tr	·01	·28	Tr	·13	—	—	Tr	·36	·33	·29	·08	22
23	—	·09	·14	·01	·23	·04	—	—	·12	·64	Tr	Tr	23
24	—	·08	—	Tr	—	Tr	·38	—	·10	·08	·05	·08	24
25	—	—	—	·03	—	·02	·82	—	·01	·21	·02	—	25
26	—	—	·07	·02	·33	—	·14	—	Tr	·04	·03	·02	26
27	—	Tr	·54	·18	·36	—	·14	—	—	·31	·05	·01	27
28	Tr	—	·03	·02	·09	—	·15	—	—	·03	·04	—	28
29	—	Tr	·40	·11	·08	Tr	—	·04	·14	·28	—	·04	29
30	—	×	·01	·06	·04	1·00	·01	—	·24	Tr	·28	·10	30
31	—	×	·12	×	—	×	·02	—	×	—	×	·05	31
TOTAL	2·93	·33	1·85	2·32	4·02	1·30	2·30	·60	2·29	4·82	1·21	·60	YEAR'S TOTAL 24·57
*Days with ·01 in. or more.	15	9	10	23	21	6	13	7	18	22	17	14	175
*Days with .04 in. or more.	10	3	8	16	16	4	10	4	14	19	7	6	117

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) M. E. Powell

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 205

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at West Mount Guildford

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	·29	·08	—	Tr	—	—	—	—	·03	—	—	—	1
2	·28	—	·42	—	·31	—	—	—	—	—	·01	—		2
3	—	·15	·30	—	·06	—	—	—	—	—	Tr	—		3
4	·14	·01	·04	—	·40	—	—	—	—	—	·05	—		4
5	·06	·01	·34	—	·01	—	—	—	—	—	·06	—		5
6	—	·12	·04	Tr	·39	—	—	—	—	·11	—	—		6
7	·17	·04	·01	—	·23	—	Tr	—	—	·15	Tr	·03	·05	7
8	·02	Tr	Tr	—	·01	—	·15	—	—	·08	—	Tr		8
9	—	·01	—	Tr	—	Tr	·17	Tr	—	·14	·11	—		9
10	—	·59	—	—	Tr	·08	·02	Tr	—	·28	·07	—		10
11	·34	—	—	—	·04	·11	·67	·09	—	—	·01	—		11
12	Tr	—	—	·02	·01	·01	·03	—	1·24	—	Tr	Tr		12
13	·07	—	—	—	·06	Tr	·30	·02	·08	·02	·06	—		13
14	·01	—	—	—	—	—	·02	Tr	—	·16	·44	·01		14
15	·32	—	·19	—	—	Tr	·06	·44	—	·01	—	—		15
16	Tr	—	·79	—	—	·09	·23	—	Tr	·01	·04	—		16
17	Tr	—	·49	—	—	·20	—	—	·02	—	·05	—		17
18	·15	·07	·24	Tr	—	·45	—	—	—	—	·01	—		18
19	Tr	·07	·08	·03	—	·02	·06	Tr	·47	—	·03	·02		19
20	—	·02	·11	·10	—	·03	—	Tr	·02	—	Tr	Tr		20
21	—	·03	—	—	Tr	·25	—	·12	·20	·01	Tr	—		21
22	—	—	—	—	—	Tr	—	·35	·10	·27	·03	—		22
23	—	—	—	·13	·17	·12	—	—	·15	·10	—	—		23
24	—	·74	—	·10	—	·38	—	—	·14	Tr	—	—		24
25	—	·91	—	·34	Tr	·12	—	—	·07	Tr	·02	·03		25
26	—	·90	—	·03	Tr	Tr	—	—	·01	·07	Tr	·04		26
27	—	·01	—	—	·37	—	·01	—	·01	·20	—	·09		27
28	—	—	—	Tr	·18	—	·23	—	—	·21	—	·07		28
29	·08	×	·01	·05	Tr	—	—	—	—	·11	—	Tr		29
30	·14	×	·17	·06	—	—	·02	—	·16	·02	—	·07		30
31	·12	×	Tr	×	—	×	—	·08	×	Tr	×	—		31
TOTAL	1·99	3·97	3·31	·86	2·24	1·86	1·97	1·10	2·67	1·98	·99	·36	Year's Total 23·30 ✓	
*Days with ·01 in. or more.	14	16	15	9	13	12	13	6	13	18	14	8	151	
*Days with ·04 in. or more.	12	10	13	6	10	9	8	5	9	12	8	4	106	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Mary E. Powell

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 205

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at West Mount Guildford

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 220 ft.

~~Days 100~~

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	–	–	–	–	–	–	·29	·02	·08	·02	·38		1
2	·06	–	·12	·02	·01	–	–	Tr	·78	·18	·01	·22		2
3	·01	·04	Tr	·02	—	—	–	·03	—	·15	—	·08		3
4	·09	—	·06	·08	·11	—	—	–	—	·04	·04	·46		4
5	·01	—	·02	—	Tr	Tr	—	·03	—	—	·08	·45		5
6	·01	—	·32	Tr	·19	·16	—	·24	—	·22	·07	·85		6
7	·07	—	—	—	Tr	·01	—	·04	—	·14	—	·23		7
8	—	Tr	—	—	·07	—	—	·03	·31	—	·62	·03		8
9	·01	—	·03	—	—	—	—	—	–	—	1·16	·52		9
10	Tr	—	·27	·22	—	—	—	·01	—	·01	·54	·02		10
11	·49	—	·38	·13	—	—	·02	·08	—	—	Tr	·23		11
12	Tr	—	·01	·01	—	—	·21	·13	—	—	Tr	·05		12
13	·47	—	·02	·03	—	—	·16	·11	—	Tr	·11	·16		13
14	·24	–	·46	·04	Tr	·03	—	Tr	—	Tr	·35	·76		14
15	·01	—	·04	—	·15	—	—	—	Tr	·17	·14	·50		15
16	·12	—	·28	—	·02	—	—	—	–	·10	·01	Tr		16
17	·03	—	·02	·03	·01	—	—	—	Tr	·13	—	·12		17
18	·17	—	·04	·21	—	—	·02	—	Tr	—	—	·44		18
19	—	—	·37	·13	—	Tr	—	Tr	·06	Tr	—	·09		19
20	—	—	·05	·01	—	Tr	·89	–	Tr	·01	—	·01		20
21	—	—	Tr	·27	—	·05	·21	·05	Tr	·11	—	—		21
22	—	·01	—	–	–	—	·34	·14	·18	—	~~·01~~	·07		22
23	—	·01	—	·26	—	·39	—	—	·01	—	·01	·05		23
24	—	·03	·07	·10	–	·05	·61	—	·07	·01	Tr	—		24
25	·18	Tr	—	·18	·05	·43	—	—	Tr	·14	—	·45		25
26	·02	–	Tr	·31	—	·14	–	—	·03	—	—	·28		26
27	—	Tr	—	·01	—	·02	—	—	—	·02	—			27
28	Tr	·01	—	—	—	·09	–	·75	—	·01	—	·22		28
29	—	×	–	–	–	–	·01	·02	·15	—	—	Tr		29
30	·07	×	—	–	–	–	–	·03	·03	Tr	–	·41		30
31	·04	×	—	×	—	×	Tr	—	×	·20	×	·06		31
TOTAL	2·13	·10	2·56	2·06	·61	1·37	2·47	1·98	1·64	1·72	3·16	7·14	Year's Total. 26·94	
* Days with .01 in. or more.	19	5	17	18	8	10	9	15	10	17	13	27	168	
* Days with .04 in. or more.	11	1	12	11	5	7	6	9	6	12	9	24	113	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 205

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at West Mount Guildford

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 220 ft.

9 a.m. winter
10 " summer

Aug corr for Auth
Obs notified
18/2.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·12	·03	·11	·07	Tr	·05	·68		·36	·03	·18	—		1
2	·01		Tr	Tr	—	·01	—	—	·02	·29	·04	—		2
3	—	·02	·02	·05	—	·05	—	Tr	·19	1·43	·11	—		3
4	—	·03	—	·22	—	·21	—	—	·09	·05	·03	·08		4
5	—	·15	·05	·05	—	·10	—	—	·53	·02	·01	·01		5
6	·01	·01	·01	·17	—	·57	—	—	—	·11	·01	·03		6
7	·01	·01	—	·26	—	·08	—	—	—	·02	·86	·15		7
8	·02	Tr	·01	·37	—	·01	—	—	—	·20	·48	·01		8
9	—	Tr	Tr	·29	—	·45	—	—	·02	·74	·09	—		9
10	·11	—	·05	Tr	—	·01	—	—	—	·01	·15	·04		10
11	·40	—	—	·11	—	·16	·24	—	—	—	·49	Tr		11
12	·01	·05	—	—	—	·22	—	·10	·02	—	·86	—		12
13	·04	·11	Tr	·14	·08	·11	—	—	—	Tr	·02	—		13
14	—	—	—	·10	·15	·04	—	—	·04	Tr	·15	·10		14
15	—	·15	—	·51	·02	·10	—	—	·09	Tr	·45	·06		15
16	—	·05	·01	·05	Tr	·05	—	—	·55	·02	·59	·02		16
17	·01	—	—	·04	—	·17	·02	·01	·01	—	·20	—		17
18	—	Tr	—	·22	17	·03	·04	·01	·47	·05	·01	—		18
19	—	·02	—	·04	·53	·06	·21	—	·06	Tr	·08	·01		19
20	·01	·33	—	·25	·08	·09	·25	—	·02	—	·21	—		20
21	—	·58	—	Tr	—	—	—	—	·15	·12	·01	—		21
22	—	·10	·04	Tr	—	—	Tr	·26	·08	—	—	—		22
23	·01	—	·08	—	—	—	—	·43	—	·19	—	·09		23
24	·03	·70	—	—	·21	—	—	1·79	31	—	—	·16		24
25	·06	·45	—	·18	·24	·87	—	Tr	—	—	Tr	·33		25
26	·01	·33	—	Tr	—	—	—	·22	·09	·01	·01	·50		26
27	·01	·63	—	—	Tr	—	Tr	·01	·15	—	·12	·31		27
28	—	·15	—	—	·13	—	Tr	·01	·35	·02	·01	·28		28
29	·01	X	—	—	—	—	—	·01	·54	·02	Tr	·39		29
30	·07	X	—	·02	Tr	Tr	—	·72	·01	·19	·61	·47		30
31	—	X	—	X	Tr	X	—	Tr	X	·49	X	·46		31
TOTAL	·95	3·90	·38	3·14	1·61	3·44	1·44	~~2~~ 3·57	4·15	4·01	5·78	3·56	Year's Total. ~~34·87~~	35·87
* Days with .01 in. or more.	18	19	9	19	9	21	6	11	22	19	25	19	197	
* Days with .04 in. or more.	6	13	5	18	8	17	5	6	16	11	17	14	136	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) M. E. Powell

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 205

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at West Mount Guildford

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·37	·01	·02	·01	—	·20	·20	·25	—	—	·09	·05		1
2	·11	Tr	·01	·02	—	·39	·01	·04	Tr	—	·04	—		2
3	—	—	—	·49	—	·04	·03	—	·24	—	·25	·01		3
4	—	—	·09	—	—	·06	—	—	·34	—	·09	·08		4
5	·36	—	·04	·01	—	—	—	·04	·02	—	·01	·07		5
6	·38	—	—	—	—	·02	—	Tr	·15	Tr	·60	·02		6
7	·20	—	·06	—	—	·04	·07	—	·02	Tr	·13	·06		7
8	·31	—	·07	—	—	—	·08	—	Tr	·03	·19	·14		8
9	·55	—	·02	—	Tr	—	·45	—	·11	·02	—	·01		9
10	·13	—	—	Tr	—	Tr	·08	·35	—	—	—	—		10
11	—	·02	—	·01	—	—	·09	—	Tr	—	·97	—		11
12	—	—	—	·05	—	·53	·15	—	·22	—	·29	·14		12
13	—	—	—	·09	Tr	·04	—	Tr	Tr	·01	·01	·50		13
14	—	·08	—	—	—	·09	·49	—	·17	·04	·24	1·07		14
15	Tr	·04	—	—	—	·01	·01	—	·01	—	·04	·20		15
16	·30	·11	—	·01	—	—	·03	—	·01	—	·23	·08		16
17	·11	·73	—	—	—	·30	Tr	—	—	—	·19	·36		17
18	·14	·06	—	—	—	·07	·12	—	—	Tr	·02	·13		18
19	·29	·04	·01	·03	—	·88	·10	·08	·46	·11	·01	—		19
20	·18	·09	·05	·47	Tr	·31	·10	—	·01	—	—	—		20
21	—	·02	—	·37	·02	·17	Tr	—	—	—	—	—		21
22	·12	·38	·13	·01	—	·07	·16	—	—	—	—	·11		22
23	·03	·03	·29	·06	·57	—	·17	—	·09	·01	—	—		23
24	·04	·14	—	—	—	—	—	—	·45	·45	—	—		24
25	·10	—	·08	·24	—	—	·16	—	·01	·09	·04	—		25
26	·03	·12	·11	·01	—	—	·09	—	·12	·13	—	·04		26
27	·35	—	·01	—	—	—	—	—	·10	·13	—	—		27
28	·88	—	·17	—	—	·39	1·19	—	·01	—	—	·09		28
29	·05	·07	·05	—	Tr	·07	·05	—	—	·03	·16	·04		29
30	·12	✕	·31	—	·06	·30	·01	—	—	·63	·01	Tr		30
31	·16	✕	·15	✕	Tr	✕	·28	—	✕	·50	✕	·22		31
TOTAL	5·31	1·92	1·67	1·88	·65	3·98	4·12	·76	2·54	2·18	3·61	3·42	Year's Total 32·04	✓
* Days with .01 in. or more.	23	15	18	15	3	19	23	5	18	13	20	20	192	✓
* Days with .04 in. or more.	21	11	13	7	2	17	18	5	11	8	15	17	145	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Mary E. Powell [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 205

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at West Mount Guildford

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 220 ft.

9 a.m. Winter-time
10 a.m. Summer-time

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·64	·10	—	·61	—	—	·01	—	—	—	·80	·59		1
2	·02	·38	·06	—	—	—	—	—	·36	·01	·01	·83		2
3	—	·19	—	—	—	—	—	—	—	—	—	·02		3
4	·10	·74	·18	Tr	—	—	—	Tr	—	—	—	·26		4
5	·11	·10	·33	·01	—	—	·14	—	—	Tr	Tr	—		5
6	·08	·05	·17	·08	·26	—	·03	—	—	·04	·02	—		6
7	—	·53	·02	Tr	·02	—	—	—	·03	—	—	—		7
8	—	·01	—	·33	·10	·05	—	—	—	—	·05	·19		8
9	—	—	·62	·24	·10	·03	Tr	·06	·26	·01	—	·21		9
10	—	—	·16	·06	·17	·28	Tr	—	—	—	—	·41		10
11	—	—	·16	·08	·10	·20	·07	—	—	Tr	—	·02		11
12	·23	·20	·34	TR	·58	·28	Tr	·36	·11	—	—	·26		12
13	·22	·05	·31	·21	·01	·06	—	·75	·31	—	—	1·16		13
14	·02	·08	—	·38	—	·02	·22	·29	·03	—	—	·01		14
15	·37	·09	·55	·04	—	Tr	—	Tr	·10	—	—	—		15
16	·01	·11	·22	·03	—	·02	—	·25	·48	—	—	Tr		16
17	·73	Tr	—	Tr	—	Tr	—	—	·10	—	·03	—		17
18	·48	·09	·08	·03	·02	·09	—	—	·02	—	·07	·12		18
19	·04	·13	·09	·09	·63	·18	Tr	—	·08	—	—	·04		19
20	·61	—	·06	·24	·01	—	—	Tr	·10	—	—	Tr		20
21	·54	·41	·03	·05	—	—	·01	—	—	—	—	·04		21
22	·47	·02	·02	—	·13	·26	·09	—	—	1·03	—	·10		22
23	·28	·04	—	—	·10	—	·02	—	—	·38	·34	·01		23
24	·48	·40	·26	—	·01	—	—	—	·09	·64	—	·01		24
25	·19	·41	·04	—	·16	—	—	—	·05	·64	—	·02		25
26	·01	·27	—	—	·01	—	—	—	—	·15	—	—		26
27	·02	·37	—	·13	—	—	—	—	·03	·45	—	—		27
28	—	·08	—	·04	—	—	—	—	—	·09	—	·05		28
29	·01	·03	—	—	—	·05	—	Tr	—	·03	·09	·04		29
30	·36	✕	—	—	—	·12	—	—	—	·18	·22	·01		30
31	·25	✕	·06	✕	—	✕	—	—	✕	·07	✕	·05		31
TOTAL	6·27	4·88	3·66	2·65	2·41	1·64	·59	1·71	2·15	3·72	1·63	4·45	Year's Total 35·76	✓
* Days with .01 in. or more.	24	24	20	17	16	13	8	5	15	13	9	22	186	✓
* Days with .04 in. or more.	18	21	17	14	10	10	4	5	11	11	6	15	142	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Mary E. Powell

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 205

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1938

Kept at West Mount Guildford

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ......ft......in.

,, Ground ,, Sea Level ......ft.

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·01	—	—	·04	·12	·47	—	·01	·03	T.R	·10		1
2	·08	—	—	·05	·10	—	·06	—	—	·22	—	·03		2
3	—	—	—	—	·22	—	T.R	—	—	·47	·02	—		3
4	·04	—	—	T.R	—	·02	·23	·06	—	·02	—	·14		4
5	·01	—	—	—	—	T.R	·32	—	—	·45	—	·01		5
6	·02	—	—	—	—	—	·10	—	T.R	·02	·01	—		6
7	·01	T.R	—	—	—	—	·33	·20	·02	·13	—	·03		7
8	·23	—	—	—	—	—	·21	·04	·02	·36	—	·03		8
9	·15	·02	—	—	—	—	—	·02	—	·04	—	1·04		9
10	·09	·07	—	—	—	·07	·02	—	—	·02	—	·19		10
11	·22	—	—	—	—	—	·01	·02	—	·01	—	·14		11
12	·33	·02	—	—	·02	—	—	T.R	—	·07	·18	·01		12
13	·28	T.R	—	—	—	—	—	T.R	—	·09	·05	·16		13
14	·33	—	—	—	·09	—	·02	—	·03	—	·38	—		14
15	·08	·08	—	—	·01	—	·26	·01	—	·40	·01	·28		15
16	·25	·03	—	—	—	—	·03	—	—	·02	·04	·35		16
17	—	·08	T.R	—	T.R	—	T.R	—	·03	·17	T.R	—		17
18	·06	—	—	—	T.R	—	T.R	—	·31	·01	·46	—		18
19	T.R	—	—	—	—	—	—	·03	·11	—	·24	·02		19
20	—	—	—	—	—	—	—	·03	·04	—	·81	·03		20
21	·02	—	—	—	—	—	—	—	·08	—	·03	·34		21
22	—	—	—	·01	—	·02	—	—	—	—	·18	·29		22
23	T.R	—	—	·04	T.R	—	—	—	·04	—	·17	·04		23
24	T.R	—	·08	T.R	T.R	—	—	—	·16	—	·15	—		24
25	·12	—	·07	·06	·13	—	·02	·02	·01	·05	1·50	·08		25
26	·22	·18	·04	—	—	T.R	—	—	·24	·26	—	·22		26
27	·07	·04	—	—	·01	·30	·35	·01	·53	·04	·29	—		27
28	·03	·07	—	T.R	·27	·09	—	·47	·02	—	—	·16		28
29	·22	—	—	—	·20	—	—	·01	—	T.R	·10	·22		29
30	·05	✕	—	·02	·16	·02	—	—	·10	·10	·33	—		30
31	·24	✕	—	✕	·15	✕	—	—	✕	13	✕	26		31
TOTAL	3·16	·60	19	·18	1·40	·64	2·43	·92	1·45	3·11	4·95	4·15	Year's Total 23·18	✓
* Days with .01 in. or more.	24	10	3	5	12	7	14	12	16	22	18	23	166	✓
* Days with .04 in. or more.	18	6	3	3	9	4	9	4	9	15	14	16	109	✓

† Spare column, no entries required.

(*Signed*) H. J. C. PRINGLE. P.P. M. E. POWELL

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 205

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at WEST MOUNT, GUILDFORD,

in the County of SURREY

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ......ft......in.

,, Ground ,, Sea Level ......ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	—	·03	·31	·29	T.R	—	—	·16	—	—	·03		1
2	·06	—	—	·02	·03	—	·11	·67	·34	—	·02	—		2
·30 3	·30	·01	—	·30	—	—	T.R	·17	—	—	·30	·28		3
·13 4	[illegible]3	—	·30	·20	T.R	—	·14	1·11	—	·41	·10	·03		4
5	—	·01	—	·15	·09	—	·22	·01	—	·27	·40	·05		5
6	·31	T.R	·03	—	·49	—	·28	·02	—	·09	·12	·03		6
7	·03	·13	—	—	—	—	T.R	·03	—	·09	·23	·09		7
8	·01	·13	·18	—	—	—	·03	·04	—	·34	·36	·31		8
9	·10	·09	—	—	—	—	—	·05	T.R	·14	·12	·18		9
10	·26	—	—	—	—	·17	—	·11	·01	—	·04	·01		10
11	—	—	·23	—	—	—	—	—	·01	·46	·03	—		11
12	—	—	T.R	—	·01	·08	—	—	—	·01	—	·02		12
13	—	—	—	·03	—	·04	·05	—	·02	1·70	—	·03		13
14	·63	—	—	·06	·07	·02	·07	—	—	·30	·50	·04		14
15	·52	—	·03	—	·90	·27	·02	—	·12	·63	·08	·01		15
·49 16	·49	—	·10	·04	·23	·15	·28	—	·01	·12	·45	—		16
17	·27	·03	·03	—	·14	—	·24	—	—	—	·13	—		17
18	·27	·01	·02	—	—	·17	·21	—	T.R	·06	·29	—		18
19	·23	—	T.R	—	—	—	·19	—	—	·16	·01	·02		19
34 20	·34	T.R	T.R	—	—	—	·41	T.R	—	—	—	·05		20
·05 21	[illegible]5	·21	·04	—	—	·108	·15	·01	·10	—	—	—		21
22	·20	·34	·01	—	—	·22	·15	—	·02	—	·07	—		22
23	·02	—	—	·18	—	·01	·06	·01	—	·11	·69	·02		23
24	·19	·01 ·0[illegible]	·03	·15	—	·05	·02	—	—	·09	·01	—		24
25	·57	·39	·06	—	—	—	·06	—	—	T.R	·37	·01		25
26	·03	—	·03	—	—	—	—	T.R	—	·15	·25	·02		26
27	·02	·18	·08	·11	—	T.R	·01	—	T.R	·09	·17	—		27
28	—	·12	·08	·20	—	·05	T.R	—	—	·08	·14	—		28
29	—	—	T.R	·21	—	—	·03	—	—	·08	·05	—		29
30	—		—	·102	—	·01	T.R	—	—	·01	·12	—		30
31	—		—		—		·22	·06		·01		·04		31
TOTAL	4·94	1·66	1·31	2·06	2·25	1·34	2·95	2·29	0·79	5·40	5·05	1·27	Year's Total 31·31	
* Days with .01 in. or more.	23	13	16.	14	9	13	21	12	9	22	25	19.	196	
* Days with .04 in. or more.	15	8	8	12	7	10	16	7	4	19	21	7	134	

† Spare column, no entries required.

(*Signed*) ......

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 205

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at WEST MOUNT GUILDFORD
in the County of SURREY.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level ft.

Jan 25th-31st csta for snow
Snow circ sent 2-4-41.

Totals ✓ days ✓

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	–	–	–	–	–	–	–	–	–	·03	–		1
2	–	–	–	·50	T.R	–	·04	–	–	·09	·75	·02		2
3	–	·174	–	·04	–	–	–	–	–	·18	1·21	·10		3
4	–	·14	–	·03	–	–	–	–	–	·20	·09	·03		4
5	·01	–	–	–	T.R	–	·11	–	–	·08	·41	·11		5
6	·33	·22	–	–	–	–	·22	–	T.R	–	·01	–		6
7	·31	·23	–	–	·03	–	·12	–	–	·28	–	–		7
8	·01	·01	–	·03	–	–	·02	–	·04	·36	·03	32		8
9	–	–	–	·02	–	–	–	T.R	·03	·15	·33	·16		9
10	–	–	T.R	–	–	–	·11	·22	–	·13	·07	·04		10
11	–	–	–	·02	–	–	·06	–	–	·01	·84	·03		11
12	–	–	·22	–	–	–	·11	–	·18	–	·06	–		12
13	–	–	–	·22	–	–	–	T.R	·14	–	1·11	–		13
14	–	–	·20	·11	–	–	·06	T.R	–	·16	·01	·23		14
15	–	–	·01	·02	·19	·14	·59	–	·07	–	·31	·02		15
16	–	–	·21	·17	–	·06	·20	·01	·22	–	·96	·02		16
17	–	–	·37	–	–	–	·04	–	·01	·62	·55	–		17
18	–	·54	·11	·38	–	–	·25	·01	·11	·01	·09	·15		18
19	–	·12	·10	·03	–	–	·07	·01	·19	·23	·14	·01		19
20	–	·12	·03	03	–	–	–	·02	·21	·14	·07	–		20
21	–	–	·03	–	·39	–	·17	T.R	·01	·07	·35	–		21
22	–	–	·05	·03	·22	·67	–	–	·05	·04	–	–		22
23	–	·07	·08	·15	·22	·11	–	–	–	–	·02	–		23
24	–	–	–	·31	–	–	·30	–	–	–	–	·02		24
25	–	–	·75	–	·01	·01	·04	–	–	·03	–	–		25
26	– 4	·16	·58	–	·16	·02	·01	–	–	–	–	–		26
27	~~·94~~ 4	·47	–	·06	·01	–	·08	–	–	–	–	–		27
28	(2·30) ~~·34~~ 4	·02	–	·01	·09	–	–	–	T.R	–	–	–		28
29	– 4	·17	·10	·07	·03	–	–	–	–	T.R	–	·25		29
30	– 4	✕	–	·13	–	–	–	–	–	·15	–	·01		30
31	✓	✕	–	✕	–	✕	–	–	✕	·90	✕	·07		31
TOTAL	2·96 ~~1·41~~	2·44	2·84	2·36	1·35	1·01	2·60	·27	1·26	3·83	7·44	1·59	Year's Total ~~28·90~~	29·95
* Days with .01 in. or more.	10 ~~6~~	13	14	20	10	6	19	5	12	19	21	17	16~~2~~ 6	
* Days with .04 in. or more.	7 ~~4~~	11	11	11	6	4	17	1	9	16	16	9	11~~8~~ 8	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) H. PRINGLE

[P.T.O.

205/2

GUILDFORD
EPSOM RD

1936 - 1940

780105

Section **A** for the entry of D … ation No. 205/2
AIR MINISTRY … L ORGANIZATION

FORM 1090

REGIST

Kept at ~~"STIRLING"~~ (EPSOM ROA … arnstaple
in the County of SURREY
Diameter of Funnel of Gauge 8
Height of top of Gauge above Grou
,, Ground ,, Sea L

THE MORNING MEASUREN … DAY

An observer who does not conform to … following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		·01	·02	·12	—	·23	·19	·12	—	—	·07	·05		1
2		tr	·01	·03	—	·58	·01	·03	—	—	·04	tr		2
3		—	—	·47	—	·04	·03	—	·25	—	·25	·01		3
4		—	·09	tr	—	·06	—	—	}·41	—	·10	·09		4
5		—	·05	—	—	—	—	·04		—	tr.	·07		5
6		—	—	—	—	·01	—	·01	·16	—	·67	·01		6
7		—	·06	—	—	·04	·08	—	·03	—	·14	·07		7
8		—	·06	—	—	—	·11	—	—	·03	·19	·12		8
9		—	·01	—	—	—	·37	—	·11	·02	tr	·01		9
10		—	tr	tr	—	—	·08	·21	tr.	tr	—	—		10
11		·04	—	·01	—	—	·05	tr	tr.	—	1·01	·01		11
12		tr	—	·06	·02	·54	·16	—	·18	—	·29	·13		12
13		—	—	·08	—	·04	—	—	tr.	·02	·15	·53		13
14		·07	—	tr	—	·08	·48	—	·01	·03	·06	1·11		14
15		·03	—	—	—	·01	—	—	·21	—	·03	·22		15
16		·11	—	·01	—	—	·03	—	·01	—	·22	·05		16
17		·75	—	—	—	·41	·01	—	·01	—	·17	·35		17
18		·07	—	—	—	·04	·13	—	—	tr	·01	·13		18
19		·04	·02	·02	—	1·21	·08	·10	—	·10	·01	tr		19
20		·10	·05	·49	—	·58	·05	—	·48	tr	—	tr		20
21		·02	—	·41	·04	·17	tr	—	—	tr.	tr.	—		21
22		·39	·12	·01	·58	·12	·18	—	—	—	tr.	·01		22
23		·02	·24	·06	·01	—	·19	—	tr	·08	tr.	tr		23
24		·13	—	tr	—	—	—	—	·10	·43	—	·01		24
25		tr	·09	·23	tr	—	·15	—	·33	·10	·04	tr		25
26		·12	·13	·01	—	·01	·10	—	·02	·11	tr	·04		26
27		tr	·01	—	—	—	·01	—	}·12	·09	—	—		27
28		—	·15	—	—	·13	·99	—		—	—	·08		28
29		·07	·09	—	—	·05	·02	—	tr	·01	·17	·03		29
30		✕	—	—	·06	·37	·02	—	—	·68	tr	tr		30 O.K.
31		✕	·31	✕	tr	✕	·37	—	✕	·50	✕	·20		31 'd'
TOTAL	(5·50)	1·97	1·51	2·01	·71	4·72	3·89	·51	2·43	2·20	3·62	3·33	Year's Total ~~26·90~~	(32·40)
* Days with .01 in. or more.	(25)	15	17	14	5	20	24	6	17	13	18	22	~~171~~	(196) ~~months~~
* Days with .04 in. or more.	(20)	11	12	8	3	17	17	4	12	8	15	15	~~122~~	(142) ~~only.~~

Record commenced 1st February 1936

* See Instruction 3 (f) on other side.

N

† Spare column, no entries required.
(*Signed*) Frank E. Box Esq. [P.T.O.

Section **A** **for the entry of Daily Observations**

Station No. 205/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at ~~"Stirling"~~ (EPSOM ROAD) GUILDFORD.

in the County of SURREY

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 208 ft.

Moved from Barnstaple

Jan. est. from [illegible] 2/5

546290/36

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·01	·02	·12	—	·23	·19	·12	—	—	·07	·05		1
2		tr	·01	·03	—	·58	·01	·03	—	—	·04	tr		2
3		—	—	·47	—	·04	·03	—	·25	—	·25	·01		3
4		—	·09	tr	—	·06	—	—	} ·41	—	·10	·09		4
5		—	·05	—	—	—	—	·04		—	tr	·07		5
6		—	—	—	—	·01	—	·01	·16	—	·67	·01		6
7		—	·06	—	—	·04	·08	—	·03	—	·14	·07		7
8		—	·06	—	—	—	·11	—	—	·03	·19	·12		8
9		—	·01	—	—	—	·37	—	·11	·02	tr	·01		9
10		—	tr	tr	—	—	·08	·21	tr	tr	—	—		10
11		·04	—	·01	—	—	·05	tr	tr	—	1·01	·01		11
12		tr	—	·06	·02	·54	·16	—	·18	—	·29	·13		12
13		—	—	·08	—	·04	—	—	tr	·02	·15	·53		13
14		·07	—	tr	—	·08	·48	—	·01	·03	·06	1·11		14
15		·03	—	—	—	·01	—	—	·21	—	·03	·22		15
16		·11	—	·01	—	—	·03	—	·01	—	·22	·05		16
17		·75	—	—	—	·41	·01	—	·01	—	·17	·35		17
18		·07	—	—	—	·04	·13	—	—	tr	·01	·13		18
19		·04	·02	·02	—	1·21	·08	·10	—	·10	·01	tr		19
20		·10	·05	·49	—	·58	·05	—	·48	tr	—	tr		20
21		·02	—	·41	·04	·17	tr	—	—	tr	tr	—		21
22		·39	·12	·01	·58	·12	·18	—	—	—	tr	·01		22
23		·02	·24	·06	·01	—	·19	—	tr	·08	tr	tr		23
24		·13	—	tr	—	—	—	—	·10	·43	—	·01		24
25		tr	·09	·23	tr	—	·15	—	·33	·10	·04	tr		25
26		·12	·13	·01	—	·01	·10	—	·02	·11	tr	·04		26
27		tr	·01	—	—	—	·01	—	} ·12	·09	—	—		27
28		—	·15	—	—	·13	·99	—		—	—	·08		28
29		·07	·09	—	—	·05	·02	—	tr	·01	·17	·03		29
30		✕	—	—	·06	·37	·02	—	—	·68	tr	tr		30 O.K.
31		✕	·31	✕	tr	✕	·37	—	✕	·50	✕	·20		31 'd'
TOTAL	(5·50)	1·97	1·51	2·01	·71	4·72	3·89	·51	2·43	2·20	3·62	3·33	Year's Total ~~26·90~~	(32·40)
* Days with .01 in. or more.	(25)	15	17	14	5	20	24	6	17	13	18	22	~~171~~	(196)
* Days with .04 in. or more.	(20)	11	12	8	3	17	17	4	12	8	15	15	~~122~~	(142)

Record commenced 1st February 1936

~~months~~ only.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Frank E. Box Esq

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 205/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at "STIRLING", EPSOM ROAD, GUILDFORD

in the County of SURREY

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level abt 208 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.63	0.09	0.02	0.06	—	—	—	—	trace	—	0.87	0.71		1
2	0.01	0.38	—	0.64	—	—	—	—	0.35	0.01	0.01	0.79		2
3	trace	0.18	0.06	trace	—	—	—	—	—	trace	trace	0.01		3
4	0.09	0.74	—	trace	—	—	—	—	—	—	trace	0.27		4
5	0.10	0.10	0.17	—	—	—	0.14	0.01	—	—	trace	trace		5
6	0.06	0.04	0.93	0.02	0.27	—	0.03	—	—	0.04	0.02	trace		6
7	trace	0.50	0.03	0.08	0.01	—	—	—	0.02	0.02	—	trace		7
8	trace	0.01	0.01	trace	0.12	0.03	—	—	—	—	0.06	0.19		8
9	—	—	trace	0.31	0.05	0.03	0.05	0.05	0.27	trace	—	0.21		9
10	trace	—	0.61	0.23	0.03	0.32	trace	0.21	—	—	—	0.41		10
11	—	—	0.16	trace	0.22	0.28	0.05	—	—	trace	—	0.01		11
12	0.22	0.21	0.15	0.04	0.60	0.27	0.01	0.52	0.13	trace	—	0.26		12
13	0.20	0.05	0.37	0.06	0.01	0.05	—	0.76	0.31	—	—	1.13		13
14	0.02	0.07	0.32	trace	—	0.03	—	0.25	0.03	—	—	trace		14
15	0.37	0.08	trace	0.22	—	—	0.20	—	0.10	—	trace	0.01		15
16	trace	0.09	0.54	0.35	—	0.01	—	0.24	0.44	—	—	trace		16
17	0.72	trace	0.20	0.03	—	—	—	—	0.13	—	0.03	—		17
18	0.49	0.08	trace	0.02	0.03	0.13	—	—	0.01	trace	0.08	0.12		18
19	0.03	0.11	0.08	0.09	0.01	0.17	0.01	—	0.08	trace	trace	0.04		19
20	0.58	trace	0.10	0.23	0.60	trace	—	—	0.06	trace	—	trace		20
21	0.52	0.39	0.05	0.04	trace	—	0.01	trace	trace	trace	trace	0.03		21
22	0.46	0.02	0.02	—	0.15	0.31	0.07	—	—	1.00	0.32	0.08		22
23	0.27	0.04	0.02	—	0.08	—	0.03	—	—	0.30	trace	0.01		23
24	0.48	0.40	0.01	—	0.01	—	—	—	0.08	0.61	trace	trace		24
25	0.18	0.42	0.26	—	0.15	—	—	—	0.05	0.37	trace	0.02		25
26	trace	0.24	0.03	—	trace	—	—	—	—	0.09	trace	—		26
27	0.02	0.26	—	0.13	—	—	—	—	0.02	0.49	trace	—		27
28	0.02	0.09	—	0.03	—	—	—	0.01	—	0.09	trace	0.05		28
29	0.03	×	—	—	—	0.04	—	—	trace	0.02	0.07	0.04		29
30	0.33	✕	—	—	—	0.08	—	—	trace	0.17	0.21	0.01		30
31	0.22	✕	—	✕	—	✕	—	—	✕	0.07	✕	0.04		31
TOTAL	6.05	4.59	4.14	2.58	2.34	1.75	0.60	2.05	2.08	3.28	1.67	4.44	Year's Total 35.57	x ✓
* Days with .01 in. or more.	23	23	21	17	15	13	10	8	15	13	9	21	188	x ✓
* Days with .04 in. or more.	17	21	14	13	9	9	5	6	11	10	6	14	135	x ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Frank E. Box. [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 205/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at STIRLING, EPSOM ROAD, GUILDFORD

in the County of SURREY

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 208 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	trace	—	—	·03	·11	0.33	—	·01	·04	trace	·09		1
2	·09	—	—	·05	·13	—	·08	—	—	·24	—	·02		2
3	trace	—	—	—	·21	·02	—	—	—	·50	·02	trace		3
4	·03	—	—	trace	—	—	·19	·07	—	·02	—	·14		4
5	·01	—	—	·01	—	·01	·41	trace	—	·47	—	trace		5
6	·02	—	—	—	—	—	·09	—	·02	trace	·01	trace		6
7	·01	·01	—	—	—	—	·43	·19	·01	·15	trace	·03		7
8	·22	—	—	—	—	·01	·14	·21	·02	·36	—	·03		8
9	·12	}·07	—	—	—	·01	trace	·04	—	·03	—	1·11		9
10	·08		—	—	—	·06	·02	·02	trace	·02	—	·17		10
11	·20	trace	—	—	—	—	·01	—	—	·02	·18	·13		11
12	·32	·02	—	—	·03	—	trace	·03	—	·06	·06	trace		12
13	·27	·01	—	—	—	—	—	·01	—	·08	·38	·16		13
14	·31	·01	trace	—	·09	—	·01	—	·04	—	·01	trace		14
15	·08	·08	—	—	·01	—	·26	—	—	·39	—	·35		15
16	·23	·02	·01	—	trace	—	·02	·01	—	·02	·05	·41		16
17	trace	—	—	—	trace	—	·01	—	·04	·14	—	—		17
18	·06	—	—	—	·01	trace	trace	—	·35	trace	·47	trace		18
19	trace	—	—	—	—	—	trace	·07	·09	—	·24	·02		19
20	—	—	—	—	·01	—	—	trace	·04	—	·78	·02		20
21	·01	—	—	—	—	—	—	·05	·09	—	·03	·60		21
22	trace	—	trace	·01	—	·03	—	·04	—	·01	·17	·31		22
23	—	—	trace	·03	—	trace	—	—	·03	·01	·15	·01		23
24	—	—	·07	—	trace	—	—	—	·16	trace	·05	trace		24
25	·12	—	·06	·06	·15	—	·02	·01	·01	·05	1·45	·07		25
26	·20	·16	·03	—	—	trace	—	—	·36	·25	—	·22		26
27	·07	·03	—	—	·01	·30	·36	trace	·44	·03	·28	trace		27
28	·01	·06	—	—	·26	·09	—	·50	·03	—	trace	·14		28
29	·16	✕	—	trace	·20	—	—	trace	—	—	·08	·19		29
30	·05	✕	—	·02	·13	·04	—	—	·08	·09	·31	trace		30
31	·20	✕	—	✕	·14	✕	—	—	✕	·12	✕	·24		31
TOTAL	2·88	0.47	0·17	0·18	1.41	0.68	2·38	1·25	1·82	3·10	4·72	4.46	Year's Total 23·52	✓
* Days with .01 in. or more.	24	10	4	6	14	10	15	13	17	22	18	21	174	✓
* Days with .04 in. or more.	17	4	2	2	8	5	9	8	10	14	14	15	108	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Frank E. Bose.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 205/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1939.

Kept at "STIRLING", EPSOM ROAD, GUILDFORD

in the County of SURREY

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 208 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	trace	—	·02	·33	·29	—	—	·02	·04	—	—	·02		1
2	·05	—	—	·02	·02	—	·12	·64	·30	—	·04	—		2
3	·29	·01	—	·29	—	—	—	·15	trace	·01	·27	·30		3
4	·13	trace	·30	·25	·01	—	·14	1·03	—	·38	·08	·01		4
5	—	—	trace	·16	·07	—	·21	trace	—	·25	·42	·05		5
6	·31	trace	·04	trace	·60	—	·26	·01	—	—	·12	·03		6
7	·03	·11	—	—	—	—	trace	·02	—	·07	·19	·12		7
8	·01	·10	·16	—	—	—	·02	·04	—	·32	·44	·27		8
9	·09	·08	—	—	—	—	—	·04	—	·12	·04	·17		9
10	·25	—	—	—	—	·18	—	·10	·01	·09	·03	trace		10
11	—	—	·22	—	·01	trace	—	—	—	·41	·02	·01		11
12	—	trace	—	—	·01	·08	—	—	—	trace	—	·01		12
13	—	—	—	·03	—	·04	·02	—	·02	1·68	trace	·02		13
14	·65	—	·01	·05	·06	·02	·09	—	·01	·31	·47	·03		14
15	·54	—	·01	trace	·92	·23	·03	—	·17	·59	·16	·01		15
16	·47	—	·08	·03	·23	·17	·15	—	·01	·07	·36	—		16
17	·29	·03	·02	·02	·10	—	·18	—	—	trace	·08	—		17
18	·26	·01	·02	—	—	·15	·19	—	trace	·09	·29	—		18
19	·23	trace	—	—	trace	—	·15	—	trace	·13	·02	·01		19
20	·36	—	trace	—	trace	·07	·40	trace	·01	—	—	·05		20
21	·04	·21	·08	—	—	·02	·13	trace	·13	trace	—	—		21
22	·21	·33	·01	trace	—	·18	·14	—	·02	trace	·06	—		22
23	·01	—	·02	·22	—	·01	·10	·01	—	·07	·66	·02		23
24	·22	trace	·01	·09	—	·05	·02	—	—	·12	—	·01		24
25	·58	·41	·06	·01	—	—	·05	—	—	·03	·37	trace		25
26	·02	—	·03	·01	—	trace	trace	—	—	·13	·23	·01		26
27	·02	·19	·07	·12	—	—	—	trace	—	·10	·16	—		27
28	trace	·11	·06	·23	—	·04	trace	—	—	·08	·13	·12		28
29	trace	×	—	·34	—	—	·03	—	—	·06	·03	—		29
30	—	×	—	·90	—	·01	—	—	—	—	·10	trace		30
31	—	×	trace	×	—	×	·21	·07	×	·01	×	·02		31
TOTAL	5·06	1·59	1·22	3·10	2·32	1·25	2·64	2·13	0·72	5·12	4·77	1·29	Year's Total 31·21	
* Days with .01 in. or more.	22	11	18	17	11	14	20	11	10	22	24	20	200	
* Days with .04 in. or more.	17	8	9	11	7	10	15	7	4	19	20	7	134	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Frank E. Box

[FRANK E. BOX]

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 205/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 193 40

FILE NO. :— 546290/36

Kept at "STIRLING", EPSOM ROAD, GUILDFORD

in the County of SURREY

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

„ Ground „ Sea Level 208 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	0.02	—	—	trace	—	—	—	—	—	0.03	—		1
2	—	0.09	—	0.45	—	—	0.04	—	—	0.09	0.72	0.02		2
3	—	0.23	—	0.03	—	—	0.01	—	—	0.19	1.12	0.09		3
4	Trace	0.07	—	0.02	—	—	trace	—	—	0.17	0.07	0.03		4
5	—	0.01	—	—	trace	—	0.07	—	—	0.07	0.41	0.09		5
6	0.30	0.19	—	—	—	—	0.23	—	—	0.27	trace	—		6
7	0.28	0.20	—	trace	0.03	—	0.07	—	trace	—	—	—		7
8	—	trace	—	0.03	—	—	0.01	—	0.04	0.40	0.03	0.30		8
9	—	—	—	0.03	—	—	—	0.01	0.04	0.18	0.36	0.14		9
10	—	—	—	—	—	—	0.11	trace	trace	0.09	0.06	0.02		10
11	—	0.02	—	0.02	—	—	0.05	—	—	—	0.95	0.02		11
12	—	trace	0.21	trace	—	—	0.13	—	0.11	trace	0.03	0.01		12
13	—	0.01	0.64	0.01	—	—	0.01	—	0.19	—	1.11	0.01		13
14	—	—	0.19	0.10	—	—	0.04	trace	trace	0.15	trace	0.24		14
15	—	—	trace	0.01	0.18	0.12	0.58	—	0.05	0.01	0.30	0.02		15
16	0.03	0.46	0.25	0.13	—	0.05	0.21	—	0.22	0.62	0.95	0.01		16
17	—	—	0.32	—	—	—	0.03	—	0.01	0.01	0.50	—		17
18	—	0.24	0.09	0.35	—	—	0.21	0.02	0.09	0.20	0.08	0.13		18
19	—	0.10	0.10	0.04	—	—	0.05	trace	0.77	trace	0.13	—		19
20	—	trace	0.03	0.02	—	—	trace	0.01	0.14	0.13	0.05	—		20
21	0.02	—	0.02	—	0.52	—	0.14	0.02	trace	0.07	0.37	—		21
22	Trace	—	0.04	0.01	0.20	0.66	trace	trace	0.04	0.03	trace	—		22
23	—	0.06	0.07	0.15	0.02	0.07	trace	trace	trace	trace	0.01	0.01		23
24	—	—	trace	0.31	trace	—	0.29	—	—	—	trace	0.02		24
25	—	—	0.74	trace	—	0.01	0.03	—	—	0.02	trace	—		25
26	0.82	0.15	0.62	0.01	0.14	0.01	trace	—	—	—	trace	—		26
27	0.52	0.43	trace	0.03	Trace	—	0.07	trace	—	—	—	—		27
28	0.61	0.02	—	0.01	0.09	—	—	—	0.01	—	—	trace		28
29	0.25	0.16	0.10	0.07	0.02	0.01	trace	—	—	—	—	0.25		29
30	0.17	✕	—	0.11	—	—	—	—	—	0.15	—	0.02		30
31	0.03	✕	—	✕	—	✕	—	—	✕	0.94	✕	0.06		31
TOTAL	3.03	2.46	3.42	1.94	1.20	0.93	2.38	0.06	1.71	3.79	7.28	1.49	Year's Total 29.69	
* Days with .01 in. or more.	10	17	14	21	8	7	20	4	12	19	19	19	170	
* Days with .04 in. or more.	7	12	12	9	5	4	15	0	10	15	15	8	112	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Frank E. Box

[FRANK E. BOX]

[P.T.O.

~~204/5~~

GUILDFORD

WHITEWAYS

1934 - 1936

780105

204/5

11/Surrey/6

FORM 1090.

B

tion.

*** The following register of
&c., is NOT required if
values are given on the

section and also the space for

to this register should be sent:—

-Gould

Guildford

RAINFALL IN 1

At "Whiteways" Gu

In the County of Surr

9 AM in Summer 9 AM

Distance 2 miles Direction from gauge N E

Distance 1 mile Direction from gauge South

Rain Gauge
Diameter of Funnel
Height of Top above Ground ft. in.
Height of Ground above Sea Level 420 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	—				
FEB.	(·35) ~~1·35~~				
MAR.	(2·62) ~~1·1~~				
APRIL	2·02				
MAY	·58				
JUNE	1·25				
JULY	(2·75) ~~1·75~~				
AUG.	2·12				
SEPT.	1·81				
OCT.	1·83				
NOV.	3·25				
DEC.	7·78				
Total	inc ~~23·86~~				

Nature of objects nearest to gauge				
Height of objects				
Distances				
Directions from gauge				

If gauge has been moved during the year state—

Date of move.................... Distance.................... Direction....................

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

C 1934.

not incomplete

Feb. March & July adjusted by surrounding stns.

16/5/35.

Signature Charles S Baring-Gould

C. S. Baring-Gould Esq.

N

*See Instruction 2 (*f*) below.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17/18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by John Corah & Son, Ltd., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

N

204/5

11/Surrey/6

FORM 1090.

B Monthly Summary.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At "Whiteways" Guildford

In the County of Surrey

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft* – *in.*
- *Height of Ground above Sea Level* 420 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	—				
FEB.	(·35) ~~[illegible]~~				
MAR.	(2·62) ~~[illegible]~~				
APRIL	2·02				
MAY	·58				
JUNE	1·25				
JULY	(2·75) ~~[illegible]~~				
AUG.	2.12				
SEPT.	1.81				
OCT.	1.83				
NOV.	3·25				
DEC.	7 78				
Total	incp ~~[illegible]~~				

Signature Charles S Baring-Gould

C. S. Baring-Gould Esq

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Charles S. Baring-Gould
Whiteways. Guildford

Hour of observation by the clock—in Winter 9 AM in Summer 9 AM

Nearest Railway Station London Road Guildford Distance 2 miles Direction from gauge N E

Nearest Parish Church at St Martha's Distance 1 mile Direction from gauge South

Nature of objects nearest to gauge	[illegible]			
Height of objects	[illegible]			
Distances ..	[illegible]			
Directions from gauge ..	South			

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

C 1934.

nf incomplete

Feb. March & July adjusted by surrounding stns.

[illegible] 16/5/35.

N

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{c}17\\18\end{array}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

N

Guildford (Whiteways) X

(204/5)

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935

At "Whiteways" Guildford

In the County of Surrey

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft* ... *in.*
- *Height of Ground above Sea Level* 450 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	·83	·34	12		
FEB.	4·06	·67	22		
MAR.	·25	·07	24		
APRIL	3·34	·52	16		
MAY	1·67	·47	20		
JUNE	3·86	·78	10		
JULY	1·14	·55	2		
AUG.	3·39	·67	31		
SEPT.	4·17	·75	29		
OCT.	4·66	1·08	4		
NOV.	5·74	·98	8		
DEC.	3·71	·82	31		
Total	36.85				

Signature Charles A Baring-Gould

C. S. Baring-Gould

*See Instruction 2 (*f*) below.

C Particulars of Station.

11 [illegible] 16

f 411980/35

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter 9 AM in Summer 9 AM

Nearest Railway Station London Road Guildford. Distance 1½ miles Direction from gauge

Nearest Parish Church at S^t Marthas Distance One Mile Direction from gauge

Nature of objects nearest to gauge	Wall			
Height of objects	1 ft 9 in			
Distances ..	3. feet			
Directions from gauge ..	South			

If gauge has been moved during the year state—

Date of move ... Distance ... Direction ...

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

10 yr steels as D

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Put values wt. L.

W.D. ~~monthly~~ totals only received & recorded in [illegible] [illegible] W.D.

[illegible] 1934.

adopted new values 5/35

about ·10 to go off Jan & ·45 on Dec, for W.D. correct

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

204/5

FORM 1090.

B Monthly Summary.

. The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936

At Whiteways, Guildford

In the County of Surrey

Rain Gauge
- Diameter of Funnel five in.
- *Height of Top above Ground* 1 *ft.* — *in.*
- *Height of Ground above Sea Level* 450 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	~~4·70~~	4·90			
FEB.	1·90	1·90			
MAR.	~~1·77~~	1·52			
APRIL	2 16	2·16			
MAY	·69	·69			
JUNE	~~4·16~~	4·56			
JULY	~~4·85~~	4·45			
AUG.	·68	·68			
SEPT.	2 44	2·44			
OCT.	2 33	2·33			
NOV.	3 77	3·77			
DEC.	3·58	3·58			
TOTAL	32·98	32·98			

Signature Charles S Baring-Gould

not read [illegible]

4(3) np 1935

* See Instruction 3 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Charles S Baring-Gould
Whiteways, Guildford Surrey

Hour of observation by the clock—in Winter 9 AM in Summer 9 AM

Nearest Railway Station London Road Guildford Distance 2 Miles Direction from gauge N.E

Nearest Parish Church at S. Marthas Distance ½ mile Direction from gauge S

Nature of objects nearest to gauge	Brick Wall			
Height of objects	4 ft. 9 in			
Distances ...	4 feet from wall			
Directions from gauge ...	South Side			

If gauge has been moved during the year state— No

Date of move.................. Distance.................. Direction..................

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

4119 80/35

M.O. 7
16 JAN 1937

Months allocated from sum. stn

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91.
S.O. Code No. 40-9999

206

Section **A** for the entry of
AIR MINISTRY

COPY FOR OFFICIAL USE.
L ORGANIZATION.

FORM 1090.

REGIST

206

GUILFORD

HARVEY RD

1931 - 1940

1939 A/B

780105

Kept at Kilvington Harv

in the County of Surrey

ding stations. June Total
from Annual Total.
Blinch 22/2/32.
h neighbouring Stns

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

THE MORNING MEASUR

An observer who does not conform to th
year in the space on the right of this paragraph.

following

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	07	-	74					07	Tr	-	-	1
2	19	06	-	35					56	-	01	09	2
3	05	-	11	30			from	·20	64	01	18	11	3
4	-	-	-	-			June 30th	~~3·20~~	02	01	11	-	4
5	-	01	-	20				-	02	-	08	18	5
6	-	08	-	14				03	-	35	27	05	6
7	-	01	-	-				39	-	01	43	03	7
8	-	09	01	-				12	-	-	02	-	8
9	01	14	06	02				-	-	-	60	-	9
10	-	04	Tr	-				12	-	01	59	01	10
11	06	32	-	-				-	02	-	20	-	11
12	03	-	-	-				03	35	01	-	-	12
13	-	-	Tr	-				-	-	-	-	-	13
14	01	10	-	-				34	-	-	-	-	14
15	03	02	-	14				18	-	-	-	07	15
16	-	10	-	17				13	04	-	-	-	16
17	-	02	-	29				13	10	06	-	-	17
18	03	-	04	08				1·03	-	-	54	-	18
19	05	-	-	54				09	02	-	Tr	-	19
20	-	07	01	17				21	-	-	-	01	20
21	05	-	-	-	1·34			-	-	-	01	-	21
22	28	-	04	03	·			-	02	-	-	-	22
23	24	-	-	03	29			14	04	-	14	-	23
24	-	-	03	54	08			-	02	-	-	-	24
25	05	-	-	41	06			-	-	-	02	-	25
26	-	01	-	14	-			-	-	-	22	-	26
27	14	32	-	07	69			-	-	Tr	04	-	27
28		04	-	03	02			-	-	-	01	07	28
29			-	-	19			-	-	11	01	02	29
30	10	×	-	-	-	(1·60)		03	-	-	01	-	30
31	25	×	-	×	13	×	(3·60)		×	-	×	-	31 33+
TOTAL	1·56	1·50	0·30	3·79	2·80	(1·60)	(3·60)	(3.19) ~~[illegible]~~	1·92	0.55	3·49	0.64	YEAR'S TOTAL (24·94)
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Louie Meynell

P.T.O.

6/5134/36.

206

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Kilvington Harvey Rd Guildford
in the County of Surrey
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft 12 in.
" Ground " Sea Level 300 ft.

Monthly values allocated by surrounding stations. June Total which was missing must be 1.60" from Annual Total. Glasspoole 22/2/32.

Compare with neighbouring stns

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	07	-	14					07	tr	-	-	1
2	19	06	-	35					56	-	01	09	2
3	05	-	11	30			from	·20	64	01	18	11	3
4	-	-	-	-			June 30th	~~3·20~~	02	01	11	-	4
5	-	01	-	20				-	02	-	08	18	5
6	-	08	-	14				03	-	35	27	05	6
7	-	01	-	-				39	-	01	43	03	7
8	-	09	01	-				12	-	-	02	-	8
9	01	14	06	02				-	-	-	60	-	9
10	-	04	tr	-				12	-	01	59	01	10
11	05	32	-	-				-	02	-	20	-	11
12	03	-	-	-				03	35	01	-	-	12
13	-	-	tr	-				-	-	-	-	-	13
14	01	10	-	-				36	-	-	-	-	14
15	03	02	-	14				18	-	-	-	07	15
16	-	10	-	17				13	04	-	-	-	16
17	-	02	-	29				13	10	04	-	-	17
18	03	-	04	08				1·03	-	-	54	-	18
19	05	-	-	54				09	02	-	tr	-	19
20	-	07	01	17				21	-	-	-	01	20
21	05	-	-	-	1·34			-	-	-	01	-	21
22	28	-	04	03	-			-	02	-	-	-	22
23	24	-	-	03	29			14	04	-	14	-	23
24	-	-	03	54	08			-	02	-	-	-	24
25	05	-	-	41	06			-	-	-	02	-	25
26	-	01	-	14	-			-	-	-	22	-	26
27	14	32	-	07	69			-	-	tr	04	-	27
28		04	-	03	02			-	-	-	01	07	28
29			-	-	19			-	-	11	01	02	29
30	10	×	-	-	-	(1.60)		03	-	-	01	-	30
31	25	×	-	×	13	×	(3.60)		×	-	×	-	31
TOTAL	1·56	1·50	0·30	3·79	2·80	(1.60)	(3.60)	(3.19) ~~[illegible]~~	1·92	0.55	3·49	0.64	2334 YEAR'S TOTAL (24·94)
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Louie Meynell

P.T.O.

File No 6731 206

COPY FOR OFFICIAL USE.

Section A **for the entry of Daily Observations.** **Station No** 206

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Kilvington - Harvey Rd Guildford

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 12 in.

,, Ground ,, Sea Level 300 ft.

dayro

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	10	02	–	03	38		–	03	01	05	01	–	1
2	01	–	–	07	08		–	06	24	04	01	14	2
3	–	–	–	20	11		–	–	36	05	–	–	3
4	01	–	–	–	–	✗	–	–	–	–	03	–	4
5	15	–	01	–	–	✓	27	–	07	–	–	–	5
6	40	–	–	20	–		–	–	04	–	–	–	6
7	01	–	08	06	tr	.	–	–	06	15	–	–	7
8	~~30~~	–	17	02	31		–	–	04	27	–	–	8
9	50	–	–	11	38		–	–	tr	–	–	01	9
10	92	10	01	21	06	✗	–	–	01	11	–	–	10
11	27	01	–	10	01		06	–	–	–	02	–	11
12	21	02	–	–	–		+	–	04	24	01	01	12
13	07	–	–	11	01	·19	13	–	–	73	01	02	13
14	07	01	–	11	03	–	–	–	–	01	01	01	14
15	01	tr	–	08	14	–	–	–	–	07	–	tr	15
16	16	–	–	26	03	–	01	–	–	–	–	01	16
17	–	–	–	02	–	–	09	–	–	03	–	–	17
18	–	–	–	–	tr	–	10	–	14	03	11	–	18
19	01	–	–	–	–	–	–	–	04	20	–	01	19
20	–	–	–	31	–	–	–	32	01	61	18	–	20
21	03	–	02	05	1·19	–	–	06	–	27	–	07	21
22	01	01	26	–		–	20	tr	35	30	28	01	22
23	–	10	16	02	11	06	01	–	12	62	–	09	23
24	–	08	–	–	–	–	45	–	10	07	05	01	24
25	–	–	–	02	–	02	75	–	–	20	02	01	25
26	–	–	07	02	✗	–	10	–	–	09	02	–	26
27	–	–	57	19	✗ –	–	14	–	–	32	07	01	27
28	–	–	02	02	✗ 1.00	–	16	–	–	05	–	01	28
29	–	–	40	11	✗ –	02	–	04	12	26	03	05	29
30	–	×	01	07	✗	1·11	02	–	22	–	20	09	30
31	–	×	10	×		×	02	–	×	–	×	05	31
TOTAL	2·94	·35	1·88	2·39	~~[illegible]~~ 3.84	~~2·40~~ 1.40	2·51	·53	1·97	4·77	1·14	·61	YEAR'S TOTAL 24·33
*Days with ·01 in. or more.	17	8	13	23	(18)	(7)	15	5	17	23	16	17	(179)
*Days with ·04 in. or more.	10	3	8	16	(14)	(4)	11	5	14	20	6	6	(117)

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Louie Mayall

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 206

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Pilvington Harvey Rd Guildford

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 12 in.

,, Ground ,, Sea Level 300 ft.

Est Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.08	.26	.15	-	-	-		-	-	.02	.01	-		1
2	.31	-	.44	-	.36	-		-	-	.01	.01	-		2
3	-	.15	.31	-	.06	-		-	-	-	-	-		3
4	.14	.01	.03	-	-	-		-	-	-	-	-		4
5	.05	-	.41	-	.01	-		-	-	-	.01	-		5
6	-	.12	.03	-	.40	-	~~1.90~~	-	-	.10	.05	-		6
7	.16	.07	.01	-	.16		-	-	-	.17	.01	-		7
8	.02	.01	-	-	.01		.14	-	-	.06	-	-		8
9	-	.06	-	-	-		.15	-	-	.12	.10	-		9
10	-	.50	-	-	-	+	.02	-	-	.30	.06	-		10
11	.33	-	-	-	.06	+	.65	.09	-	-	.01	-		11
12	-	-	-	.01	.06	✓	-	-	1.10	-	.01	-		12
13	.07	-	-	-	-		.33	.02	.08	tr	.05	-		13
14	-	-	-	-	-		.02	-	-	.16	.47	.02		14
15	.36	-	-	-	-		.02	.47	-	.01	.01	-		15
16	-	-	.74	-	-	+	.18	-	.01	.02	.03	-		16
17	.02	-	.45	-	-	+	-	-	.02	-	.06	-		17
18	.13	.02	.22	-	-	+	-	-	-	-	.01	-		18
19	-	.09	.07	.03	-	✓	.04	tr	.34	-	.04	-		19
20	-	.03	.07	.11	-	✓	-	-	.01	-	.01	.01		20
21	-	.01	-	-	-	+	-	.09	.20	.01	tr	-		21
22	-	-	-	-	-		-	.30	.03	.37	.04	-		22
23	-	-	-	.12	-	+	-	-	.18	.11	.01	-		23
24	-	1.01	-	.10		+	-	-	.23	.01	-	-		24
25		.93	-	.36	.20	+	-	-	-	-	.02	.03		25
26		.97	-	.03	-		-	-	.02	.09	.01	.05		26
27		.01	-	-	.35		-	-	.01	.17	tr	.08		27
28		-	-	-	.19		.22	-	-	.24	-	.07		28
29	+	-	.01	-	-		-	-	-	.21	.01	-		29
30	.21	✕	.15	.03	-		.02	-	.16	.01	-	.07		30
31	.18	✕	-	✕	-	✕	-	.07	✕	.01	✕	-		31
TOTAL	2.06	4.24	3.10	.79	1.86	(1.79)	(1.90) ~~2.67~~	1.04	2.39	2.20	1.04	.33	Year's Total 22.74 ✓	
*Days with ·01 in. or more.	14	16	14	8	11	(12)	11	6	13	20	22	7	(154)	
*Days with .04 in. or more.	12	10	10	4	9	(9)	7	5	7	12	8	4	(97)	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) L Meynell

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 206

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Kilvington - Guildford

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 12 in.

,, Ground ,, Sea Level 300 ft.

By comparison with neighbouring stations ·12 inserted for May 4th & ·29 for June 9th to be allocated as shewn. 23/4/25.

Observer agrees. 27/4/35

File Number 673139/26

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	02	-	01	-	-	-	-	28	02	x	02	37		1
2	06	-	13	01	-	-	-	-	77	x (·26) ~~12~~	01	25		2
3	01	04	-	04	-	-	-	01	0.	12	02	17		3
4	07	01	06	07	·12 ~~1·02~~	-	-	-	-	04	-	41		4
5	01	-	02	-	-	-	-	03	-	~~13~~	08	44		5
6	01	-	33	01	20	x	-	18	-	22	06	87		6
7	06	01	-	-	-	(·29) x	-	08	-	13	-	29		7
8	01	-	03	-	07	-	-	04	34	-	49	04		8
9	01	-	24	-		~~1·29~~	-	-	-	-	1·13 ~~56~~	55		9
10	01	-	-	24		13	-	01	-	-	58	02		10
11	47	-	36	10		-	02	07	-	-	01	24		11
12	04	-	✓ -	-		-	25	14	-	-	-	06		12
13	48	01	x -	04		06	17	20	-	tr	12	17		13
14	10	-	x -	03	x	-	-	-	-	-	35	80		14
15	-	-	x -	-	x	-	-	-	-	17	14	46		15
16	07	01	x -	-	✓	-	-	-	-	11	01	-		16
17	02	01	-	07		-	-	-	-	10	-	18		17
18	07	-	x -	21		tr	03	-	-	-	-	43		18
19	-	-	x 1·30	13		tr	-	-	06	01	-	09		19
20	-	-	06	01		-	77	-	-	-	-	03		20
21	-	-	-	25		04	42	05	-	10	-	01		21
22	-	01	-	-		-	20	12	16	-	02	08		22
23	-	01	-	23		38	-	-	-	-	01	04		23
24	-	03	07	07		04	64	-	x	-	01	-		24
25	15	-	-	16	x	35	-	-	-	12	-	47		25
26	01	-	-	28		14	-	-	✓	-	-	06		26
27	-	-	-	02		01	-	-	(·26)	02	-	23		27
28	-	02	-	-		08	-	67	-	-	-	20		28
29	-	X	-	-		-	tr	01	x -	-	-	01		29
30	07	X	-	-		-	-	04	✓	-	-	40		30
31	04	X	-	X	(·20)	X	-	-	X	20	X	04		31
TOTAL	1·79	·16	2·61	1·97	(·59) ~~[illegible]~~	(1·32) ~~1·23~~	2·50	1·93	(1·61) ~~1·35~~	(1·60) ~~1·86~~	3·16	7·41	Year's Total. ~~[illegible]~~	(26·65)
* Days with .01 in. or more.	21	10	(17)	18	(7)	(11)	8	15	(10)	14	16	29		(176)
* Days with .04 in. or more.	12	1	(13)	13	(6)	(10)	6	11	(6)	12	8	25		(123)

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) L Meynell

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations.

Station No. 206

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Kilvington - Harvey Rd Guildford

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 12 in.

,, Ground ,, Sea Level 300 ft.

Day totals

C.E.C. 4/iii

June & July allocated from surrounding stations

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	15	03	09	05	01	07	×	-	35	03	16	-		1
2	02	-	01	-	-	tr		-	03	32	03	-		2
3	-	02	03	05	-	04		-	15	1·14	12	tr		3
4	-	05	-	20	-	19		-	09	28	02	10		4
5	tr	16	05	05	-	17		-	54	02	01	02		5
6	02		01	18	-	53		-	-	02	02	02		6
7	-	-	-	27	-	06		-	-	04	84	15		7
8	-	02	-	40	-	tr		-	-	19	59	02		8
9	62	-	-	20	-	46		-	03	73	07	tr		9
10	11	-	04	-	-	-		-	-	-	17	02		10
11	39	-	-	10	-	15	×	-	-	tr	49	tr		11
12	02	04	-	-	-	50		09	02	-	88	-		12
13	05	10	-	06	07	×		-	-	-	03	-		13
14	tr	-	-	09	15	✓		-	03	-	15	10		14
15	-	15	-	54	02	×	(·60)	-	11	-	48	05		15
16	-	05	02	05	-	×	~~1·60~~	-	51	03	60	02		16
17	01	-	-	05	-	×	tr	02	-	-	19	-		17
18	-	-	-	21	20	✓	04	01	35	04	02	tr		18
19	-	02	-	05	50	×	17	-	02	tr	07	02		19
20	-	29	-	24	13	×	25	-	04	-	20	-		20
21	01	60	-	-	-		-	-	tr	13	02	-		21
22	-	12	04	-	-		-	16	16	-	01	-		22
23	-	-	06	-	-	(1·00)	-	40	08	18	-	12		23
24	03	71	-	-	21		-	1·40	29	-	-	15		24
25	08	52	-	18	27	×	-	-	-	-	~~tr~~	33		25
26	02	51	-	-	-		-	23	×	-	tr	57		26
27	-	54	-	-	-		-	tr	× 23	-	12	27		27
28	-	16	-	-	13		-	tr	30	02	-	23		28
29	tr	-	-	-	-		-	01	63	01	01	42		29
30	09	×	-	02	-		-	76	02	17	58	54		30
31	08	×	- ~~35~~	×		×		tr	×	45	×	43		31
TOTAL	1·10	4·09	·35	3·09	1·69	(3·17) ~~2·17~~	(1·06) ~~2·06~~	3·57	3·98	3·80	5·68	3·58	Year's Total. 35·36	"d"
* Days with .01 in. or more.	~~8~~ 15	18	9	19	10	(18)	(5)	9	21	17	25	19	(185)	
* Days with .04 in. or more.	7	14	5	18	8	(16)	(5)	6	15	11	16	13	(134)	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 206

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

a/c

Kept at Kilcrington, Harvey Rd, Guildford

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 300 ft.

File 673139/26

May + June allocated by surrounding stations. G.H.R.

Day

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	37	02	03	13	-	× taken together June 1/10	12	28	-	-	08	05		1
2	14	-	02	-	-		02	03	-	-	04	-		2
3	01	-	-	49	-		02	-	24	-	25	01		3
4	-	-	09	-	-		-	-	35	-	07	08		4
5	34	-	06	-	-	(·84)	-	04	04	-	04	08		5
6	41	-	-	-	-		-	tr	14	-	61	-		6
7	17	-	08	-	-		07	-	01	-	17	07		7
8	30	-	08	-	-		04	-	tr	04	17	13		8
9	52	-	02	-	-		46	-	11	02	-	01		9
10	11	-	-	-	-		08	18	-	-	-	-		10
11	-	04	-	-	-	1·44	09	-	-	-	1·08	01		11
12	-	-	-	06	01	54	64	-	18	-	27	14		12
13	-	-	-	08	-	06	-	-	-	01	02	47		13
14	-	07	-	-	-	07	46	-	-	03	23	1·04		14
15	-	03	-	-	-	-	-	-	20	-	03	17		15
16	61	14	-	-	-	24	02	-	01	-	17	08		16
17	10	80	-	-	-	16	-	-	tr	-	19	34		17
18	15	08	-	-	-	-	12	-	-	-	01	13		18
19	32	05	02	03	-	1·10	07	07	-	15	01	01		19
20	15	11	05	47	-	59	06	-	48	-	-	-		20
21	-	-	-	40	Absent from May 21 to June 10	11	tr	-	-	-	-	-		21
22	12	41	13	01		12	12	-	-	-	-	10		22
23	03	03	24	07		-	21	-	-	05	-	01		23
24	04	13	-	-		-	-	-	15	43	-	-		24
25	10	01	14	23		-	14	-	30	10	04	01		25
26	04	13	08	01	(·60)	Tr	09	-	04	11	tr	05		26
27	34	-	01	-		-	-	-	10	10	-	-		27
28	94	-	19	-		-	96	-	tr	-	-	08		28
29	06	08	03	-		18	05	-	-	01	17	04		29
30	13	✕	-	-	×	35	-	-	-	70	-	04		30
31	15	✕	31	✕		✕	14	-	✕	50	✕	20		31
TOTAL	5·65	2·13	1·58	1·98	~~01~~ ·61	~~4·96~~ 4·36	3·48	·60	2·35	2·25	3·65	3·35	Year's Total 31·99	
* Days with .01 in. or more.	24	15	17	11	4	18	21	5	14	13	19	24	185	
* Days with .04 in. or more.	22	11	11	8	2	16	18	4	12	9	15	18	146	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Lorna Megueth [P.T.O.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station No.** 206

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193

Kept at Kilmington, Harvey Rd, Guildford

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 12 in.

,, Ground ,, Sea Level 300 ft.

File 673/39/26

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	10	02	06	–	–	–	–	–	–	94	72		**1**
2	01	35	–	72	–	–	–	–	35	01	02	80		**2**
3	–	18	05	–	–	–	–	–	–	–	–	02		**3**
4	10	73	–	tr	–	–	–	–	–	–	–	25		**4**
5	10	10	18	–	–	–	14	tr	–	tr	tr	–		**5**
6	08	06	–	02	25	–	03	–	–	04	03	–		**6**
7	–	51	99	07	01	–	–	–	03	03	–	–		**7**
8	–	–	24	tr	07	–	–	–	–	–	07	18		**8**
9	–	–	02	29	08	–	04	06	26	–	–	24		**9**
10	–	–	63	26	05	03	–	21	–	–	–	38		**10**
11	–	–	19	–	20	33	04	–	–	–	–	03		**11**
12	21	21	15	04	66	38	01	31	13	–	–	21		**12**
13	20	06	37	07	–	27	–	89	25	–	–	1·11		**13**
14	02	07	29	tr	–	04	–	18	03	–	–	–		**14**
15	35	09	tr	22	–	02	19	–	07	–	–	02		**15**
16	04	10	55	42	–	01	–	22	38	–	–	tr		**16**
17	74	–	19	03	–	–	–	–	11	–	03	tr		**17**
18	49	11	01	02	03	12	–	–	01	–	08	13		**18**
19	03	09	08	09	01	–	tr	–	08	–	–	–		**19**
20	60	–	10	22	60	16	–	–	07	–	–	05		**20**
21	52	40	05	04	02	–	tr	–	01	–	–	05		**21**
22	45	02	02	–	13	–	05	–	–	90	28	09		**22**
23	25	04	02	–	08	31	03	–	–	42	01	01		**23**
24	49	41	01	–	01	–	–	–	06	61	–	tr		**24**
25	19	40	24	–	15	–	–	–	07	35	–	02		**25**
26	–	24	04	–	–	–	–	–	–	08	01	–		**26**
27	02	24	–	13	–	–	–	–	02	50	–	–		**27**
28	03	11	–	03	–	–	–	01	–	08	–	05		**28**
29	04		–	–	–	04	–	–	–	02	08	04		**29**
30	29	✕	–	–	–	10	–	tr	–	17	21	02		**30**
31	23	✕	–	✕	–	✕	–	–	✕	06	✕	05		**31**
													Year's Total	
TOTAL	5·48	4·62	4·44	2·73	2·35	1·81	·53	1·88	1·93	3·27	1·76	4·47	35·27	✓ ✓
* Days with .01 in. or more.	23	22	22	17	15	12	8	7	16	13	11	21	187	✓ ✓
* Days with .04 in. or more.	19	21	16	13	10	9	5	6	11	10	6	15	141	✓ ✓

* See Instruction 3 (f) on other side

† Spare column, no entries required.

(*Signed*) Louisa Meynell

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 206

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Kilvington, Harvey Rd., Guildford

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ....ft. 12 in.

,, Ground ,, Sea Level 300 ft.

File No 673139/26

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	01	01	–	–	03	10	38	–	Tr	03	03	10		1
2	10	–	–	05	04	–	07	–	–	24	Tr	03		2
3	01	–	–	–	30	–	–	–	–	45	01	–		3
4	03	–	–	–	–	–	25	06	–	02	Tr	13		4
5	01	–	–	Tr	–	01	39	–	–	46	Tr	–		5
6	02	–	–	–	–	–	10	–	Tr	01	–	Tr		6
7	01	Tr	–	–	–	–	34	19	01	13	Tr	04		7
8	23	–	–	–	–	–	19		01	34	–	03		8
9	12	01	–	–	–	Tr	–		–	03	–	1·10		9
10	08	07	–	–	–	08	01		Tr	02	–	19		10
11	20	01	–	–	–	–	Tr		–	01	16	14		11
12	31	02	–	–	02	–	–		–	06	10	01		12
13	27	Tr	–	–	–	–	–		–	09	36	16		13
14	30	Tr	–	–	09	–	01		03	Tr	02	–		14
15	08	08	–	–	Tr	–	26		–	40	Tr	35		15
16	23	02	01	–	Tr	–	01		–	02	05	41		16
17	–	09	–	–	–	–	Tr		03	14	Tr	–		17
18	07	01	–	05	–	–	–		36	–	43	–		18
19	01	–	–	–	–	–	–	26	07	–	23	02 snow		19
20	Tr	–	–	–	Tr	–	–	–	07	–	73	02	"	20
21	01	–	–	–	–	–	–	02	08	–	02	60	"	21
22	Tr	–	–	Tr	–	02	–	04	–	Tr	16	31	"	22
23	–	–	–	03	–	–	–	–	03	01	18	03	"	23
24	–	01	08	Tr	–	–	–	–	14	–	05	01	"	24
25	11	–	07	06	12	–	03	Tr	02	06	1·38	09	"	25
26	16	15	03	Tr	–	–	–	–	30	24	–	23		26
27	07	03	–	–	Tr	29	34	–	45	04	27	–		27
28	02	06	–	–	26	07	–	46	03	Tr	–	13		28
29	18	✕	–	Tr	19	–	–	05	Tr	Tr	07	20		29
30	05	✕	–	02	14	02	–	–	07	10	31	–		30
31	23	✕	–	✕	13	✕	–	–	✕	09	✕	24		31
TOTAL	2·92	·57	·19	·21	1·32	·59	2·38	1·08	1·70	2·99	4·56	4·57	Year's Total 23·08	
* Days with .01 in. or more.	26	13	4	5	10	7	13	12	15	22	18	23	168	
* Days with .04 in. or more.	17	5	2	3	8	4	9	6	8	14	14	16	106	

print

QB

10/3/39

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) L. Meynell

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 206

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Kilvington, Harvey Rd- Guildford
in the County of Surrey
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. ~~X~~ 0 in.
,, Ground ,, Sea Level 300 ft.

afe ✓

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	01	–	03	33	32	–	Tr	03	04	–	–	01		1
2	05	–	–	01	02	–	11	1·08	31	–	04	–		2
3	29	Tr	–	29	–	–	–	20	Tr	Tr	25	27		3
4	13	01	30	24	–	–	13	1·06	–	38	11	01		4
5	–	Tr	–	15	09	–	19	01	–	25	42	05		5
6	32	01	02	–	44	–	23	01	–	01	10	02		6
7	03	12	–	–	01	–	01	01	–	08	21	13		7
8	01	10	15	–	–	–	01	04	–	31	37	27		8
9	08	09	–	–	–	–	–	03	–	13	10	20		9
10	21	–	–	–	–	18	–	09	01	09	03	Tr		10
11	–	01	23	–	–	–	–	–	Tr	44	03	01		11
12	–	–	–	–	Tr	08	–	–	–	01	Tr	01		12
13	–	–		03	–	02	01	–	01	1·71	–	02		13
14	63	–	✓	04	04	02	08	–	Tr	27	47	03		14
15	49	–	✓ absent	Tr	85	20	02	–	16	63	05	01		15
16	47	–	× 13	02	27	18	15	–	02	09	43	Tr		16
17	29	03	✓	01	11	–	18	–	–	01	12	Tr		17
18	28	01	✓	–	01	16	13	–	Tr	05	29	–		18
19	23	Tr	– ✓	–	–	–	20	–	–	16	01	01		19
20	34	–	✓	–	–	06	40	–	Tr	Tr	Tr	05		20
21	07	20	07	–	–	02	12	Tr	12	–	–	–		21
22	20	33	Tr	Tr	–	20	13	–	02	–	06	–		22
23	03	–	01	15	–	01	05	01	–	07	65	–		23
24	22	Tr	01	14	–	05	02	–	–	12	–	–		24
25	54	40	06	Tr	–	–	04	–	–	–	37	04		25
26	06	–	03	01	–	–	Tr	Tr	–	13	21	02		26
27	01	17	07	11	–	–	Tr	–	–	–	17	–		27
28	01	11	06	22	–	03	–	–	–	06	14	12 snow		28
29	–		–	22	–	–	02	–	–	08	03	–		29
30	–	✕	–	1·01	–	Tr	–	–	–	Tr	11	01		30
31	–	✕		✕	–	✕	19	07	✕	01	✕	01		31
TOTAL	5·0	1.59	1.17	2·98	2.16	1.21	2·42	2·64	69	5.09	4·77	1·30	Year's Total 31.02	
* Days with .01 in. or more.	24	13	18	16	10	13	21	12	8	22	24	20	201 ~~183~~	
* Days with .04 in. or more.	18	8	8	11	7	7	15	6	4	18	20	8	130 ~~122~~	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) L. Meynell

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 206

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Kilvington, Harvey Rd. Guildford

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ... ft. 8 in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	01	–	–	Tr	–	–	–	–	–	03	–		1
2	–	09	–	45	Tr	–	04	–	–	07	67	01		2
3	–	29	–	04	–	–	Tr	Tr	–	23	1.14	09		3
4	Tr	08	–	02	–	–	Tr	–	–	18	08	03		4
5	Tr	–	–	–	–	–	06	–	–	08	42	09		5
6	33	20	–	–	Tr	–	23	–	–	26	–	–		6
7	29	22	–	–	02	–	12	–	Tr	–	–	Tr		7
8	01	Tr	–	02	–	–	Tr	–	04	38	02	31		8
9	–	Tr	–	02	–	–	Tr	Tr	03	15	36	14		9
10	–	–	–	–	–	–	10	Tr	01	12	07	02		10
11	–	02	–	01	–	–	04	–	–	–	86	02		11
12	–	–	20	–	–	–	12	–	11	01	08	–		12
13	–	Tr	63	–	–	–	Tr	Tr	17	–	1.13	–		13
14	–	01	21	11	–	–	–	–	–	16	02	25		14
15	–	–	01	Tr	18	08	59	–	02	01	26	01		15
16	02	45	19	12	–	05	21	–	25	61	1.01	02		16
17	–	–	26	–	–	–	04	–	Tr	01	46	Tr		17
18	–	23	18	35	–	–	22	02	–	20	09	14		18
19	–	10	08	04	–	–	02	–	84	Tr	05	Tr		19
20	–	01	01	03	–	Tr	02	01	17	08	11	–		20
21	02	Tr	04	01	31	–	15	01	–	12	34	–		21
22	01	Tr	04	–	38	60	–	Tr	03	03	–	–		22
23	–	06	07	15	02	12	–	Tr	Tr	01	01	Tr		23
24	–	01	–	31	–	–	27	–	–	–	Tr	–		24
25	–	–	66	Tr	Tr	Tr	02	–	–	02	Tr	–		25
26	79	15	74	Tr	13	01	–	–	–	–	Tr	–		26
27	54	41	01	03	–	–	06	Tr	–	–	–	02		27
28	59	03	–	01	09	–	–	–	01	–	–	Tr		28
29	21	16	14	06	01	–	–	–	–	–	–	24		29
30	17	✕	Tr	12	–	Tr	–	–	–	14	–	01		30
31	7	✕	–	✕	–	✕	–	–	✕	89	✕	06		31
TOTAL	3.05	2.53	3.47	1.90	1.14	86	2.31	04	1.68	3.76	7.21	1.46	Year's Total 29.41	
* Days with .01 in. or more.	12	18	16	18	8	5	17	3	11	21	20	16	165	
* Days with .04 in. or more.	8	12	13	10	5	4	14	–	6	15	16	8	111	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) L. Meynell [P.T.O.

206/2/5

GUILFORD POLTIMORE RD.

1940

780105

Section **A** for the e…
AIR M… …RAINFALL ORGANIZATION

Station No. 206/2/5

FORM 7090

RE… 19~~3~~40 (7 Nov. to 31 Dec.)

Kept at …9 Poltimore…

in the County of …Surrey…

Diameter of Funnel of Gau…

Height of top of Gauge ab…

,, Ground ,,

f .905326/29

THE MORNING ME… …EVIOUS DAY

An observer who does not co… …st of the following year in the space on the righ…

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											✓			1
2											+	·02		2
3											+	·10		3
4											+ (2·40)	·03		4
5											+	·11		5
6											–			6
7														7
8												·33		8
9											·37	·16		9
10											·06	·03		10
11											·73			11
12											·06			12
13											·66			13
14												·29		14
15											·33	·01		15
16											·90	·02		16
17											·53	·02		17
18											·08	·15		18
19											·13			19
20											·07	·01		20
21											·35			21
22														22
23											·01	·03		23
24											·01			24
25														25
26														26
27														27
28														28
29												·25		29
30												·01		30
31												·07		31
TOTAL											6·69 ~~4·29~~	1·64	Year's Total ~~5·93~~	up
* Days with .01 in. or more.											19 ~~14~~	17	~~31~~	incomplete
* Days with .04 in. or more.											16 ~~12~~	8	~~20~~	

* See Instruction 3 (f) on other side.

V. B. Longhurst Esq

† Spare column, no entries required.

(*Signed*) ……Vernon B. Longhurst……

[P.T.O.

COPY FOR

Section **A** for the entry of Daily Observations

Station No. 206/2/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940 (7 Nov. to 31 Dec.)

Kept at 9 Poltimore Road, Guildford

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 220 ft.

+. 905326/29

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											✓			1
2											+	·02		2
3											+	·10		3
4											+ (2·40)	·03		4
5											+	·11		5
6											–			6
7														7
8												·33		8
9											·34	·16		9
10											·06	·03		10
11											·43			11
12											·06			12
13											·66			13
14											·	·29		14
15											·33	·01		15
16											·90	·02		16
17											·53	·02		17
18											·08	·15		18
19											·13			19
20											·04	·01		20
21											·35			21
22														22
23											·01	·03		23
24											·01			24
25														25
26														26
27														27
28														28
29												·25		29
30		✕										·01		30
31		✕		✕		✕			✕		✕	·04		31
TOTAL											6·69 ~~4·29~~	1·64	Total ~~5·93~~	
* Days with .01 in. or more.											19 ~~14~~	17	~~31~~	
* Days with .04 in. or more.											16 ~~12~~	8	~~20~~	

up incomplete

[illegible]

V. B. Longhurst Esq

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Vernon B. Longhurst

[P.T.O.

GUILDFORD (AVONMOR

206/2

GUILDFORD AVONMORE AVE

1939 - 1940

780105

Section A for the entry of

AIR MINISTR

Station No. 206/2

ALL ORGANIZATION

FORM 1090

REGIS

39

Kept at 3 Avonmore Ave.

in the County of Surrey

Diameter of Funnel of Gauge..... 5

Height of top of Gauge above Gro

,, Ground ,, Sea

THE MORNING MEASURE **S DAY**

An observer who does not conform t *following year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	·02	·33	·28	—	—	·02	·05	—	—	·01		1
2	·06	—	—	·02	·02	—	·12	·50	·35	—	·02	—		2
3	·28	—	—	·26	—	—	—	·28	—	·01	·26	·27		3
4	·13	—	·26	·22	—	—	·12	1·07	—	·35	·07	·01		4
5	—	—	—	·16	·07	—	·16	trace	—	·22	·39	·04		5
6	·28	—	·05	—	·29	—	·26	·01	—	—	·11	·01		6
7	·02	·11	—	—	—	—	·02	·02	—	·07	·19	·10		7
8	·01	·10	·16	—	—	—	·02	·04	—	·33	·26	·30		8
9	·06	·07	—	—	—	—	—	·04	—	·11	·10	·16		9
10	·24	—	—	—	—	·16	—	·10	·01	·09	·03	—		10
11	—	—	·22	—	—	·03	—	—	—	·42	·02	·01		11
12	—	trace	—	—	·02	·06	—	—	—	—	—	trace		12
13	—	—	—	·03	—	trace	—	—	·01	1·72	—	·02		13
14	·59	—	—	·03	·05	·02	·12	—	·01	·29	·45	·02		14
15	·49	—	·02	—	·89	·18	·03	—	·18	·62	·09	·01		15
16	·46	—	·06	·03	·25	·19	·12	—	·01	·06	·43	—		16
17	·27	·01	·03	—	·15	—	·14	—	—	—	·10	—		17
18	·24	—	·02	—	—	·17	·12	—	—	·06	·28	—		18
19	·22	—	—	—	—	—	·17	—	—	·16	·01	·01		19
20	·33	—	—	—	—	·10	·50	—	trace	—	—	·04		20
21	·06	·24	·06	—	—	·03	·12	trace	~~trace~~ ·13	—	—	—		21
22	·19	·30	·02	·03	—	·16	·11	—	·02	—	·05	—		22
23	·01	—	trace	·14	—	·01	·09	—	—	·05	·65			23
24	·26	trace	—	·13	—	·07	·01	—	—	·14	—	—		24
25	·56	·41	·07	—	—	—	·03 ·09	—	—	—	·34	—		25
26	·02	—	·02	·01	—	—	·01	—	—	·16	·24	—		26
27	·02	·18	·09	·11	—	—	—	—	—	·09	·12	—		27
28	trace	·11	·06	·21	—	·04	—	—	—	·07	·12	(snow) ·16		28
29	—	—	—	} 1·21	—	—	·02	—	—	·06	·02	—		29
30	—	✕	—		—	·03	—	—	—	—	·11	—		30
31	—	✕	—	✕	—	✕	·22	—	✕	·01	✕	·01		31
TOTAL	4·80	1·53	1·16	2·92	2·02	1·25	2·51	2·08	0·77	5·09	4·46	1·18	Year's Total 29·77	
* Days with .01 in. or more.	22	9	15	16	9	14	21	9	9	21	24	16	185	
* Days with .04 in. or more.	17	8	9	10	7	8	14	6	4	19	19	7	128	

Print

E.T. FULK Esq

† Spare column, no entries required.

(Signed) Edw T Fulk

P.T.O.

* See Instruction 3 (f) on other side.

GUILDFORD (AVONMORE AVENUE)

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 206/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at 3 Avonmore Ave. Guildford

in the County of Surrey

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground one ft. in.

„ Ground „ Sea Level 184 0.0 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	·02	·33	·28	—	—	·02	·05	—	—	·01		1
2	·06	—	—	·02	·02	—	·12	·50	·35	—	·02	—		2
3	·28	—	—	·26	—	—	—	·28	—	·01	·26	·27		3
4	·13	—	·26	·22	—	—	·12	1·07	—	·35	·07	·01		4
5	—	—	—	·16	·07	—	·16	trace	—	·22	·39	·04		5
6	·28	—	·05	—	·29	—	·26	·01	—	—	·11	·01		6
7	·02	·11	—	—	—	—	·02	·02	—	·07	·19	·10		7
8	·01	·10	·16	—	—	—	·02	·04	—	·33	·26	·30		8
9	·06	·07	—	—	—	—	—	·04	—	·11	·10	·16		9
10	·24	—	—	—	—	·16	—	·10	·01	·09	·03	—		10
11	—	—	·22	—	—	·03	—	—	—	·42	·02	·01		11
12	—	trace	—	—	·02	·06	—	—	—	—	—	trace		12
13	—	—	—	·03	—	trace	—	—	·01	1·72	—	·02		13
14	·59	—	—	·03	·05	·02	·12	—	·01	·29	·45	·02		14
15	·49	—	·02	—	·89	·18	·03	—	·18	·62	·09	·01		15
16	·46	—	·06	·03	·25	·19	·12	—	·01	·06	·43	—		16
17	·27	·01	·03	—	·15	—	·14	—	—	—	·10	—		17
18	·24	—	·02	—	—	·17	·12	—	—	·06	·28	—		18
19	·22	—	—	—	—	—	·17	—	—	·16	·01	·01		19
20	·33	—	—	—	—	·10	·50	—	trace	—	—	·04		20
21	·06	·24	·06	—	—	·03	·12	trace	~~trace~~ 13	—	—	—		21
22	·19	·30	·02	·03	—	·16	·11	—	·02	—	·05	—		22
23	·01	—	trace	·14	—	·01	·09	—	—	·05	·65			23
24	·26	trace	—	·13	—	·07	·01	—	—	·14	—	—		24
25	·56	·41	·07	—	—	—	·03 ·09	—	—	—	·34	—		25
26	·02	—	·02	·01	—	—	·01	—	—	·16	·24	—		26
27	·02	·18	·09	·11	—	—	—	—	—	·09	·12	—		27
28	trace	·11	·06	·21	—	·04	—	—	—	·07	·12	(snow) ·16		28
29	—	—	—	} 1·21	—	—	·02	—	—	·06	·02	—		29
30	—	✕	—		—	·03	—	—	—	—	·11	—		30
31	—	✕	—	✕	—	✕	·22	—	✕	·01	✕	·01		31
TOTAL	4·80	1·53	1·16	2·92	2·02	1·25	2·51	2·08	0·77	5·09	4·46	1·18	Year's Total 29·77	Print
* Days with .01 in. or more.	22	9	15	16	9	14	21	9	9	21	24	16	185	54
* Days with .04 in. or more.	17	8	9	10	7	8	14	6	4	19	19	7	128	

E. T. FULK Esq.

† Spare column, no entries required.

(Signed) Edwd T Fulk

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 206/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at GUILDFORD
in the County of SURREY
Diameter of Funnel of Gauge FIVE in.
Height of top of Gauge above Ground one ft. — in.
" Ground " Sea Level 184. 0 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·03	—	—	—	—	—	—	—	—	·03	—		1
2	—	·07	—	·45	—	—	·03	—	—	·06	·71	·01		2
3	—	·22	—	·05	—	—	·01	—	—	·18	1·11	·08		3
4	—	·06	—	·01	—	—	trace	—	—	·16	·08	·04		4
5	—	—	—	—	—	—	·06	—	—	·06	·38	·09		5
6	·28	·19	—	—	—	—	·24	—	—	·23	—	—		6
7	·26	·22	—	—	·01	—	·07	—	—	—	—	—		7
8	—	—	—	·03	—	—	·01	—	·03	·34	·02	·27		8
9	—	—	—	·03	—	—	—	trace	·04	·13	·33	·12		9
10	—	—	—	—	—	—	·10	·03	—	·13	·06	·02		10
11	—	·02	—	·01	—	—	·03	—	—	—	·91	—		11
12	—	trace	·19	trace	—	—	·17	—	·10	—	·05	—		12
13	—	·02	·62	—	—	—	—	—	·21	—	·92	·01		13
14	—	—	·19	·09	—	—	—	—	·01	·13	—	·23		14
15	—	—	—	trace	·14	·05	·57	—	·02	·01	·24	·02		15
16	·04	·45	·21	·11	—	·06	·18	—	·19	·63	·99	·02		16
17	—	—	·29	—	—	—	·03	—	·02	·01	·55	—		17
18	—	·24	·12	·34	—	—	·17	·01	—	·17	·12	·12		18
19	—	·10	·10	·05	—	—	·04	—	·77	—	·11	trace		19
20	·02	—	·02	·02	—	—	trace	·01	—	·06	·05	—		20
21	—	—	·03	—	·33	—	·10	·01	—	·11	·35	—		21
22	—	—	·04	—	·40	·68	—	—	·03	·03	—	—		22
23	—	·05	·06	·15	·01	·10	—	—	—	trace	·01	—		23
24	—	—	—	·31	—	—	·29	—	—	—	—	·02		24
25	—	—	·65	—	—	·01	·02	—	—	·02	—	—		25
26	·83	·14	·75	·01	·11	—	trace	—	—	—	—	—		26
27	·53	·4	—	·08	—	—	·05	trace	—	—	—	—		27
28	·6	·02	—	·01	·08	—	—	—	·01	—	—	—		28
29	·25	·14	·09	·07	·01	—	—	—	—	—	—	·24		29
30	·17		—	·11	—	—	—	—	—	·13	—	·01	~~·07~~	30
31	·02		—		—		—	—		·87		·06		31
TOTAL	3·00	2·37	3·36	1·93	1·09	·90	2·17	·06	1·43	3·46	7·02	1·36	Year's Total 28·15	
* Days with .01 in. or more.	10	16	14	18	8	5	18	4	11	19	19	16	158	
* Days with .04 in. or more.	8	12	12	11	5	4	12	—	5	15	16	9	109	

† Spare column, no entries required.

(Signed) Edw J Falk

* See Instruction 3 (f) on other side.

P.T.O.

GUILDFORD (JOSEPH'S RD)

ny/6

COPY

Section **A** for the entry of Daily Observa

AIR MINISTRY.—METEOROI

FALL ORGANIZATION.

Station No. 206/3 ~~206/5~~

FORM 1090.

REGISTER O 1936.

MR 1935

Kept at Joseph's Rd. – Guildf

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft.

,, Ground ,, Sea Level 98

THE MORNING MEASUREMENT IS CRI

An observer who does not conform to this rule should *of the following year in the space on the right of this paragraph.*

Jan. 1, following

Please read th

206/3 —

GUILDFORD – JOSEPHS RD.

1936 – 1940

780105

Date	Jan.	Feb.	Mar.	April	May						Nov.	Dec.		Date
	in.	in.	in.	in.	in.						in.	in.	†	
1	0·35	0·02	0·02	0·13	—	0					0·06	0·05		1
2	0·03	—	0·01	tr	—	0					0·02	—		2
3	tr	—	—	0·45	—	0·02	0·03	—	0·18	—	0·27	tr		3
4	—	—	0·10	—	—	0·06	tr	—	0·36	—	0·05	0·04		4
5	0·30	—	0·07	—	—	tr	—	0·05	0·01	tr	0·03	0·09		5
6	0·39	—	—	—	—	tr	—	—	0·13	tr	0·59	—		6
7	0·22	—	0·05	—	—	0·06	0·06	—	0·01	tr	0·15	tr		7
8	0·27	—	0·05	—	—	—	0·02	—	tr	0·02	0·19	0·16		8
9	0·46	—	0·01	—	—	—	0·56	—	0·13	0·03	tr	0·01		9
10	0·13	—	—	tr	—	tr	0·09	0·29	tr	tr	—	—		10
11	tr	0·02	—	—	—	tr	0·08	tr	tr	—	0·85	tr		11
12	—	—	—	0·07	tr	0·55	0·09	tr	0·19	—	0·23	0·09		12
13	—	—	—	0·21	—	0·04	—	0·02	tr	0·02	0·01	0·44		13
14	—	0·05	—	—	—	0·06	0·47	—	tr	0·04	0·16	0·94		14
15	tr	0·04	—	—	—	0·01	—	—	0·21	—	0·01	0·13		15
16	0·39	0·10	—	0·01	—	—	0·03	—	0·01	—	0·21	0·07		16
17	0·06	0·69	—	—	tr	0·22	tr	—	tr	—	0·15	0·30		17
18	0·10	0·06	—	—	—	0·12	0·11	—	tr	—	tr	0·07		18
19	0·29	0·03	0·02	0·01	—	1·32	0·21	0·08	—	0·06	0·01	tr		19
20	0·13	0·08	0·04	0·55	—	0·42	0·02	—	0·42	—	—	—		20
21	—	tr	0·01	0·38	0·03	0·17	tr	—	—	—	tr	tr		21
22	0·08	0·39	0·09	tr	0·45	0·08	0·10	—	tr	—	tr	0·13		22
23	0·02	0·02	0·62	0·05	0·03	—	0·16	—	tr	0·06	—	—		23
24	0·02	0·14	—	—	—	—	tr	—	0·11	0·42	—	0·01		24
25	0·10	tr	0·08	0·21	tr	—	0·17	—	0·23	0·10	0·04	—		25
26	0·07	0·13	0·12	tr	tr	tr	0·08	—	0·03	0·03	tr	0·04		26
27	0·34	—	tr	—	—	—	tr	—	0·10	0·08	—	—		27
28	0·86	—	0·13	—	—	—	0·28	tr	tr	tr	—	0·06		28
29	0·03	0·06	0·08	—	—	0·43	0·07	tr	tr	0·01	0·15	0·03		29
30	0·09	×	tr	—	0·08	0·29	—	—	—	0·57	—	0·01		30
31	0·20	×	0·28	×	tr	×	0·10	—	×	0·58	×	0·16		31
TOTAL	4·93	1·83	1·58	2·07	0·59	4·42	3·44	0·86	2·12	2·02	3·18	2·83	Year's Total. 29·87	
* Days with .01 in. or more.	23	14	17	10	4	17	21	6	14	13	18	19	176	
* Days with .04 in. or more.	19	10	12	8	2	15	16	4	10	8	13	15	132	

40-9999

* See Instruction 2 (f) on other side.

N

BOROUGH SURVEYOR

† Spare column, no entries required.

(Signed) [P.T.O.

GUILDFORD (JOSEPH'S RD)

ry/6

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.**

Station No. ~~206/5~~ 206/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

HR 1935

Kept at Joseph's Rd. – Guildford

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 98 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.35	0.02	0.02	0.13	–	0.17	0.18	0.39	–	–	0.06	0.05		1
2	0.03	–	0.01	tr	–	0.40	0.03	0.03	–	–	0.02	–		2
3	tr	–	–	0.45	–	0.02	0.03	–	0.18	–	0.27	tr		3
4	–	–	0.10	–	–	0.06	tr	–	0.36	–	0.05	0.04		4
5	0.30	–	0.07	–	–	tr	–	0.05	0.01	tr	0.03	0.09		5
6	0.39	–	–	–	–	tr	–	–	0.13	tr	0.59	–		6
7	0.22	–	0.05	–	–	0.06	0.06	–	0.01	tr	0.15	tr		7
8	0.27	–	0.05	–	–	–	0.02	–	tr	0.02	0.19	0.16		8
9	0.46	–	0.01	–	–	–	0.56	–	0.13	0.03	tr	0.01		9
10	0.13	–	–	tr	–	tr	0.09	0.29	tr	tr	–	–		10
11	tr	0.02	–	–	–	tr	0.08	tr	tr	–	0.85	tr		11
12	–	–	–	0.07	tr	0.55	0.09	tr	0.19	–	0.23	0.09		12
13	–	–	–	0.21	–	0.04	–	0.02	tr	0.02	0.01	0.44		13
14	–	0.05	–	–	–	0.06	0.47	–	tr	0.04	0.16	0.94		14
15	tr	0.04	–	–	–	0.01	–	–	0.21	–	0.01	0.13		15
16	0.39	0.10	–	0.01	–	–	0.03	–	0.01	–	0.21	0.07		16
17	0.06	0.69	–	–	tr	0.22	tr	–	tr	–	0.15	0.30		17
18	0.10	0.06	–	–	–	0.12	0.11	–	tr	–	tr	0.07		18
19	0.29	0.03	0.02	0.01	–	1.32	0.21	0.08	–	0.06	0.01	tr		19
20	0.13	0.08	0.04	0.55	–	0.42	0.02	–	0.42	–	–	–		20
21	–	tr	0.01	0.38	0.03	0.17	tr	–	–	–	tr	tr		21
22	0.08	0.39	0.09	tr	0.45	0.08	0.10	–	tr	–	tr	0.13		22
23	0.02	0.02	0.42	0.05	0.03	–	0.16	–	tr	0.06	–	–		23
24	0.02	0.14	–	–	–	–	tr	–	0.11	0.42	–	0.01		24
25	0.10	tr	0.08	0.21	tr	–	0.17	–	0.23	0.10	0.04	–		25
26	0.07	0.13	0.12	tr	tr	tr	0.08	–	0.03	0.03	tr	0.04		26
27	0.34	–	tr	–	–	–	tr	–	0.10	0.08	–	–		27
28	0.86	–	0.13	–	–	–	0.78	tr	tr	tr	–	0.06		28
29	0.03	0.06	0.08	–	–	0.43	0.07	tr	tr	0.01	0.15	0.03		29
30	0.09	×	tr	–	0.08	0.29	–	–	–	0.57	–	0.01		30
31	0.20	×	0.28	×	tr	×	0.10	–	×	0.58	×	0.16		31
TOTAL	4.93	1.83	1.58	2.07	0.59	4.42	3.44	0.86	2.12	2.02	3.18	2.83	Year's Total. 29.87	
* Days with .01 in. or more.	23	14	17	10	4	17	21	6	14	13	18	19	176	
* Days with .04 in. or more.	19	10	12	8	2	15	16	4	10	8	13	15	132	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J Whipwood

BOROUGH SURVEYOR

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 206/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Josephs Road Guildford

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 98 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·57	0·09	0·03	0·05	/	/	TR	/	/	TR	0·70	0·61		1
2	/	0·30	TR	0·54	/	/	/	/	0·39	/	TR	0·84		2
3	0·01	0·18	0·04	/	/	TR	/	/	/	0·01	TR	0·01		3
4	0·08	0·60	/	TR	/	TR	TR	/	/	/	/	0·29		4
5	0·07	0·22	0·17	/	/	/	0·13	TR	/	TR	0·01	/		5
6	0·05	TR	0·85	0·02	0·26	/	0·01	/	/	0·04	0·01	/		6
7	/	0·53	/	0·06	/	/	/	/	0·02	0·01	TR	TR		7
8	/	TR	TR	/	0·08	0·01	/	/	/	/	0·07	0·17		8
9	/	/	/	0·30	0·08	0·03	0·02	0·01	0·27	/	/	0·20		9
10	/	/	0·58	0·19	0·15	0·25	/	0·15	/	/	/	0·39		10
11	/	/	0·17	/	0·10	0·26	0·02	/	/	/	/	/		11
12	0·21	0·23	0·12	0·03	0·50	0·25	0·01	0·60	0·10	/	/	0·22		12
13	0·18	0·03	0·30	0·04	TR	0·07	/	1·08	0·27	/	/	1·21		13
14	0·01	0·06	0·36	TR	TR	0·02		0·21	0·02			TR		14
15	0·33	0·07	TR	0·19	/	TR	0·23	/	0·08	/	/	/		15
16	/	0·10	0·46	0·38	/	0·01	/	0·22	0·45	/	/	/		16
17	0·70	TR	0·18	0·02	/	/	/	TR	0·11	/	0·03	/		17
18	0·44	0·08	0·02	0·02	0·04	0·10	/	/	/	/	0·09	0·12		18
19	0·04	0·07	0·06	0·07	/	0·15	TR	/	0·08	TR	/	0·04		19
20	0·49	/	0·09	0·18	0·61	0·05	/	/	0·06	0·01	/	/		20
21	0·49	0·35	0·05	0·02	TR	/	0·01	/	/	0·01	/	0·03		21
22	0·39	0·02	0·02	/	0·08	0·45	0·07	/	/	0·94	0·31	0·05		22
23	0·30	0·04	0·02	/	0·10	/	TR	/	/	0·35	TR	/		23
24	0·44	0·41	0·01	/	/	/	/	/	0·15	0·57	/	0·01		24
25	0·19	0·35	0·25	/	0·17	/	/	/	0·03	0·58	/	/		25
26	TR	0·20	0·02	/	/	/	/	/	/	0·06	TR	/		26
27	0·02	0·30	TR	0·10	/	/	/	/	0·02	0·58	TR	/		27
28	0·01	0·06	/	0·03	/	TR	/	TR	~~0·08~~	0·08	/	0·04		28
29	0·01		/	/	/	0·05	/	TR	/	0·01	0·07	0·01		29
30	0·32	✕	/	/	/	0·03	/	TR	/	0·17	0·35	/		30
31	0·20	✕	/	✕	/	✕	/	/	✕	0·04	✕	0·03		31
TOTAL	5·55	4·29	3·80	2·24	2·17	1·73	0·50	2·27	2·05	3·45	1·64	4·27	Year's Total 33·9~~7~~6	× ✓
* Days with .01 in. or more.	23	21	20	17	11	14	8	6	14	15	9	17	175	× ✓
* Days with .04 in. or more.	18	19	14	11	11	9	3	5	11	10	3	12	126	× ✓

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(*Signed*) J W Hipwood

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 206/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Circ. C sent 27/1/39

Kept at Josephs Road, Guildford

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 98 ft.

Dec Snow

W.P.

✓ W.E.R.

notified

corr. for Dec 19-26 snow

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.01	Tr.	Tr.		0.04	0.09	0.46				0.08	0.33		1
2	0.05			0.04	0.02		0.05					0.08		2
3	Tr				0.29	Tr	Tr.			0.21		0.06		3
4	0.02					Tr.	0.08	0.04		0.48				4
5	Tr			Tr		Tr.	0.53	Tr.		0.01		0.90		5
6	0.02						0.09	Tr		0.46				6
7	0.01	0.01				Tr	0.36	0.16						7
8	0.21					Tr	0.10	0.21	0.05	0.14		0.07		8
9	0.13	Tr.				Tr.	Tr	0.03	Tr.	0.26		0.06		9
10	0.09	0.07	Tr.			0.01		0.01	0.02	0.11		0.98		10
11	0.17						0.03					0.17		11
12	0.31	0.01			0.02			0.01				0.17		12
13	0.23	Tr. Sn			Tr.			Tr.		0.04	0.05			13
14	0.28	Tr.			0.06			0.02			0.33	0.13		14
15	Tr	0.02					0.21		Tr					15
16	0.28	0.02	Tr.		Tr.		Tr.	Tr		0.36		0.24		16
17		0.07			Tr.		Tr.			0.01	0.05	0.34		17
18	0.02		Tr.		Tr		Tr		0.02	0.16				18
19							Tr	0.06	0.38		0.47			19
20					Tr.				0.07		0.23			20
21	0.01		Tr.								0.80			21
22			Tr	Tr.		0.02			0.07		0.02	4.10		22
23				0.03		Tr		.0051			0.13			23
24			0.05	0.01	Tr.									24
25	0.11	0.01	0.06	0.04	0.19		0.02		0.13	0.01	0.03			25
26	0.19	0.15	0.02			Tr.		0.02	0.03	0.06	1.45			26
27	0.06	0.03			Tr.	0.26	0.33		0.27	0.36		0 ~~.46~~		27
28		0.05		Tr.	0.24	0.06			0.46	0.03	0.28			28
29	0.20			Tr.	0.18			0.38	0.02			0.11		29
30	0.02			0.01	0.07	0.13		0.38			0.07	0.19		30
31	0.21				0.10					0.06	0.33	0.22		31
TOTAL	2.63	0.44	0.13	0.13	1.21	0.57	2.26	3 1.325	1.52	~~0.08~~ 2.76 84	4.24 ~~3.99~~	(4.82) ~~4.29~~	Year's Total	22.12 ~~21.255~~ ~~21.48~~
* Days with .01 in. or more.	21	10	3	5	10	6	11	11	11	~~16~~ 17	13 ✓	~~15~~ 21	~~132~~	~~138~~ 139
* Days with .04 in. or more.	14	4	2	2	8	4	9	6	7	~~12~~ 13	11 ✓	~~15~~ 18	~~94~~	~~95~~ 99

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J W Shipwood

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 206/3.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at JOSEPH'S ROAD, GUILDFORD

in the County of SURREY.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 98 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01		·01	·30	·25			·01	·14			·01		1
2	·02			·02	·01		·12	·55	·26		·03			2
3	·30			·27				·20			·28	·24		3
4	·12		·26	·16			·10	1·20	·25	·42	·09	·01		4
5				·15	·05		·09			·27	·36	·05		5
6	·28		·07		·42		·24				·10	·03		6
7	·02	·11						·01		·03	·20	·11		7
8		·09	·19				·02	·06		·31	·42	·27		8
9	·06	·06						·06		·12	·11	·15		9
10	·24							·03		·11	·04			10
11			·20			·14			·01	·47	·01	·01		11
12					·01	·07								12
13				·02		·03	·01		·01	1·61		·01		13
14	·60		·01	·02	·04	·01	·09			·30	·45	·02		14
15	·40		·01	·02	·75	·17			·09	·67	·09	·01		15
16	·57		·12	·02	·20	·19	·19			·08	·44			16
17	·23	·02		Tr.	·20		·15				·09			17
18	·26		·02			·25	·14			·06	·26			18
19	·23						·20			·13	·01	·01		19
20	·26					·06	·40					·03		20
21	·09	·21	·06			·02	·13		·08					21
22	·17	·31				·14	·09		·02		·05			22
23	·02		·03	·14			·10			·06	·66	·01~~5~~		23
24	·22		·01	·10		·05	·05			·11				24
25	·56	·40	·05				·06				·30			25
26	·02		·02	Tr.						·16	·22	·01		26
27		·12	·06	·10						·10	·10			27
28		·18	·06	·18		·03				·04	·11	·10	Snow	28
29	Tr.	✕		·22			·02			·06	·01			29
30		✕		·89		·04					·08			30
31		✕		✕		✕	·14	·05	✕		✕	·01		31
TOTAL	4·68	1·50	1·18	2·61	1·93	1·20	2·34	2·17	0·86	5·11	4·50	1·10~~5~~	Year's Total 29·18~~5~~	
* Days with .01 in. or more.	21	9	16	15	9	13	19	9	8	19	24	18	180	
* Days with .04 in. or more.	16	8	9	10	7	9	16	6	5	18	20	6	130	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

206/3

COPY FOR OFFICIAL USE. Form 1090

Section A for the entry of Daily Observations. Station No.

AIR MINISTRY - METEOROLOGICAL OFFICE - BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1930.

Kept at Joseph's Road Pumping Station, Guildford.
in the County of ____________

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
Height of Ground above Sea Level 98 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Date	Jan.	Feb.	Mar.	Apr.	May	Jun.	Jly.	Aug.	Sep.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	0.01	-	-	-	-	-	-	-	-	.05	-		1
2	-	0.09	-	0.37	-	-	0.03	-	-	.06	.65	-		2
3	-	0.22	-	0.03	-	-	0.01	-	-	.15	1.13	.08		3
4	-	0.08	-	0.01	-	-	-	-	-	.16	.05	.03		4
5	-	-	-	-	-	-	0.01	-	-	.06	.38	.09		5
6	0.27	0.20	-	-	-	-	0.18	-	-	.23	-	-		6
7	0.23	0.19	-	-	0.02	-	0.19	-	.01	-	-	-		7
8	-	-	-	0.02	-	-	0.01	-	.02	.36	.02	.28		8
9	-	-	-	0.02	-	-	-	-	-	.16	.28	.11		9
10	-	-	-	-	-	-	0.09	-	-	.12	.05	.02		10
11	-	-	-	0.02	-	-	0.04	-	-	-	.88	.02		11
12	-	-	0.20	-	-	-	0.11	-	.15	-	.02	-		12
13	-	-	0.66	-	-	-	-	-	.14	-	1.11	-		13
14	-	-	0.17	0.09	-	-	0.03	-	-	.13	.01	.24		14
15	-	0.30	-	-	0.16	0.09	0.49	-	.02	.01	.31	.01		15
16	-	-	0.21	0.12	-	0.05	0.17	-	.20	.62	.83	.02		16
17	-	-	0.28	-	-	-	0.04	-	-	-	.50	-		17
18	-	0.19	0.07	0.32	-	-	0.20	0.01	.07	.22	.10	.12		18
19	-	0.08	0.14	0.04	-	-	0.04	-	.67	Tr.	.12	Tr.		19
20	-	-	0.03	0.02	-	-	-	-	.06	.12	.05	-		20
21	-	-	0.01	-	0.48	-	0.06	0.02	-	.07	.30	-		21
22	-	-	0.03	0.02	0.20	0.67	-	-	.07	.03	-	-		22
23	-	0.05	0.06	0.13	0.01	0.08	-	-	-	-	-	-		23
24	-	-	-	0.28	-	-	0.27	-	-	-	Tr.	.01		24
25	-	-	0.60	-	-	0.005	0.03	-	-	.02	-	-		25
26	0.87	0.13	0.65	-	0.11	-	0.01	-	-	-	-	-		26
27	(0.10)	0.37	-	0.04	-	-	0.08	-	-	-	-	-		27
28	(0.40)	0.01	-	-	0.07	-	-	-	.01	-	-	Tr.		28
29	0.11	0.14	0.09	0.06	0.02	-	-	-	-	-	-	.22		29
30	0.12	╳	-	0.10	-	-	-	-	-	.14	-	.02		30
31	0.05	╳	-	╳	-	╳	-	-	╳	.80	╳	.05		31
Total	2.15	2.06	3.20	1.69	1.07	0.90	2.09	0.03	1.42	3.46	6.84	1.32		Year's Total 26.23
*Days with .01" or more	8	14	14	17	8	5	20	2	11	18	19	15		151
Days with .04" or more	8	12	11	8	5	4	13	0	7	15	16	8		107

† Spare Column, no entries required.

(MS)

(Signed) ____________

suggest cut out early … as C angust.

A Standa…

installed on p…

automatic g.

1933

The monthly totals subsequent to this are in close accord with neighbours. Shd be OK next year. Please mark this year as unp?

206/5

GUILDFORD

SOUTH HILL RESERVOIR

1933-1934

780105

Station No. 206/5

…LL ORGANIZATION.

…B ·f63688/30

…m standard gauge

~~…y surrounding Stns.~~

…gauge not the ~~8~~

3" ~~…~~

…following

Jan. 1, following

…and Instructions Overleaf.

							July	August	Sept.	Oct.	Nov.	Dec.	*Date*
							in.	in.	in.	in.	in.	in.	
							—	—	—	·02	—	—	1
2	[illegible]		[illegible]		·25	—	—	—	—	·01	—	—	2
3	—	·12	·27	—	—	—	—	—	—	—	·01	—	3
4	·05	—	·07	—	·27	—	—	—	—	—	·06	—	4
5	·10	—	·15	—	·08	—	—	—	—	—	—	—	5
6	—	·10	—	—	·34	—	—	—	—	·10	·06	—	6
7	·07	·02	—	—	·13	—	—	—	—	·15	—	·03	7
8	·07	—	—	—	—	—	·12	—	—	·07	—	—	8
9	—	—	—	—	—	—	·15	—	—	·12	·11	—	9
10	—	·50	—	—	—	·06		—	—	·29	·07	—	10
11	·27	—	—	—	·05	·05		·10	—	—	—	—	11
12	—	—	—	—	—	·02	NO RECORDS	~~·02~~	1·13	—	·01	—	12
13	·06	—	—	—	·05	—		·02	·10	·01	·05	—	13
14	—	—	—	—	—	—		—	—	·15	·48	·01	14
15	·30	—	·13	—	—	—		·47	—	—	—	—	15
16	—	—	·77	—	—	·03	1·50	—	—	·02	·02	—	16
17	—	—	·56	—	—	·16	—	—	·02	—	·07	—	17
18	·13	—	·07	—	—	·18	—	—	—	—	—	—	18
19	—	·01	·20	—	—	·07	·03	—	·39	—	·03	—	19
20	—	·03	·07	·07	—	·02	—	—	·01	—	—	·02	20
21	—	—	—	—	—	·27	—	·11	·20	—	—	—	21
22	—	—	—	—	—	·05	—	·32	·02	·32	·04	—	22
23	—	—	—	·05	·17	·07	—	—	·20	·11	—	—	23
24	—	·48	—	·10	—	·35	—	—	·21	—	—	—	24
25	—	·48	—	·29	—	—	—	—	·04	—	·02	·03	25
26	—	·45	—	·02	—	—	—	—	·03	·07	·01	·05	26
27	—	·02	—	—	·35	—	—	—	—	·19	—	·08	27
28	—	—	—	—	·17	—	—	—	—	·21	—	·07	28
29	·04		·02	·03	—	—	·20	—	—	·14	—	—	29
30	·05	✕	·13	—	—	—	—	—	·16	·01	—	—	30 ~~d~~
31	·08	✕	—	✕	—	✕	—	·08	✕	—	✕	—	31 (19·26)
TOTAL	1·46"	2·39"	2·74"	0·56"	1·86"	1·32"	~~0·50"~~ (2·00)	1·10"	2·51"	1·99"	1·04"	0·29"	YEAR'S TOTAL ~~17·16"~~
*Days with ·01 in. or more.	13	11	13	6	10	12	~~4~~ (11)	6	12	17	14	7	~~125~~
*Days with .04 in. or more.	13	7	12	4	10	9	~~3~~ (7)	5	8	12	7	3	~~98~~

40-9999

*See Instruction 2 (*f*) on other side.

D N

(Signed) J. Hodgwood

X THE BOROUGH SURVEYOR X

P.T.O.

Suggest cut out early months & treat as C August.

A Standard g was installed in place of automatic g. by August 2nd 1933

The monthly totals subsequent to this are in close accord with neighbours. Shd be OK next year. Please mark this year as imp?

FFICIAL USE.

Station No. 206/5

OFFICE.—BRITISH RAINFALL ORGANIZATION.

INFALL IN 1933. £63688|30

~~Est Aug~~

Read[illegible]s after Aug 2nd from standard gauge

July 10th – 16th estimated by surrounding Stns.

Refers to the Standard gauge not the ~~S~~ self recording gauge.

~~3rd [illegible]~~

ED TO THE PREVIOUS DAY.

reading made on January 1st of the following

and Instructions Overleaf.

Jan. 1, following

							July	August	Sept.	Oct.	Nov.	Dec.	Date
							in.	in.	in.	in.	in.	in.	
1							—	—	—	·02	—	—	1
2				—	·25	—	—	—	—	·01	—	—	2
3	—	·12	·27	—	—	—	—	—	—	—	·01	—	3
4	·05	—	·07	—	·27	—	—	—	—	—	·06	—	4
5	·10	—	·15	—	·08	—	—	—	—	—	—	—	5
6	—	·10	—	—	·34	—	—	—	—	·10	·06	—	6
7	·07	·02	—	—	·13	—	—	—	—	·15	—	·03	7
8	·07	—	—	—	—	—	·12	—	—	·07	—	—	8
9	—	—	—	—	—	—	·15	—	—	·12	·11	—	9
10	—	·50	—	—	—	·06	✓	—	—	·29	·07	—	10
11	·27	—	—	—	·05	·05	✓	·10	—	—	—	—	11
12	—	—	—	—	—	·02	✓	~~·02~~	1·13	—	·01	—	12
13	·06	—	—	—	·05	—	NO RECORDS ✓	·02	·10	·01	·05	—	13
14	—	—	—	—	—	—	✓	—	—	·15	·48	·01	14
15	·30	—	·13 ~~·14~~	—	—	—	✓	·47	—	—	—	—	15
16	—	—	·77	—	—	·03	1·50 ✓	—	—	·02	·02	—	16
17	—	—	·06	—	—	·16	—	—	·02	—	·07	—	17
18	·13	—	·07	—	—	·18	—	—	—	—	—	—	18
19	—	·01	·20	—	—	·07	·03	—	·39	—	·03	—	19
20	—	·03	·07	·07	—	·02	—	—	·01	—	—	·02	20
21	—	—	—	—	—	·27	—	·11	·20	—	—	—	21
22	—	—	—	—	—	·05	—	·32	·02	·32	·04	—	22
23	—	—	—	·05	·17	·07	—	—	·20	·11	—	—	23
24	—	·48	—	·10	—	·35	—	—	·21	—	—	—	24
25	—	·48	—	·29	—	—	—	—	·04	—	·02	·03	25
26	—	·45	—	·02	—	—	—	—	·03	·07	·01	·05	26
27	—	·02	—	—	·35	—	—	—	—	·19	—	·08	27
28	—	—	—	—	·17	—	—	—	—	·21	—	·07	28
29	·04		·02	·03	—	—	·20	—	—	·14	—	—	29
30	·05	×	·13	—	—	—	—	—	·16	·01	—	—	30 ~~d~~
31	·08	×	—	×	—	×	—	·08	×	—	×	—	31 ~~(19·26)~~
TOTAL	1·46"	2·39"	2·74"	0·56"	1·86"	1·32"	(2·00) ~~0·50"~~	1·10"	2·51"	1·99"	1·04"	0·29"	YEAR'S TOTAL imp ~~17·76"~~
*Days with ·01 in. or more.	13	11	13	6	10	12	~~4~~(11)	6	12	17	14	7	~~125~~
*Days with .04 in. or more.	13	7	12	4	10	9.	~~3~~(7)	5	8.	12.	7.	3	~~93~~([illegible])

40-9999

*See Instruction 2 (f) on other side,

D N

(Signed) J. Hopwood

X THE BOROUGH SURVEYOR X

[P.T.O.

uglas
rocambo
ackpool
uthport
llascy
pstatyn
yl
lwyn Bay
andudno
lyhoad
erystwyth
nby
ston-s-Mar
fracombo
do
wquay
. Ives
illy Islo
land.
blosido

FFICIAL USE.

Station No. 206/5

OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933

£63688/30

Kept at (South Hill Reservoir) Guildford

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 235 ft.

~~Est Aug~~

Readings after Aug 2nd from standard gauge

July 10 - 16" estimated by surrounding Stns.

Refers to the Standard gauge not the ~~S~~ self recording gauge.

3" [illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	·18	·15	—	—	—	—	—	—	·02	—	—	1
2	·17	—	·35	—	·25	—	—	—	—	·01	—	—	2
3	—	·12	·27	—	—	—	—	—	—	—	·01	—	3
4	·05	—	·07	—	·27	—	—	—	—	—	·06	—	4
5	·10	—	·15	—	·08	—	—	—	—	—	—	—	5
6	—	·10	—	—	·34	—	—	—	—	·10	·06	—	6
7	·07	·02	—	—	·13	—	—	—	—	·15	—	·03	7
8	·07	—	—	—	—	—	·12	—	—	·07	—	—	8
9	—	—	—	—	—	—	·15	—	—	·12	·11	—	9
10	—	·50	—	—	—	·05		—	—	·29	·07	—	10
11	·27	—	—	—	·05	·05		·10	—	—	—	—	11
12	—	—	—	—	—	·02	NO RECORDS	~~·02~~	1·13	—	·01	—	12
13	·06	—	—	—	·05	—		·02	·10	·01	·05	—	13
14	—	—	—	—	—	—		—	—	·15	·48	·01	14
15	·30	—	·13	—	—	—		·47	—	—	—	—	15
16	—	—	·77	—	—	·03	1·50	—	—	·02	·02	—	16
17	—	—	·36	—	—	·16	—	—	·02	—	·07	—	17
18	·13	—	·07	—	—	·18	—	—	—	—	—	—	18
19	—	·01	·20	—	—	·07	·03	—	·39	—	·03	—	19
20	—	·03	·07	·07	—	·02	—	—	·01	—	—	·02	20
21	—	—	—	—	—	·27	—	·11	·20	—	—	—	21
22	—	—	—	—	—	·05	—	·32	·02	·32	·04	—	22
23	—	—	—	·05	·17	·07	—	—	·20	·11	—	—	23
24	—	·48	—	·10	—	·35	—	—	·21	—	—	—	24
25	—	·48	—	·29	—	—	—	—	·04	—	·02	·03	25
26	—	·45	—	·02	—	—	—	—	·03	·07	·01	·05	26
27	—	·02	—	—	·35	—	—	—	—	·19	—	·08	27
28	—	—	—	—	·17	—	—	—	—	·21	—	·07	28
29	·04		·02	·03	—	—	·20	—	—	·14	—	—	29
30	·05	×	·13	—	—	—	—	—	·16	·01	—	—	30 ~~d~~
31	·08	×	—	×	—	×	—	·08	×	—	×	—	31 (19·26)
TOTAL	1·46"	2·39"	2·74"	0·56"	1·86"	1·32"	(2·00) ~~0·50~~"	1·10"	2·51"	1·99"	1·04"	0·29"	YEAR'S TOTAL ~~17·76~~"
*Days with ·01 in. or more.	13	11	13	6	10	12	~~4~~ (11)	6	12	17	14	7	~~125~~
*Days with .04 in. or more.	13	7	12	4	10	9	~~2~~ (7)	5	8	12	7	3	~~95~~

40-9999

*See Instruction 2 (*f*) on other side.

D N

(Signed) J. W. Lingwood

X THE BOROUGH SURVEYOR X

[P.T.O.

GUILDFORD (South St. Res.)

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.**

Station No. 206/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193

F63688/30 — 37A

A good return

2.10.35

Kept at South Hill Reservoir Guildford

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 235 ft.

Refers to the Standard Gauge not the self recording gauge.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

F63688/30

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.02	-	-	-	-	-	-	0.30	0.02	0.07	0.02	0.23		1
2	0.06	-	0.12	0.02	-	-	-	-	0.80	0.21	-	0.38		2
3	0.01	0.04	0.01	0.02	-	-	-	0.02	-	0.12	-	0.10		3
4	0.07	-	0.04	0.08	0.12	-	-	-	-	0.03	0.04	0.44		4
5	0.01	-	0.01	-	-	-	-	0.03	-	-	0.07	0.44		5
6	-	-	0.31	-	0.20	0.10	-	0.17	-	0.20	0.05	0.83		6
7	0.06	-	-	0.01	-	-	-	0.10	-	0.13	-	0.31		7
8	-	-	-	-	0.07	-	-	0.03	0.33	-	0.58	0.01		8
9	Trace	Trace	0.03	-	-	-	-	-	-	-	1.23	0.57		9
10	0.01	--	0.22	0.24	-	-	-	-	-	Trace	0.58	0.01		10
11	0.47	-	0.40	0.09	-	-	-	0.07	-	-	-	0.25		11
12	0.06	-	0.01	0.01	-	-	0.24	0.13	-	-	-	0.05		12
13	0.51	Trace	0.02	0.03	-	-	0.16	0.16	Trace	-	0.11	0.15		13
14	0.10	-	0.51	0.03	-	0.05	-	-	-	-	0.34	0.80		14
15	-	0.01	0.05	-	0.13	-	-	-	-	0.16	0.13	0.46		15
16	0.11	-	0.29	-	0.03	-	-	-	-	0.09	-	-		16
17	0.02	-	0.01	0.03	-	-	-	-	-	0.09	-	0.18		17
18	0.15	-	0.06	0.23	-	-	0.04	-	Trace	-	-	0.43		18
19	-	-	0.40	0.11	-	-	-	-	0.06	-	0.01	0.09		19
20	-	-	0.05	0.01	-	Trace	-	0.01	-	-	-	-		20
21	-	-	-	0.26	-	0.04	0.79	0.04	-	0.10	Trace	-		21
22	-	-	-	-	-	-	0.57	0.13	0.17	-	-	-		22
23	-	0.01	-	0.24	-	0.39	-	-	-	-	-	0.11		23
24	-	0.03	0.06	0.06	-	0.04	0.65	-	0.07	-	-	-		24
25	0.16	-	-	0.15	0.05	0.40	-	-	-	0.13	-	0.48		25
26	0.01	-	-	0.28	-	0.13	-	-	0.02	-	-	0.05		26
27	-	-	-	0.01	-	0.01	-	-	-	-	-	0.22		27
28	-	0.02	-	-	-	0.07	-	0.75	-	0.02	-	0.21		28
29	-	X	-	0.01	-	-	Trace	0.02	-	-	-	-		29
30	0.07	X	-	-	-	-	-	0.04	0.16	-	-	0.39		30
31	0.03	X	-	X	-	X	-	-	X	0.19	X	0.04		31
TOTAL	1.93	0.11	2.60	1.92	0.60	1.23	2.45	2.00	1.63	1.54	3.16	7.23	Year's Total. 26.40	
* Days with .01 in. or more.	18	5	18	20	6	9	6	15	8	13	11	25	154	
* Days with .04 in. or more.	11	1	12	10	5	8	6	10	6	11	9	23	112	

40-9999

* See Instruction 2 (f) on other side. J. W. Hipwood

† Spare column, no entries required.

(*Signed*) J. W. Hipwood

BOROUGH SURVEYOR.

[P.T.O.

207

Section **A** for the entr
AIR MINIS

FOR OFFICIAL USE.
NFALL ORGANIZATION.

FORM 1090.

REG

931.

207
GUILDFORD
CROSS LANES

1931 -1932

780105

Kept at Cross Lane

in the County of

Diameter of Funnel of Gauge

Height of top of Gauge above Gr

,, Ground ,, Se

THE MORNING MEA

DAY.

An observer who does not conform *the following year in the space on the right of this paragraph.*

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·07	—	·15	—	·04	—	·01	·15	—	—	—	1
2	·21	·05	—	·32	·01	—	—	—	·49	·02	—	·05	2
3	·05	·01	·11	·32	·50	—	—	·14	·63	—	·15	·13	3
4	—	—	—	—	·03	—	·02	—	·02	—	·14	—	4
5	—	·01	—	·19	·01	·36	·11	·03	·01	—	·07	·18	5
6	—	·08	—	·17	—	·01	·01	—	—	·35	·28	·04	6
7	—	—	—	—	·19	·22	—	·41	—	·01	·41	·04	7
8	·01	·08	·02	—	—	·33	—	·13	—	—	·03	—	8
9	—	·09	·06	·01	—	·01	—	—	—	—	·58	·01	9
10	—	·06	—	—	—	·06	—	·11	—	—	·74	—	10
11	·04	·33	—	—	—	—	—	—	·02	—	·20	—	11
12	·03	—	—	—	—	—	·05	·02	·32	—	—	—	12
13	—	—	—	—	—	—	·14	·05	—	—	—	—	13
14	—	·10	—	—	·01	—	·89	·31	—	—	·01	—	14
15	·03	·02	—	·16	·09	—	·07	·18	—	—	—	·07	15
16	—	·06	—	·15	·22	·08	—	·11	·11	—	—	—	16
17	—	·03	—	·27	·01	·01	·38	·15	·05	·05	—	—	17
18	·02	·07	·04	·07	—	·26	·05	·98	—	—	·55	—	18
19	·04	—	—	·61	—	·13	·58	·09	·04	—	—	—	19
20	—	·07	—	·17	—	—	—	·22	—	—	·02	—	20
21	·04	—	—	—	·37	—	—	—	—	—	—	—	21
22	·26	—	·04	·05	—	—	—	—	·02	—	—	—	22
23	·24	—	—	·02	·31	·06	—	—	·05	—	·13	—	23
24	—	—	·03	·58	·10	·10	·20	·14	·01	—	—	—	24
25	·06	—	—	·35	·07	—	·62	—	—	—	·02	—	25
26	—	·02	—	·16	—	—	·53	—	—	—	·23	—	26
27	·15	·34	—	·07	·66	—	·21	—	—	—	·03	—	27
28	·01	·03	—	·03	—	—	—	—	—	—	—	·10	28
29	·06		—	—	·18	—	·08	—	—	·12	—	—	29
30	·03	×	—	—	—	—	—	·02	—	—	·02	—	30
31	·22	×	—	×	·12	×	—	—	×	—	×	·01	31
TOTAL	1·50	1·52	·30	3·85	2·88	1·67	3·94	3·10	1·92	·55	3·61	·63	YEAR'S TOTAL 25·47
Days with ·01 in. or more.	17	18	6	19	16	13	15	17	13	5	17	9	165
Days with ·04 in. or more.	11	12	4	16	11	10	13	13	8	3	11	7	119

40-9999

(Signed) W. J. Binfield
Gardener to J. J. Smallpeice Esq.

P.T.O.

207

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Cross Lanes, Guildford
in the County of Surrey
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 4½ in.
,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·07	—	·15	—	·04	—	·01	·15	—	—	—	1
2	·21	·05	—	·32	·01	—	—	—	·49	·02	—	·05	2
3	·05	·01	·11	·32	·50	—	—	·14	·63	—	·15	·13	3
4	—	—	—	—	·03	—	·02	—	·02	—	·14	—	4
5	—	·01	—	·19	·01	·36	·11	·03	·01	—	·07	·18	5
6	—	·08	—	·17	—	·01	·01	—	—	·35	·28	·04	6
7	—	—	—	—	·19	·22	—	·41	—	·01	·41	·04	7
8	·01	·08	·02	—	—	·33	—	·13	—	—	·03	—	8
9	—	·09	·06	·01	—	·01	—	—	—	—	·58	·01	9
10	—	·06	—	—	—	·06	—	·11	—	—	·74	—	10
11	·04	·33	—	—	—	—	—	—	·02	—	·20	—	11
12	·03	—	—	—	—	—	·05	·02	·32	—	—	—	12
13	—	—	—	—	—	—	·14	·05	—	—	—	—	13
14	—	·10	—	—	·01	—	·89	·31	—	—	·01	—	14
15	·03	·02	—	·16	·09	—	·07	·18	—	—	—	·07	15
16	—	·06	—	·15	·22	·08	—	·11	·11	—	—	—	16
17	—	·03	—	·27	·01	·01	·38	·15	·05	·05	—	—	17
18	·02	·07	·04	·07	—	·26	·05	·98	—	—	·55	—	18
19	·04	—	—	·61	—	·13	·58	·09	·04	—	—	—	19
20	—	·07	—	·17	—	—	—	·22	—	—	·02	—	20
21	·04	—	—	—	·37	—	—	—	—	—	—	—	21
22	·26	—	·04	·05	—	—	—	—	·02	—	—	—	22
23	·24	—	—	·02	·31	·06	—	—	·05	—	·13	—	23
24	—	—	·03	·58	·10	·10	·20	·14	·01	—	—	—	24
25	·06	—	—	·35	·07	—	·62	—	—	—	·02	—	25
26	—	·02	—	·16	—	—	·53	—	—	—	·23	—	26
27	·15	·34	—	·07	·66	—	·21	—	—	—	·03	—	27
28	·01	·03	—	·03	—	—	—	—	—	—	—	·10	28
29	·06		—	—	·18	—	·08	—	—	·12	—	—	29
30	·03	×	—	—	—	—	—	·02	—	—	·02	—	30
31	·22	×	—	×	·12	×	—	—	×	—	×	·01	31
TOTAL	1·50	1·52	·30	3·85	2·88	1·67	3·94	3·10	1·92	·55	3·61	·63	YEAR'S TOTAL 25·47
Days with ·01 in. or more.	17	18	6	19	16	13	15	17	13	5	17	9	165
Days with ·04 in. or more.	11	12	4	16	11	10	13	13	8	3	11	7	119

40-9999

(Signed) W. J. Binfield
Gardener to J. J. Smallpeice Esq.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 207

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Cross Lanes Guildford

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 4½ in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	·01	—	·03	·41	—	—	·05	·01	·06	·01	—	1
2	—	—	—	·20	·06	—	—	·06	·28	·03	·01	·17	2
3	—	—	—	·21	·12	—	—	—	·29	·05	—	—	3
4	·01	—	—	—	—	·20	—	—	—	—	·03	—	4
5	·15	—	·01	—	—	·01	·27	—	·06	—	—	—	5
6	·44	—	—	·19	—	—	—	—	·04	—	—	—	6
7	—	—	·06	·06	—	—	—	—	·06	·10	—	—	7
8	—	—	·17	·02	·37	—	—	—	·20	·30	—	—	8
9	·41	—	—	·09	·31	—	—	—	—	—	—	—	9
10	·94	·06	·01	·22	·07	·05	—	—	·01	·11	·01	—	10
11	·28	—	—	·11	·01	—	·08	—	·01	—	·03	·01	11
12	·19	—	—	—	—	—	—	·01	·04	·21	·01	—	12
13	·08	·01	—	·10	·01	—	·09	—	—	·70	·01	·02	13
14	·07	·01	—	·12	·03	—	—	—	—	·01	—	—	14
15	—	—	—	·08	·15	—	—	—	—	·07	—	—	15
16	·15	—	—	·24	·03	—	·03	—	—	—	—	—	16
17	—	—	—	·02	—	—	·11	—	—	·03	·01	—	17
18	—	—	—	—	—	—	·07	—	·15	—	·10	—	18
19	—	—	—	—	—	—	—	—	·04	·20	·03	—	19
20	—	—	—	·29	—	—	—	·36	—	·62	·15	—	20
21	·04	—	—	·06	1·19	—	—	·07	—	·26	—	·07	21
22	—	—	·26	—	·12	—	·27	—	·36	·31	·27	—	22
23	—	·09	·18	·01	·12	·11	—	—	·12	·62	—	·08	23
24	—	·07	—	—	—	—	·48	—	·09	·09	·05	—	24
25	—	—	—	·03	—	·01	·67	—	—	·19	·01	—	25
26	—	—	·07	·01	·03	—	·12	—	—	·10	·01	—	26
27	—	—	·55	·17	·36	—	·18	—	—	·37	·09	·01	27
28	—	—	·03	·02	·06	—	·14	—	—	·04	—	—	28
29	—	—	·40	·10	·07	·02	—	·03	·14	·26	·03	·03	29
30	—	×	—	·07	·48	1·04	·02	—	·23	—	·24	·10	30
31	—	×	·12	×	—	×	·01	—	×	—	×	·04	31
TOTAL	2·84	·25	1·86	2·45	4·00	1·44	2·54	·58	2·13	4·73	1·10	·53	YEAR'S TOTAL 24·45
*Days with ·01 in. or more.	12	6	11	23	19	7	14	6	17	22	18	9	164
*Days with .04 in. or more.	11	3	8	16	14	4	11	4	14	19	6	5	115

40-9999

*See Instruction 2 (*f*) on other side,

(Signed) W. F. Binfield

Gardener to F. F. Smallpeice Esq.

P.T.O.

X WOODSTREET X

No. 689418/26.

Section **A** for the entry of D

AIR MINISTRY.

Station No. 207/5

ORGANIZATION.

FORM 1090.

REGIST

4.

Kept at "Rosemari

in the County of Surrey

11/Surrey/6.

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

Hill Ho Dunford Rd. No 209

THE MORNING MEASUREM

207/5

WOODSTREET

1934 -1940

78010

An observer who does not conform to th uary 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1							—	·26	·01	·07	·02	·39		1
2							—	—	·84	·24	—	·39		2
3							—	·26	—	·37	—	·18		3
4							—	—	—	·02	—	·38		4
5							—	—	—	·20	·23	·43		5
6							—	·29	—	—	·05	·50		6
7							—	·05	—	·07	—	·22		7
8							—	·06	·31	—	1·50	—		8
9							—	—	—	—		·49		9
10							—	·02	—	—	·54	·03		10
11							·07	·02	—	—	—	·13		11
12							·15	·12	—	—	—	·12		12
13							·12	·05	—	—	·08	·28		13
14							—	—	—	—	·18	·68		14
15							—	—	—	·19	·18	·52		15
16							—	—	—	·13	—	—		16
17							—	—	—	·13	·02	·12		17
18							·06	—	—	—	—	·35		18
19							—	—	·07	—	·02	·13		19
20							·70	—	—	—	—	·02		20
21							·27	·08	—	·06	—	—		21
22							·67	·07	·17	—	—	·12		22
23							—	—	—	—	—	·03		23
24							·50	—	·07	—	—	—		24
25							—	—	—	·09	—	·44		25
26							—	—	·02	—	—	·07		26
27							—	—	—	—	—	·22		27
28							—	·94	—	·02	—	·24		28
29							—	—	·13	—	—	—		29
30		×					—	·02	—	—	—	·24		30
31		×		×		×	—	—	×	·13	×	·06		31
TOTAL							2·54	2·24	1·62	1·72	2·82	6·78	Year's Total. ~~17·72~~	
* Days with .01 in. or more.							—	3	2	2	3	3	~~13~~	imp
* Days with .04 in. or more.							8	10	6	11	8	23	~~66~~	

40-9999

* See Instruction 2 (f) on other side.

X J TAYLOR ESQ X N

† Spare column, no entries required.

(*Signed*) ~~John~~ J. Taylor ESQ X

P.T.O.

~~WOODSTREET~~

COPY FOR OFFICIAL USE. FILE.NO. 68941/8/26.

Section **A** for the entry of Daily Observations. Station No. 207/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

11/Surrey/6.

Kept at "Rosemarie" Frog Grove Lane Wood St

in the County of Surrey Guildford

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 6 in.
,, Ground ,, Sea Level 150 ft.

Formerly at [illegible] Dartford Kent NO 409
[illegible]34

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1							—	·26	·01	·07	·02	·39		1
2							—	—	·84	·24	—	·39		2
3							—	·26	—	·37	—	·18		3
4							—	—	—	·02	—	·38		4
5							—	—	—	·20	·23	·43		5
6							—	·29	—	—	·05	·50		6
7							—	·05	—	·07	—	·22		7
8							—	·06	·31	—	1·50	—		8
9							—	—	—	—		·49		9
10							—	·02	—	—	·54	·03		10
11							·07	·02	—	—	—	·13		11
12							·15	·12	—	—	—	·12		12
13							·12	·05	—	—	·08	·28		13
14							—	—	—	—	·18	·68		14
15							—	—	—	·19	·18	·52		15
16							—	—	—	·13	—	—		16
17							—	—	—	·13	·02	·12		17
18							·06	—	—	—	—	·35		18
19							—	—	·07	—	·02	·13		19
20							·70	—	—	—	—	·02		20
21							·27	·08	—	·06	—	—		21
22							·67	·07	·17	—	—	·12		22
23							—	—	—	—	—	·03		23
24							·50	—	·07	—	—	—		24
25							—	—	—	·09	—	·44		25
26							—	—	·02	—	—	·07		26
27							—	—	—	—	—	·22		27
28							—	·94	—	·02	—	·24		28
29							—	—	·13	—	—	—		29
30		×					—	·02	—	—	—	·24		30
31		×		×		×	—	—	×	·13	×	·06		31
TOTAL							2·54	2·24	1·62	1·72	2·82	6·78	Year's Total. ~~17·72~~	
* Days with .01 in. or more.							—	3	2	2	3	3	~~13~~	imp
* Days with .04 in. or more.							8	10	6	11	8	23	~~66~~	

40-9999

* See Instruction 2 (f) on other side.

~~J TAYLOR ESQ~~ N

† Spare column, no entries required.

(*Signed*) J. Taylor ESQ

P.T.O.

Guildford (Woodstreet)

FILE No 689416/26

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 207/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at "Rosemarie" Frog Grove Lane. Wood St Guildford

in the County of Surrey

Surrey 16

Dup.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 6 in.
,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·10	·02	·15	·06	—	·08	1·52	—	·29	—	·38	—		1
2	—	—	—	—	—	—	—	—	·06	·38	·05	—		2
3	—	·02	·05	—	—	—	—	—	·23	·98	·10	—		3
4	—	—	—	·20	—	·21	—	—	·03	·23	·05	·05		4
5	—	·18	·06	·05	—	·15	—	—	·63	·05	—	—		5
6	·08	—	—	·22	—	·55	—	—	—	·02	·03	—		6
7	—	—	—	·26	—	·14	—	—	—	—	·80	·17		7
8	—	—	—	·45	—	·04	—	—	—	·20	·35	—		8
9	—	—	SNOW ·04	·30	—	·44	—	—	·03	·83	·08	—		9
10	·08	—	SNOW ·05	·17	—	·01	—	—	—	—	·23	·05		10
11	·35	—	—	—	—	·07	·13	—	—	·02	·45	—		11
12	—	·05	—	·17	—	·25	—	·10	·04	—	·89	—		12
13	·05	·11	—	—	·07	·07	—	—	·01	—	—	—		13
14	—	—	—	·09	·17	·05	—	—	·08	—	·10	·04		14
15	—	·10	—	·44	·02	—	—	—	—	—	·20	·16		15
16	—	·07	—	·07	·01	·13	—	—	·58	—	·55	—		16
17	—	—	—	·06	—	·14	·05	—	·03	—	·19	—		17
18	—	—	—	·19	·21	·07	—	·03	·39	—	—	—		18
19	—	—	—	·06	·52	·05	·22	—	—	·02	·15	—		19
20	—	·35	—	·20	·22	·07	·32	—	·03	—	·26	—		20
21	—	·46	—	—	—	—	—	—	—	·17	—	—		21
22	—	·08	—	·10	—	—	—	·43	·16	—	—	—		22
23	—	—	·11	—	—	—	—	·45	·09	·22	—	—		23
24	·05	·75	—	—	·05	—	—	1·60	·38	—	—	·27		24
25	·07	·24	—	·19	·25	1·75	—	—	—	—	—	·28		25
26	—	—	—	—	—	—	—	·21	·07	—	—	·50		26
27	—	SNOW 1·02	—	—	—	—	—	·01	—	—	·10	·36	d	27
28	—	·10	—	—	·22	—	·02	—	·48	—	—	·13		28
29	—	—	—	—	—	—	—	—	·48	—	—	·38		29
30	·05	×	—	·02	—	—	—	·82	—	·17	·60	·38	print	30
31	—	×	—	×	—	×	—	—	×	·63	×	·30	36·70	31
													Year's Total.	
TOTAL	·83	3·55	·46	3·30	1·74	4·27	2·26	3·65	4·09	3·92	5·56	3·07	36·[illegible]	
* Days with .01 in. or more.	—	2	—	1	2	1	1	2	5	3	1	—	18	Print
* Days with .04 in. or more.	8	12	6	18	8	17	5	6	14	10	18	13	135	

40-9999 J. Taylor Esq

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) John. Taylor.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 207/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at "Rosemarie" GUILDFORD WOOD ST.

in the County of SURREY

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·22	·02	·03	·16	—	·05	·15	·32	—	—	·13	·05		1
2	—	—	—	—	—	·48	—	·04	—	—	—	—		2
3	—	—	—	·43	—	·06	·07	—	·28	—	·23	·01		3
4	—	—	·10	—	—	·07	—	—	·22	—	·14	·07		4
5	·48	—	·05	—	—	—	—	·03	·02	—	—	·07		5
6	·48	—	—	—	—	·04	—	—	·19	—	·36	—		6
7	·20	—	·05	—	—	—	—	—	·04	—	·14	·04		7
8	·25	—	·08	—	—	—	·02	—	—	—	·14	·11		8
9	·42	—	—	—	—	—	·40	—	·10	—	—	—		9
10	·22	—	—	—	—	—	·10	1·42	—	—	—	·01		10
11	—	—	—	—	—	—	—	—	—	—	·83	—		11
12	—	—	—	x ·20 Snow x	—	·60	·18	—	·30	—	·12	·15		12
13	—	—	—		—	·03	—	—	—	·03	·02	·29		13
14	—	·10	—	—	—	—	·58	—	—	·03	·14	·68		14
15	—	·03	—	—	—	—	—	—	·22	—	·03	·12		15
16	·22	·15	—	—	—	—	·05	—	—	—	·20	·07		16
17	—	·59	—	—	—	·22	·02	—	·01	—	·13	·28		17
18	·20	·15	—	—	—	·22	·15	—	—	—	·02	·10		18
19	·28	·03	·05	—	—	·72	·15	·08	—	·28	·02	—		19
20	·17	·15	·08	·55	—	1·02	·02	—	·52	—	—	—		20
21	—	—	—	·42 Snow	·01	·18	—	—	—	—	—	—		21
22	·12	·52	·15	—	·50	·07	·16	—	—	—	—	·12		22
23	—	·03	·35	·17	—	—	·16	—	—	·07	—	—		23
24	·04	·14	—	—	—	—	—	—	·05	·38	—	—		24
25	·03	—	·16	·17	—	—	·08	—	·30	·10	·05	—		25
26	—	·12	·05	·02	—	—	·13	—	·01	·05	—	—		26
27	·26	—	—	—	—	—	—	—	·05	·10	—	—		27
28	·83	—	·16	—	—	·67	1·33	—	—	—	—	·10		28
29	·05	·07	—	—	—	—	·03	—	—	·02	·15	·03		29
30	·06		—	—	·10	·28	·02	—	—	·76	—	—		30
31	·25		·28		—		·30	—		·38		·28		31 " d"
TOTAL	4·78	2·10	1·59	2·12	·61	4·71	4·10	1·89	2·31	2·20	2·85	2·58	Year's Total 31·84	✓
* Days with .01 in. or more.	X 19	13 X	X 13	X 9	X 3	X 15	~~5~~ 20	X 5	~~3~~ 14	~~3~~ 11	17 ~~4~~	~~3~~ 18	28	157
* Days with .04 in. or more.	18	9	12	8 ~~7~~	2	14	15	4	11	8	13	15	~~128~~	129

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) John Taylor [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 204/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Rosemarie, ~~FROG GROVE LANE~~ WOOD ST. GUILDFORD.
in the County of SURREY.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 150 ft.

Days [illegible]

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·36	·06	—	·09	—	—	—	—	—	—	·78	1·10		1
2	·02	·39	—	·50	—	—	—	—	·22	·03	·01	·35		2
3	—	·17	—	—	—	—	—	—	—	—	—	·02		3
4	·09	·54	—	—	—	—	—	—	—	—	—	·33		4
5	·09	·03	·16	—	—	—	·12	—	—	—	·02	—		5
6	·05	·01	1·04 SNOW	·02	·23	—	·01	—	—	·07	·02	—		6
7	—	·56	—	·08	·03	—	—	—	·03	·01	—	—		7
8	—	—	—	—	·16	·05	—	—	—	—	·10	·37 SNOW		8
9	—	—	—	·35	·06	·06	·02	·02	·30	—	—	·07 SNOW		9
10	—	—	·70	·13	·22	·22	—	·20	—	—	—	·50		10
11	—	—	·10	—	·15	·11	·05	—	—	—	—	—		11
12	·28	·21	·11	·04	·45	·38	—	·79	·10	—	—	·45		12
13	·29	·04	·32	·06	·02	·08	—	·17	·28	—	—	1·11		13
14	·02	·06	·38	—	—	·03	—	·14	·05	—	—	—		14
15	·30	·02	—	·14	—	—	·27	—	·09	—	—	·02		15
16	—	·18	·35	·35	—	TRACE	—	·17	·48	—	—	—		16
17	·75	—	·16	·04	—	—	—	—	·27	—	·04	—		17
18	·22	·16	—	·02	·03	·11	—	—	—	—	·11	—		18
19	·09		·05	·06	—	·18	·03	—	·07	—	—	·15		19
20	·58	—	·12	·15	·50	—	—	—	·03	—	—	·07		20
21	·53	·38	·12	·03	—	—	·02	—	—	—	—	—		21
22	·55	·02	·01	—	·10	·23	·09	—	—	·85	·35	·08		22
23	·10	·04	·02	—	·13	—	—	—	—	·26	·01	—		23
24	·39	·44	—	—	·03	—	—	—	·16	·68	—	—		24
25	·30	·38	·26	—	·08	—	—	—		·62	—	·02		25
26	—	·06	·06 SNOW	—	·17	—	—	—	—	·33	—	—		26
27	—	·19 SNOW	—	·10	—	—	—	—	·01	·33	—	—		27
28	·06 SNOW		—	·03	—	—	—	TRACE	—	·10	—	·05		28
29		—	—	—	—	·02	—	—	—	·02	·10	·04		29
30	·25	✕	—	—	—	·03	—	·01	—	·15	·30	—		30
31	·29	✕	—	✕	—	✕	—	—	✕	—	✕	·05		31
TOTAL	5·61	3·96	3·96	2·19	2·36	1·50	·61	1·50	2·09	3·45	1·84	4·78	Year's Total 33·83 ✓	
* Days with .01 in. or more.	22	22	16	17	15	12	8	7	14	12	11	17	~~38~~ 173 ✓	
* Days with .04 in. or more.	~~17~~ 18	~~16~~ 18	14	13	11	9	4	5	~~10~~ 11	9	7	14	~~131~~ 133 ✓	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. Taylor

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 207/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at "ROSEMARIE" FROG GROVE LANE WOOD. ST. GUILDFORD
in the County of SURREY
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	—	—	·01	·13	·12	—	—	·02	—	·08		1
2	·04	·01	—	—	·10	—	·12	—	—	·18	—	·02		2
3	—	—	—	—	·19	—	—	—	—	·50	—	—		3
4	·05	—	—	—	—	·01	·07	·02	—	·02	—	·14		4
5	—	—	—	—	—	—	·37	—	—	·50	—	—		5
6	·03	—	—	—	—	—	·06	—	·02	—	·02	—		6
7	·03	—	—	—	—	—	·29	·23	—	·16	—	·03		7
8	·21	—	—	—	—	—	·11	·34	·04	·39	—	—		8
9	·15	—	—	—	—	—	—	·03	—	·02	—	·72		9
10	·10	·07	—	—	—	—	TRACE	—	—	TRACE	—	·13		10
11	·18	—	—	—	—	—	TRACE	—	—	·02	·22	·11		11
12	·32	·02 SNOW	—	—	·04	—	—	·05	—	·10	·05	—		12
13	·23	—	—	—	—	—	—	TRACE	—	·06	·35	·17		13
14	·25	·05 SNOW	—	—	·09	—	·02	—	·03	—	—	—		14
15	·11		—	—	·02	—	·42	—	—	·37	—	·10		15
16	·23	—	—	—	—	—	·02	·01	—	·03	·01	·50		16
17	—	·10 SNOW	—	—	—	—	—	—	·05	·11	—	—		17
18	·05	—	—	—	·01	—	—	—	·30	—	·45	-		18
19	—	—	—	—	—	—	—	·04	·10	—	·22	·63		19
20	—	—	—	—	—	—	—	—	·04	—	·57	SNOW		20
21	·02	—	—	—	—	—	—	—	·08	—	·07			21
22	·02	—	—	·01	—	·05	—	—	—	—	·27			22
23	—	—	—	·03	—	—	—	—	·04	—	·11	·10		23
24	—	—	·06	—	—	—	—	—	·21	—	·19	SNOW		24
25	·11	—	·06	·09	·14	—	·03	·05	·02	—	1·50	·25		25
26	·19	·18	·03	—	—	—	—	—	·15	·30	—	SNOW		26
27	·07	·04	—	—	·02	·25	·28	—	·26	·07	·30	—		27
28	·02	·05	—	—	·28	·06	TRACE	·42	·02	—	—	·14		28
29	·22	—	—	—	·16	—	—	·01	—	—	·07	·21		29
30	·02	×	—	·01	·06	·15	—	—	·08	·07	·22	—		30
31	·22	×	—	×	·15	×	—	—	×	·15	×	·25		31
TOTAL	2·87	·52	·15	·14	1·27	·65	1·91	1·20	1·44	3·07	4·62	3·58	Year's Total 21·42	
* Days with .01 in. or more.	23 ~~6~~	~~2~~ 9	3 ~~1~~	4 ~~3~~	13 ~~4~~	~~1~~ 6	~~5~~ 12	~~4~~ 10	~~4~~ 15	~~5~~ 18	~~2~~ 16	~~2~~ 21	150 ~~37~~	
* Days with .04 in. or more.	17	6	2	1	9	5	9	6	11	13	14	1~~4~~ 5	10~~7~~ 8	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) J. Taylor

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 207/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at "Rosemarie" Frog Grove Lane Wood Street Guildford

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 150 ft.

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	·02	·35	·26	—	—	—	·02	—	—	·02		1
2	·13	—	—	·03	·02	—	·05	·68	·54	—	·03	—		2
3	·36	—	—	·30	—	—	—	·29	—	—	·38	·18		3
4	·12	—	·25	·15	—	—	·09	·70	—	·37	·09	·01		4
5	—	—	—	·10	·07	—	·10	TRACE	—	·20	·38	·18		5
6	·32	—	·07	—	·46	—	·27	·01	—	—	·17	—		6
7	—	·20	—	—	—	—	—	·04	—	·04	·22	·08		7
8	·02	·10	·22	—	—	—	·03	·02	—	·28	·67	·29		8
9	·05	·08	—	—	—	—	—	·04	—	·13	·06	·28		9
10	·27	—	—	—	—	·17	—	·15	·02	·27	·02	—		10
11	—	—	·21	—	—	—	—	—	—	·30	·03	·02		11
12	—	—	—	—	TRACE	·05	—	—	—	—	—	—		12
13	—	—	—	·02	—	·04	·01	—	—	1·40	·01	—		13
14	·61	—	—	·03	·10	·04	—	—	—	·26	·50	·02		14
15	·44	—	·06	·03	·69	·35	·02	—	·10	·73	·19	—		15
16	·50	—	·15	·02	·15	·13	·20	—	·01	·27	·37	—		16
17	·27	·01	·03	·02	·10	—	·19	—	—	—	·10	—		17
18	·25	—	·02	—	—	·93	·31	—	—	·06	·25	—		18
19	·27	·03	·01	—	—	—	·10	—	—	·17	·02	·03		19
20	·30	—	—	—	—	·02	·49	—	—	—	·01	·05		20
21	·02	·25	·05	—	—	·05	·01	1·61	·08	—	—	—		21
22	·21	·29	—	—	—	·18	·15	—	—	—	·07	—		22
23	·02	—	·02	·26	—	TRACE	·11	—	—	·11	·60	—		23
24	SNOW	—	·01	·12	—	·08	·15	—	—	·06	—	—		24
25	·85	·39	SNOW ·06	—	—	—	·08	—	—	·03	·22	·04		25
26	·08	—	·03	—	—	—	·08	—	—	·17	·24	—		26
27	·02	·15	·05	·07	—	—	—	—	—	·14	·21	—		27
28	—	·29	·08	·12	—	·07	—	—	—	·06	·11	SNOW ·15		28
29	—	—	—	·23	—	—	·05	—	—	·07	·06	—		29
30	—	✕	—	·86	—	·14	—	—	—	—	·02	—		30
31	—	✕	—	✕	—	✕	·22	·05	✕	·02	✕	TRACE		31
TOTAL	5·11	1·79	1·34	2·71	1·85	2·25	2·71	3·59	·77	5·14	5·03	1·35	Year's Total 33·64	
* Days with .01 in. or more.	21 ~~4~~	10 ~~2~~	~~7~~ 17	16 ~~6~~	8	13	20	~~2~~ 10	~~3~~ 6	~~2~~ 21	26	13 ~~5~~	~~44~~	181
* Days with .04 in. or more.	17 ~~16~~	8	10	10	7	12	16	8	3	19	19	8	~~136~~	137

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) John Taylor

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 207/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at "Rosemarie" Frog Grove Lane, Wood St, Guildford

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 150 ft.

Days Recs

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	—	—	—	—	—	—	—	—	·06	—		1
2	—	—	—	·22	—	—	·04	—	—	·10	·77	—		2
3	—	·50	—	·04	—	—	—	—	—	·15	1·14	·10		3
4	·02	·07	—	—	—	—	—	—	—	·15	·14	·03		4
5	—	·01	—	—	—	—	—	—	—	·05	·34	·13		5
6	·25	·26	—	—	—	—	·27	—	—	·04	—	—		6
7	·23	·24	—	—	·04	—	·17	—	—	—	—	—		7
8	—	—	—	·02	—	—	·03	—	·05	·45	·01	·29		8
9	—	—	—	—	—	·32	—	·02	·02	[38 x x]	·29	·15		9
10	—	—	—	—	—	—	·15	·04	—		·07	·06		10
11	—	·02 SNOW	—	·03	—	—	·05	—	—	—	·91	·02		11
12	—	·02 SNOW	·20	—	—	—	·09	—	·17	—	·05	—		12
13	—	·02 SNOW	·70	—	—	—	·06	—	·15	—	1·17	—		13
14	—	—	·20 SNOW	·17	·03	—	·07	—	·01	·18	—	·31		14
15	—	—	—	—	·15	·04	·75	—	—	·02	·45	—		15
16	—	·42 SNOW	·24	·07	—	·06	·19	—	·23	·55	·78	·04		16
17	—	—	·29	—	—	—	·05	—	·01	—	·60	·10		17
18	—	·22 SNOW	·10	·35	—	—	·19	·04	·04	·28	·10	—		18
19	—	·19	·09	·07	—	—	·10	—	·76	—	·17	—		19
20	—	knee	·09	·03	—	—	—	—	·08	·15	·03	—		20
21	·03 SNOW	—	·02	—	·40	—	·08	·07	—	·05	·40	—		21
22	—	·01	·03	·03	·17	·75	—	—	·10	·05	—	—		22
23	—	·09	·08	·17	·02	·02	—	—	—	—	—	—		23
24	—	—	—	·25	—	—	28	—	—	—	·02	—		24
25	—	—	·73	—	—	·01	·03	—	—	·03	—	—		25
26	·85	·15	·56	·10	·18	—	·02	—	—	—	—	—		26
27	·43	·32	·02	·10	—	—	·09	—	—	—	—	·02		27
28	·67 SNOW	·01	—	·01	·10	—	—	—	—	—	—	—		28
29	·15	·15	·11	·13	·05	—	—	—	—	—	—	·23		29
30	—	✕	—	·13	—	—	—	—	—	·12	—	·04		30
31	·02	✕	—	✕	—	✕	—	—	✕	·66	✕	·02		31
TOTAL	2·65	2·70	3·46	1·92	1·14	·20	2·71	·17	1·62	3·41	7·50	1·54	Year's Total 30·02	
* Days with .01 in. or more.	~~3~~9	~~6~~17	~~3~~15	~~5~~17	~~2~~9	~~2~~6	~~3~~9	~~1~~4	~~3~~11	~~2~~18	~~3~~19	14	~~34~~	158
* Days with .04 in. or more.	6	11	12	12	7	4	16	3	8	~~15~~16	16	10	~~120~~	121

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) John Taylor

[P.T.O.

208

Section **A** for the entry
AIR MINIST

COPY FOR OFFICIAL USE.
FALL ORGANIZATION.

FORM 1090.

REGI

3/.

208

NORMANDY

1931 - 1940

780105

Kept at The Manor

in the County of Surr

Diameter of Funnel of Gauge

Height of top of Gauge above Gro

,, Ground ,, Sea

THE MORNING MEAS

DAY.

An observer who does not conform
year in the space on the right of

the following

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·07	Tr.	·19	tr.	Tr.	–	·02	·07	Tr.	Tr.	Tr.	1
2	·23	·12	–	·27	–	–	–	Tr.	·63	·01	·01	·07	2
3	·07	Tr.	·13	·31	·46	–	–	·30	·54	–	·22	·14	3
4	–	Tr.	Tr.	–	·03	–	·02	Tr.	·04	Tr.	·21	Tr.	4
5	–	Tr.	–	·18	–	·40	·04	Tr.	·04	Tr.	·02	·12	5
6	–	·11	Tr.	·18	–	·03	·11	–	Tr.	·29	·26	·01	6
7	–	Tr.	Tr.	Tr.	·29	·12	–	·41	–	·07	·39	·03	7
8	Tr.	·07	·01	Tr.	·02	·40	Tr.	·15	–	Tr.	·08	Tr.	8
9	Tr.	·09	·10	·03	–	·01	–	–	·01	–	·50	Tr.	9
10	·01	·07	Tr.	–	–	·05	·01	·12	–	Tr.	·35	–	10
11	·06	·28	–	–	Tr.	–	–	–	·04	·01	·33	Tr.	11
12	·02	–	–	Tr.	–	–	·01	·02	·35	tr.	–	Tr.	12
13	–	–	–	–	–	Tr.	·02	Tr.	–	–	–	Tr.	13
14	·01	·11	Tr.	–	·09	tr.	·80	·63	–	–	–	–	14
15	·02	·02	Tr.	·08	·25	tr.	·10	·17	–	–	Tr.	·05	15
16	–	·13	–	·13	Tr.	·12	–	·17	·09	Tr.	Tr.	–	16
17	Tr.	Tr.	–	·33	–	·01	·36	·10	·08	·01	–	–	17
18	·03	·05	·06	·06	–	·06	·15	·93	Tr.	Tr.	·48	–	18
19	·05	–	–	·51	–	·45	·70	·18	·05	–	tr.	–	19
20	tr.	·07	·01	·05	·30	–	–	·34	–	Tr.	·01	Tr.	20
21	·03	–	Tr.	–	–	–	–	–	Tr.	–	·02	–	21
22	·32	–	·02	·06	·32	–	–	–	Tr.	–	Tr.	–	22
23	·24	Tr.	–	·12	·10	·10	–	–	·04	–	·14	Tr.	23
24	–	Tr.	Tr.	·46	·09	·10	·25	·09	Tr.	–	Tr.	Tr.	24
25	·04	–	Tr.	·40	Tr.	–	·60	–	–	–	·01	Tr.	25
26	Tr.	·01	–	·31	–	–	·65	–	Tr.	Tr.	·25	–	26
27	·13	·37	–	·07	·59	–	·14	–	–	·01	·03	–	27
28	Tr.	·04	–	·03	·06	–	–	–	–	–	Tr.	·02	28
29	·07	×	–	–	·16	–	·09	–	–	·09	·01	Tr.	29
30	·01	×	–	–	–	–	–	·06	·06	–	Tr.	Tr.	30
31	·13	×	–	×	·07	×	–	–	×	–	×	·02	31
TOTAL	1.47	1.61	·33	3.77	2.83	1.85	4.05	3.69	2.04	·49	3.32	·46	YEAR'S TOTAL 25.91
*Days with ·01 in. or more.	17	15	6	19	14	12	16	15	13	7	18	8	160
*Days with ·04 in. or more.	10	13	3	17	12	9	12	13	12	3	11	4	119

40-9999

(Signed)

[P.T.O.

*See Instruction 2 (*f*) on other side.

208

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at The Manor House, Normandy,
in the County of Surrey Guildford
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4 in.
,, Ground ,, Sea Level 149 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·07	Tr.	·19	Tr.	Tr.	–	·02	·07	Tr.	Tr.	Tr.	1
2	·23	·12	–	·27	–	–	–	Tr.	·63	·01	·01	·07	2
3	·07	Tr.	·13	·31	·46	–	–	·30	·54	–	·22	·14	3
4	–	Tr.	Tr.	–	·03	–	·02	Tr.	·04	Tr.	·21	Tr.	4
5	–	Tr.	–	·18	–	·40	·04	Tr.	·04	Tr.	·02	·12	5
6	–	·11	Tr.	·18	–	·03	·11	–	Tr.	·29	·26	·01	6
7	–	Tr.	Tr.	Tr.	·29	·12	–	·41	–	·07	·39	·03	7
8	Tr.	·07	·01	Tr.	·02	·40	Tr.	·15	–	Tr.	·08	Tr.	8
9	Tr.	·09	·10	·03	–	·01	–	–	·01	–	·50	Tr.	9
10	·01	·07	Tr.	–	–	·05	·01	·12	–	Tr.	·35	–	10
11	·06	·28	–	–	Tr.	–	–	–	·04	·01	·33	Tr.	11
12	·02	–	–	Tr.	–	–	·01	·02	·35	Tr.	–	Tr.	12
13	–	–	–	–	–	Tr.	·02	Tr.	–	–	–	Tr.	13
14	·01	·11	Tr.	–	·09	Tr.	·80	·63	–	–	–	–	14
15	·02	·02	Tr.	·08	·25	Tr.	·10	·17	–	–	Tr.	·05	15
16	–	·13	–	·13	Tr.	·12	–	·17	·09	Tr.	Tr.	–	16
17	Tr.	Tr.	–	·33	–	·01	·36	·10	·08	·01	–	–	17
18	·03	·05	·06	·06	–	·06	·15	·93	Tr.	Tr.	·48	–	18
19	·05	–	–	·51	–	·45	·70	·18	·05	–	Tr.	–	19
20	Tr.	·07	·01	·05	·30	–	–	·34	–	Tr.	·01	Tr.	20
21	·03	–	Tr.	–	–	–	–	–	Tr.	–	·02	–	21
22	·32	–	·02	·06	·32	–	–	–	Tr.	–	Tr.	–	22
23	·24	Tr.	–	·12	·10	·10	–	–	·04	–	·14	Tr.	23
24	–	Tr.	Tr.	·46	·09	·10	·25	·09	Tr.	–	Tr.	Tr.	24
25	·04	–	Tr.	·40	Tr.	–	·60	–	–	–	·01	Tr.	25
26	Tr.	·01	–	·31	–	–	·65	–	Tr.	Tr.	·25	–	26
27	·13	·37	–	·07	·59	–	·14	–	–	·01	·03	–	27
28	Tr.	·04	–	·03	·06	–	–	–	–	–	Tr.	·02	28
29	·07	×	–	–	·16	–	·09	–	–	·09	·01	Tr.	29
30	·01	×	–	–	–	–	–	·06	·06	–	Tr.	Tr.	30
31	·13	×	–	×	·07	×	–	–	×	–	×	·02	31
TOTAL	1.47	1.61	·33	3.77	2.83	1.85	4.05	3.69	2.04	·49	3.32	·46	YEAR'S TOTAL 25.91
*Days with ·01 in. or more.	17	15	6	19	14	12	16	15	13	7	18	8	160
*Days with ·04 in. or more.	10	13	3	17	12	9	12	13	12	3	11	4	119

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

[P.T.O.

208

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 208

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193 .

Kept at The Manor House, Normandy, Guildford
in the County of Surrey
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 4 in.
,, Ground ,, Sea Level 149 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	tr.	–	·02	·58	–	–	·12	tr.	·05	tr.	tr.	1
2	tr.	–	–	·19	·10	–	–	·09	·18	·01	tr.	·13	2
3	tr.	–	–	·14	·11	tr.	–	tr.	·32	·03	–	tr.	3
4	tr.	tr.	–	–	–	·18	–	tr.	–	tr.	·02	tr.	4
5	·15	tr.	·02	–	·02	·01	·27	–	·07	–	–	–	5
6	·44	–	–	·20	tr.	–	tr.	–	·04	–	–	–	6
7	tr.	–	·06	·03	·01	–	tr.	–	·06	·12	–	–	7
8	–	tr.	·19	·04	·29	–	–	–	·16	·23	·03	tr.	8
9	·34	tr.	–	·11	·45	–	–	–	tr.	tr.	–	–	9
10	·52	·02	·01	·18	·07	·10	–	–	·01	·12	·02	–	10
11	·05	tr.	tr.	·06	tr.	–	tr.	tr.	tr.	–	·04	tr.	11
12	·16	tr.	tr.	tr.	tr.	–	–	·03	·05	·24	·01	–	12
13	·06	tr.	–	·13	·02	–	·03	–	tr.	·63	·02	·01	13
14	·08	·03	–	·05	·05	–	–	tr.	–	tr.	tr.	tr.	14
15	tr.	tr.	–	·06	·10	–	tr.	–	tr.	·08	tr.	–	15
16	·20	–	–	·16	·05	–	tr.	–	tr.	–	–	–	16
17	–	–	–	·02	–	–	·07	–	tr.	·02	·01	tr.	17
18	tr.	–	–	–	tr.	–	·06	–	·20	·18	·11	–	18
19	–	tr.	–	–	–	–	–	–	·03	–	·01	–	19
20	tr.	–	–	·14	·02	–	–	·63	tr.	·63	·14	tr.	20
21	·01	–	tr.	·11	1.06	–	–	·03	–	·18	tr.	·06	21
22	tr.	tr.	·23	–	·17	–	·43	tr.	·23	·25	·25	–	22
23	–	·07	·03	·05	·42	tr.	–	–	·16	·69	–	·10	23
24	tr.	·03	–	–	–	tr.	·38	–	·09	·07	·02	–	24
25	tr.	tr.	–	·02	tr.	tr.	·70	–	·01	·20	tr.	–	25
26	tr.	–	·10	·05	tr.	–	·17	–	tr.	·10	·01	–	26
27	–	–	·28	·13	·32	·01	·08	–	–	·26	·02	–	27
28	–	–	·01	·01	·06	–	·20	–	–	·02	tr.	–	28
29	–	tr.	·42	·10	·08	·02	–	·02	·15	·35	·03	·02	29
30	–	X	·02	·06	·21	·90	·02	·05	·21	–	·39	·11	30
31	–	X	·02	X	–	X	·01	–	X	–	X	·04	31
TOTAL	2·08	·15	1·39	2·06	4·19	1·22	2·42	·97	1·97	4·46	1·13	·47	YEAR'S TOTAL 22·51
*Days with ·01 in. or more.	11	4	12	23	20	6	12	7	16	21	16	7	155
*Days with .04 in. or more.	10	1	6	18	16	3	9	4	13	17	5	5	107

40-9999

*See Instruction 2 (*f*) on other side.

(Signed)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 208

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at The Manor House, Normandy, Guildford

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 149 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11	·20	·14	–	tr.	–	–	–	–	tr.	tr.	–	1
2	·23	–	·45	–	·87	–	–	–	–	–	·02	–	2
3	–	·16	·34	–	·03	–	–	–	–	–	–	–	3
4	·17	tr.	tr.	–	·41	–	–	–	–	tr.	·03	–	4
5	·05	tr.	·30	–	·02	–	–	–	–	tr.	tr.	–	5
6	–	·10	·03	–	·28	–	–	–	–	·10	·06	–	6
7	·16	·02	·02	–	·06	–	–	–	–	·11	tr.	·02	7
8	·01	–	tr.	–	tr.	–	·22	–	–	·02	–	tr.	8
9	–	–	–	–	·01	–	·11	tr.	–	·17	·11	–	9
10	tr.	·64	–	–	tr.	·05	·04	–	–	·22	·07	–	10
11	·32	tr.	tr.	–	·01	·04	·32	·08	tr.	–	tr.	tr.	11
12	–	–	–	tr.	tr.	·11	·02	–	·98	–	·01	tr.	12
13	·06	–	–	–	·06	·07	·23	·01	·08	·01	·06	–	13
14	tr.	–	–	–	tr.	–	·02	·06	–	·23	·31	tr.	14
15	·24	–	·13	–	–	–	·10	·23	–	–	tr.	–	15
16	tr.	–	·68	–	–	·06	·11	–	·02	·02	tr.	–	16
17	tr.	–	·41	–	–	·33	–	–	·03	–	·05	–	17
18	·19	·02	·18	tr.	–	·38	–	–	–	–	tr.	–	18
19	tr.	·02	·03	tr.	–	·03	·05	tr.	·65	–	·03	·03	19
20	–	·01	·07	·09	–	tr.	–	tr.	·05	–	tr.	tr.	20
21	–	tr.	–	–	·01	·10	–	·03	·15	tr.	tr.	–	21
22	–	–	–	–	·03	·44	–	·21	·05	·30	·01	–	22
23	–	tr.	–	·18	·99	·10	–	–	·26	·06	tr.	tr.	23
24	–	1.28	–	·06	–	·35	–	–	·20	tr.	tr.	–	24
25	–	1.01	–	·30	tr.	–	–	–	·07	–	tr.	·04	25
26	–	·87	–	·05	·04	·20	–	–	·04	·08	tr.	·05	26
27	–	tr.	–	–	·35	–	tr.	–	tr.	·19	tr.	·12	27
28	–	–	–	–	·15	–	·19	–	tr.	·18	tr.	·09	28
29	·06	×	tr.	·07	–	–	tr.	–	–	·10	–	tr.	29
30	·10	×	·05	·10	–	–	·02	–	·16	tr.	–	–	30
31	·17	×	–	×	tr.	×	–	·06	×	tr.	×	–	31
TOTAL	1.87	4.33	2.83	·85	3.32	2.26	1.43	·68	2.74	1.79	·76	·35	YEAR'S TOTAL 23.21 ✓
*Days with ·01 in. or more.	13	11	13	7	15	13	12	7	13	14	11	6	135
*Days with .04 in. or more.	12	7	10	7	9	12	9	5	11	11	6	4	103

40-9999

*See Instruction 2 (*f*) on other side

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~208~~ 208

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Manor House, Normandy, Guildford

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 149 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	–	Tr.	–	–	–	–	·30	·02	·05	·02	·34		1
2	·06	–	·09	·04	·24	–	–	Tr.	·77	·22	Tr.	·18		2
3	Tr.	·02	Tr.	–	–	–	–	·06	–	·24	–	·12		3
4	·09	–	·08	·14	·08	–	–	Tr.	–	·03	·07	·36		4
5	Tr.	–	Tr.	–	Tr.	–	–	·04	–	–	·11	·41		5
6	Tr.	–	·32	Tr.	·16	·10	–	·20	–	·21	·05	·50		6
7	·05	Tr.	–	–	–	·01	–	·11	–	·07	Tr.	·21		7
8	Tr.	–	–	–	·08	Tr.	–	·04	·19	–	·46	·03		8
9	Tr.	–	·03	–	Tr.	–	–	–	·01	–	1·07	·41		9
10	·03	–	·22	·22	–	–	–	·01	Tr.	Tr.	·47	·04		10
11	·45	–	·39	·12	–	–	·06	·05	–	–	Tr.	·18		11
12	·02	–	Tr.	Tr.	–	–	·16	·09	–	–	Tr.	·14		12
13	·49	–	·04	·01	–	–	·22	·11	–	Tr.	·09	·15		13
14	·06	·01	·46	·02	–	Tr.	–	Tr.	–	–	·18	·59		14
15	Tr.	–	·16	–	·06	Tr.	–	–	Tr.	·19	·13	·56		15
16	·10	Tr.	·19	·01	·03	–	–	–	–	·10	Tr.	Tr.		16
17	·02	Tr.	Tr.	–	·02	–	–	–	·01	·10	·03	·13		17
18	·42	–	·08	·14	–	–	·07	–	–	–	Tr.	·34		18
19	–	–	·33	·10	–	Tr.	–	Tr.	·06	Tr.	Tr.	·09		19
20	–	–	·05	·01	–	Tr.	·65	Tr.	–	Tr.	Tr.	·01		20
21	–	Tr.	Tr.	·21	–	·05	·03	·08	–	·05	Tr.	Tr.		21
22	–	Tr.	–	Tr.	–	–	·20	·07	·15	–	Tr.	·12		22
23	–	Tr.	–	·22	–	·36	–	Tr.	Tr.	–	Tr.	·03		23
24	–	·02	·05	·16	–	·11	·57	Tr.	·06	Tr.	Tr.	–		24
25	·19	Tr.	Tr.	·16	·08	·45	Tr.	–	–	·06	Tr.	·46		25
26	·01	Tr.	–	·37	–	·12	–	–	·01	Tr.	–	·01		26
27	–	Tr.	–	Tr.	–	·03	–	–	–	·01	–	·21		27
28	–	Tr.	–	Tr.	–	·28	Tr.	·79	–	Tr.	Tr.	·18		28
29	–	×	–	–	–	–	·01	Tr.	·12	Tr.	–	Tr.		29
30	·06	×	–	–	–	–	–	·03	·01	Tr.	Tr.	·20		30
31	·07	×	–	×	–	×	Tr.	Tr.	×	·10	×	·05		31
TOTAL	2·13	·05	2·49	1·93	·75	1·51	1·97	1·98	1·41	1·43	2·68	6·05	Year's Total 24·38	
*Days with ·01 in. or more.	16	3	14	15	8	9	9	14	11	13	11	27	150	
*Days with ·04 in. or more.	11	0	13	11	6	7	7	12	6	11	9	23	116	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 208

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Manor House, Normandy, Guildford

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 4 in.

,, Ground ,, Sea Level 149 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·11	tr.	·16	·06	tr.	·07	·65	–	·30	·06	·36	–		1
2	·01	–	tr.	tr.	–	tr.	–	–	·09	·15	·03	–		2
3	–	tr.	·03	·03	–	·06	–	–	·25	·60	·13	·01		3
4	–	·02	–	·20	–	·10	–	–	·08	·46	·02	·04		4
5	–	·15	·04	·04	–	·32	–	–	·63	·01	·01	·01		5
6	·02	tr.	tr.	·22	–	·56	–	–	–	·01	tr.	·01		6
7	–	tr.	–	·24	–	·16	–	–	–	·04	·87	·13		7
8	tr.	tr.	tr.	·44	–	·02	–	–	–	·19	·26	tr.		8
9	GG tr. ~~·05~~	–	tr.	·25	–	·58	–	–	·07	·87	·07	–		9
10	GG ·05 ~~·40~~	–	·03	·31	–	tr.	–	–	–	–	·40	·02		10
11	·40	tr.	–	·11	–	·08	·11	–	–	·03	·46	tr.		11
12	tr.	·03	–	–	–	·16	–	·07	·03	–	·87	–		12
13	·05	·08	–	·15	·09	·02	–	–	–	tr.	tr.	–		13
14	tr.	tr.	–	·09	·15	·05	–	–	tr.	·01	·10	·10		14
15	–	·08	–	·37	·01	·22	–	–	·11	tr.	·32	·04		15
16	–	·07	tr.	·13	tr.	·07	–	–	·61	·03	·65	·02		16
17	–	–	tr.	·04	–	·14	·07	·01	·02	–	·16	–		17
18	–	–	–	·19	·13	·03	·03	·03	·32	·02	·01	tr.		18
19	–	·02	–	tr.	·47	·03	·18	–	·02	·01	·13	·02		19
20	tr.	·29	–	·19	·05	·08	·25	–	·03	–	·34	–		20
21	tr.	·32	–	tr.	–	–	–	–	–	·08	tr.	–		21
22	–	·05	·04	·02	–	–	–	·24	·17	–	–	–		22
23	–	–	·04	–	–	–	–	·33	·08	·22	–	·08		23
24	·02	·66	–	–	·10	–	–	1.77	·28	–	–	·15		24
25	·05	·15	–	·17	·17	1.15	–	–	–	–	tr.	·24		25
26	tr.	·43	–	–	–	–	–	·23	·06	tr.	tr.	·48		26
27	tr.	·58	–	–	–	–	tr.	·01	·14	–	·07	·33		27
28	–	·10	–	–	·12	–	tr.	tr.	·23	·01	tr.	·15		28
29	tr.	X	–	–	–	–	–	tr.	·64	tr.	tr.	·28		29
30	·04	X	–	·03	–	–	–	·86	tr.	·16	·57	·34		30
31	–	X	–	X	tr.	X	–	tr.	X	·44	X	·29		31
TOTAL	·75	3.03	·34	3.28	1.29	3.90	1.29	3.55	4.16	3.40	5.83	2.74	Year's Total. 33.56	
* Days with .01 in. or more.	8	15	6	20	9	19	6	9	20	19	20	19	170	
* Days with .04 in. or more.	5	12	4	17	8	15	5	6	16	11	16	13	128	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 208

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Manor House, Normandy, Guildford.

in the County of Surrey.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 149 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·35	·02	·03	·14	–	·08	·14	·23	–	–	·09	·04		1
2	tr.	·07	tr.	tr.	–	·39	·01	·05	tr.	–	·03	–		2
3	tr.	tr.	–	·37	–	·13	·05	–	·26	–	·23	–		3
4	tr.	–	·10	tr.	–	·05	–	–	·19	–	·08	·05		4
5	·50	–	·03	–	–	–	–	·03	·01	–	tr.	·04		5
6	·52	–	–	–	–	·02	–	–	·09	tr.	·44	–		6
7	·20	–	·04	–	–	·05	·05	–	·03	–	·11	·05		7
8	·26	–	·03	–	–	–	·04	–	·02	tr.	·14	·13		8
9	·47	–	·02	–	–	–	·41	–	·12	·01	tr.	·01		9
10	·08	–	tr.	–	–	·01	·05	·46	tr.	–	–	–		10
11	–	tr.	–	·11	–	tr.	·03	tr.	tr.	–	·87	–		11
12	–	–	–	·05	·01	·49	·16	tr.	·26	–	·15	·15		12
13	–	–	–	·02	–	·08	–	–	–	·01	·07	·38		13
14	–	·08	–	tr.	–	·07	·52	–	·02	·01	·02	·63		14
15	–	·05	–	–	–	·02	–	–	·18	–	·02	·10		15
16	·28	·13	–	·03	–	–	·05	–	–	–	·21	·08		16
17	·12	·64	–	–	·04	·10	·01	–	·01	–	·12	·16		17
18	·07	·31	–	–	–	·31	·12	–	–	–	tr.	·11		18
19	·28	·01	·05	·02	–	·65	·27	·08	–	·14	tr.	tr.		19
20	·11	·06	·11	·56	–	·76	·02	–	·55	–	–	tr.		20
21	–	·01	–	·38	tr.	·18	tr.	–	tr.	–	–	–		21
22	·09	·50	·13	·01	·43	·03	·11	–	–	–	–	·12 ~~·13~~		22
23	·02	·03	·54	·06	·02	–	·13	–	–	·05	–	·01 ~~·12~~		23
24	·04	·13	–	–	–	–	tr.	–	·02	·50	–	– ~~·01~~		24
25	·02	–	·11	·18	tr.	–	·21	–	·38	·10	·03	tr.		25
26	·04	·11	·10	·03	–	tr.	·12	–	·04	·07	tr.	·02		26
27	·24	–	·01	–	–	–	–	–	·12	·10	tr.	– ~~·02~~		27
28	·82	tr.	·16	–	–	·12	1·17	–	·05	–	–	·06		28
29	·04	·07	·04	–	–	·26	·12	–	–	·01	·16	·04		29
30	·09	✕	–	–	·10	·24	·01	–	–	·62	tr.	tr.		30
31	·32	✕	·31	✕	·01	✕	·19	–	✕	·39	✕	·34		31
TOTAL	4·96	2·22	1·81	1·96	·61	4·04	3·99 ~~·23~~	·85	2·35	2·01	2·77	2·52	Year's Total 30·09 ✓	
* Days with .01 in. or more.	22	15	16	13	6	20	23 ~~18~~	5	17	12	16	19	184 ✓	
* Days with .04 in. or more.	20	11	11	8	3	16	18	4	11	8	12	15	137 ✓	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 208

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Manor House, Normandy, Guildford.

in the County of Surrey.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 149 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·35	·06	·01	·09	–	–	–	tr.	tr.	–	·67	·77		1
2	·01	·32	–	·44	–	–	–	–	·18	·01	·01	·48		2
3	–	·18	–	–	–	–	–	–	–	–	·01	·01		3
4	·11	·54	–	–	–	–	–	–	–	–	tr.	·29		4
5	·08	·04	·15	–	–	–	·12	·01	–	–	tr.	–		5
6	·08	·03	·91	·06	·21	–	·01	–	–	·08	·03	–		6
7	–	·55	tr.	·03	·02	–	–	–	·03	·01	tr.	·01		7
8	–	tr.	tr.	tr.	·12	·01	–	–	–	–	·07	·18		8
9	–	–	–	·33	·08	·07	·02	·01	·29	–	–	·26		9
10	tr.	–	–	·14	·16	·26	tr.	·23	–	–	–	·44		10
11	–	–	·74	–	·17	·26	·04	–	–	–	–	tr.		11
12	·20	·21	·11	·04	·18	·33	·01	·89	·11	tr.	–	·25		12
13	·18	·05	·33	·04	·02	·04	–	·07	·44	–	–	1.28		13
14	·01	·04	·30	tr.	–	·03	–	·13	·07	–	–	·01		14
15	·31	·07	–	·15	tr.	–	·25	–	·05	–	tr.	·01		15
16	tr.	·13	·43	·34	–	–	–	·21	·36	–	–	–		16
17	·66	tr.	·14	·03	–	–	tr.	–	·20	tr.	·02	–		17
18	·31	·07	·01	tr.	·05	·08	–	–	·02	·01	·16	·12		18
19	·05	·08	·06	·07	–	·18	·07	–	·05	·01	–	·09		19
20	·54	–	·11	·17	·55	tr.	–	–	·01	·01	–	tr.		20
21	·58	·35	·07	·02	–	–	·02	tr.	–	–	tr.	·02		21
22	·49	·03	·02	–	·10	·30	·07	–	tr.	·96	·48	·06		22
23	·20	·04	·01	–	·10	–	tr.	–	–	·18	·02	tr.		23
24	·38	·45	–	–	·02	–	–	–	·09	·51	–	tr.		24
25	·29	·47	·25	–	·14	–	–	–	·07	·51	–	·01		25
26	tr.	·22	·05	–	·12	–	–	–	tr.	·11	–	–		26
27	·02	·16	–	·09	–	–	–	–	·01	·53	·01	–		27
28	tr.	·04	–	·02	–	–	–	tr.	–	·10	–	·04		28
29	·03	×	–	–	–	·14	tr.	tr.	–	·02	·06	·03		29
30	·30	×	–	–	–	·02	–	·01	–	·09	·21	tr.		30
31	·35	×	–	×	–	×	–	–	×	·04	×	·04		31
TOTAL	5.53	4.13	3.70	2.06	2.04	1.72	·61	1.56	1.98	3·18	1.75	4·40	Year's Total 32.66	✓
* Days with .01 in. or more.	22	22	17	16	15	12	9	8	15	16	12	20	184	✓
* Days with .04 in. or more.	18	20	13	12	12	9	5	5	11	10	6	13	134	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 208

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

[illegible] 4/39

Kept at MANOR HOUSE, NORMANDY, GUILDFORD,

in the County of SURREY

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 149 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	Tr.	Tr.	–	–	·03	·14	·09	–	·01	·01	–	·04		1
2	·04	–	–	·04	·03	–	·15	–	–	·18	–	·03		2
3	Tr.	–	–	–	·27	·01	Tr.	–	–	·40	·01	–		3
4	·01	–	–	–	–	–	·03	·03	–	·01	Tr.	·08		4
5	Tr.	–	–	Tr.	–	–	·21	–	–	·36	Tr.	–		5
6	·02	–	–	–	–	–	·03	Tr.	·01	·01	Tr.	Tr.		6
7	·02	Tr.	–	–	–	–	·25	·23	Tr.	·15	Tr.	·02		7
8	·19	–	–	–	–	–	·09	·47	·02	·35	–	Tr.		8
9	·14	Tr.	–	–	–	·01	Tr.	·02	–	·01	–	·63		9
10	·08	·04	–	–	–	–	Tr.	·02	–	–	–	·17		10
11	·17	–	–	–	–	Tr.	Tr.	Tr.	–	·01	·20	·07		11
12	·26	·01	–	–	·02	–	Tr.	·02	–	·06	·03	Tr.		12
13	·21	Tr.	–	–	Tr.	–	–	Tr.	–	·06	·27	·18		13
14	·25	Tr.	–	–	·07	–	·02	–	·03	–	·01	·01		14
15	·12	·03	–	–	Tr.	–	·29	–	–	·30	Tr.	·17		15
16	·22	·02	·01	–	Tr.	–	·02	Tr.	–	·02	·01	·35		16
17	Tr.	·08	Tr.	–	Tr.	–	–	–	·03	·13	Tr.	–		17
18	·03	–	Tr.	–	Tr.	–	Tr.	–	·19	–	·43	Tr.		18
19	–	–	–	–	–	–	–	·06	·08	–	·15	Tr. ×		19
20	–	–	–	–	Tr.	–	–	–	·03	–	·60	·01 ×		20
21	Tr.	–	Tr.	–	–	–	–	·02	·08	Tr.	·13	·34 ×		21
22	Tr.	–	Tr.	·01	–	·01	–	·02	–	Tr.	·17	·18 ×		22
23	–	–	–	·04	–	–	–	–	·04	Tr.	·10	Tr. ×		23
24	–	–	·05	–	Tr.	–	–	–	·17	Tr.	·09	Tr. ×		24
25	·11	Tr.	·05	Tr.	·16	–	·03	·03	·02	·05	1·17	·10 ×	✓	25
26	·19	·17	·03	Tr.	Tr.	–	–	–	·12	·23	Tr.	·12 ×		26
27	·05	·03	–	–	Tr.	·25	·26	Tr.	·24	·04	·25	–		27
28	·01	·04	–	–	·31	·03	–	·36	·02	–	Tr.	·13		28
29	·14	✕	–	Tr.	·18	–	–	·04	·01	Tr.	·12	·20		29
30	·03	✕	–	Tr.	·02	·20	–	–	·12	·05	·16	Tr.		30
31	·21	✕	–	✕	·09	✕	–	–	✕	·12	✕	·24		31
TOTAL	2.50	·42	·14	·09	1·18	·65	1·47	1·32	1·22	2·55	3·90	3.07	Year's Total 18.51	✓
* Days with .01 in. or more.	21	8	4	3	10	7	12	12	17	20	17	19	150	✓
* Days with .04 in. or more.	15	4	2	2	6	3	7	5	8	14	13	15	94	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

× Snow

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 208

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at MANOR HOUSE, NORMANDY, GUILDFORD

in the County of SURREY.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 149 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	–	·01	·45	·24	–	–	Gr.	·04	–	Gr.	Gr.		1
2	·05	–	–	·01	·01	–	·02	·61	·87	–	·02	–		2
3	·35	–	–	·30	–	–	–	·18	–	Gr.	·37	·18		3
4	·11	–	·23	·15	Gr.	–	·08	·48	–	·37	·14	·01		4
5	–	–	–	·10	·04	–	·05	·01	–	·20	·32	·07		5
6	·26	–	·06	–	·77	–	·29	Gr.	–	Gr.	·26	·01		6
7	·01	·09	Err ~~·27~~	–	Gr.	–	Gr.	·03	–	·10	·26	·12		7
8	·01	·09	·27	–	–	–	·01	·01	–	·35	·44	·24		8
9	·03	·07	–	–	–	–	–	·02	–	·16	·12	·17		9
10	·26	Gr.	–	–	–	·13	–	·13	·01	·11	·01	Gr.		10
11	Gr.	–	·20	–	–	–	–	–	·03	·28	·02	·01		11
12	–	–	–	–	Gr.	·05	–	–	Gr.	Gr.	Gr.	Gr.		12
13	–	–	–	·02	–	·02	·03	–	·01	1·42	–	Gr.		13
14	·68	–	–	·02	·10	·03	·08	–	Gr.	·23	·47	·01		14
15	·40	–	·06	Gr.	·55	·27	·35	–	·11	·73	·09	·01		15
16	·47	–	·09	·01	·11	·15	·23	–	Gr.	·27	·45	Gr.		16
17	·19	·01	·01	·01	·19	Gr.	·07	–	–	·01	·10	–		17
18	·22	Gr.	·01	–	Gr.	·26	·16	–	–	·03	·22	–		18
19	·25	Gr.	Gr.	–	–	–	·32	–	Gr.	·11	·03	·02		19
20	·30	–	–	–	–	·05	·27	–	–	Gr.	–	·03		20
21	·04	·17	·05	–	–	·06	·22	1·45	·07	Gr.	–	–		21
22	·11	·35	–	Gr.	–	·15	·13	–	–	–	·04	–		22
23	Gr.	Gr.	Gr.	·13	–	–	·12	Gr.	–	·14	·61	·01		23
24	·22	–	·05	·18	–	·06	·19	–	–	·07	–	Gr.		24
25	·72	·32	·05	Gr.	–	–	·05	–	–	·01	·22	Gr.		25
26	·04	–	·01	·04	–	–	Gr.	Gr.	–	·15	·23	–		26
27	·01	·10	·07	·04	–	–	Gr.	–	–	·10	–	Gr.		27
28	–	·15	·04	·09	–	·10	Gr.	–	–	·02	·12	–		28
29	–	✕	–	·19	–	–	·03	–	–	·06	·02	·11		29
30	–	✕	–	·77	–	·10	–	–	–	Gr.	·05	Gr.		30
31	–	✕	–	✕	–	✕	·26	·04	✕	·02	✕	–		31
TOTAL	4·74	1·35	1·21	2.51	2.01	1·43	2·96	2·96	1·14	4·94	4·61	1·00	Year's Total 30.86	
* Days with .01 in. or more.	22	9	15	16	8	13	20	10	7	22	23	14	179	
* Days with .04 in. or more.	17	8	11	11	7	11	16	6	4	17	18	6	132	

† Spare column, no entries required.

(*Signed*) ....

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 208

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at MANOR HOUSE, NORMANDY, GUILDFORD,

in the County of SURREY

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 149 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	–	Tr.	–	–	–	–	–	·09	–		1
2	–	·10	–	·19	Tr.	–	·04	–	–	·06	·67	–		2
3	–	·24	–	·03	–	–	Tr.	–	–	·15	1·13	·07		3
4	–	·05	–	–	–	–	Tr.	–	–	·20	·06	·01		4
5	–	·01	–	–	–	–	Tr.	Tr.	–	·05	·39	·12		5
6	·25	·26	–	–	Tr.	–	·24	–	–	·26	–	–		6
7	·25	·20	–	Tr.	·03	–	·17	–	–	–	–	Tr.		7
8	Tr.	Tr.	–	·03	–	–	·01	–	·03	·35	·02	·27		8
9	–	–	–	–	–	1·25	Tr.	Tr.	·03	·19	·26	·13		9
10	–	–	–	–	–	–	·21	·08	–	·13	·06	·05		10
11	–	* Tr.	–	·02	–	–	·03	–	–	–	·92	·01		11
12	–	* Tr.	·15	Tr.	–	–	·06	–	·11	–	·07	–		12
13	–	* ·03	·68	–	–	–	·04	Tr.	·20	–	1·06	–		13
14	–	* Tr.	·12	·12	·06	–	Tr.	–	·01	·16	·54	·25		14
15	–	–	·01	Tr.	·11	·04	·66	–	·02	Tr.	·87	·01		15
16	* Tr.	* ·35	·19	·14	–	·03	·17	–	·22	·50	·54	·02		16
17	–	–	·37	–	–	–	·06	–	–	·01	·07	–		17
18	* Tr.	·21	·08	·37	–	–	·27	–	·05	·26	·11	·11		18
19	–	·08	·09	·08	–	–	·08	·03	·87	Tr.	·07	–		19
20	–	·01	·01	·02	–	–	Tr.	–	·06	·15	·41	–		20
21	* Tr.	–	·03	–	·22	–	·06	–	Tr.	·11	–	–		21
22	* Tr.	–	·03	·02	·31	·47	–	·02	·05	·04	Tr.	–		22
23	–	·09	·06	·15	·01	·19	Tr.	Tr.	–	Tr.	Tr.	·01		23
24	–	–	Tr.	·20	–	–	·24	–	–	–	–	·01		24
25	Tr.	–	·61	–	Tr.	Tr.	·02	–	–	–	–	–		25
26	·84	·14	·58	Tr.	·18	–	Tr.	–	–	–	–	·01		26
27	·53	·32	Tr.	·11	–	–	·09	Tr.	–	–	–	–		27
28	* ·62	Tr.	–	·02	·07	–	–	–	Tr.	·03	–	Tr.		28
29	* ·25	·14	·11	·08	·07	–	–	–	–	–	–	·23		29
30	·15	✕	Tr.	·10	–	–	Tr.	–	–	·12	–	·01		30
31	·03	✕	–	✕	–	✕	–	–	✕	·81	✕	·05		31
TOTAL	2·92	2·23	3·12	1·68	1·06	1·98	2·45	·13	1·65	3·58	7·34	1·37	Year's Total 29·51	
* Days with .01 in. or more.	8	15	15	16	9	5	17	3	11	18	18	179	152	
* Days with .04 in. or more.	7	12	11	10	7	4	14	1	6	16	17	9	114	

*SNOW *SNOW

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

P.T.O.

209

Section **A** for the entry of

AIR MINISTR

COPY FOR OFFICIAL USE.

LL ORGANIZATION.

FORM 1090.

REGIS

1.

Kept at Stoodwell. Mer

in the County of Surrey

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea

209

STOODWELL MERROW

1931 - 1940

780105

THE MORNING MEAS **AY.**

An observer who does not conform t *e following*

year in the space on the right of t

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·17					·02	T			1
2	·17	·09		·37					·55	·04		·05	2
3	·07		·14		·52	·03		·15	·76		·16	·15	3
4		·03		·18	·03				·02		·14		4
5					·02		·15		·03		·04	·18	5
6		·05		·17		·33		·40	T	·38	·36	·05	6
7		·09				·25		·15		·04	·45		7
8				·03	·15						·04	·04	8
9		·16						·05			·53	·03	9
10						·05					·63		10
11	·07								·02		·22		11
12	·04	·29							·28				12
13			Snow				·04						13
14		·10					·80	·50					14
15	·05			·21	·13	·04	·15	·15				·08	15
16					·20			·08	·28				16
17			·10	·15	·03		·38	·11	·15	·05			17
18		·19		·32		·22	·05	·90	·05		·62		18
19				·14		·28	·60	·20					19
20	·07	·35		·60			·04	·13					20
21	·05				·34			·33					21
22	·30			·02									22
23	·28		·11	·03	·33	·05			·12		·18		23
24				·42		·07	·25	·16	T				24
25	·05			·53	·10		·60				·04		25
26	·07	·05		·18			·48				·25		26
27	·10	·09		·03	·03		·18				·05		27
28				·14	·58		·05						28
29		✕			·08					·13			29
30								·04				1" Snow	30
31	·27	✕		✕		✕			✕		✕		31
TOTAL	1·59	1·49	0·35	3·69	2·54	1·32	3·77	3·35	2·28	0·64	3·71	0·58	YEAR'S TOTAL 25·31
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

209

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at STOODWELL. MERROW. Nr GUILDFORD

in the County of Surrey

Diameter of Funnel of Gauge No in.

Height of top of Gauge above Ground Change ft ...... in.

,, Ground ,, Sea Level ...... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·17					·02	T			1
2	·17	·09		·37					·55	·04		·05	2
3	·07		·14		·52	·03		·15	·76		·16	·15	3
4		·03		·18	·03				·02		·14		4
5					·02		·15		·03		·04	·18	5
6		·05		·17		·33		·40	T	·38	·36	·05	6
7		·09				·25		·15		·04	·45		7
8				·03	·15						·04	·04	8
9		·16						·05			·53	·03	9
10						·05					·63		10
11	·07								·02		·22		11
12	·04	·29	Snow						·28				12
13							·04						13
14		·10					·80	·50					14
15	·05			·21	·13	·04	·15	·15				·08	15
16					·20			·08	·28				16
17			·10	·15	·03		·38	·11	·15	·05			17
18		·19		·32		·22	·05	·90	·05		·62		18
19				·14		·28	·60	·20					19
20	·07	·35		·60			·04	·13					20
21	·05				·34			·33					21
22	·30			·02									22
23	·28		·11	·03	·33	·05			·12		·18		23
24				·42		·07	·25	·16	T				24
25	·06			·53	·10		·60				·04		25
26	·07	·05		·18			·48				·25		26
27	·10	·09		·03	·03		·18				·05		27
28				·14	·58		·05						28
29					·08					·13			29
30		×						·04				1" snow	30
31	·27	×		×		×			×		×		31
TOTAL	1·59	1·49	0·35	3·69	2·54	1·32	3·77	3·35	2·28	0·64	3·71	0·58	YEAR'S TOTAL 25·31
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) ......

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 209

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

days

Kept at STOODWELL, MERROW.

in the County of SURREY

Diameter of Funnel of Gauge..........in. }
Height of top of Gauge above Ground..........ft..........in. } AS BEFORE.
,, Ground ,, Sea Level..........ft. }

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12	·02		·03	·41			·05		x }	·02		1
2				·21	·11					x·10 }		·16	2
3				·25	·15			·06	·17	·06			3
4	T					·20	·22		·41				4
5	·16		·03										5
6	·40		·02	·20					·08				6
7	·02		·06	·05					·05	·05			7
8			·18	·04	·32				·06	·40			8
9	·50			·11	·41				·19				9
10	·98	– } Snow		·20	·07	·04				·10			10
11	·34	–		·05			·10		·02		·10		11
12	·18	–							·05	·27			12
13	·09	·08)		·12			·05			·67		·03	13
14	·08	·02		·17	·03					·03			14
15	·02			·08	·15					·09			15
16	·15	T.		·25	·07								16
17				·04						·03	·04		17
18							·20		·17		·14	·02	18
19					·05					·25	·04		19
20				·28				·45	·05	·65	·17		20
21	·04		·02	·10				·04		·27		·08	21
22		·03	·29		1·15		·30		·35	·32	·30		22
23		·11	·11	·02	·24				·15	·67		·10	23
24		·09			·10	·02	·33		·11	·10	·05		24
25							·87			·20	·03		25
26			·07	·04			·15			·05	·04		26
27			·53	·20	·42		·15			·50	·10	·03	27
28			·05	·02	·80			·04		·05			28
29				·12	·10		·18	·02	·15	·25	·04	·05	29
30		×		·05	·04	1·27			·14	T	·30	·11	30
31		×	·12	×		×	·07		×		×	·05	31
TOTAL	3·08	0·35	1·48	2·63	4·62	1·53	2·62	0·66	2·15	5·11	1·37	0·63	YEAR'S TOTAL 26·23
*Days with ·01 in. or more.	~~13~~	~~6~~	~~11~~	~~22~~	~~17~~	~~4~~	~~11~~	~~6~~	~~15~~	~~22~~	~~13~~	~~9~~	~~149~~
*Days with .04 in. or more.	11	3	8	19	16	3	11	5	14	20	11	6	127

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) S. Eustace.

P.T.O.

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN ~~192~~ .1933

Kept at MERROW

in the County of SURREY

Diameter of Funnel of Gauge ..... in.
Height of top of Gauge above Ground ..... NO ft. CHANGE in.
,, Ground ,, Sea Level ..... ft.

Days 8

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	~~June~~ July	~~July~~ June	August	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	·16	·15							·04			1
2	·24	·25	·40		·27						·02		2
3			·32								·01		3
4	·14	·16	·40		·40						·06		4
5	·07		·40	·03	·53								5
6			·04		·50					·12	·07		6
7	·15	·11								·17			7
8	·03	·05			·03	·11				·05	·10		8
9						·16				·12			9
10		·57				·04	·17			·32	·10		10
11	·35				·10	·47					T		11
12	·07					·02	·27	·12	1·22		·09		12
13					·11	·32			·11				13
14					·02	·02		·52		·17	·15		14
15	·47					·05			T				15
16			·19			·17	·10				·11		16
17			·73				·20		·02				17
18	·20		·20				·42				·03		18
19		x	·24	x					·40				19
20		·10	·10	·12					·01				20
21		x	·09				·16		·22				21
22							·10	·32	·02	·21	·06		22
23		1·10		·12	·25				·17				23
24		x1·12		·09			·47		·42	·15			24
25		·85		·35					·11				25
26		·02		·06			·22			·07	·06	·15	26
27			·03		·47					·27		·10	27
28					·15	·22				·25		·11	28
29				·07						·11			29
30		X	·09	·03		·02			·17	·04		·06	30
31	·22	X		X		X		·08	X	·02	X		31
TOTAL	2·04	4·49	4·38	0·87	2·83	1·60	2·11	1·04	2·87	2·11	0·86	0·42	YEAR'S TOTAL 25·62
Days with ·01 in. or more.	~~11~~	~~11~~	~~14~~	~~8~~	~~11~~	~~11~~	9	~~4~~	~~11~~	~~15~~	~~12~~	~~4~~	~~121~~
Days with ·04 in. or more.	10	10	13	6	9	8	9	4	8	14	9	4	104

40-12-1-27
144w)

X Snow.
2·25" fell on 24/2/1933

(Signed) S. Eustace

P.T.O.

209

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~209~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at STOODWELL. MERROW.

in the County of SURREY

Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground .... ft .... in.
,, Ground ,, Sea Level .... ft.
} no change.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1										·08				1
2	·05		·13						·75	·27		·40		2
3	·02		·02	·08						·15		·22		3
4	·09		·07		·12					·05		·10		4
5	·02		·02			·07					·14	·53		5
6		·05	·38	·02	·19			·24		·18	·05	·40		6
7	·06				T				33	·15		·85		7
8					·06			·05			·50	·34		8
9			·02								1·27	·04		9
10	·02		·24	·24				·02			·43	·53		10
11	·40		·37	·08				·04				·20		11
12	·06		·02	·04			·25	·11				·10		12
13	·45		·04	·04			·12	·10			·11	·24		13
14	·11		·42		T	·08				·15	·27	·83		14
15			·07		·13					·11	·14	·50		15
16	·12		·27		·04					·05				16
17	·02		·01	·07								·18		17
18	·18		·04	·26			·05			·02		·37		18
19			·37	·10								·10		19
20			·10	·02		·05	·36					·05		20
21		03		·25			·04			·10				21
22							·30		·17			·09		22
23				·26		·33		12				·04		23
24		·07	·08	·24		·03	·44		·07					24
25	·15	·04		·15	·05	·52				·11		·42		25
26	·02			·24		·12			·03			·06		26
27				·05		·02						·24		27
28						·10		·85				·22		28
29									·17			T		29
30	·10	✕						·10	·02			·36		30
31	·02	✕		✕		✕			✕	·26	✕	·06		31
TOTAL	1·89	0·19	2·67	2·14	0·59	1·32	1·56	1·63	1·63	1·68	2·91	7·47	Year's Total. 25·68	
* Days with .01 in. or more.	17	4	18	16	6	9	7	9	7	13	8	26	~~140~~	
* Days with .04 in. or more.	11	3	13	14	6	7	7	8	5	12	8	26	120	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) S. Eustace

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 209

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at STOODWELL MERROW

in the County of SURREY.

Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
,, Ground ,, Sea Level .... ft.

} no change

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·16	·03		·06	·03	·06	·46		·10	·05	·18			1
2	·03		·04						·25	·23	·03			2
3		·02	·09			·04			·17	1·16	·13	T		3
4		·06		·27		·36			·11	·22		·11		4
5		·20	·04	·06		·25			·53	·03		·02		5
6	·03	·03		·20		·54				·14	·03			6
7	T			·27		·08				·04	·95	·17		7
8				·46							·85	·02		8
9	·04			·26		·75			·03	·99	·10	T		9
10	·10			·04		T					·19			10
11	·32			·15		·14	·12				·43			11
12		·06			·06	·25		·12	·03	·02				12
13	·09	·10		·20	·16	·12					·04			13
14				·09		·05			·15		·17	·13		14
15		·18		·50		·21			·12		·46	·06		15
16	·01	·08	·04	·05		·05			·44	·07	·70	·02		16
17			·02	·05		·16			·03		·18			17
18				·21	·06	·02	·02		·35		·02			18
19		·02			·54	·05	·22	·02	·02		·08			19
20	·02	·25		·27	·16	·06	·22		·05		·17			20
21	T	·63		·02						·14	·02			21
22		·11	·02					·32	·15					22
23			·06						·07	·18				23
24	·03	·68			·16			1·37	·32			·25		24
25	·11	·45		·18	·27	·94						·35		25
26	·03	·24						·24	·07			·62		26
27		·81							·12		·13	·26		27
28		·17					·02		·27	·03		·20		28
29								·02	·82	·02		·40		29
30	·08	×		·03		T		·85	·02	·17	·68	·50		30
31		×		×	T	×			×	·45	×	·46		31
													Year's Total.	
TOTAL	1·05	4·12	0·31	3·37	1·44	4·13	1·06	2·94	4·22	3·94	5·54	3·57	35·69	
* Days with .01 in. or more.	13 ✓	18 ✓	7 ✓	19 ✓	8 ✓	18 ✓	6 ✓	7 ✓	22 ✓	16 ✓	20 ✓	15 ✓	169 ✓	
* Days with .04 in. or more.	7 ✓	14 ✓	5 ✓	17 ✓	7 ✓	17 ✓	4 ✓	5 ✓	17 ✓	12	16 ✓	12 ✓	133 ✓	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. Eustace

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 209

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Days

Kept at STOODWELL MERROW

in the County of SORREY

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

} no change.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·36	·03	·04	·13		·23	·18	·05			·07	·06		1
2	·04					·67	0·02	·30			·06			2
3				·53		·03	·05	T	·23		·27			3
4			·11			·07			·36		·09	·06		4
5	·32		·11								·03	·08		5
6	·36		·05					·05	·15		·57			6
7	·22		·07				·04				·19	·05		7
8	·32						·06				·21	·15		8
9	·48						·45		·11	·06				9
10	·14				·03		·10	·26	·02					10
11							·05				1·01			11
12				S ·10		·54	·16		·12		·32	·13		12
13				·06		·06				·02	·02	·41		13
14		·19				·06	·45			·05	·20	1·02		14
15		·14							·16		·04	·17		15
16	S 4" +						·05		·03		·26	·06		16
17	S +	·67			·04	·46					·17	·31		17
18	S ·65 +	·12				·20	·15				·02	·14		18
19	·28	·06				·84	·19	·11		·04	·09			19
20	·16	·13	·10	·64		·17	·05		·44					20
21				S ·45		·29	T							21
22	S +	·43	·15		·47	·06	+ }					·14		22
23	✓	·03	·32	·07			+ ·37 }		·12	·11				23
24	·17 ✓	·14		·23						·37				24
25	·10		·11	·11			·13		·35	·11				25
26	·05	·11	·12				·11		·05	·15				26
27	·36		·03				·03		·10					27
28	·93		·15				·70			·09		·13		28
29	·06	·09	·11			·07				·04	·29	·03		29
30	·10		·30		·11	·21	·15			·65		·02		30
31	·18						·15			·60		·10		31
TOTAL	5·28	2·07	1·77	2·32	0·65	3·89	3·57	0·77	2·24	2·29	3·77	3·06	Year's Total 31·68	✓ "d"
* Days with .01 in. or more.	23	12	14	9	4	15	22	5	13	12	18	17	~~164~~	
* Days with .04 in. or more.	21	10	13	9	3	14	20	5	11	11	14	15	146	✓

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 209

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at STOODWELL MERROW

in the County of SURREY

Diameter of Funnel of Gauge .... in. } no

Height of top of Gauge above Ground ...... ft. ...... in. } change

,, Ground ,, Sea Level .... ft.

Days: Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·60	·09	·16	·05							·82	1·05		1
2	·02	·20		·60								·75		2
3	T	·15	·03						·33			·24		3
4	·11	·77												4
5	·12	·11	S ✓				·14	T						5
6	·06	·05	S ✓	·04	·38		·07		·05	·04				6
7		·46	1·04 ✓	·06					·30	·03				7
8				·24	·08						·09			8
9					·09	·04	·04	·06				S ·47		9
10	T		·70	·25	·08	·03		·12				·42		10
11	·23		·23	·04	·20	·25	·05	·26				·02		11
12	·20	·23	·16	·04	·59	·07	·02	·47	·12			·21		12
13	·02	·05	·38	·02	·02	·31		·07	·65			1·03		13
14		·04	·33	·20		·09		·10	·04					14
15	·36	·09		·43			·25		·08					15
16	T	·11	·53	·04				·23	·35					16
17	·65	·17	·20	·05					·17		·04			17
18	·46		T		·04	·18			·02		·08	·17		18
19	·05	·04	·06	·10		·18	T		·08					19
20	·50		·08	·25	·65		·05		·05			·07		20
21	·49	·37	·06	·05	·02							·03		21
22	·44	·05	S ✓		·14	·23				1·18	·32			22
23	·26	·03	·04 ✓		·12					·42		·07		23
24	·48	·37			T				·09	·60				24
25	·15	·51	·25		·13				·09	·30		·09		25
26	T	·21	S ·05							·10				26
27	·06 ✓	·15		·18						·50				27
28	S ✓	S		·04						·08		·07		28
29						·04				·02	·10	·05		29
30	·35	☒								·12	·30			30
31	·22	☒		☒		☒			☒	·07	☒	·07		31
TOTAL	5·83	4·25	4·30	2·65	2·54	1·42	0·62	1·31	2·41	3·46	1·75	4·81	Year's Total 35·~~4~~5 3	✓ ✓
* Days with .01 in. or more.	24	21	19	18	13	10	7	7	14	12	7	16	168	✓ ✓
* Days with .04 in. or more.	20	20	15	17	11	9	6	7	13	10	7	14	149	✓ ✓

† Spare column, no entries required.

(Signed) N. Eustace [P.T.O.

* See Instruction 3 (f) on other side.

S: Snow

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 209

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at STOODWELL MERROW

in the County of SURREY

Diameter of Funnel of Gauge ... in.
Height of top of Gauge above Ground ... ft. ... in. } No change.
,, Ground ,, Sea Level ... ft.

Days / Totals / Acc

notified 20/2/39 ~~Snow~~

corr. for snow Dec 19-28. w.17

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		Tr			·05	·12	·34			·02		·06		1
2	·13			Tr	·30		·20			·25		·04		2
3										·43		·14		3
4	·05						·20	·06		·01		·04		4
5	·03			·05			·40			·48				5
6	·02						·06		·08					6
7		·01					·30		·02			·05		7
8	·23						·15	·17	·02	·44		·06		8
9	·15							·24				1·02		9
10	·10	·23						·05				·15		10
11	·20									·02	·17	·12		11
12	·30				·04		·02	·04		·06		Tr		12
13	·26							·03	·03	·05	·32	·19		13
14	·25				·10									14
15	·08	·09					·35			·37		·37		15
16	·20	·02								·01	·09	·76		16
17	·01	Snow. ·06							·05	·16				17
18	·06				·01				·30		·46			18
19	Tr								·09		·25	Snow	~~Snow~~	19
20	·02							·06	·05		·78		~~"~~	20
21	Tr							·04	·10		·05	" ~~7 inches~~	" ~~7 inches~~	21
22				·02		·05			·05		·15	" ~~2 "~~	" ~~2 "~~	22
23				·03							·13	" (1·30)	~~"~~	23
24	·14		·07	Tr					·14		·06			24
25	·18		·09	·15	·17		Tr		·04	·08	1·28			25
26	·09	·22	·04						·17	·23	·25	" ~~2 "~~	" ~~2 "~~	26
27	·02	·04				·28	·36		·43	·06				27
28	·02	·06			·28			·54	·05		·06	~~·30~~		28
29	·32				·20	·06			·02			·19		29
30	·03			·07	·17	·09			·06	·09	·26			30
31	·20				·14					·12		·20		31
TOTAL	3·09	0·73	0·20	0·32	1·46	0·60	2·38	1·23	1·70	2·88	4·31	(4·49) ~~4·12~~	Year's Total ~~23·02~~	✓ 23·39
* Days with .01 in. or more.	24	8	3	5	10	5	10	9	17	17	14	23	145	✓
* Days with .04 in. or more.	17	6	3	3	9	5	9	8	13	13	14	20	120	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A. Eustace.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 209

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939

File Number 753924/27

Return cord 8/7/43

Kept at STOODWELL MERROW

in the County of SURREY II

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

} no change.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	T		·03	·35	·34		·11	T	T		·04	·02		1
2	·06			·03	·02			·55	·47					2
3	·26		·25	·29				·26			·27	·27		3
4	S ·13	T		·22	·06		·14	1·05		·33	·09			4
5				·17	·15		·25	·01		·23	·42	·05		5
6	·30		·07	T			·21	·04			·12			6
7	·02	·13					·02	·05			·20	·13		7
8	T	·12	·20					·04		·34	·30	·25		8
9	·07	·08						·10		·13	·11	·17		9
10	·23					·17			T	·11	·03			10
11			·22							·38	·02			11
12					·02	·08					T			12
13				·04			·03		·03	1·73		·05		13
14	·48			·04	·07		·11		·15	·30	·42			14
15	·48		·04		·68		T		·02	·70	·11			15
16	·45		·06		·21	·20	·09		T	·07	·43			16
17	·30	·08	T		·11	·17	·09			·08	·10			17
18	·28	T				·17	·27				·35			18
19	·22									·16	T			19
20	·37					·11	·49					·08		20
21	·04	·31				·04	·10		·13					21
22	·18	·28	·13	·08		·17	·22		·03					22
23				·14		·02				·06	·05			23
24	S ·25		·07	·14		·07	·04	T		·18	·63			24
25	S ·58	·40					·03				·35			25
26	·03		·04							·18	·25			26
27	·03	·18	·10	·12						·09	·17			27
28		·20	·07	·26		·03				·08	·14	S 1¼" ·20		28
29				·29		·04				·09	·04			29
30		✕		1·02		T	·29				·14			30
31		✕		✕		✕		·08	✕	·01	✕			31
TOTAL	4·76 ✓	1·78 ✓	1·28 ✓	3·19 ✓	1·66 ~~1·69~~	1·27 ✓	2·49 ✓	2·18 ✓	0·83 ✓	5·25 ✓	4·78 ~~4·79~~	1·22 ✓	Year's Total ~~[illegible]~~	30·69
* Days with .01 in. or more.	20	9	12	14	9	12	16	9	6	19	23	9	158	
* Days with .04 in. or more.	17	9	11	13	7	10	13	8	3	18	21	8	138	

* See Instruction 3 (f) on other side. "S" = Snow.

† Spare column, no entries required

(*Signed*) L. Eustace

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 209

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at STOODWELL MERROW

in the County of SORREY

Diameter of Funnel of Gauge..........in. } NO

Height of top of Gauge above Ground.........ft. CHANGE in.

,, Ground ,, Sea Level ....ft.

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											·06			1
2				·43						·09	·63			2
3		·34		·07			·04			·19	1·25	·11		3
4		·09								·16	·03	·04		4
5		T								·09	·40	·12		5
6	·26	·17					·27			·23				6
7	·28	·23		·05	·04		·03		·04			·28		7
8				·03			T			·33	·03	·12		8
9										·19	·35			9
10							·12	T			·08			10
11		'S'		·02			·03		·10		·85			11
12			·21				·16		·16		·05			12
13			·63								"S" 1·12			13
14			'S' ·22	·12								·29		14
15			·03	·12	·16	·05	·62		·04	·14	·25	·02		15
16	'S' ·04	4½" 'S' ·31	·18				·20		·17		1·20			16
17		·23	·23				·04			·15	·60			17
18		·10	·18	·34			·20	·04			·19	·15		18
19		·02	·10	·06			·05		·83		·12			19
20			·03	·04					·12	·10	·05			20
21	·03 'S'		·03	·02	·34		·08		·03		·33			21
22			·05		·34	·62				·13				22
23		·07	·07	·15	·03	·15								23
24				·32	·02		·31							24
25			·69		·15		·03			·03				25
26	·85	·13	·70	·09							·02			26
27	·53	·37			·11		·08							27
28	4½" 'S' ·45	·03												28
29	4" 'S' ·42	·15	·09	·05								·30		29
30		✕		·14						·14		·02		30
31	·04	✕		✕		✕			✕	·81	✕	·07		31
TOTAL	2·90	2·24	3·44	2·05	1·19	0·82	2·26	0·04	1·49	2·78	7·61	1·52	Year's Total 28·34	
* Days with .01 in. or more.	9	13	15	16	8	3	15	1	8	14	19	11	132	
* Days with .04 in. or more.	8	11	12	13	6	3	12	1	7	13	16	9	111	

'S' = Snow

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(Signed) S. Eustace

[P.T.O.

FORM 1090.

B

tation. 209/5

209/5

CLANDON REGIS GDNS

1936 - 1938

780105

. The following register c
&c., is NOT required
values are given on th

s section and also the space for
ng to this register should be sent :—

RAINFALL IN

At ~~West Clandon~~ (C

In the County of ..Surr

in Summer

Rain Gauge
Diameter of Funnel.....
Height of Top above Ground
Height of Ground above Sea Level ~~c 240~~

Distance................ Direction from gauge............
Distance................ Direction from gauge............

nearest to gauge
Height of objects
Distances ...
Directions from gauge ...

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				.01 in. or more	.04 in. or more
	Inches	Inches	Date	*	*
JAN.	5.40				
FEB.	1.98				
MAR.	1.68				
APRIL	2.50				
MAY	1.71				
JUNE	3.27				
JULY	3.69				
AUG.	.69				
SEPT.	2.38				
OCT.	2.17				
NOV.	3.87				
DEC.	3.29				
TOTAL	32.63				

Signature ~~The HEAD Gardener~~

* per Surrey advertiser.

* See Instruction 3 *(f)* below.

from 1" map

If gauge has been moved during the year state—

Date of move.......................... Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

per Surrey Advertiser cf 209 210

f 568043/26

Circ A sent 1/35 – no reply

Part of

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } .14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace,* .01, .02 *or* .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91.
S.O. Code No. 40-9999

FORM 1090.

209/5

B Monthly Summary.

. The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936.

At ~~West Clandon~~ (Clandon Regis Gdns) *

In the County of Surrey

Rain Gauge
Diameter of Funnel .. in.
Height of Top above Ground ..ft. .. in.
Height of Ground above Sea Level c 240

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	5·40				
FEB.	1·98				
MAR.	1·68				
APRIL	2·50				
MAY	1·71				
JUNE	3·27				
JULY	3·69				
AUG.	·69				
SEPT.	2·38				
OCT.	2·17				
NOV.	3·87				
DEC.	3·29				
TOTAL	32·63				

from 1" maps

Signature The HEAD Gardener

* per Surrey advertiser

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Hour of observation by the clock—in Winter.................in Summer..........

Nearest Railway Station.............. Distance.......... Direction from gauge..........

Nearest Parish Church at.............. Distance.......... Direction from gauge..........

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.............. Distance.......... Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

per Surrey Advertiser cf 209 210

Part of f 568043/26

Circ A sent 1/35 – no reply

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91.
S.O. Code No. 40-9999

COP-1 B-1 BRO

209/5

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937

At Clandon Regis Gdns.*

In the County of Surrey

Rain Gauge
- Diameter of Funnel..........in.
- *Height of Top above Ground.........ft............in.*
- *Height of Ground above Sea Level................ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	5·78				
FEB.	4·28				
MAR.	4·31				
APRIL	2·90				
MAY	2·73				
JUNE	1·84				
JULY	·94				
AUG.	·89				
SEPT.	1·92				
OCT.	3·53				
NOV.	1·86				
DEC.	4·75				
TOTAL	35·73				

Signature The Head Gardener

* per Surrey Advertiser

* See Instruction 3 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....

....

Hour of observation by the clock—in Winter..................in Summer..................

Nearest Railway Station.................... Distance.............. Direction from gauge............

Nearest Parish Church at.................... Distance.............. Direction from gauge............

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.................... Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91.
S.O. Code No. 40-9999

COPY BY BRO

209/5

FORM 1090.

B Monthly Summary.

_ The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938

At Clandon Regis Gdns.

In the County of Surrey

Rain Gauge
- Diameter of Funnel..........in.
- *Height of Top above Ground.........ft..........in.*
- *Height of Ground above Sea Level* 240 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3·00				
FEB.	·67				
MAR.	·23				
APRIL	·16				
MAY	1·65				
JUNE	·66				
JULY	2·90				
AUG.	1·50				
SEPT.	2·01				
OCT.	3·08				
NOV.	4·51				
DEC.	4·63				
TOTAL	25·00				

Signature The Head Gdnr. *

* See Instruction 3 (*f*) below.

* Per Surrey Advertiser.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Hour of observation by the clock—in Winter..........in Summer..........

Nearest Railway Station.......... Distance.......... Direction from gauge..........

Nearest Parish Church at.......... Distance.......... Direction from gauge..........

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.......... Distance.......... Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005 ; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17, 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON : PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses : Adastral House, Kingsway, London, W.C.2 ; 120 George Street, Edinburgh 2 ; 26 York Street, Manchester 1 ; 1 St. Andrew's Crescent, Cardiff ; 80 Chichester Street, Belfast ; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91
S.O. Code No. 40-9999

210

Section **A** for the entry

AIR MINIST

FORM 1090.

COPY FOR OFFICIAL USE.

FALL ORGANIZATION.

REGIS

31.

Kept at Hatchlan

in the County of Su

Diameter of Funnel of Gauge

Height of top of Gauge above Gro

,, Ground ,, Sea

THE MORNING MEA DAY.

An observer who does not conform *the following*
year in the space on the right of

Jan. 1, following

210

EAST CLANDON

HATCHLANDS

1931 - 1938

780105

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·06	·02	·16	—	·13	—	·01	·15	tr	—	—	1
2	·25	·08	—	·28	—	—	—	tr	·44	·02	tr	·06	2
3	·07	·02	·10	·42	·66	—	—	·16	·92	—	·10	·13	3
4	—	tr	—	·01	·04	—	·05	tr	·02	·01	·17	tr	4
5	—	·01	—	·19	·02	·37	·08	·01	·01	—	·02	·19	5
6	—	·08	—	·13	—	·02	—	—	—	·40	·39	·08	6
7	—	—	—	—	·10	·13	—	·47	—	·03	·43	·02	7
8	—	·09	·03	tr	—	·33	—	·20	—	·01	·07	tr	8
9	·02	·04	·07	·01	—	·01	·01	—	·07	—	·58	·01	9
10	—	·16	·02	—	—	·04	—	·25	tr	—	·56	—	10
11	·06	·25	—	—	tr	—	tr	—	·02	—	·18	—	11
12	·03	—	—	tr	—	—	tr	·01	·22	·01	—	tr	12
13	·01	—	—	—	—	tr	·16	·45	—	—	·01	—	13
14	·01	·10	—	—	·01	tr	·85	·63	—	—	tr	—	14
15	·03	·02	—	·21	·10	—	·21	·17	—	—	tr	·08	15
16	—	·03	—	·14	·20	·10	—	·20	·06	—	—	—	16
17	·01	·04	—	·36	·03	—	·39	·12	·06	·04	—	—	17
18	·03	·08	·01	·14	—	·26	·08	·89	—	—	·62	—	18
19	·06	—	—	·65	—	·11	·47	·13	·04	—	—	—	19
20	—	·11	tr	·15	—	—	·09	·23	—	tr	·01	·01	20
21	·04	—	—	—	·32	—	·06	—	tr	—	—	—	21
22	·28	—	·08	·05	—	—	—	—	·07	—	—	—	22
23	·29	·03	—	·02	·28	·05	—	—	·04	—	·22	·02	23
24	—	—	·05	·57	·10	·07	·36	·14	·01	—	tr	—	24
25	·07	tr	—	·34	·05	—	·56	—	—	—	·02	tr	25
26	—	·03	—	·14	—	—	·49	—	·01	—	·21	tr	26
27	·18	·31	—	·10	·39	—	·38	—	—	·01	·05	—	27
28	·03	·03	—	·02	—	—	—	—	—	·01	—	·05	28
29	·09		—	—	·17	—	·08	—	—	·15	—	·01	29
30	·04	×	—	—	—	—	—	·04	—	—	—	—	30
31	—	×	—	×	·04	×	—	—	×	—	×	—	31
TOTAL	1·60	1·57	0·38	4·09	2·51	1·62	4·32	4·11	2·14	0·69	3·64	0·66	YEAR'S TOTAL 27·33
*Days with ·01 in. or more.	19	19	8	20	15	12	16	17	15	10	16	11	178 (178
*Days with ·04 in. or more.	11	12	4	16	12	10	15	14	10	3	12	6	125

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) F. H. Akers

P.T.O.

210

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Hatchlands, Guildford

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

„ Ground „ Sea Level 340 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·06	·02	·16	—	·13	—	·01	·15	tr	—	—	1
2	·25	·08	—	·28	—	—	—	tr	·44	·02	tr	·06	2
3	·07	·02	·10	·42	·66	—	—	·16	·92	—	·10	·13	3
4	—	tr	—	·01	·04	—	·05	tr	·02	·01	·17	tr	4
5	—	·01	—	·19	·02	·37	·08	·01	·01	—	·02	·19	5
6	—	·08	—	·13	—	·02	—	—	—	·40	·39	·08	6
7	—	—	—	—	·10	·13	—	·47	—	·03	·43	·02	7
8	—	·09	·03	tr	—	·33	—	·20	—	·01	·07	tr	8
9	·02	·04	·07	·01	—	·01	·01	—	·07	—	·58	·01	9
10	—	·16	·02	—	—	·04	—	·25	tr	—	·56	—	10
11	·06	·25	—	—	tr	—	tr	—	·02	—	·18	—	11
12	·03	—	—	tr	—	—	tr	·01	·22	·01	—	tr	12
13	·01	—	—	—	—	tr	·16	·45	—	—	·01	—	13
14	·01	·10	—	—	·01	tr	·85	·63	—	—	tr	—	14
15	·03	·02	—	·21	·10	—	·21	·17	—	—	tr	·08	15
16	—	·03	—	·14	·20	·10	—	·20	·06	—	—	—	16
17	·01	·04	—	·36	·03	—	·39	·12	·06	·04	—	—	17
18	·03	·08	·01	·14	—	·26	·08	·89	—	—	·62	—	18
19	·06	—	—	·65	—	·11	·47	·13	·04	—	—	—	19
20	—	·11	tr	·15	—	—	·09	·23	—	tr	·01	·01	20
21	·04	—	—	—	·32	—	·06	—	tr	—	—	—	21
22	·28	—	·08	·05	—	—	—	—	·07	—	—	—	22
23	·29	·03	—	·02	·28	·05	—	—	·04	—	·22	·02	23
24	—	—	·05	·57	·10	·07	·36	·14	·01	—	tr	—	24
25	·07	tr	—	·34	·05	—	·56	—	—	—	·02	tr	25
26	—	·03	—	·14	—	—	·49	—	·01	—	·21	tr	26
27	·18	·31	—	·10	·39	—	·38	—	—	·01	·05	—	27
28	·03	·03	—	·02	—	—	—	—	—	·01	—	·05	28
29	·09		—	—	·17	—	·08	—	—	·15	—	·01	29
30	·04	×	—	—	—	—	—	·04	—	—	—	—	30
31	—	×	—	×	·04	×	—	—	×	—	×	—	31
TOTAL	1·60	1·57	0·38	4·09	2·51	1·62	4·32	4·11	2·14	0·69	3·64	0·66	YEAR'S TOTAL 27·33
*Days with ·01 in. or more.	19	19	8	20	15	12	16	17	15	10	16	11	178 (178)
*Days with ·04 in. or more.	11	12	4	16	12	10	15	14	10	3	12	6	125

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) F. H. Akers

P.T.O.

X

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 210.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Hatchlands, Nr Guildford

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 340 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	·02	—	·05	·46	—	—	·02	·01	·08	·03	·02	1
2	tr	—	—	·21	·06	—	—	·03	·28	·05	tr	·15	2
3	tr	—	—	·20	·16	—	—	tr	·31	·05	—	—	3
4	—	—	—	—	·01	·19	—	—	·09	—	·04	—	4
5	·18	—	·02	—	·02	·01	·18	—	—	—	—	—	5
6	·45	—	·04	·20	tr	—	—	—	·05	—	—	—	6
7	·02	—	·10	·04	·01	—	tr	—	·04	·08	—	—	7
8	·01	—	·17	·02	·39	—	—	—	·18	·35	tr	—	8
9	·54	·02	—	·10	·40	—	—	—	—	—	—	—	9
10	·93	·13	·03	·21	·06	·02	—	—	·02	·11	—	—	10
11	·29	·01	—	·06	·01	tr	·17	·02	·02	·01	·02	·01	11
12	·24	·01	—	—	·01	—	—	·02	·05	·33	·01	·01	12
13	·08	—	—	·16	·03	—	·04	—	tr	·62	·01	·02	13
14	·09	·03	—	·25	·04	—	—	·01	—	·02	·01	—	14
15	·02	tr	—	·09	·20	—	—	—	—	·09	—	tr	15
16	·19	—	—	·23	·17	—	—	—	—	—	—	—	16
17	·01	—	—	·01	—	—	·16	—	—	·02	tr	—	17
18	·01	—	—	—	·01	—	·09	—	·18	—	·10	—	18
19	—	tr	—	—	—	—	—	—	·05	·24	·05	—	19
20	—	tr	—	·29	·02	—	—	·91	—	·63	·18	tr	20
21	·01	—	·01	·11	1·17	—	·14	—	—	·30	—	·08	21
22	·01	·02	·24	·02	·28	—	·19	—	·52	·32	·32	—	22
23	—	·12	·08	tr	·09	·06	·01	—	·15	·69	—	·11	23
24	—	·10	—	·02	—	—	·42	—	·12	·10	·06	—	24
25	—	—	—	·02	—	tr	·72	—	·01	·21	·02	tr	25
26	—	—	·06	·17	·04	—	·11	—	—	·03	·02	tr	26
27	—	—	·56	·02	·40	·02	·25	—	—	·70	·05	tr	27
28	—	—	·02	·08	·07	tr	·16	—	—	·05	—	—	28
29	—	—	·44	·04	·07	—	—	·02	·16	·31	—	·04	29
30	—	×	·02	—	·02	1·32	·05	·08	·16	—	·27	·13	30
31	—	×	·10	×	—	×	·05	—	×	tr	×	·05	31
TOTAL	3·16	0·46	1·89	2·60	4·20	1·62	2·74	1·11	2·40	5·39	1·19	0·62	YEAR'S TOTAL 27·38
*Days with ·01 in. or more.	17	9	14	23	25	6	15	8	18	23	15	10	183
*Days with .04 in. or more.	10	3	8	17	16	3	14	2	14	19	8	6.	120.

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) L. A. Akers

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 210.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Hatchlands East Clandon nr Guildford

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 340 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·11	·23	·17	tr	—	—	—	—	—	·05	·01	—		1
2	·43	—	·34	—	·36	—	—	—	—	—	—	—		2
3	—	·18	·35	—	—	—	—	—	—	—	—	—		3
4	·15	tr	·01	—	·40	—	—	—	—	—	·02	—		4
5	·07	tr	·41	—	·02	—	—	—	—	—	—	—		5
6	—	·15	·06	—	·41	—	—	—	—	·10	·07	—		6
7	·14	·04	·02	—	·30	—	—	—	—	·18	—	·04		7
8	·03	—	—	—	·02	—	·09	—	—	·03	—	—		8
9	—	·01	—	—	·02	—	·20	—	—	·08	·11	—		9
10	—	·46	—	—	·01	·06	·05	—	—	·40	·08	—		10
11	·35	—	—	—	·06	·02	·44	·13	—	tr	·01	—		11
12	—	—	—	·04	·02	·25	·04	—	1·12	—	·02	—		12
13	·05	—	—	—	·10	·02	·41	·06	·09	·02	·08	—		13
14	—	—	—	—	·01	—	·02	·01	—	·15	·45	—		14
15	·51	—	·21	—	—	—	·09	·40	—	·01	·01	—		15
16	—	·01	·87	—	—	·13	·16	—	—	·04	·01	—		16
17	·02	—	·34	—	—	·16	—	·02	·04	—	·09	—		17
18	·16	·02	·24	·01	—	·45	—	—	—	—	·01	—		18
19	tr	·08	·08	·04	—	·05	·03	·01	·51	—	·02	·03		19
20	—	·01	·04	·15	—	·02	—	·01	·01	—	·01	—		20
21	—	·02	—	—	—	·27	—	·08	·21	·01	·02	—		21
22	—	—	—	—	—	—	—	·25	·01	·19	·04	—		22
23	—	—	—	·10	·49	·06	—	—	·14	·05	—	—		23
24	—	1·03	—	·08	—	·29	—	—	·41	·02	·01	—		24
25	—	1·14	—	·28	—	—	—	—	·18	·02	·01	·02		25
26	—	·94	—	·04	—	·14	—	—	·02	·05	·02	·16		26
27	—	·01	—	—	·56	—	·01	—	—	·26	—	·11		27
28	—	—	—	·01	·17	—	—	—	—	·26	—	—		28
29	·04		·02	—	—	—	·26	—	—	·11	—	·02		29
30	·14	×	·12	—	—	—	·02	—	·15	·04	—	·07		30
31	·15	×	—	×	—	×	—	·07	×	·02	×	—		31
TOTAL	2·35	4·33	3·28	0·75	2·95	1·92	1·82	1·04	2·89	2·09	1·10	0·45	Year's Total 24·97.	
*Days with ·01 in. or more.	14	15	15	9	15	13	13	10	12	21	20	7	164	
*Days with ·04 in. or more.	12	9	12	7	9	10	9	6	9	14	7	4	108.	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) F. H. Akers.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 210.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Hatchlands East Clandon

in the County of Surrey

Diameter of Funnel of Gauge 5. in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 340. ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	tr	—	—	—	—	—	—	·28	·18	·06	·01	·37		1
2	·04	—	·12	—	—	—	—	—	·91	·22	·01	·28		2
3	·02	·05	—	·06	—	—	—	·01	—	·18	—	·03		3
4	·07	·01	·07	·05	·14	—	—	—	—	·10	—	·53		4
5	—	—	·01	—	·01	—	—	·02	—	—	·05	·45		5
6	·02	—	·38	·04	·19	·13	—	·23	—	·22	·05	·94		6
7	·06	—	—	—	—	·01	—	·06	—	·20	—	·40		7
8	tr	·03	—	—	·06	—	—	·07	·35	—	—	·02		8
9	·01	tr	·02	—	—	—	—	—	·01	—	·46	·58		9
10	—	—	·21	·26	—	—	—	tr	—	·01	1·15	·01		10
11	·62	—	·38	·05	—	—	—	·07	—	—	·44	·22		11
12	·06	—	·05	·01	—	—	·15	·12	·01	—	—	·04		12
13	·48	—	·05	·03	—	—	·27	·04	—	—	·09	·08		13
14	·10	—	·45	·03	·01	·13	—	—	—	—	·38	·70		14
15	·01	—	·07	—	·15	—	—	—	—	·15	·15	·49		15
16	·12	—	·30	—	tr	—	—	—	—	·12	—	·01		16
17	·01	—	·03	·05	·03	—	—	—	—	·07	—	·21		17
18	·23	—	·06	·30	—	—	·02	—	—	—	—	·38		18
19	—	—	·39	·08	—	—	—	·03	·08	·01	—	·13		19
20	—	—	·10	·01	—	—	·29	—	—	—	—	·03		20
21	—	—	·01	·27	—	·04	·01	·02	—	·05	—	—		21
22	—	—	—	—	—	—	·83	·20	·19	—	—	·08		22
23	—	—	—	·31	—	·33	—	—	tr	—	—	·02		23
24	—	·04	·07	·22	—	·03	·38	—	·08	—	—	—		24
25	·19	·03	—	·08	·05	·78	—	—	—	·13	—	·50		25
26	·04	·01	—	·21	—	·14	—	—	·05	—	—	·08		26
27	tr	—	—	·25	—	·01	—	—	—	·01	—	·24		27
28	—	·07	—	·02	—	·12	—	·82	—	—	—	·27		28
29	·09	×	—	—	—	—	·02	·02	·20	—	—	·07		29
30	—	×	—	—	—	—	—	·10	·02	—	—	·34		30
31	·01	×	—	×	—	×	—	—	×	·31	×	·06		31
TOTAL	2·18	0·24	2·77	2·33 [illegible]	0·64	1·72	1·97	2·09	2·08	1·84	2·79	7·50	Year's Total. 28·15	
* Days with .01 in. or more.	18	7	18	19	6	10	8	15	11	15	10	29	168	
* Days with .04 in. or more.	12	3	14	14	5	7	5	10	8	12	8	22	120	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) F. H. Akers

[P.T.O.

COPY FOR OFFICIAL USE. /

Section **A** for the entry of Daily Observations. Station No. 210.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Hatchlands E. Clandon,

in the County of Surrey.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft [illegible] in.

,, Ground ,, Sea Level 340 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·17	·02	·01	·05	—	·08	·64	—	—	·09	·30	—		1
2	·02	—	·01	·01	—	—	—	—	·17	·27	·02	—		2
3	—	—	·01	·03	—	·02	—	—	·14	·73	·14	—		3
4	—	·06	·01	·26	—	·43	—	—	·07	·21	tr	·15		4
5	—	·22	·05	·06	—	·16	—	—	·57	tr	tr	·01		5
6	·03	tr	·01	·21	—	·60	—	—	—	·54	·03	·02		6
7	·03	·01	—	·30	—	·10	—	—	—	·05	1·11	·16		7
8	—	—	·05	·41	—	·05	—	—	—	·35	·35	·22		8
9	—	—	tr	·28	—	·62	—	—	·09	·80	·21	—		9
10	·10	—	·01	·03	—	·05	—	—	—	—	·20	·04		10
11	·26	—	—	·10	—	·12	·02	—	—	—	·41	·01		11
12	—	·03	—	—	—	·28	—	·15	·01	—	·84	—		12
13	·05	·09	—	·18	·04	·02	—	—	—	—	·02	—		13
14	—	—	—	·05	·17	·05	—	—	·15	tr	·18	·14		14
15	—	·21	—	·51	·01	·13	—	—	·13	—	·50	·07		15
16	—	·09	·01	·05	·02	·03	—	—	·39	·04	·84	·01		16
17	—	—	·01	·03	—	·15	·02	·02	·02	—	·18	—		17
18	—	—	—	·26	·04	·05	·02	·01	·36	—	·01	·02		18
19	—	·02	—	·02	·60	·03	·17	—	—	·01	·07	—		19
20	—	·35	—	·21	·18	·04	·23	—	·03	—	·18	—		20
21	·03	·65	—	·01	—	—	—	—	—	·13	·01	—		21
22	—	·13	—	·01	—	—	—	·21	·26	—	—	—		22
23	—	—	·09	—	—	—	—	·44	·09	·17	—	·11		23
24	·03	·63	—	—	·12	—	—	1·59	·37	—	—	·17		24
25	·09	—	—	·19	·25	·68	—	·01	—	—	—	·32		25
26	·02	·30	—	—	—	tr	—	·20	·06	·01	—	·56		26
27	·01	·77	—	—	—	—	—	—	·21	tr	·11	·27		27
28	—	·14	—	—	—	—	tr	—	·46	·04	—	·21		28
29	—		—	—	—	—	—	·01	·67	—	·01	·39		29
30	·08	×	—	·01	—	—	—	·73	·01	·15	·52	·56		30
31	—	×	—	×	tr	×	—	—	×	·49	×	·64		31
TOTAL	·92	3·72	·27	3·27	1·43	3·69	1·10	3·37	4·26	4·08	6·24	3·88	Year's Total 36·23.	
*Days with ·01 in. or more.	13	16	11	23	9	20	6	10	20	16	22	20	186	
*Days with .04 in. or more.	5	12	3	15	7	16	3	6	16	14	16	15	118.	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) F. H. Akers.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 210

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Hatchlands, East Clandon

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 340 ft.

Totals

Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·26	·01	·7	·17	—	·21	·25	·31	—	—	·7	—		1
2	·01	—	—	—	—	·42	·01	·4	—	—	·8	·4		2
3	—	—	—	·62	—	·8	·2	—	·34	—	·24	—		3
4	·01	—	·01	—	—	·9	—	—	·30	—	·8	·7		4
5	·25	—	·5	—	—	—	—	·3	·2	—	·01	·8		5
6	·47	—	—	—	—	·2	—	·01	·15	—	·62	—		6
7	·24	—	·4	—	—	·2	·2	·01	·3	—	·19	·5		7
8	·36	—	·5	—	—	—	·13	—	·01	·3	·16	·18		8
9	·57	—	·2	—	—	—	·55	—	·5	—	—	—		9
10	·13	—	—	—	—	—	·6	·15	—	—	—	·2		10
11	—	·3	—	·2	—	—	·4	—	—	—	1·27	—		11
12	—	—	—	·7	·2	·54	·15	—	·10	—	·27	·14		12
13	—	—	—	·5	—	·4	·01	—	—	·2	·01	·51		13
14	—	·5	—	—	—	·8	·47	—	—	·2	·21	1·11		14
15	—	·01	—	—	—	—	—	—	·6	—	·2	·21		15
16	·49	·9	—	—	—	—	·01	—	—	—	·28	·6		16
17	·8	·76	—	—	1·82	·36	—	—	·01	—	·24	·44		17
18	·19	·18	—	—	—	·19	·14	—	—	—	·01	·19		18
19	·26	·6	·2	·4	—	·38	·18	·12	—	·3	·01	—		19
20	·31	·6	·4	·57	—	·01	·2	—	·57	—	—	—		20
21	—	·01	—	·45	—	·27	·32	—	—	—	—	—		21
22	·12	·43	·14	—	·44	·11	·21	—	—	—	—	·16		22
23	·01	·01	·40	·7	—	—	·24	—	—	·13	—	·1		23
24	·63	·13	—	—	—	—	—	—	·8	·38	—	—		24
25	·10	—	·16	·22	—	—	·13	—	·37	·17	·5	—		25
26	·01	·14	·13	·13	—	—	·7	—	·6	·18	—	·4		26
27	·39	—	·4	—	—	—	·2	—	·15	·7	—	—		27
28	·88	—	·20	—	—	·2	·25	—	·01	—	—	·9		28
29	·6	·8	·11	—	—	·3	·3	—	—	·2	·17	·2		29
30	·11	✕	·4	—	·18	·15	·3	—	—	·62	—	—		30
31	·16	✕	·27	✕	·01	✕	·23	—	✕	·69	✕	·22		31
TOTAL	5·50	2·05	1·79	2·41	2·47	3·02	3·59	·67	2·31	2·36	3·99	3·64	Year's Total 33·80	✓
* Days with .01 in. or more.	24	15	17	11	5	18	25	7	16	12	19	19	188	✓
* Days with .04 in. or more.	19	10	14	10	3	13	16	4	11	7	14	16	137	✓

See over

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

FORM 1090.

B Monthly Summary.

. The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937

At East Clandon (Hatchlands)

In the County of Surrey

Rain Gauge
- Diameter of Funnel .... in.
- *Height of Top above Ground ......ft. ...... in.*
- *Height of Ground above Sea Level ...... ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	6·12				
FEB.	4·55				
MAR.	4·22				
APRIL	2·92				
MAY	2·56				
JUNE	1·75				
JULY	1·10				
AUG.	·97				
SEPT.	2·12				
OCT.	2·35				
NOV.	1·78				
DEC.	4·87				
TOTAL	35·31				

Signature F. A. Akers Esq. *

* per Surrey Advertiser.

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005 ; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON : PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses : Adastral House, Kingsway, London, W.C.2 ; 120 George Street, Edinburgh 2 ; York Street, Manchester 1 ; 1 St. Andrew's Crescent, Cardiff ; 80 Chichester Street, Belfast ; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938.

At East Clandon (Hatchlands).

In the County of Surrey

Rain Gauge { Diameter of Funnel 5 in.

Height of Top above Ground 1 *ft.* 0 *in.*

Height of Ground above Sea Level 340 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	2·62				
FEB.	·57				
MAR.	·35				
APRIL	·22				
MAY	1·71				
JUNE	·66				
JULY	2·70				
AUG.	1·91				
SEPT.	2·19				
OCT.	3·11				
NOV.	4·69				
DEC.	6·07				
TOTAL	25·80				

Signature F. A. Akers Esq. *

*Per Surrey Advertiser.

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17, 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91

S.O. Code No. 40-9999

211

Section **A** for the en
AIR MIN

COPY FOR OFFICIAL USE.
ALL ORGANIZATION.

FORM 1090.

REC 3/.

211 —

WEST CLANDON

1931 - 40

780105

Kept at West Clan
in the County of S

Diameter of Funnel of Gaug
Height of top of Gauge above
,, Ground ,,

THE MORNING M **AY.**

An observer who does not conf *e following year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·03		·16		·03			·14	·01			1
2	·24	·07	·11	·37					·49	·02		·13	2
3	·07	·01		·31	·57			·15	1·05		·22	·06	3
4		·01		·01	·04		·04		·03		·08		4
5		·01		·20	·02	·43	·10	·01	·01		·03	·19	5
6		·08		·13		·05				·43	·34	·07	6
7					·16	·14		·46		·02	·39	·02	7
8		·10				·32		·14		·01	·03		8
9		·16		·02		·01			·01		·61	·02	9
10	·03	·02	·04			·05		·12			·51		10
11	·04	·26							·02		·18		11
12	·03		·04				·08		·28				12
13							·20	·12					13
14	·01	·11			·01		·88	·50					14
15	·05	·03		·22	·09		·10	·35				·07	15
16		·02		·13	·21	·10		·01	·07				16
17		·04		·34	·02		·39	·15	·08	·05			17
18	·03	·07	·02	·14		·25	·05	1·02			·63		18
19	·05			·66		·14	·53	·09	·04				19
20		·10	·01	·14			·04	·25					20
21	·04				·33								21
22	·36		·08	·02					·05				22
23	·26			·01	·26	·06			·05		·17	·02	23
24			·03	·66	·09	·07	·20	·15					24
25	·06			·40	·04		·59				·02		25
26		·03		·13			·48				·23		26
27	·16	·31		·11	·53		·22				·04		27
28	·02	·02		·03								·06	28
29	·06	×			·15		·07			·15			29
30	·03	×						·03					30
31	·26	×		×	·04	×			×		×	·02	31
TOTAL	1·80	1·48	·33	4·19	2·56	1·65	3·94	3·55	2·32	·69	3·48	·66	YEAR'S TOTAL 26·68"
*Days with ·01 in. or more.	18	19	7	20	15	12	15	15	13	7	14	10	165
*Days with ·04 in. or more.	12	10	4	15	12	10	15	12	9	3	11	6	119

40-9999

18 JAN 1932

*See Instruction 2 (*f*) on other side.

(Signed)

[P.T.O.

Section **A** for the en [redacted]

211

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at West Clandon, Nr Guildford

in the County of Surrey

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft = in.

,, Ground ,, Sea Level 319 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·03		·16		·03			·14	·01			1
2	·24	·07	·11	·37					·49	·02		·13	2
3	·07	·01		·31	·57			·15	1·05		·22	·06	3
4		·01		·01	·04		·04		·03		·08		4
5		·01		·20	·02	·43	·10	·01	·01		·03	·19	5
6		·08		·13		·05				·43	·34	·07	6
7					·16	·14		·46		·02	·39	·02	7
8		·10				·32		·14		·01	·03		8
9		·16		·02		·01			·01		·61	·02	9
10	·03	·02	·04			·05		·12			·51		10
11	·04	·26							·02		·18		11
12	·03		·04				·08		·28				12
13							·20	·12					13
14	·01	·11			·01		·88	·50					14
15	·05	·03		·22	·09		·10	·35				·07	15
16		·02		·13	·21	·10		·01	·07				16
17		·04		·34	·02		·39	·15	·08	·05			17
18	·03	·07	·02	·14		·25	·05	1·02			·63		18
19	·05			·66		·14	·53	·09	·04				19
20		·10	·01	·14			·04	·25					20
21	·04				·33								21
22	·36		·08	·02					·05				22
23	·26			·01	·26	·06			·05		·17	·02	23
24			·03	·66	·09	·07	·20	·15					24
25	·06			·40	·04		·59				·02		25
26		·03		·13			·48				·23		26
27	·16	·31		·11	·53		·22				·04		27
28	·02	·02		·03								·06	28
29	·06	×			·15		·07			·15			29
30	·03	×						·03					30
31	·26	×		×	·04	×			×		×	·02	31
TOTAL	1·80	1·48	·33	4·19	2·56	1·65	3·94	3·55	2·32	·69	3·48	·66	YEAR'S TOTAL 26·68"
*Days with ·01 in. or more.	18	19	7	20	15	12	15	15	13	7	14	10	165
*Days with ·04 in. or more.	12	10	4	15	12	10	15	12	9	3	11	6	119

18 JAN. 1932

40-9999

(Signed)

[P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 211

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at West Clandon, Near Guildford

in the County of Surrey.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 319. ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06			·03	·46			·01	·01	·06	·02		1
2	·01			·22	·06			·04	·31	·85	·02	·16	2
3				·15	·14				·33	·05			3
4	·02					·17					·04		4
5	·17		·03		·01		·21		·08				5
6	·47		·03	·20					·08				6
7	·02		·09	04	·01				·04	·12			7
8			·15	·02	·38				·19	·25			8
9	·61			·12	·34								9
10	1·06	·14	·02	·20	·06	·03				·09			10
11	·17			·05			06	·01	·03		·03	·01	11
12	·29	·02						·01	·05	·34	·02		12
13	·04			·15	·02		·02			·67	·02	·02	13
14	·09			·20	·02			·01		·01	·01		14
15	·04	05		·10	·25					·08			15
16	·18			·22	·23								16
17				·01			·15			·02			17
18	·01				·01		06		·16		·10		18
19									·04	·22	·03		19
20				29				·70		·63	·19	·02	20
21	·03		·03	·10	1·11		·08	·02		·30		·06	21
22		·02	·26		·20		·22			·33	·33		22
23		·11	·06		·16	·01			·14	63		·10	23
24		·10					·47		·10	07	·05		24
25				·03			·74		·01	·20	·02		25
26			05	·02	·03		·07			07	·01		26
27			·65	·18	·40		·22			·58	·06	·03	27
28			·02	·04	·09		·17			·03			28
29			·47	·07	·05	·03		·09	·16	·32	·04	·05	29
30		×	·02			1·59	·04		·17		·30	·10	30
31		×		×		×	·02		×		×	04	31
TOTAL	3·27	·44	1·88	2·44	4·03	1·83	2·53	·89	1·90	5·12	1·29	·59	YEAR'S TOTAL 26·21
*Days with ·01 in. or more.	16	6	13	21	20	5	14	8	16	22	17	10	168
*Days with .04 in. or more.	11	4	7	16	14	2	12	3	13	19	8	6	115

40-9999

*See Instruction 2 (*f*) on other side.

WOKING WATER & GAS Co.

(Signed)

Engineer & Manager

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 211

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at West Clandon, Near Guildford

in the County of Surrey

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 319 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·13	·22	·12											1
2	·41		·44		·38					·04				2
3		·16	·33								·01			3
4	·14		·03		·41						·03			4
5	·05		·50											5
6		·18	·04		·46					·10	·07			6
7	·12	·02	·02		·46					·16				7
8	·01				·02		·08			·03				8
9		·05			·02		·19			·08	·10			9
10		·46			·01	·05	·03			·38	·08			10
11	·34				·07	·03	·53	·12			·03			11
12				·03	·02	·26	·03		1·10					12
13	·06				·08		·41	·05	·08	·01	·07			13
14							·01	·01		·15	·52	·01		14
15	·49		·28				·02	·45						15
16	·01		·91			·12	·28		·01	·01	·05			16
17	·01		·35			·17		·02	·03		·06			17
18	·10	·02	·28			·44					·02			18
19		·05	·07	·05		·01	·03		·53		·02	·03		19
20			·05	·10		·01			·01					20
21		·03			·02	·22		·11	·20	·02				21
22						·15		·27	·02	·17	·04			22
23				·12	·18	·05			·11	·10				23
24		1·17		·08		·33			·20					24
25		·90		·36					·14	·01	·09	·05		25
26		·92		·04		·13			·01	·09	·02	·12		26
27					·46					·17		·08		27
28				·02	·13		·25			·24		·10		28
29	·05	✕	·01	·07						·12				29
30	·13	✕	·18				·02		·16			·06		30
31	·17	✕		✕		✕		·06	✕	·03	✕			31
TOTAL	2·22	4·18	3·61	87 ·90	2·72	1·97	1·88	1·09	2·60	1·91	1·21	·45	Year's Total 24·74	
*Days with ·01 in. or more.	15	12	15	9	14	13	12	8	13	18	15	7	151	
*Days with .04 in. or more.	12	9	12	7	9	10	6	6	8	12	9	5	105	

40-9999

*See Instruction 2 (*f*) on other side.

WOKING WATER & GAS Co.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

File No. 853964/28.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 211

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Woking Waterworks, West Clandon, Near Guildford

in the County of Surrey.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 319. ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1								·29	·01	·06	·01	·40		1
2	·05		·12	·02					·92	·20	·01	·23		2
3	·01	·04		·07						·18		·19		3
4	·07		·05	·05	·15					·06	·03	·43		4
5			·01					·02			·06	·45		5
6	·01		·36	·07	·16	·09		·21		·23	·03	1·03		6
7	·07	·02						·04		·14		·37		7
8					·05			·05	·38		·50	·05		8
9			·03								1·42	·55		9
10			·26	·26							·38	·01		10
11	·61		·40	·08			·02	·06				·20		11
12	·01		·03				·24	·15				·07		12
13	·56		·04	·06			·19	·05			·08	·13		13
14	·09		·50	·01		·11					·38	·84		14
15			·08		·10					·13	·14	·53		15
16	·12		·30		·02					·10				16
17	·01			·10	·01					·05		·20		17
18	·26		·09	·25			·02		·01			·39		18
19			·31	·10				·02	·06			·10		19
20			·05	·02			·35					·02		20
21				·27		·03		·03		·05				21
22							·44	·19	·18		·01	·07		22
23		·01		·27		·35			·01			·02		23
24		·03	·06	·25		·02	·42		·10					24
25	·19	·01		·08	·03	·47				·11		·53		25
26	·02			·22		·14			·03			·07		26
27				·07						·01		·30		27
28		·04				·14		·87				·21		28
29		×					·02	·01	·18					29
30	·08	×						·07	·02			·38		30
31		×		×		×	·01		×	·28	×	·05		31
TOTAL	2·16	·15	2·69	2·20	·52	1·35	1·71	2·06	1·90	1·60	3·05	7·82	Year's Total 27·21	
* Days with .01 in. or more.	15	6	16	18	7	8	9	14	11	13	12	27	156.	
* Days with .04 in. or more.	10	2	13	14	4	6	5	10	6	12	7	24	112	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

WOKING WATER & GAS Co.

22 JAN 1935

(Signed)

[P.T.O.

211

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 853964/28

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at WOKING WATERWORKS, WEST CLANDON.

in the County of SURREY. II

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 319 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·14	·02	·01	·05	·03	·05	·59	—	·16	·03	·36	—		1
2	·01	—	—	—	—	—	—	—	·08	·29	—	—		2
3	—	·02	·05	·08	—	·03	—	—	·22	·97	·14	—		3
4	—	·04	—	·23	—	·48	—	—	·06	·21	—	·14		4
5	—	·19	·05	·05	—	·07	—	—	·55	—	—	·01		5
6	·03	—	—	·19	—	·65	—	—	—	·85	·01	·01		6
7	·02	—	—	·29	—	·08	—	—	—	·10	1·12	·15		7
8	—	—	—	·47	—	·03	—	—	—	·25	·52	·02		8
9	—	—	—	·26	—	·55	—	—	·02	·75	·04	—		9
10	·10	—	·04	·03	—	·01	—	—	—	—	·13	·04		10
11	·27	—	—	·10	—	·18	·05	—	—	—	·42	—		11
12	—	·05	—	—	—	·27	—	·13	·02	—	·80	—		12
13	·03	·08	—	·16	·09	·04	—	—	—	—	·02	—		13
14	—	·02	—	·08	·12	·04	—	—	·10	—	·20	·11		14
15	—	·18	—	·56	·02	·10	—	—	·11	—	·66	·04		15
16	—	·07	·01	·05	—	·05	—	—	·56	·03	·78	—		16
17	·01	—	—	·03	—	·15	·02	·01	·01	—	·10	—		17
18	—	—	—	·25	·04	·02	·01	—	·39	·07	—	—		18
19	—	·01	—	·02	·59	·04	·20	—	·06	—	·07	·01		19
20	·01	·35	—	·26	·12	·05	·18	—	·02	—	·15	—		20
21	—	·70	—	·01	—	—	—	—	—	·14	—	—		21
22	—	·09	·04	—	—	—	—	·20	·25	—	—	—		22
23	—	—	·07	—	—	—	—	·41	·07	·17	—	·09		23
24	·03	·71	—	—	·18	—	—	1·83	·38	—	—	·13		24
25	·15	·44	—	·22	·25	·88	—	—	—	—	—	·33		25
26	—	·42	—	—	—	—	—	·20	·07	—	·01	·56		26
27	·01	·60	—	—	—	—	—	—	·12	—	·11	·35		27
28	—	·16	—	—	·10	—	—	—	·44	·03	—	·09		28
29	—	✕	—	—	—	—	—	·01	·61	—	—	·43		29
30	·08	✕	—	—	—	—	—	·74	—	·17	·61	·64		30
31	—	✕	—	✕	·01	✕	—	—	✕	·50	✕	·51		31
TOTAL	·89	4·15	·27	3·39	1·55	3·77	1·05	3·53	4·30	4·56	6·25	3·66	Year's Total 37·37	
* Days with .01 in. or more.	13	18	7	20	11	20	6	8	21	15	18	18	176	
* Days with .04 in. or more.	5	14	5	16	8	16	4	6	17	12	16	14	133	

40-9999.

WOKING WATER & GAS CO.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

Engineer & Manager

211

CROWN COPYRIGHT RESERVED.

Section A for the entry of Daily Observations.

Station No. 853964/28.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Woking Waterworks, West Clandon.

in the County of Surrey.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 319 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·28	·01	·03	·13		·26	·22	·19			·07	·04		1
2						·40	·01	·04			·07			2
3				·58		·05	·03		·33		·22	TR		3
4			·08			·07			·31		·09	·12		4
5	·38		·06					·03	·02			·05		5
6	·37					·03		·01	·17		·61			6
7	·18		·05			·04	·01		·02		·18	06 ~~TR~~		7
8	37 ~~TR~~		·06				·17			·03	·16	·15		8
9	·60		·01				·45		·07	·02		TR		9
10	·11						·07	·06						10
11		·03		·02			·07				1·32			11
12				·07	·01	·55	·16		·17		·20	·15		12
13				·02		·04				·03	·20	·55		13
14		·05				·07	·41		·03	TR	·02	1·18		14
15	·02	·03							·17		·01	·22		15
16	·30	·08					·02		·01		·26	·09		16
17	·05	·76			·61	·31	·01		·01		·17	·40		17
18	·09	·15				·25	·14					·17		18
19	·32	·04	·02	04 ~~TR~~		·71	·11	·10		·03	·01			19
20	·20	·08	·05	·55		·12	·06		·46			TR		20
21		·03		·47	·03	·24	·01							21
22	·11	·38	·15		·55	·09	·21					·13		22
23	·02	·01	·29	·07			·23			·11				23
24	·03	·08							·09	·43				24
25	·09		·17	·21	TR		·14		·31	·19	·05	·01		25
26	·09	·12	·08	·14			·08			·06		·03		26
27	·28		·02				·02		·15	·07				27
28	·88		·23			·02	·63					·07		28
29	·04	·09	·06			·02	·06			·02	·17	·03		29
30	·13	×			·10	·15	·01			·76				30
31	·15	×	·31	×	TR	×	·26		×	·50	×	·33		31
TOTAL	5·09	1·94	1·67	2·30	1·30	3·42	3·59	·43	2·32	2·25	3·81	3·78	Year's Total 31·90	
* Days with .01 in. or more.	28	15	16	11	5	18	25	6	15	12	17	18	181	✓
* Days with .04 in. or more.	20	10	12	9	3	15	17	4	10	7	14	15	136	✓

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*)

[P.T.O.

211

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 853964/28.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Woking Water Works West Clandon

in the County of Surrey

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 319 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·51	·08	·04	·05							·89	·82		1
2	·01	·38	·08	·71					·29			·62		2
3		·17												3
4	·11	·93										·26		4
5	·12	·07	·21				·14				TR			5
6	·04	·07	·83	·04	·43		·02			·04	·02			6
7		·51		·05					·02					7
8			·09		·09	·04					·04	·21		8
9				·40	·06		·05	·06	·31			·20		9
10			·58	·21	·07	·36		·10				·41		10
11			·14		·19	·08	·05							11
12	·25	·19	·15	·02	·56	·37		·32	·13			·30		12
13	·20	·04	·61	·03		·04		·09	·52			1·00		13
14	·02	·05	·26	TR		·02		·11	·06					14
15	·45	·10		·23			·44		·07			·01		15
16		·11	·55	·42		·02		·24	·56					16
17	·79	TR	·16	·01					·30		·01			17
18	·43	·14		·05	·10	·17			·02		·09	·10		18
19		·05	·05	·09		·17	·05		·09			·05		19
20	·60	TR	08·16	·29	·70				·03					20
21	·62	·37	·07	·04	·01		·02					·02		21
22	·53	·02	·02		·19	·27	·08			1·34	·32	·02		22
23	·21	·03	·02		·17		TR			·37				23
24	·48	·36	TR						·09	·57		·01		24
25	·11	·36	·28		·14				·05	·15		·01		25
26		·21	·03		·01					·14				26
27	·04	·07		·18					·01	·40				27
28	TR	·06		·03				TR.		·08		·05		28
29	·07	×								TR	·08	·03		29
30	·30	×				·04				·10	·22			30
31	·22	×		×		×			×	·07	×	·05		31
TOTAL	6·11	4·37	4·18	2·85	2·72	1·58	·85	·92	2·55	3·26	1·67	4·17	Year's Total 35·23	
* Days with .01 in. or more.	21	22	19	17	13	11	8	6	15	10	8	18	168	
* Days with .04 in. or more.	19	20	15	13	10	9	6	6	11	10	6	12	137	

40-9999.

WOKING WATER & GAS CO.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Engineer & Manager

[P.T.O.

211

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 853964/28.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Woking Waterworks, West Clandon.

in the County of SURREY.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

„ Ground „ Sea Level 319 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		TR			.03	.15	.45		.01	.04		.05		1
2	.14			.04	.14		.08			.23		.02		2
3					.22	TR				.50	.01			3
4	.02						.30	.06		.01		.15		4
5				.01			.39			.47				5
6	.03						.15		.09	.03	.01			6
7	TR						.33	.14	.01	.11		.04		7
8	.25						.15	.26	.02	.38		.10		8
9	.08					.01		.03		.01		1.07		9
10	.09	.22				TR		.01				.18		10
11	.19						TR			.01	.20	.11		11
12	.28	TR			.02			.04		.08	.04			12
13	.26							TR		.04	.40	.23		13
14	.28				.09				.01		.01			14
15	.09	.05			.01		.30			.40		.54		15
16	.20		.01		.01					TR	.07	.95		16
17		.09							.04	.15				17
18	.05				TR				.36		.46			18
19								.05	.10		.22			19
20									.05		.80	.03		20
21	.01							TR	.08		.03	1" snow .63		21
22				TR		.03		.01			.17	2" snow .18		22
23				TR					.04		.10			23
24			.07						.17		.04	.02		24
25	.10		.06	.06	.20		.01		.02	.06	1.18	3" snow .18		25
26	.19	.21	.03						.15	.23		.22		26
27	.08	.03			.03	.31	.38		.44	.03	.31			27
28	.01	.06			.29	.08		.54	.04			.10		28
29	.26	X			.21			TR			.17	.17		29
30	.03	X		.04	.14	.05			.06	.07	.14			30
31	.19	X		X	.15	X			X	.13	X	.22		31
TOTAL	2.83	.66	.17	.15	1.54	.63	2.54	1.14	1.69	2.98	4.36	5.19	Year's Total 23.88	✓
* Days with .01 in. or more.	21	6	4	4	13	6	10	9	17	19	18	20	147	✓
* Days with .04 in. or more.	16	5	2	3	8	4	9	6	12	14	14	17	110	✓

WOKING WATER & GAS Co.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

Signed

Engineer & Manager.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. ~~853964/28~~ 211

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Woking Water & Gas Company, West Clandon, Nr. Guildford

in the County of Surrey

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 319 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			.02	.45	.28			.01	.02			.01		1
2	.03			.01	.01		.10	.65	.39		.02			2
3	.27			.27			.04	.18		TR	.28	.28		3
4	.15		.27	.12			.09	1.01		.42	.08	.01		4
5	.01			.15	.07		.44			.21	.45	.05		5
6	.33		.04		.03		.22	.01			.15	.01		6
7	.01	.12					Tr	.02		.01	.18	.19		7
8		.11	.15					.03		.38	.31	.22		8
9	.07	.05						.03		.13	.04	.22		9
10	.20					.18		.10	TR	.13	.02			10
11			.22		.03	.01				.42	.02	.01		11
12					TR	.05						.01		12
13				.03			.09		.02	1.82		.01		13
14	.65		.01	.03	.05	.01	.05			.37	.47	.03		14
15	.60		.06		.97	.20	TR		.10	.70	.16	.01		15
16	.40		.06	.02	.24	.13	.10			.06	.37			16
17	.39	.03	.03	.03	.05		.04				.08			17
18	.26	TR	.02			.20	.13		TR	.14	.33			18
19	.24						.28			.14	.01	.02		19
20	.43					.11	.49					.04		20
21	.01	.27	.08			.02	.06		.07					21
22	.18	.36	TR	.09		.16	.12		.02		.06			22
23				.21		.01	.04	.01		.04	.63			23
24	.29	.02	.01	.03		.05	.02			.17				24
25	.59	.42	.05				.02			.05	.40			25
26	.03		.02			TR				.14	.25	.06		26
27	.01	.16	.10	.08						.06	.12			27
28		.06	.04	.24		.03				.09	.12	.11		28
29		X		.39			TR			.06	.05			29
30		X		.91		TR	.01				.13	TR		30
31		X		X		X	.30	.07	X	TR	X			31
TOTAL	5.15	1.60	1.18	3.06	1.73	1.16	2.64	2.12	.62	5.54	4.73	1.29	Year's Total 30.82	
* Days with .01 in. or more.	21	10	16	16	9	13	19	11	6	20	24	17	182	
* Days with .04 in. or more.	15	8	10	10	6	8	16	5	3	19	20	8	128	

WOKING WATER & GAS Co.

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) J. Dalrymple [P.T.O.

211

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 853964/28.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19340.

Kept at Woking Waterworks, West Clandon, near Guildford.
in the County of Surrey
Diameter of Funnel of Gauge 8" in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 319 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	-	-	-	-	-	-	0. 02	-		1
2	-	0. 08	-	0. 58	-	-	0. 03	-	-	0. 08	0. 70	-		2
3	-	0. 28	-	0. 05	-	-	-	-	-	0. 15	1. 14	0. 12		3
4	-	0. 04	-	0. 01	-	-	-	-	-	0. 20	0. 06	0. 03		4
5	-	-	-	-	-	-	0. 05	-	-	0. 07	0. 44	0. 10		5
6	0. 29	0. 18	-	-	-	-	0. 35	-	-	0. 22	-	-		6
7	0. 29	0. 18	-	-	0. 02	-	0. 08	-	-	-	-	-		7
8	-	-	-	0. 01	-	-	-	-	0. 02	0. 38	0. 02	0. 28		8
9	-	TR.	-	0. 01	-	-	-	-	0. 02	0. 10	0. 44	0. 10		9
10	-	-	-	-	-	-	0. 11	TR.	-	0. 07	0. 04	-		10
11	-	-	-	0. 02	-	-	0. 05	-	-	-	0. 92	-		11
12	-	-	0. 14	TR.	-	-	0. 13	-	0. 15	-	0. 02	-		12
13	-	0. 01	0. 61	-	-	0. 03	-	-	0. 11	-	1. 12	-		13
14	-	-	0. 12	0. 10	-	-	0. 01	-	-	0. 07	-	0. 27		14
15	-	-	0. 01	-	0. 16	0. 06	0. 61	-	0. 03	0. 04	0. 26	0. 01		15
16	-	0. 33	0. 26	0. 05	-	0. 07	0. 14	-	0. 22	0. 55	1. 27	0. 02		16
17	-	-	0. 29	-	-	-	0. 02	-	-	-	0. 57	-		17
18	-	0. 23	0. 10	0. 46	-	-	0. 19	0. 02	0. 10	0. 15	0. 20	0. 12		18
19	-	0. 07	0. 10	0. 04	-	-	0. 07	-	0. 72	-	0. 15	TR.		19
20	-	-	0. 03	0. 04	-	-	0. 01	TR.	0. 10	0. 16	0. 03	-		20
21	0. 02	-	TR.	-	0. 46	-	0. 09	TR.	-	0. 04	0. 37	-		21
22	-	-	0. 03	0. 01	0. 19	0. 67	-	-	0. 02	0. 02	-	-		22
23	-	0. 05	0. 08	0. 13	0. 01	0. 06	-	-	-	-	-	0. 01		23
24	-	-	-	0. 31	-	-	0. 32	-	-	-	-	0. 01		24
25	-	-	0. 74	-	0. 03	TR.	0. 03	-	-	0. 02	-	-		25
26	0. 83	0. 17	0. 64	-	0. 13	-	-	-	-	-	TR.	-		26
27	0. 45	0. 47	-	0. 06	-	-	0. 06	-	-	TR.	-	-		27
28	0. 45	0. 04	-	-	0. 13	-	-	-	0. 01	-	-	-		28
29	0. 20	0. 16	0. 11	0. 04	-	0. 02	-	-	-	-	-	0. 26		29
30	0. 20	×	-	0. 13	-	-	-	-	-	0. 14	-	0. 01		30
31	0. 03	×	-	×	-	×	-	-	×	0. 95	×	-		31
TOTAL	2. 76	2. 29	3. 26	2. 05	1. 13	0. 91	2. 35	0. 02	1. 50	3. 41	7. 77	1. 34	Year's total 28 .79	
* Days with .01 in. or more.	9	14	14	17	8	6	18	1	11	18	18	13	147	
* Days with .04 in. or more.	7	13	11	12	5	4	13	-	6	16	14	7	108	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

WOKING WATER & GAS Co.

(*Signed*) Engineer & Manager.

[P.T.O.

X WEST

Section **A** for the entry of Daily

AIR MINISTRY.—MI

FORM 1090.

REGISTER

211/2

WEST CLANDON (NEWLANDS)

1935 - 1940

780105

211/2

FOR OFFICIAL USE.

RGANIZATION.

X

Kept at "Newlands" West

in the County of Surrey

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Level

A/c

THE MORNING MEASUREME

An observer who does not conform to this rul
year in the space on the right of this parag ng

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·14	·02	·02	·07	·03	·05	·71	—	·27	·06	·17	—	1
2	·02	—	—	—	—	—	·01	—	·02	·24	·02	—	2
3	—	·01	·05	·10	—	·06	—	—	·26	·95	·13	—	3
4	—	·05	—	·25	—	·45	—	—	·05	·15	·01	·08	4
5	—	·18	·06	·06	—	·15	—	—	·59	·03	·01	·01	5
6	—	·02	—	·22	—	·49	—	—	—	·05	·02	·02	6
7	—	·01	—	·27	—	·13	—	—	—	·03	1·06	·15	7
8	—	—	—	·34	—	·02	—	—	—	·23	·40	·02	8
9	·05	—	—	·26	—	·60	—	—	4	·86	·15	—	9
10	·07	—	·03	·01	—	—	—	—	-	·01	·14	·04	10
11	·25	—	—	·08	—	·12	·03	—	=	·01	·41	—	11
12	—	·02	—	—	—	·24	·01	·12	=	—	·84	—	12
13	·05	·07	—	·18	·08	·09	—	—	·60	—	·03	—	13
14	—	—	—	·04	·13	·05	—	—	—	·01	·13	·12	14
15	—	·15	—	·48	·03	·19	—	—	—	—	·50	·07	15
16	—	·05	·02	·04	—	·08	—	—	✓	·04	·75	·02	16
17	·01	—	—	·04	—	·12	—	·02	·05	—	·15	—	17
18	—	—	—	·19	·03	·01	·06	—	·32	·02	·01	—	18
19	—	·02	—	·02	·52	·03	·19	—	·06	·02	·08	·02	19
20	·01	·19	—	·24	·20	·05	·26	—	·01	—	·17	—	20
21	·01	·60	—	·02	—	—	—	—	—	·12	·01	—	21
22	—	·09	·02	—	—	—	—	·21	·13	—	—	—	22
23	—	—	·07	—	—	—	—	·45	·10	·17	—	·10	23
24	·02	·73	—	—	·13	—	—	1·69	·31	·01	—	·15	24
25	·13	·41	—	·19	·21	·80	—	—	—	—	—	·29	25
26	·03	·34	—	—	—	—	—	·22	·06	·01	—	·55	26
27	·01	·75	—	—	—	—	—	—	·13	—	·10	·25	27
28	—	·14	—	—	·26	—	—	—	·38	·03	—	·19	28
29	—		—	—	—	—	—	·01	·55	—	—	·35	29
30	·08	×	—	·02	—	—	—	·86	—	·10	·53	·45	30 point
31	—	×	—	×	—	×	—	—	×	·43	×	·46	31 of
TOTAL	·88	3·85	·27	3·12	1·62	3·73	1·27	3·58	3·89	3·58	5·82	3·34	YEAR'S TOTAL 34·95
*Days with ·01 in. or more.	14	19	7	21	10	19	7	8	18	22	23	19	187
*Days with ·04 in. or more.	7	13	3	14	7	16	4	6	15	12	16	14	130

40-9999

*See Instruction 2 (*f*) on other side.

N

(*Signed*) ~~W. L. Binfield~~ [P.T.O.

XR.C. PATRICK, ESQ X

X WES

211/2

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

X

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at "Newlands" West Clandon

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 200 ft.

Surrey/6

Day 10 yr sheet A/C

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·14	·02	·02	·07	·03	·05	·71	—	·27	·06	·17	—	1
2	·02	—	—	—	—	—	·01	—	·02	·24	·02	—	2
3	—	·01	·05	·10	—	·06	—	—	·26	·95	·13	—	3
4	—	·05	—	·25	—	·45	—	—	·05	·15	·01	·08	4
5	—	·18	·06	·06	—	·15	—	—	·59	·03	·01	·01	5
6	—	·02	—	·22	—	·49	—	—	—	·05	·02	·02	6
7	—	·01	—	·27	—	·13	—	—	—	·03	1·06	·15	7
8	—	—	—	·34	—	·02	—	—	—	·23	·40	·02	8
9	·05	—	—	·26	—	·60	—	—	4	·86	·15	—	9
10	·07	—	·03	·01	—	—	—	—	-	·01	·14	·04	10
11	·25	—	—	·08	—	·12	·03	—	-	·01	·41	—	11
12	—	·02	—	—	—	·24	·01	·12	-	—	·84	—	12
13	·05	·07	—	·18	·08	·09	—	—	·60	—	·03	—	13
14	—	—	—	·04	·13	·05	—	—	-	·01	·13	·12	14
15	—	·15	—	·48	·03	·19	—	—	-	—	·50	·07	15
16	—	·05	·02	·04	—	·08	—	—	✓	·04	·75	·02	16
17	·01	—	—	·04	—	·12	—	·02	·05	—	·15	—	17
18	—	—	—	·19	·03	·01	·06	—	·32	·02	·01	—	18
19	—	·02	—	·02	·52	·03	·19	—	·06	·02	·08	·02	19
20	·01	·19	—	·24	·20	·05	·26	—	·01	—	·17	—	20
21	·01	·60	—	·02	—	—	—	—	—	·12	·01	—	21
22	—	·09	·02	—	—	—	—	·21	·13	—	—	—	22
23	—	—	·07	—	—	—	—	·45	·10	·17	—	·10	23
24	·02	·73	—	—	·13	—	—	1·69	·31	·01	—	·15	24
25	·13	·41	—	·19	·21	·80	—	—	—	—	—	·29	25
26	·03	·34	—	—	—	—	—	·22	·06	·01	—	·55	26
27	·01	·75	—	—	—	—	—	—	·13	—	·10	·25	27
28	—	·14	—	—	·26	—	—	—	·38	·03	—	·19	28
29	—	—	—	—	—	—	—	·01	·55	—	—	·35	29
30	·08	×	—	·02	—	—	—	·86	—	·10	·53	·45	30
31	—	×	—	×	—	×	—	—	×	·43	×	·46	31
TOTAL	·88	3·85	·27	3·12	1·62	3·73	1·27	3·58	3·89	3·58	5·82	3·34	YEAR'S TOTAL 34·95
*Days with ·01 in. or more.	14	19	7	21	10	19	7	8	18	22	23	19	187
*Days with ·04 in. or more.	7	13	3	17	7	16	4	6	15	12	16	14	130

print fy

40-9999

*See Instruction 2 (*f*) on other side.

N

(Signed) ~~W. L. Binfield~~ [P.T.O.

XR.C. PATRICK ESQ X

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 211/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at "Newlands" West Clandon

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·30	·02	·04	·12	—	·28	·18	·44	—	—	·06	·05		1
2	·01	—	·01	—	—	·39	·01	·05	—	—	·05	—		2
3	—	—	—	·57	—	·04	·03	—	·26	—	·29	—		3
4	—	—	·07	—	—	·09	—	—	·37	—	·06	·04		4
5	·27	—	·05	—	—	—	—	·03	·01	—	·04	·07		5
6	·37	—	—	—	—	·03	—	·01	·13	—	·62	·01		6
7	·24	—	·04	—	—	·05	·02	—	·04	—	·16	·05		7
8	·31	—	·04	—	—	—	·12	—	·01	·02	·20	·16		8
9	·47	—	·02	—	—	—	·52	—	·08	·05	—	—		9
10	·15	—	—	—	—	—	·06	·19	·01	—	—	—		10
11	·01	·02	—	·02	—	—	·18	—	—	—	·99	·01		11
12	—	—	—	·09	·02	·57	·17	—	·13	—	·33	·12		12
13	—	—	—	·15	—	·05	·01	—	—	·03	·01	·40		13
14	—	·05	—	—	—	·07	·45	—	·01	·02	·16	1·12		14
15	—	·04	—	—	—	·02	·01	—	·15	—	·03	·18		15
16	·51	·09	—	·01	—	—	·03	—	—	—	·30	·07		16
17	·09	·69	—	—	1·08	·35	·01	—	·01	—	·17	·33		17
18	·15	·11	—	—	—	·21	·12	—	—	—	·01	·14		18
19	·27	·05	·02	·03	—	·33	·25	·12	—	·03	·01	·01		19
20	·15	·08	·05	·56	—	·10	·07	—	·57	—	—	—		20
21	—	·01	—	·44	·04	·26	·20	—	—	—	—	—		21
22	·10	·46	·12	·01	·46	·16	·17	—	—	—	—	·16		22
23	·02	·01	·25	·08	—	—	·15	—	—	·10	—	—		23
24	·03	·14	—	—	—	—	—	—	·08	·38	—	—		24
25	·08	—	·17	·25	—	—	·11	—	·18	·10	·05	·01		25
26	—	·11	·09	·14	—	—	·09	—	·06	·16	—	·04		26
27	·38	—	·01	—	—	—	·02	—	·12	·07	—	—		27
28	·88	—	·13	—	—	—	·54	—	·01	—	—	·07		28
29	·06	·08	·10	—	—	·04	·05	—	—	·02	·18	·03		29
30	·09	✕	·01	—	·25	·16	·02	—	—	·50	—	—		30
31	·21	✕	·28	✕	·01	✕	·24	—	✕	·65	✕	·19		31
TOTAL	5·15	1·96	1·50	2·47	1·86	3·20	3·83	·84	2·23	2·13	3·72	3·26	Year's Total 32·15	✓
* Days with .01 in. or more.	23	15	18	13	6	18	27	6	18	13	19	21	197	✓
* Days with .04 in. or more.	19	11	13	9	4	16	18	4	12	8	15	16	145	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. F. Binfield [P.T.O.

Gardener to R. C. Patrick Esq.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 211/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at "Newlands" West Clandon

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·57	·09	·02	·05	—	—	—	—	—	—	·78	·99		1
2	·02	·32	—	·59	—	—	—	—	·32	—	·01	·55		2
3	—	·20	·02	—	—	—	—	—	—	—	—	·01		3
4	·10	·76	—	·01	—	—	—	—	—	—	—	·33		4
5	·10	·11	·21	—	—	—	·12	—	—	—	—	—		5
6	·07	·03	·50	·01	·36	—	·06	—	·01	·03	·03	—		6
7	—	·55	·48	·07	—	—	—	—	—	·02	—	—		7
8	—	·02	·02	—	·09	·04	—	—	—	—	·05	·23		8
9	—	—	—	·28	·07	·02	·02	·01	·29	—	—	·26		9
10	—	—	·65	·14	·08	·50	—	·03	—	—	—	·48		10
11	—	—	·19	—	·10	·03	·04	—	—	—	—	·02		11
12	·24	·20	·14	·05	·51	·35	·01	·26	·11	—	—	·25		12
13	·20	·04	·45	·02	—	·04	—	·24	·39	—	—	1·06		13
14	·03	·05	·40	·01	—	·01	—	—	·03	—	—	·01		14
15	·37	·08	—	·18	—	—	·69	·19	·12	—	—	·01		15
16	·01	·10	·47	·44	—	·01	—	—	·47	—	—	—		16
17	·66	·01	·20	·03	—	—	—	—	·27	—	·03	—		17
18	·47	·05	·01	·07	·09	·32	—	—	·01	—	·10	·11		18
19	·04	·10	·07	·08	—	·18	·07	—	·09	—	—	·09		19
20	·50	·01	·08	·29	·69	·01	—	—	·04	—	—	·01		20
21	·49	·38	·05	·04	—	—	·02	—	—	—	—	·02		21
22	·42	·04	·03	—	·13	·39	·06	—	—	1·29	·28	·05		22
23	·29	·03	·02	—	·17	—	—	—	—	·46	·01	—		23
24	·47	·33	·01	—	—	—	—	—	·11	·50	—	—		24
25	16	·31	·24	—	·15	—	—	—	·04	·23	—	·02		25
26	—	·25	·03	—	·03	—	—	—	—	·07	—	—		26
27	·05	·34	—	·19	—	—	—	—	·01	·63	—	—		27
28	·[illegible]4	·11	—	·03	—	—	—	—	—	·09	—	·03		28
29	·04		—	—	—	·01	—	—	—	·02	·06	·04		29
30	·31	✕	—	—	—	·01	—	—	—	·09	·23	·01		30
31	·24	✕	—	✕	—	✕	—	—	✕	·05	✕	·05		31
TOTAL	5·89	4·51	4·32	2·61	2·47	1·92	1·09	·73	2·31	3·48	1·58	4·63	Year's Total 35·54	✓ ✓
* Days with .01 in. or more.	24	25	22	19	12	14	9	5	15	12	10	13	180	✓ ✓
* Days with .04 in. or more.	21	20	14	13	11	7	6	3	11	9	6	9	130	✓ ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. J. Binfield [P.T.O.

Gardener to R. C. Patrick Esq.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 211/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1938.

Kept at "Newlands" West Clandon

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	·03	·11	·27	—	·01	·04	·01	·06		1
2	·12	—	—	·05	·08	—	·13	—	—	·20	—	·02		2
3	·01	—	—	—	·28	—	—	—	—	·50	·01	—		3
4	·03	—	—	—	—	—	·12	·08	—	·01	—	·12		4
5	·02	—	—	—	—	—	·45	—	—	·37	—	—		5
6	·01	—	—	—	—	—	·08	—	·04	—	—	—		6
7	·01	—	—	—	—	—	·35	·14	·01	16	—	·04		7
8	·22	—	—	—	—	—	·21	·38	·02	·31	—	·14		8
9	·14	—	—	—	—	—	·01	·03	—	·03	—	1·04		9
10	·09	·12	—	—	—	—	·01	·04	—	—	—	·15		10
11	·20	—	—	—	—	—	—	—	—	·01	·15	·12		11
12	·28	·01	—	—	·01	—	—	·18	—	·06	·08	—		12
13	·24	·01	—	—	—	—	—	·04	—	·04	·35	·19		13
14	·23	—	—	—	·07	—	—	—	·02	—	—	—		14
15	·08	·08	—	—	·01	—	·27	—	—	·35	·01	·39		15
16	·17	·02	—	—	—	—	—	·01	—	·01	·06	1·00		16
17	—	·09	—	—	—	—	—	—	·02	·21	—	—		17
18	·05	—	—	—	·01	—	—	—	·36	—	·44	—		18
19	·01	—	—	—	—	—	—	·06	·10	—	·26	—		19
20	—	—	—	—	—	—	—	—	·04	—	·83	—		20
21	·02	—	—	—	—	—	—	·01	·08	—	·07	·47		21
22	—	—	—	·01	—	·03	—	·02	—	—	·18	·33		22
23	—	—	—	·02	—	—	—	—	·05	—	·08	—		23
24	—	—	·05	—	—	—	—	—	·20	—	·05	·02		24
25	·12	—	·14	·10	·22	—	·01	—	·02	·05	1·47	·07	✓	25
26	·17	·18	·03	—	—	—	—	—	·31	·25	—	·18		26
27	·08	·03	—	—	·03	·27	·35	—	·49	·04	·33	—		27
28	·02	·04	—	—	·28	·05	—	·56	·03	—	—	·12		28
29	·25		—	—	·19	—	—	—	·04	—	·05	·17		29
30	·02	✕	—	·02	·08	·10	—	—	·11	·08	·28	—		30
31	·18	✕	—	✕	·11	✕	—	—	✕	·11	✕	·19		31
TOTAL	2·77	·58	·22	·20	1·40	·56	2·26	1·55	1·95	2·83	4·71	4·82	Year's Total 23·85	✓
* Days with .01 in. or more.	25	9	3	5	13	5	12	12	18	19	18	19	158	✓
* Days with .04 in. or more.	16	5	2	2	8	4	9	8	11	15	15	17	112	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. J. Binfield

Gardener to R. C. Patrick Esq.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations   Station No. 211/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at "Newlands", West Clandon

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	–	.02	.36	.30	–	—	—	.01	—	—	–		1
2	.04	–	—	.01	.02	–	.09	.60	.37	—	.03	–		2
3	.28	–	—	.26	–	–	—	.26	–	—	.29	.35		3
4	.18	–	.26	.22	—	–	.14	1.10	–	.46	.08	.02		4
5	—	–	–	.18	.05	–	.24	—	–	.24	.39	.05		5
6	.26	–	.08	–	.04	–	.20	.01	–	–	.12	–		6
7	.02	.11	—	–	—	–	.01	.03	–	.01	.16	.19		7
8	.01	.10	.19	–	–	–	.02	.05	–	.39	.34	.20		8
9	.04	.06	—	–	–	–	—	.03	—	.11	.03	.17		9
10	.20	–	—	–	–	.14	—	.10	.01	.12	.02	–		10
11	—	–	.21	—	0.2	.01	—	–	–	.46	–	.01		11
12	—	–	–	–	.01	.05	—	–	—	—	–	—		12
13	–	–	–	.04	—	—	.07	–	.02	1.70	–	.02		13
14	.56	–	.02	.02	.07	—	.05	–	—	.36	.44	—		14
15	.47	–	.06	–	.86	.22	.01	–	.16	.79	.18	.02		15
16	.49	–	.08	.02	.17	.12	.05	–	—	.05	.35	–		16
17	.31	0.2	.03	.03	.18	–	.20	–	.01	—	.08	–		17
18	.24	–	.02	–	.03	.58	.08	–	–	.13	.29	–		18
19	.24	–	—	—	—	–	.34	–	—	.16	.01	–		19
20	.39	–	.01	—	—	.11	.54	–	.01	—	—	.08		20
21	.04	.27	.09	–	—	.03	.09	–	.09	—	—	–		21
22	.15	.39	.01	.07	–	.16	.15	–	.02	–	.06	–		22
23	.01	–	—	.21	—	.02	.06	.01	—	.05	.60	–		23
24	.26	–	—	.06	—	.05	.09	–	—	.15	–	—		24
25	.65	.38	.06	–	—	–	.03	—	—	.01	.30	.01		25
26	.02	–	.03	–	–	–	.01	–	—	.18	.31	–		26
27	.03	.15	.09	.12	—	–	–	—	—	.06	.10	–		27
28	–	.19	.05	.25	—	.02	–	—	—	.06	.12	—		28
29	–	×	–	.31	—	—	.01	—	—	.08	.02	–		29
30	–	×	–	.85	—	.02	—	—	—	—	.20	–		30
31	–	×	–	×	—	×	.26	.05	×	.01	×	—		31
TOTAL	4.90	1.67	1.31	3.01	1.75	1.53	2.74	2.24	.70	5.58	4.52	1.12	Year's Total 31.07	
* Days with .01 in. or more.	23	9	17	16	11	13	22	10	9	21	23	11	185	
* Days with .04 in. or more.	17	8	10	12	7	8	16	6	3	18	18	6	129	

† Spare column, no entries required.

(*Signed*) W. T. Patrick

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 211/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at "Newlands", West Clandon

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 200 ft.

Jan 28th. 30th. + 31st est'd from nearby stns.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	–	–	–	–	–	–	–	.07	–		1
2	–	–	–	.38	–	–	.05	–	–	.09	.53	–		2
3	–	–	–	.04	–	–	–	–	–	.15	1.25	.02		3
4	–	.05	–	.02	–	–	–	–	–	.15	.07	–		4
5	–	–	–	–	–	–	.09	–	–	.06	.40	.15		5
6	.41	.22	–	–	–	–	.15	–	–	.20	–	–		6
7	.28	.20	–	–	.03	–	.08	–	–	–	–	–		7
8	–	.01	–	.01	–	–	.02	–	–	.36	.02	.25		8
9	–	–	–	.03	–	.05	–	–	.03	.16	.35	.11		9
10	–	–	–	–	–	–	.12	–	–	.10	.04	.05		10
11	–	–	–	.02	–	–	.03	–	–	–	.90	–		11
12	–	–	.18	–	–	–	.14	–	.23	–	.03	–		12
13	–	–	.67	–	–	.08	–	–	.05	–	1.20	–		13
14	–	–	.16	.08	–	–	.01	–	–	.07	–	.24		14
15	–	–	.01	.05	.19	.05	.63	–	.01	.03	.25	.02		15
16	–	–	.23	.10	–	.05	.15	–	.17	.55	1.03	.01		16
17	–	.32	.26	–	–	–	.04	–	–	.05	.58	–		17
18	–	.09	.09	.39	–	–	.34	.03	.08	.15	.25	.12		18
19	–	.09	.12	.06	–	–	.05	–	.66	–	.15	–		19
20	–	–	.02	.03	–	–	–	–	.04	.11	.02	–		20
21	–	–	.02	–	.62	–	.06	–	–	.05	.31	–		21
22	–	.01	.03	.01	.06	.55	–	–	.02	–	.05	–		22
23	–	.05	.07	.24	.02	.05	–	.02	–	–	–	–		23
24	–	–	–	.22	–	–	.37	–	–	–	–	.04		24
25	–	–	.86	–	.02	–	.04	–	–	.03	–	–		25
26	.81	.14	.67	–	.15	–	–	–	–	–	–	–	–	26
27	.32	.35	–	.12	–	–	.15	–	–	.01	–	–		27
28	(.47)	.02	–	–	.12	–	–	–	–	–	–	–		28
29	.12	.17	.10	.03	–	–	–	–	–	–	–	.23		29
30	(.20)	✕	–	.13	–	–	–	–	–	.14	–	.03		30
31	–	✕	–	✕	–	✕	–	–	✕	.79	✕	.05		31
TOTAL	2.61	1.72	3.49	1.96	1.21	.83	2.46	.05	1.29	3.25	7.50	1.32	Year's Total ~~27.19~~	27.69
* Days with .01 in. or more.	8 ~~6~~	13	15	18	8	6	18	2	9	19	19	13	14~~6~~8	
* Days with .04 in. or more.	8 ~~5~~	10	11	11	5	6	15	0	6	16	16	9	11~~1~~3	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. T. Patrick

[P.T.O.

FORM 1090.

211/7

211/7 ——— 282940

PIRBRIGHT.

1938 - 40

780105

ation.

, The following regis
&c., is NOT requ
values are given

section and also the space for

g to this register should be sent :—

RAINFALL

At Pirbright (

In the County of

in Summer

Distance ……… Direction from gauge ………

Distance ……… Direction from gauge ………

Rain Gauge
- Diameter of Funne
- *Height of Top above Gro…… ft.*
- *Height of Ground above Sea Level…………ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	2·89				
FEB.	·55				
MAR.	·30				
APRIL	·19				
MAY	1·27				
JUNE	·50				
JULY	1·94				
AUG.	1·11				
SEPT.	1·33				
OCT.	2·51				
NOV.	3·60				
DEC.	2·86				
TOTAL	19·05				

Signature C. Lyle Esq.*

* See Instruction 3 *(f)* below.

* Per Surrey Advertiser.

nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move……………………… Distance…………… Direction……………

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Print
GB
3/4/39

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
  (A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
  (B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}$ ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91
S.O. Code No. 40-9999

FORM 1090.

B Monthly Summary.

C Particulars of Station.

211/7

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938

At Pirbright (Bakersgate)

In the County of Surrey

Rain Gauge
- Diameter of Funnel……in.
- *Height of Top above Ground……ft……in.*
- *Height of Ground above Sea Level……ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	2·89				
FEB.	·55				
MAR.	·30				
APRIL	·19				
MAY	1·27				
JUNE	·50				
JULY	1·94				
AUG.	1·11				
SEPT.	1·33				
OCT.	2·51				
NOV.	3·60				
DEC.	2·86				
TOTAL	19·05				

Signature C. Lyle Esq. *

* See Instruction 3 *(f)* below.

* Per Surrey Advertiser.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

……

……

Hour of observation by the clock—in Winter……in Summer……

Nearest Railway Station…… Distance…… Direction from gauge……

Nearest Parish Church at…… Distance…… Direction from gauge……

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move…… Distance…… Direction……

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

……

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Print
GB
3/4/39

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91
S.O. Code No. 40-9999

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. ~~22~~ 211/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Bakersgate, Pirbright.
in the County of Surrey
Diameter of Funnel of Gauge 5 ins
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.01	—	0.02	0.26	0.24	—	—	0.01	0.05	—	—	0.02		1
2	0.04	—	—	0.03	0.02	—	0.02	0.51	0.65	—	0.01	—		2
3	0.31	—	—	0.22	—	—	—	0.28	—	—	0.36	0.19		3
4	0.17	—	0.26	0.13	—	—	0.08	0.67	—	0.37	0.08	0.02		4
5	—	—	—	0.13	0.07	—	0.06	0.01	—	0.28	0.39	0.05		5
6	0.25	—	0.05	—	0.38	—	0.30	—	—	—	0.39	0.03		6
7	0.02	0.13	—	—	—	—	0.01	0.03	—	0.07	0.25	0.04		7
8	0.01	0.08	0.17	—	—	—	0.01	0.05	—	0.35	0.36	0.30		8
9	0.03	0.06	—	—	—	—	—	0.02	—	0.17	0.19	0.19		9
10	0.30	—	—	—	—	0.13	—	0.23	0.02	0.12	0.02	—		10
11	—	—	0.18	—	—	—	—	—	0.01	0.28	0.02	0.01		11
12	—	—	—	—	0.01	0.07	—	—	—	—	—	—		12
13	—	—	—	0.02	—	0.01	0.05	—	—	1.42	—	0.01		13
14	0.53	—	—	0.02	0.07	0.02	0.04	—	—	0.31	0.48	0.01		14
15	0.32	—	0.04	—	0.60	0.23	0.05	—	0.10	0.70	0.10	0.01		15
16	0.46	—	0.17	0.02	0.14	0.20	0.11	—	—	0.51	0.44	—		16
17	0.20	0.04	0.03	0.02	0.19	—	0.14	—	—	0.01	0.10	—		17
18	0.26	—	0.02	—	—	0.12	0.12	—	—	—	0.29	—		18
19	0.23	0.01	—	—	—	—	0.23	—	—	0.15	—	—		19
20	0.23	—	0.01	—	—	0.09	0.35	—	—	—	—	0.05		20
21	0.10	0.11	0.06	—	—	0.06	0.30	1.42	0.10	—	—	—		21
22	0.11	0.38	0.02	0.05	—	0.07	0.11	—	—	—	0.05	—		22
23	0.02	—	0.03	0.13	—	0.01	0.09	—	—	0.06	0.66	—		23
24	0.07	—	0.01	0.16	—	0.67	0.25	—	—	0.11	—	—		24
25	0.26	0.31	0.05	—	—	—	0.08	—	—	—	0.28	—		25
26	0.04	—	0.01	0.03	—	—	0.04	—	—	0.19	0.19	0.03		26
27	0.03	0.08	0.07	0.04	—	—	—	—	—	0.13	0.19	—		27
28	—	0.20	0.05	0.09	—	0.06	—	—	—	0.02	0.13	—		28
29	—		—	0.16	—	—	0.05	—	—	0.06	0.02	—		29
30	—	✕	—	0.78	—	0.10	—	—	—	—	0.12	—		30
31	—	✕	—	✕	—	✕	0.15	0.04	✕	0.01	✕	0.10		31
TOTAL	4.50	1.40	1.25	2.29	1.72	1.24	2.64	3.27	0.93	5.32	5.12	1.06	Year's Total 30.74	
* Days with .01 in. or more.	23	10	18	17	9	14	22	11	6	20	23	15	188	
* Days with .04 in. or more.	17	9	10	11	7	11	19	7	4	17	19	7	138	

† Spare column, no entries required.

(*Signed*) Charles J. R. Lyle

[P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 211/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Bakersgate PIRBRIGHT
in the County of SURREY
Diameter of Funnel of Gauge 5 in.s
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 120 ft.

? Days Totals

Jan 28th - 31st est from nearby stns

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	-	-	-	-	-	-	0.09	-		1
2	-	0.10	-	0.15	0.01	-	0.06	-	-	0.05	0.61	-		2
3	-	0.24	-	0.07	-	-	-	-	-	0.13	1.20	0.07		3
4	-	0.08	-	0.01	-	-	-	-	-	0.05	0.10	0.04		4
5	-	0.02	-	-	-	-	-	-	-	-	0.38	0.15		5
6	0.28	0.20	-	-	-	-	0.41	-	-	0.26	-	-		6
7	0.23	0.26	-	-	0.03	-	0.03	-	-	0.03	-	-		7
8	-	-	-	0.02	-	-	-	-	-	0.30	0.04	0.24		8
9	-	-	-	0.01	-	0.23	-	-	0.05	0.23	0.23	0.10		9
10	-	-	-	-	-	-	0.15	0.07	-	0.11	0.06	0.04		10
11	-	-	-	0.01	-	-	0.06	-	-	-	0.80	0.03		11
12	-	-	0.17	0.01	-	-	0.03	-	0.06	-	0.06	0.01		12
13	-	-	0.59	-	-	-	0.03	-	0.20	-	1.08	-		13
14	-	-	0.15	0:10	0.10	-	-	-	0.01	0.17	-	0.23		14
15	-	-	-	-	0.12	0.09	0.57	-	-	0.03	0.36	0.02		15
16	-	-	0.24	0.26	-	0.04	0.19	-	0.22	0.61	0.87	0.04		16
17	-	-	0.27	-	-	-	0.05	-	-	-	0.49	-		17
18	-	0.32	0.21	0.32	-	-	0.15	-	-	0.26	0.13	0.10		18
19	-	0.11	0.09	0.08	-	-	0.16	-	0.53	-	0.07	-		19
20		0.01	0.02	0.01	-	-	0.05	-	0.07	0.07	0.11	-		20
21	-	-	0.03	-	0.17	-	0.10	0.03	0.02	0.11	0.44	-		21
22	-	-	0.03	0.02	0.48	0.53	-	-	0.07	0.05	-	-		22
23	-	0.06	0.05	0.15	-	0.16	-	-	-	-	0.06	-		23
24	-	-	-	0.24	-	-	0.25	-	-	-	-	0.02		24
25	-	-	0.48	-	-	-	0.03	-	-	0.03	-	-		25
26	0.75	0.15	0.66	0.01	0.18	-	-	-	-	-	-	-		26
27	0.39	0.31	-	0.07	0.06	-	0.12	0.06	-	-	-	-		27
28	~~0.01~~	0.01	-	-	0.06	-	-	-	-	-	-	-		28
29	(.83)	0.13	0.10	0.09	-	-	-	-	-	-	-	0.25		29
30	-	✕	-	0.11	-	-	-	-	-	0.11	-	0.02		30
31	~~0.02~~	✕	-	✕		✕	-	-	✕	0.73	✕	-		31
TOTAL	2.48 ~~1.68~~	2.00	3.09	1.74	1.21	1.05	2.44	0.16	1.23	3.33	7.18	1.36	Year's Total ~~26.47~~	27.27
* Days with .01 in. or more.	8 ~~6~~	14	14	19	9	5	17	3	9	18	19	15	~~148~~	150
* Days with .04 in. or more.	7 ~~4~~	11	11	11	7	5	13	2	7	15	19	10	~~115~~	118

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Charles J. L. Lyle

[P.T.O.

X WORPLESDON (TANGLEY

Section **A** for the entry of Dai

AIR MINISTRY.—

FORM 1090.

REGISTE

Kept at TANGLEY. PLAC

in the County of WORPLESDO

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREM

An observer who does not conform to this r
year in the space on the right of this par

2II/5

WORPLESDON
(TANGLEY PLACE)
1932 - 1940

780105

211/5

PY FOR OFFICIAL USE.

ORGANIZATION.

Surrey/6.

ir entires

al record right

Very good agreement
Print.

wing

Jan. 1, following
0·05

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	0·05	0·06	–	0·83	0·06	–	0·22	–	0·32	1
2	0·12	0·03	–	0·02	0·55	–	–	0·07	–	0·10	0·02	0·04	2
3	–	–	–	0·18	0·10	–	–	0·06	0·21	0·04	–	0·11	3
4	–	–	–	0·20	0·14	–	–	0·02	0·35	0·07	–	–	4
5	–	–	–	–	–	0·18	–	–	–	–	0·04	–	5
6	0·16	–	0·02	–	–	0·01	0·27	–	0·07	–	–	–	6
7	0·42	–	0·03	0·22	–	–	–	–	0·07	–	–	–	7
8	0·04	–	0·06	–	0·02	–	–	–	0·06	0·15	–	–	8
9	–	–	0·18	0·09	0·26	–	–	–	0·24	0·28	–	–	9
10	0·33	0·04	–	0·11	0·34	–	–	–	–	–	–	–	10
11	0·59	–	–	0·14	0·06	0·07	–	–	0·02	0·12	0·04	–	11
12	0·12	–	–	0·06	–	–	0·10	–	–	–	0·04	–	12
13	0·15	–	–	–	–	–	–	0·03	0·04	0·20	0·01	–	13
14	0·09	–	–	0·13	–	–	0·12	–	–	0·60	0·01	0·05	14
15	0·06	0·03	–	–	0·05	–	–	–	–	–	0·01	–	15
16	–	–	–	0·09	0·16	–	0·17	–	–	0·08	–	0·01	16
17	0·16	–	–	0·19	0·04	–	0·06	–	–	–	–	–	17
18	–	–	–	0·01	–	–	–	–	–	0·02	–	–	18
19	–	–	–	–	–	–	–	–	0·17	–	0·11	–	19
20	–	–	–	–	–	–	–	–	0·04	0·18	0·02	–	20
21	–	–	–	0·16	–	–	–	0·25	–	0·62	0·12	0·02	21
22	–	–	–	0·09	–	–	–	0·11	–	0·20	–	0·09	22
23	–	0·01	0·26	0·07	1·05	–	0·19	–	0·26	0·36	0·24	–	23
24	–	0·07	0·10	0·06	0·21	–	–	–	0·17	0·58	–	0·08	24
25	–	0·06	–	–	0·04	–	0·33	–	0·08	0·09	0·03	0·01	25
26	–	–	–	–	–	–	0·75	–	–	0·20	0·01	–	26
27	–	–	0·08	0·03	–	–	0·32	–	–	0·04	0·01	–	27
28	–	–	0·37	0·11	0·38	–	0·12	–	–	0·33	0·05	–	28
29	–	–	0·02	0·01	0·09	–	0·16	–	–	0·04	0·01	0·02	29
30	–	×	0·34	0·09	0·10	0·03	–	0·02	0·13	0·33	0·02	0·03	30
31	–	×	0·02	×	0·10	×	–	–	×	–	×	0·09	31
TOTAL	2·24	0·26	+.05 1.53 ~~1·48~~	+.06 2.12 ~~2·11~~	3.69 ~~3·75~~	+.83 1.12 ~~0·29~~	+.06 2.65 ~~3·42~~	0.56 ~~0·62~~	+.22 2.13 ~~1·91~~	4.63 ~~4·85~~	+.32 1.11 ~~0·79~~	+.05 .60 ~~0·87~~	YEAR'S TOTAL 22.64 ~~22·56~~
*Days with ·01 in. or more.	11	6	11	21	18	4	12	8	14	22	~~14~~ 18	12	1576
*Days with ·04 in. or more.	11	3	7	14	17	2	12	5	13	21	~~7~~ 8	4	1232

40-9999

*See Instruction 2 (*f*) on other side.

N X (Signed) E. J. W. JEUDWINE ESQ X

[P.T.O.

X WORPLESDON (TANGLEY

211/5

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Surrey/6.

Kept at TANGLEY. PLACE

in the County of WORPLESDON. SURREY

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 10 in.

" Ground " Sea Level 150 ft.

Observer says readings entered day of reading ∴ W.D. / he will record right day in future.

WD

Day good agreement Print.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: 0·05

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	0·05	0·06	–	0·83	0·06	–	0·22	–	0·32	1
2	0·12	0·03	–	0·02	0·55	–	–	0·07	–	0·10	0·02	0·04	2
3	–	–	–	0·18	0·10	–	–	0·06	0·21	0·04	–	0·11	3
4	–	–	–	0·20	0·14	–	–	0·02	0·35	0·07	–	–	4
5	–	–	–	–	–	0·18	–	–	–	–	0·04	–	5
6	0·16	–	0·02	–	–	0·01	0·27	–	0·07	–	–	–	6
7	0·42	–	0·03	0·22	–	–	–	–	0·07	–	–	–	7
8	0·04	–	0·06	–	0·02	–	–	–	0·06	0·15	–	–	8
9	–	–	0·18	0·09	0·26	–	–	–	0·24	0·28	–	–	9
10	0·33	0·04	–	0·11	0·34	–	–	–	–	–	–	–	10
11	0·59	–	–	0·14	0·06	0·07	–	–	0·02	0·12	0·04	–	11
12	0·12	–	–	0·06	–	–	0·10	–	–	–	0·04	–	12
13	0·15	–	–	–	–	–	–	0·03	0·04	0·20	0·01	–	13
14	0·09	–	–	0·13	–	–	0·12	–	–	0·60	0·01	0·05	14
15	0·06	0·03	–	–	0·05	–	–	–	–	–	0·01	–	15
16	–	–	–	0·09	0·16	–	0·17	–	–	0·08	–	0·01	16
17	0·16	–	–	0·19	0·04	–	0·06	–	–	–	–	–	17
18	–	–	–	0·01	–	–	–	–	–	0·02	–	–	18
19	–	–	–	–	–	–	–	–	0·17	–	0·11	–	19
20	–	–	–	–	–	–	–	–	0·04	0·18	0·02	–	20
21	–	–	–	0·16	–	–	–	0·25	–	0·62	0·12	0·02	21
22	–	–	–	0·09	–	–	–	0·11	–	0·20	–	0·09	22
23	–	0·01	0·26	0·07	1·05	–	0·19	–	0·26	0·36	0·24	–	23
24	–	0·07	0·10	0·06	0·21	–	–	–	0·17	0·58	–	0·08	24
25	–	0·05	–	–	0·04	–	0·33	–	0·08	0·09	0·03	0·01	25
26	–	–	–	–	–	–	0·75	–	–	0·20	0·01	–	26
27	–	–	0·08	0·03	–	–	0·32	–	–	0·04	0·01	–	27
28	–	–	0·37	0·11	0·38	–	0·12	–	–	0·33	0·05	–	28
29	–	–	0·02	0·01	0·09	–	0·16	–	–	0·04	0·01	0·02	29
30	–	×	0·34	0·09	0·10	0·03	–	0·02	0·13	0·33	0·02	0·03	30
31	–	×	0·02	×	0·10	×	–	–	×	–	×	0·09	31
TOTAL	2·24	0·26	+.05 1.53 ~~[illegible]~~	+.06 2.12 ~~[illegible]~~	3.69 ~~[illegible]~~	+.83 1.12 ~~0·29~~	+.06 2.65 ~~[illegible]~~	0.56 ~~[illegible]~~	+.22 2.13 ~~[illegible]~~	4.63 ~~[illegible]~~	+.32 1.11 ~~0·79~~	+.05 .60 ~~[illegible]~~	YEAR'S TOTAL 22.64 ~~22·56~~
*Days with ·01 in. or more.	11	6	11	21	18	4	12	8	14	22	~~14~~ 18	12	1576
*Days with ·04 in. or more.	11	3	7	14	17	2	12	5	13	21	~~7~~ 8	4	1232

40-9999

*See Instruction 2 (*f*) on other side.

N X (Signed) E.J.W. JEUDWINE ESQ X

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 211/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. Aud A

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at TANGLEY PLACE GARDENS

in the County of SURREY WORPLESDON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 10 in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·05	0·16	0·17	—	—	—	—	—	—	0·02	0·01	—	1
2	0·10	0·17	0·31	—	0·32	—	—	—	—	—	0·01	—	2
3	0·15	—	0·26	—	0·04	—	—	—	—	—	—	—	3
4	0·01	0·15	—	—	0·34	—	—	—	—	—	0·05	—	4
5	0·11	—	0·27	—	—	—	—	—	—	—	0·04	—	5
6	0·05	0·02	0·03	—	0·34	—	—	—	—	0·13	0·06	0·02	6
7	—	0·10	0·03	—	0·28	—	—	—	—	0·13	—	—	7
8	0·15	0·03	—	—	0·01	—	0·14	—	—	0·03	—	—	8
9	—	—	—	—	0·02	—	0·10	—	—	0·13	0·10	—	9
10	—	0·60	—	—	—	0·06	0·02	—	—	0·23	0·11	—	10
11	—	0·01	—	—	0·12	0·02	0·36	0·06	0·01	—	0·03	—	11
12	0·32	—	—	—	—	0·20	0·10	—	0·92	—	—	—	12
13	—	—	—	—	0·10	—	0·19	—	0·10	—	0·10	—	13
14	0·07	—	—	—	—	—	0·02	—	—	0·20	0·33	—	14
15	0·01	—	0·13	—	—	—	0·10	0·23	—	—	0·04	—	15
16	0·28	—	0·54	—	—	0·09	0·26	—	—	—	0·03	—	16
17	—	—	0·35	—	—	0·20	—	—	0·02	—	—	—	17
18	0·02	0·06	0·17	—	—	0·34	—	—	—	—	0·03	—	18
19	0·18	0·07	0·05	—	—	—	0·09	—	0·36	—	—	0·03	19
20	—	0·02	0·13	0·11	—	—	—	—	0·02	—	—	—	20
21	—	—	—	—	0·05	0·09	—	—	0·19	0·46	—	—	21
22	—	—	—	—	0·61	0·07	—	0·24	0·05	0·13	0·03	—	22
23	—	—	—	0·16	—	0·37	—	—	0·21	—	—	—	23
24	—	0·88	—	0·06	—	—	—	—	0·15	—	—	—	24
25	—	0·84	—	0·26	—	—	—	—	0·10	—	0·02	0·03	25
26	—	0·69	—	0·02	—	0·21	—	—	—	0·08	—	0·03	26
27	—	0·02	—	—	0·43	—	—	—	—	0·24	—	0·06	27
28	—	—	—	—	0·22	—	0·14	—	—	0·26	—	0·06	28
29	—	—	0·01	0·08	—	—	—	—	—	0·14	—	—	29
30	0·10	×	0·05	0·02	—	—	0·02	—	0·16	—	—	0·10	30
31	0·13	×	—	×	—	×	—	0·06	×	—	×	—	31
TOTAL	1·73	3·82	2·54	0·40	2·88	1·65	1·58	0·59	2·29	2·18	0·99	0·33	YEAR'S TOTAL 21·31
*Days with ·01 in. or more.	16	15	14	7	13	10	12	4	12	13	15	7	137
*Days with ·04 in. or more.	12	10	11	5	11	9	9	4	9	10	8	3	101

40-9999

*See Instruction 2 (*f*) on other side.

D

(*Signed*) T. Newman

[P.T.O.

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE. Station No. 211/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at TANGLEY PLACE GARDENS

in the County of SURREY

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 10 in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·02	—	—	—	—		—	0·22	0·01	0·05	0·02	0·40		1
2	0·05	—	0·10	—	0·08	—	—	—	0·78	0·25	—	0·17		2
3	—	0·03	—	0·04	—	—	—	0·03	—	0·22	—	0·12		3
4	0·09	—	0·13	0·09	0·09	—	—	—	—	0·02	0·04	0·33		4
5	—	—	—	—	—	—	—	0·02	—	—	0·13	0·39		5
6	—	—	0·31	—	0·17	—	—	0·32	—	0·20	0·02	0·55		6
7	0·06	—	—	—	—	0·11	—	—	—	0·06	0·52	0·22		7
8	—	—	—	—	0·06	—	—	0·05	0·23	—	1·00	0·06		8
9	0·02	—	0·02	—	—	—	—	—	—	—	0·49	0·49		9
10	0·0~~4~~2	—	0·25	0·23	—	—	—	—	—	0·01	—	0·02		10
11	0·33	—	0·31	0·13	—	—	0·04	0·04	—	—	—	0·16		11
12	0·02	—	—	—	—	—	0·19	0·12	—	—	—	0·08		12
13	0·18	—	—	0·02	—	—	0·11	0·23	—	—	0·10	0·24		13
14	0·09	—	0·40	0·01	—	0·05	—	—	—	—	0·19	0·79		14
15	—	—	0·10	—	0·07	—	—	—	—	0·20	0·13	0·44		15
16	0·10	—	0·19	—	0·02	—	—	—	—	0·10	—	—		16
17	0·02	—	—	0·04	—	—	—	—	0·01	0·12	0·01	0·13		17
18	0·15	—	0·04	0·20	—	—	0·02	—	—	—	—	0·35		18
19	—	—	0·30	0·08	—	—	—	—	0·06	—	—	0·16		19
20	—	—	0·04	0·01	—	—	0·85	—	—	—	0·02	0·03		20
21	—	—	0·01	0·20	—	0·06	0·34	0·07	—	0·03	—	—		21
22	—	—	—	—	—	—	0·18	0·09	0·16	—	—	0·17		22
23	—	—	—	0·21	—	0·43	—	—	—	—	—	0·05		23
24	—	0·04	0·06	0·11	—	0·06	0·53	—	0·06	—	—	—		24
25	0·17	0·01	—	0·14	0·07	0·44	—	—	—	0·08	—	0·35		25
26	—	—	—	0·35	—	0·11	—	—	0·02	—	—	0·05		26
27	—	—	—	0·01	—	0·04	—	—	—	0·01	—	0·19		27
28	—	—	—	—	—	0·21	—	0·88	—	—	—	0·18		28
29	—	—	—	—	—	—	0·01	0·01	0·15	—	—	0·01		29
30	0·08	✕	—	—	—	—	—	0·02	0·02	0·01	—	0·19		30
31	0·04	✕	—	✕	—	✕	—	—	✕	0·22	✕	0·05		31
TOTAL	1·44	0·08	2·26	1·87	0·56	1·51	2·27	2·10	1·50	1·58	2·67	6·37	Year's Total 24·3~~0~~2	
*Days with ·01 in. or more.	16	3	14	16	7	8	9	13	10	15	12	28	151	
*Days with .04 in. or more.	11	1	12	12	6	8	7	9	6	10	8	25.	115	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) T. Newman

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 211/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at TANGLEY. PLACE. GARDENS
in the County of NORPLESDON. SURREY

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 10 in.
,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·11	0·06	0·04	0·06	—	0·06	1·00	—	0·25	0·04	0·27	—		1
2	—	—	—	—	—	—	—	—	0·04	0·20	0·04	—		2
3	—	—	0·04	0·05	—	0·02	—	—	0·20	0·92	0·10	—		3
4	—	0·03	—	0·21	—	0·19	—	—	0·02	0·28	0·02	0·05		4
5	—	0·11	0·05	0·05	—	0·15	—	—	0·59	0·02	—	0·01		5
6	0·04	0·03	—	0·21	—	0·42	—	—	—	0·03	0·85	—		6
7	—	—	—	0·22	—	0·12	—	—	—	0·18	0·42	0·17		7
8	—	—	—	34 0·~~06~~	—	0·02	—	—	—	0·03	0·22	—		8
9	0·03	—	—	0·22	—	0·46	—	—	0·03	0·73	0·09	—		9
10	0·05	—	0·03	0·06	—	—	—	—	—	—	0·18	0·04		10
11	0·31	—	—	0·11	—	0·06	0·15	—	—	0·05	0·44	—		11
12	0·02	0·02	—	—	—	0·18	—	0·10	0·04	—	0·82	—		12
13	0·03	0·07	—	0·15	0·06	0·04	—	—	—	—	—	—		13
14	—	—	—	0·04	0·17	0·05	—	—	0·02	—	0·12	0·10		14
15	—	0·13	—	0·40	0·01	0·14	—	—	0·05	—	0·34	0·04		15
16	—	0·04	—	0·06	—	0·18	—	—	0·43	0·02	0·65	—		16
17	—	—	—	0·04	—	0·14	0·03	—	0·05	—	0·13	—		17
18	—	—	—	0·16	0·19	0·02	—	—	0·23	—	—	—		18
19	—	0·01	—	—	0·44	0·03	0·19	—	0·04	0·02	0·09	0·02		19
20	—	0·22	—	0·19	0·25	0·07	0·35	—	—	0·02	0·22	—		20
21	—	0·43	—	—	—	—	—	—	—	0·12	—	—		21
22	—	0·07	0·03	0·14	—	—	—	0·27	0·17	—	—	—		22
23	—	—	0·05	—	—	—	—	0·37	0·10	0·18	—	0·10		23
24	0·03	0·59	—	—	0·09	—	—	1·59	0·25	—	—	0·18		24
25	0·08	0·34	—	0·21	0·21	0·89	—	—	—	—	—	0·23		25
26	—	0·33	—	—	—	—	—	0·18	0·04	—	—	0·40		26
27	—	0·53	—	—	—	—	—	—	0·09	—	0·09	0·29		27
28	—	0·12	—	—	0·06	—	—	—	0·44	—	—	0·17		28
29	—	—	—	—	—	—	—	—	0·38	—	—	0·31		29
30	0·06	×	—	0·02	—	—	—	0·82	—	0·13	0·50	0·32		30
31	—	×	—	×	—	×	—	—	×	0·39	×	0·26		31
TOTAL	0·76	3·13	0·24	2·94	1·48	3·24	1·82	3·33	3·48	3·36	5·59	2·69	Year's Total 32·06	
* Days with .01 in. or more.	10	17	6	20	9	19	5	6	20	17	19	16	164	
* Days with .04 in. or more.	6	13	4	19	8	15	4	6	17	11	17	14	134	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) T. Newman

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 211/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Totals

Kept at TANGLEY PLACE GARDENS
in the County of WORPLESDON SURREY
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 10 in.
" Ground " Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·27	0·02	0·02	0·11	—	0·18	0·12	0·16	—	—	0·06	0·04		1
2	—	—	—	—	—	0·24	0·04	0·06	—	—	0·05	—		2
3	—	—	—	0·47	—	—	—	—	0·26	—	0·25	—		3
4	—	—	0·07	—	—	0·06	—	—	0·21	—	0·07	0·03		4
5	0·38	—	0·13	—	—	—	—	0·02	0·01	—	—	0·07		5
6	0·44	—	—	—	—	—	—	—	0·10	—	0·46	—		6
7	0·18	—	0·05	—	—	0·05	0·03	—	0·03	—	0·13	0·06		7
8	0·20	—	0·08	—	—	—	0·02	—	—	—	0·14	0·10		8
9	0·29	—	—	—	—	—	0·35	—	0·14	—	—	—		9
10	0·08	—	—	0·03	—	—	0·11	0·76	—	—	—	—		10
11	—	—	—	0·07	—	—	0·13	—	—	—	0·86	—		11
12	—	—	—	0·04	—	0·56	0·15	—	0·25	—	0·16	0·08		12
13	—	—	—	0·11	—	0·04	—	—	0·03	0·02	0·02	0·28		13
14	—	0·06	—	—	—	0·05	0·50	—	0·27	0·02	0·13	0·64		14
15	—	0·05	—	—	—	—	—	—	—	—	0·02	0·12		15
16	0·35	0·10	—	—	—	—	0·03	—	—	—	0·25	0·10		16
17	0·15	0·61	—	—	—	0·20	—	—	—	—	0·10	0·25		17
18	0·16	0·09	—	—	—	0·10	0·15	—	—	—	—	0·10		18
19	0·24	0·02	0·02	0·02	—	0·90	0·22	0·08	—	—	0·01	—		19
20	0·11	0·06	0·05	0·55	—	0·45	0·04	—	0·45	—	—	—		20
21	—	—	—	0·37	0·04	0·18	0·11	—	0·02	—	—	—		21
22	0·08	0·36	0·11	—	0·35	0·02	0·04	—	—	—	—	0·14		22
23	0·02	—	0·27	0·06	0·03	—	0·14	—	—	0·09	—	—		23
24	0·04	0·15	—	—	—	—	—	—	0·04	0·45	—	—		24
25	0·05	—	0·10	0·15	—	—	0·11	—	0·38	0·15	0·04	0·02		25
26	—	0·11	0·11	0·06	—	—	0·10	—	0·01	0·07	—	0·03		26
27	0·28	—	—	—	—	—	—	—	0·04	0·08	—	—		27
28	0·84	—	0·17	—	—	0·27	0·97	—	—	—	—	0·08		28
29	0·05	0·06	0·07	—	—	0·07	0·11	—	—	—	0·14	0·04		29
30	0·08	✕	—	—	0·09	0·24	0·02	—	—	0·60	—	—		30
31	0·28	✕	0·27	✕	—	✕	0·45	—	✕	0·51	✕	0·25		31
TOTAL	4·57	1·69	~~1·49~~ 152	2·04	0·51	3·66	3·94	1·08	2·24	1·99	2.89	2·4~~1~~ 3	Year's Total 28.56	✓
* Days with .01 in. or more.	21	12	15	12	4	16	22	5	15	9	17	18	166	✓
* Days with .04 in. or more.	20	10	12	10	2	15	18	4	10	7	14	15	137	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) T. Newman [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 211/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at TANGLEY PLACE GARDENS

in the County of WORPLESDON SURREY

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 10 in.

,, Ground ,, Sea Level 150 ft.

Total

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·36	0·05	0·02	0·08	—	—	—	—	—	—	—	0·67		1
2	0·02	0·34	—	0·50	—	—	—	—	0·22	0·02	0·66	0·81		2
3	—	0·60	0·04	—	—	—	—	—	—	—	—	0·02		3
4	0·08	0·08	—	—	—	—	—	—	—	—	—	0·30		4
5	0·07	0·08	0·19	—	—	—	0·13	—	—	—	—	—		5
6	0·05	0·48	0·98	—	0·27	—	0·02	—	—	0·07	0·05	—		6
7	—	0·01	—	0·09	—	—	—	—	0·02	0·02	—	—		7
8	—	0·16	—	—	0·17	0·02	—	—	—	—	0·10	0·21		8
9	—	—	—	0·32	0·07	0·05	—	0·02	0·32	—	—	0·24		9
10	—	—	0·65	0·12	0·17	0·27	—	0·15	—	—	—	0·43		10
11	—	—	0·18	—	0·12	0·07	0·04	—	—	—	—	0·07		11
12	0·21	0·22	0·14	0·05	0·65	0·33	—	0·81	0·12	—	—	0·24		12
13	0·19	0·04	0·49	0·02	—	0·06	—	0·39	0·38	—	—	1·23		13
14	0·02	0·07	0·17	—	—	0·02	—	0·18	0·06	—	—	—		14
15	0·32	0·12	—	0·18	0·02	—	0·24	—	0·05	—	—	0·03		15
16	0·64	0·07	0·41	0·39	—	—	—	0·20	0·64	—	—	—		16
17	0·36	—	0·16	0·05	—	—	—	—	0·15	—	0·04	—		17
18	0·05	0·12	—	0·02	0·03	0·14	—	—	—	—	0·14	0·17		18
19	0·50	0·09	0·08	0·08	—	0·17	0·05	—	0·07	—	—	0·04		19
20	0·52	—	0·13	0·25	0·07	—	—	—	0·05	—	—	—		20
21	0·44	0·37	0·07	0·03	—	—	0·02	—	—	—	—	0·02		21
22	0·24	0·04	0·03	—	0·10	0·36	0·07	—	—	0·82	0·36	0·05		22
23	0·41	0·04	0·02	—	0·13	—	—	—	—	0·27	—	—		23
24	0·19	0·42	—	—	—	—	—	—	0·11	0·47	—	—		24
25	0·03	0·35	0·26	—	0·15	—	—	—	0·07	0·45	—	0·03		25
26	—	0·17	0·05	—	0·14	—	—	—	—	0·15	—	—		26
27	0·03	0·18	—	0·11	—	—	—	—	—	0·57	—	—		27
28	—	0·06	—	0·04	—	—	—	—	—	0·10	—	0·05		28
29	0·33	—	—	—	—	0·04	—	—	—	0·03	0·10	0·05		29
30	0·25	✕	—	—	—	0·01	—	—	—	0·10	0·26	—		30
31	—	✕	—	✕	—	✕	—	—	✕	0·07	✕	0·04		31
TOTAL	5·31	4·16	4·07	2·33	2·59	1·54	0·54	1·75	2·16	3·14	1·70	4·64	Year's Total 33·9[illegible]	✓ ✓
* Days with .01 in. or more.	22	23	18	16	13	12	7	6	13	13	8	19	170	✓ ✓
* Days with .04 in. or more.	18	22	15	13	11	9	5	5	12	10	8	14	142	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) T. Newman

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 211/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at TANGLEY . PLACE GARDENS
in the County of "WORPLESDON" SURREY
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 10 in.
,, Ground ,, Sea Level 150 ft.

Dec. & Ann. Total Corr. for Arith. 16.2.39. EMT.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	—	—	—	0·10	0·37	—	0·01	0·03	—	0·08		1
2	0·06	—	—	0·06	0·05	—	0·03	—	—	0·22	—	0·03		2
3	—	—	—	—	0·33	—	—	—	—	0·40	—	0·09		3
4	0·03	—	—	—	—	0·03	0·02	0·04	—	0·02	—	0·05		4
5	0·01	—	—	—	—	—	0·19	—	—	0·36	—	—		5
6	0·02	—	—	—	—	—	0·06	—	0·04	—	—	—		6
7	0·03	—	—	—	—	—	0·32	0·23	—	0·12	—	0·03		7
8	0·20	—	—	—	—	—	0·07	0·23	0·05	0·33	—	—		8
9	0·11	—	—	—	—	—	—	0·04	—	0·02	—	0·78		9
10	0·07	0·10	—	—	—	—	—	0·03	—	—	—	0·19		10
11	0·19	0·02	—	—	—	—	—	—	—	0·03	0·19	0·11		11
12	0·25	—	—	—	0·03	—	—	0·02	—	0·08	0·06	—		12
13	0·21	—	—	—	—	—	—	—	—	0·05	0·35	0·16		13
14	0·24	—	—	—	0·06	—	—	—	0·02	—	0·02	—		14
15	0·10	0·05	—	—	—	—	0·40	—	—	0·32	—	0·22		15
16	0·20	0·03	—	—	—	—	—	—	—	0·03	0·05	0·28		16
17	—	0·11	—	—	—	—	—	—	0·01	0·10	—	—		17
18	0·03	—	—	—	0·02	—	—	—	0·33	—	0·47	—		18
19	—	—	—	—	—	—	—	0·05	0·11	—	0·22	—		19
20	—	—	—	—	—	—	—	—	0·04	—	0·57	—		20
21	—	—	—	—	—	—	—	0·01	0·09	—	0·11	0·35		21
22	—	—	—	—	—	0·04	—	0·01	—	—	0·20	0·28		22
23	—	—	—	0·03	—	—	—	—	0·04	—	0·08	—		23
24	—	—	0·05	—	—	—	—	—	0·18	—	0·09	—		24
25	0·13	—	0·10	0·07	0·16	—	0·01	—	—	0·09	1·23	0·10		25
26	0·18	0·15	0·04	—	—	—	—	—	0·26	0·25	—	0·23	✓	26
27	0·06	0·03	—	—	—	0·25	0·28	—	0·50	0·06	0·26	—		27
28	—	0·04	—	—	0·29	0·06	—	0·44	0·02	—	—	0·13		28
29	0·25		—	—	0·19	—	—	0·02	—	—	0·08	0·18		29
30	0·03	✕	—	—	0·07	0·17	—	—	0·09	0·10	0·16	—		30
31	0·16	✕	—	✕	0·10	✕	—	—	✕	0·12	✕	0·21	"d"	31
TOTAL	2·56	0·53	0·19	0·16	1·30	0·65	1·75	1·12	1·79	2·73	4·14	3·~~48~~ 50	Year's Total 20·4~~3~~ 2	✓
* Days with .01 in. or more.	~~21~~	~~8~~	~~3~~	~~3~~	~~10~~	~~6~~	~~10~~	~~9~~	~~10~~	~~17~~	~~16~~	~~18~~	~~138~~	✓
* Days with .04 in. or more.	15	5	3	2	8	5	7	6	11	14	15	16	107	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) I. Newman

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 211/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Tangley Place Gardens. Worplesdon

in the County of Surrey,

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 10 in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	0·02	0·29	0·27	—	—	0·[illegible]1	0·05	—	—	0·01		1
2	0·06	—	—	—	0·02	—	0·03	0·62	0·31	—	0·03	—		2
3	0·33	—	—	0·30	—	—	—	0·17	—	—	0·32	0·14		3
4	0·16	—	0·23	0·19	—	—	0·11	0·44	—	0·49	0·08	—		4
5	—	—	—	0·13	0·07	—	0·07	—	—	0·25	0·28	0·07		5
6	0·25	—	0·05	—	0·24	—	0·23	0·01	—	—	0·12	0·04		6
7	0·03	0·13	—	—	—	—	0·10	0·03	—	0·08	0·20	0·11		7
8	—	0·08	0·19	—	—	—	0·02	0·02	—	0·38	0·50	0·23		8
9	0·03	0·06	—	—	—	—	—	0·03	—	0·15	0·05	0·15		9
10	0·26	—	—	—	—	0·14	—	0·16	0·02	0·14	0·03	—		10
11	—	—	0·22	—	—	—	—	—	0·03	0·43	0·02	—		11
12	—	—	—	—	—	0·07	—	—	—	—	—	—		12
13	—	—	—	0·02	—	0·03	0·05	—	0·01	1·60	—	0·03		13
14	0·50	—	—	0·03	0·04	0·02	0·03	—	—	0·28	0·46	—		14
15	0·39	—	0·02	—	0·76	0·29	—	—	0·06	0·73	0·24	0·02		15
16	0·49	—	0·12	0·02	0·10	0·08	0·18	—	—	0·14	0·31	—		16
17	0·26	0·01	0·01	—	0·18	—	0·09	—	—	—	0·08	—		17
18	0·27	—	0·01	—	—	0·55	0·17	—	—	0·08	0·24	—		18
19	0·25	—	—	—	—	—	0·13	—	—	0·13	0·02	—		19
20	0·28	—	0·09	—	—	0·15	0·40	—	—	—	—	0·04		20
21	0·03	0·20	—	—	—	0·04	0·13	0·12	0·10	—	—	—		21
22	0·15	0·29	0·04	0·05	—	0·16	0·11	—	0·01	—	0·05	—		22
23	—	—	—	0·11	—	0·02	0·15	0·01	—	0·06	0·61	—		23
24	0·27	—	0·01	0·17	—	0·08	0·03	—	—	0·15	—	—		24
25	0·60	0·31	0·05	—	—	—	0·08	—	—	—	0·24	—		25
26	0·06	—	—	—	—	—	—	—	—	0·22	0·20	0·04		26
27	0·03	0·13	0·08	0·08	—	—	—	—	—	0·11	0·10	—		27
28	—	0·17	0·06	0·20	—	0·05	—	—	—	0·05	0·12	0·12		28
29	—	✕	—	0·36	—	—	0·05	—	—	0·05	0·02	—		29
30	—	✕	—	0·72	—	0·06	—	—	—	—	0·09	0·02		30
31	—	✕	—	✕	—	✕	0·23	0·06	✕	—	✕	—		31
TOTAL	4·70	1·38	1·20	2·67	1·65	1·74	2·40	2·01	0·59	5·54	4·41	1·05	Year's Total 29·34	
* Days with .01 in. or more.	20	9	15	14	8	14	20	9	8	19	24	13	146	
* Days with .04 in. or more.	16	8	10	11	7	11	16	6	4	19	19	9	136	

† Spare column, no entries required.

(*Signed*) T. Newman

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 211/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Tangley Place Worplesdon

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 10 in.

,, Ground ,, Sea Level 150 ft.

Totals ✓

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	0·01	—	—	—	—	—	—	—	—	0·11	—		1
2	—	0·11	—	0·20	—	—	0·05	—	—	0·07	0·51	—		2
3	—	0·24	—	0·05	—	—	—	—	—	0·16	1·16	0·09		3
4	—	—	—	—	—	—	—	—	—	0·15	0·08	0·02		4
5	—	—	—	—	—	—	—	—	—	0·03	0·40	0·12		5
6	0·26	0·23	—	—	—	—	0·23	—	—	0·21	—	—		6
7	0·26	0·21	—	—	0·03	—	0·15	—	—	—	—	—		7
8	—	—	—	0·04	—	—	—	—	0·02	0·33	0·03	0.24		8
9	—	—	—	—	—	0·09	—	—	0·03	0·13	0·26	0·11		9
10	—	—	—	—	—	—	0·11	0·05	—	0·24	0·05	0·02		10
11	—	—	—	0·02	—	—	0·04	—	—	—	0·86	0·03		11
12	—	0·02	0·12	—	—	—	0·06	—	0·20	—	0·02	—		12
13	—	0·01	0·72	—	—	—	0·08	—	0·05	—	1·09	—		13
14	—	—	0·21	0·10	—	—	0·03	—	—	0·16	0·02	0·27		14
15	—	—	0·28	—	0·16	0·08	0·47	—	0·04	—	0·33	—		15
16	0·03	0·28	0·31	0·08	—	0·07	0·22	—	0·19	0·67	0·80	0·02		16
17	—	—	—	—	—	—	0·06	—	—	—	0·54	0·03		17
18	—	0·22	0·07	0·36	—	—	0·33	0·02	0·03	0·26	0·14	0·10		18
19	—	0·10	0·06	0·05	—	—	0·06	—	0·66	—	0·12	—		19
20	0·01	—	0·04	0·01	—	—	0·01	—	0·05	0·14	0·06	—		20
21	—	—	—	—	0·54	—	0·06	0·01	—	0·08	0·32	—		21
22	—	—	0·03	0·02	0·20	0·70	—	—	0·14	0·04	0·02	—		22
23	—	0·07	0·08	0·16	—	0·11	—	—	—	—	—	—		23
24	—	—	—	0·28	—	—	0·29	—	—	—	—	—		24
25	—	—	0·73	—	—	—	0·03	—	—	0·03	—	—		25
26	0·84	0·13	0·63	0·02	0·16	—	0·02	—	—	—	—	—		26
27	0·51	0·34	—	0·10	—	—	0·12	0·04	—	—	—	—		27
28	0·40	0·02	—	—	0·08	—	—	—	—	—	—	—		28
29	0·15	0·15	0·11	0·09	0·03	—	—	—	—	—	—	0·25		29
30	0·11	✕	—	0·11	—	—	—	—	—	0·11		0·03		30
31	0·07	✕	—	✕	—	✕	—	—	✕	0·70	✕	0·05		31
TOTAL	2·64	2·14	3·39	1·69	1·20	1·05	2·44	0·12	1·40	3·57	6·92	1·38	Year's Total 27·94	✓
* Days with .01 in. or more.	10	15	13	16	7	5	19	4	10	17	20	14	150	✓
* Days with .04 in. or more.	8	11	12	12	5	5	15	2	7	15	15	6	113	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) T. Newman

P.T.O.

212

Section **A** for the entry of
AIR MINISTR

COPY FOR OFFICIAL USE.
LL ORGANIZATION.

FORM 1090.
REGIS

212

WORPLESDON OPENWOOD

1931 -1932

780105

1.

Kept at Openwood
in the County of Surr

Diameter of Funnel of Gauge
Height of top of Gauge above Groun
,, Ground ,, Sea l

THE MORNING MEASU AY.

An observer who does not conform to … *following*
year in the space on the right of th

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·19					·02				1
2	·23			·35				·04	·46				2
3	·08	·12	·09	·32	·54			·16	·57		·06	·28	3
4					·04		·03		·03		·22		4
5		·12		·20	·02	·39			·02		·03	·10	5
6				·17			·32		·01	·33	·25		6
7					·14	·09		·41		·08	·33	·04	7
8		·05	·08		·02	·47		·18			·02		8
9		·01							·09		·43		9
10		·16				·03		·19			·35	·01	10
11	·09	·27							·02		·39		11
12	·01			·04					·27				12
13		·09					·01	·03					13
14	·01						1.12	·95					14
15	·02			·25	·07		·10	·18				·08	15
16		·10		·18	·25	·11		·16					16
17		·02		·28	·01		·38	·25	·18	·02			17
18		·05	·06	·07		·09	·07	·85			·50		18
19	·07		·01	·45		·80	·66	·24	·08				19
20		·03		·12				·34			·03		20
21	·04		·01		·37						·01		21
22	·17								·01				22
23	·25			·13	·39	·03			·04		·12		23
24				·38	·16	·07	·13	·08					24
25	·08			·49	·05		·40				·01		25
26		·03		·39	·21		·57				·22		26
27	·12	·29		·18	·30		·18						27
28	·01	·05			·33						·04	·08	28
29	·03				·18		·07			·19	·01	·07	29
30	·07	×						·10					30
31	·15	×		×	·14	×			×		×		31
TOTAL	1.43	1.39	.25	4.19	3.22	2.08	4.04	4.16	1.80	.62	3.02	.66	YEAR'S TOTAL 26.86
*Days with ·01 in. or more.	16	14	5	17	17	9	13	15	13	4	17	7	147
*Days with ·04 in. or more.	11	10	3	17	14	7	11	14	7	3	11	6	114

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) D H Welch

P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Openwood, Worplesdon

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft 9 in.

,, Ground ,, Sea Level 160 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.19					.02				1
2	.23			.35				.04	.46				2
3	.08	.12	.09	.32	.54			.16	.57		.06	.28	3
4					.04		.03		.03		.22		4
5		.12		.20	.02	.39			.02		.03	.10	5
6				.17			.32		.01	.33	.25		6
7					.14	.09		.41		.08	.33	.04	7
8		.05	.08		.02	.47		.18			.02		8
9		.01							.09		.43		9
10		.16				.03		.19			.35	.01	10
11	.09	.27							.02		.39		11
12	.01			.04					.27				12
13		.09					.01	.03					13
14	.01						1.12	.95					14
15	.02			.25	.07		.10	.18				.08	15
16		.10		.18	.25	.11		.16					16
17		.02		.28	.01		.38	.25	.18	.02			17
18		.05	.06	.07		.09	.07	.85			.50		18
19	.07		.01	.45		.80	.66	.24	.08				19
20		.03		.12				.34			.03		20
21	.04		.01		.37						.01		21
22	.17								.01				22
23	.25			.13	.39	.03			.04		.12		23
24				.38	.16	.07	.13	.08					24
25	.08			.49	.05		.40				.01		25
26		.03		.39	.21		.57				.22		26
27	.12	.29		.18	.30		.18						27
28	.01	.05			.33						.04	.08	28
29	.03				.18		.07			.19	.01	.07	29
30	.07	×						.10					30
31	.15	×		×	.14	×			×		×		31
TOTAL	1.43	1.39	.25	4.19	3.22	2.08	4.04	4.16	1.80	.62	3.02	.66	YEAR'S TOTAL 26.86
*Days with ·01 in. or more.	16	14	5	17	17	9	13	15	13	4	17	7	147
*Days with ·04 in. or more.	11	10	3	17	14	7	11	14	7	3	11	6	114

40-9999

(*Signed*) D H Welch

P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations.

Station No. 212

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Openwood Worplesdon

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 8 in.

,, Ground ,, Sea Level 160 ft.

~~To~~ Yaffingales, Esher Surrey. Since Oct. 25th

[illegible] agrees our estimate see f 227966/[illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09			·01	·49			·18		·06			1
2				·19	·12			·09	·09	·05			2
3				·16	·16			·03	·56	·07			3
4						·16							4
5	·16		·03				·27		·07				5
6	·34		·02	·49					·05				6
7			·03	·12					·09	·04			7
8			·24	·04	·18				·22	·34			8
9	·10			·13	·44								9
10	·60	·04		·20	·06	·06				·14			10
11	·05			·08	·01		·46		·01	·03			11
12	·09							·03	·05	·21			12
13	·08				·01		·05		·01	·53			13
14	·06	·01		·17	·03					·10			14
15					·14					·08			15
16	·16			·20	·07		·53						16
17				·03						·05			17
18							·15		·20				18
19									·04	·18			19
20				·15				·26	1·01	·66			20
21	·02		·01		1·08		·05	·06		·18			21
22			·27	·08	·52		·23		·22	·34			22
23		·04	·02	·04	·03				·20	·65			23
24		·06					·26		·11	·07			24
25							·82		·02	↑			25
26			·11	·03			·10			x			26
27			·32	·12	·39		·11			x			27
28					·11		·15			(1·00) x			28
29			·28	·07	·08			·01	·13	x			29
30		X		·07		·74			·22	x			30
31		X		X		X	·04		X	↓	X		31
TOTAL	1.75	.15	1.33	2.38	3.92	·96	3.22	·66	2.30	(4·78)	(1·20)	(·60)	YEAR'S TOTAL (23 ·25)
*Days with ·01 in. or more.	11	4	10	19	17	3	13	7	18	(23)	(15)	(11)	(151)
*Days with .04 in. or more.	10	3	5	15	13	3	13	4	14	(28)	(8)	(7)	(117)

Gauge to Esher "Yaffingales" 14/1/33.

Values estimated by surrounding Stns. Observer informed 4/4/33.

d

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) D.H. Welch Esq.

P.T.O.

213

Section **A** for the entry of
AIR MINISTRY

COPY FOR OFFICIAL USE.
L ORGANIZATION.

FORM 1090.

REGIST

213

WORPLESDON GOLF CLUB

1931 - 1940

780105

/ .

Kept at Worplesdon Go
in the County of Surre
Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground
,, Ground ,, Sea Lev

THE MORNING MEASUR

An observer who does not conform to th *ollowing*
year in the space on the right of this

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·06		·16				·04		·02			1
2	·24	·05		·30					·46	·02	·01	·10	2
3	·08		·08	·39	·57			·15	·54			·23	3
4					·05				·04		·24		4
5				·20		·37	·10		·02		·03	·11	5
6				·15		·05	·21			·29	·28	·01	6
7					·14	·13		·40		·10	·28	·03	7
8		·06			·02	·36		·16			·03	·01	8
9		·08	·10	·03		·02			·16		·50		9
10		·05				·04		·13			·23		10
11	·06	·25						·03	·03		·38		11
12	·01						·01	·23	·22				12
13							·05						13
14		·10					1·00						14
15	·03	·02		·24	·07		·11				·01	·09	15
16		·06		·16	·23	·10		·09	·09				16
17				·26	·02		·30	·07	·07	·04			17
18	·03	·07	·05	·06		·09	·08				·49		18
19	·03			·54		·93	·48	·07	·07				19
20		·04		·02							·02	·02	20
21	·03				·35								21
22	·33		·01			·02		[illegible]	·01		·02		22
23	·20				·39	·06		[illegible]	·04		·13		23
24		·01		·54	·12		·12	·05					24
25	·07			·42	·08		·36				·01		25
26		·02		·33			·43				·20		26
27	·14	·31		·14	·54		·12						27
28	·01	·02		·04	·07								28
29	·10	×			·06		·06			·16			29
30	·03	×						·10					30
31	·12	×		×	·12	×			×		×		31
TOTAL	1·51	1·31	·24	3·98	2·83	2·17	3·43	4·14	1·76	·63	2·86	·60	YEAR'S TOTAL 25·46
*Days with ·01 in. or more.	16	15	4	17	15	11	14	12	12	6	16	8	146
*Days with ·04 in. or more.	9	11	3	15	13	9	13	11	9	4	9	4	110

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Irving-Thomas [P.T.O.

213

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Worplesdon Golf Club
in the County of Surrey
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 168 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·06		·16				·04		·02			1
2	·24	·05		·30					·46	·02	·01	·10	2
3	·08		·08	·39	·57			·15	·54			·23	3
4					·05				·04		·24		4
5				·20		·37	·10		·02		·03	·11	5
6				·15		·05	·21			·29	·28	·01	6
7					·14	·13		·40		·10	·28	·03	7
8		·06			·02	·36		·16			·03	·01	8
9		·08	·10	·03		·02			·16		·50		9
10		·05				·04		·13			·23		10
11	·06	·25						·03	·03		·38		11
12	·01						·01	·23	·23				12
13							·05						13
14		·10					1·00						14
15	·03	·02		·24	·07		·11				·01	·09	15
16		·06		·16	·23	·10		·09	·09				16
17				·26	·02		·30	·07	·07	·04			17
18	·03	·07	·05	·06		·09	·08				·49		18
19	·03			·54		·93	·48	·07	·07				19
20		·04		·02							·02	·02	20
21	·03				·35								21
22	·33		·01			·02		[illegible]	·01		·02		22
23	·20				·39	·06		[illegible]	·04		·13		23
24		·01		·54	·12		·12	·05					24
25	·07			·42	·08		·36				·01		25
26		·02		·33			·43				·20		26
27	·14	·31		·14	·54		·12						27
28	·01	·02		·04	·07								28
29	·10	×			·06		·06			·16			29
30	·03	×						·10					30
31	·12	×		×	·12	×			×		×		31
TOTAL	1·51	1·31	·24	3·98	2·83	2·17	3·43	4·14	1·76	·63	2·86	·60	YEAR'S TOTAL 25·46
*Days with ·01 in. or more.	16	15	4	17	15	11	14	12	12	6	16	8	146
*Days with ·04 in. or more.	9	11	3	15	13	9	13	11	9	4	9	4	110

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) G. E. Goring-Thomas

[P.T.O.

213

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 213

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Worplesdon Golf Club

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

„ Ground „ Sea Level 168 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·23	·02	—	—	·57	—	—	·17	—	·10	·02	—	1
2	—	—	—	·21	·04	—	—	·11	·19	·06	—	·15	2
3	—	—	—	·16	·16	—	—	—	·38	·08	·05	—	3
4	·02	—	—	—	—	·21	—	—	—	—	—	—	4
5	·17	—	·04	—	—	·02	·27	—	·07	—	—	—	5
6	·33	—	—	·50	—	—	—	—	·06	—	—	—	6
7	·02	—	·11	·09	—	—	—	—	·08	·12	—	—	7
8	—	—	·18	·04	·28	—	—	—	·21	·23	—	—	8
9	·22	—	—	·12	·38	—	—	—	—	—	—	—	9
10	·61	—	·02	·18	·06	·06	—	—	·01	·16	·04	—	10
11	·07	—	—	—	·02	—	·32	—	·01	—	·05	—	11
12	·20	—	—	—	—	—	—	·04	·05	·25	—	—	12
13	·05	—	—	·19	·02	—	·03	—	·01	·57	·03	·06	13
14	·08	·06	—	·03	·03	—	—	—	—	—	—	—	14
15	—	—	—	·07	·15	—	—	—	—	·08	—	—	15
16	·16	—	—	·20	—	—	·52	—	—	—	—	—	16
17	—	—	—	—	·01	—	—	—	—	·05	—	—	17
18	—	—	—	·03	—	—	·15	—	·21	—	·10	·02	18
19	—	—	—	—	—	—	—	—	·03	·21	·02	—	19
20	—	—	—	·18	—	—	—	·29	·01	·64	·14	·02	20
21	·04	—	—	·08	1·08	—	·11	·07	—	·19	·01	·07	21
22	—	—	·27	·06	·33	—	·22	—	·23	·28	·27	—	22
23	—	·09	·03	—	·03	—	—	—	·18	·75	—	—	23
24	—	—	—	—	—	—	·34	—	·10	·06	·05	·10	24
25	—	—	—	·02	—	—	·77	—	·03	·19	·02	—	25
26	—	—	·12	·03	—	—	·13	—	—	·06	—	—	26
27	—	—	—	·12	·40	—	·09	—	—	·33	—	·02	27
28	—	—	·32	·01	·19	—	·12	—	—	·03	—	·02	28
29	—	—	·04	—	·07	·07	—	·07	·13	·35	—	—	29
30	—	×	·32	·14	·03	·70	·02	—	·20	—	·42	·06	30
31	—	×	·02	×	—	×	·03	—	×	—	×	·08	31
TOTAL	2·20	0·17	1·47	2·46	3·85	1·06	3·12	0·75	2·19	4·79	1·22	0·60	YEAR'S TOTAL 23·88
*Days with ·01 in. or more.	13	3	11	20	18	5	14	6	19	21	13	10	153
*Days with ·04 in. or more.	11	2	8	15	12	4	11	6	13	20	8	6	116

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 213

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Worplesdon Golf Club

in the County of Surrey.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 168 ft.

~~Days~~

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·11	·20	15	-	-	-	-	-	-	-	·02	-		1
2	·22	·04	·42	-	·39	-	-	-	·	-	-	-		2
3	-	·16	·36	-	·07	-	-	-	-	-	-	-		3
4	·20	·02	·02	-	·39	-	-	-	-	-	·10	-		4
5	·05	·01	·40	-	·	-	-	-	-	-	-	-		5
6	-	·14	·	-	·33	-	-	-	-	·17	·05	-		6
7	·15	·03	·09	-	·21	-	-	-	-	·12	·	-		7
8	·02	-	-	-	·02	-	·15	-	-	·	-	-		8
9	-	-	-	-	·08	-	·11	-	-	·26	-	-		9
10	-	·55	-	-	-	·07	·05	-	-	·21	·18	-		10
11	·30	-	-	-	-	-	·51	·08	·03	-	-	-		11
12	-	-	-	·03	-	·21	·05	-	·80	-	-	-		12
13	·04	-	-	-	·10	-	·20	-	·10	-	·11	-		13
14	-	-	-	-	-	-	·03	·01	-	·20	·33	-		14
15	·22	-	13	-	-	-	·13	·29	-	-	-	-		15
16	-	-	·64	-	-	·10	·15	-	·01	-	-	-		16
17	-	-	·35	-	-	·11	-	-	·03	-	·07	-		17
18	·15	-	·26	-	-	·21	-	-	-	-	-	-		18
19	-	-	·10	-	-	·02	·06	-	·47	-	·04	-		19
20	-	-	·10	·08	-	-	-	-	-	-	-	·07		20
21	-	·12	-	-	·15	·25	-	·01	·15	-	·02	-		21
22	-	-	-	-	-	-	-	·21	·03	·36	-	-		22
23	-	-	-	·18	1·65	·03	-	-	·21	·11	-	-		23
24	-	·60	-	·19	-	·35	-	-	·29	-	-	-		24
25	-	·78	-	·22	-	-	-	-	·10	-	-	·03		25
26	-	·70	-	·04	-	·28	-	-	·02	·15	-	·04		26
27	-	·02	-	-	·38	-	-	-	-	-	-	·06		27
28	-	·01	-	·15	·11	-	·23	-	-	·38	-	·07		28
29	-	-	-	-	-	-	-	-	-	·09	-			29
30	·18	×	·08	-	-	-	·02	·07	·15	·04	-	-		30
31	·16	×	-	×	-	×			×	·03	×	-		31
TOTAL	1·80	3·38	3·10	0·89	3·88	1·63	1·69	·67	2·39	2·12	·92	·27	Year's Total 22·74	
*Days with ·01 in. or more.	12 ~~4~~	14 ~~5~~	13 ~~1~~	7 ~~1~~	12 ~~1~~	10 ~~2~~	12 ~~2~~	6 ~~2~~	13 ~~5~~	12 ~~1~~	9 ~~2~~	5 ~~1~~	125 ~~24~~	
*Days with .04 in. or more.	11	9	12	6	11	8	10	4	8	11	7	4	101	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) J. T. [illegible] Major [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 213

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Worplesdon Golf Club

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 168 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	-	-	-	-			·22	·02	·04	·12	·45		1
2	·19	-	·12	-	·12	-	-	-	·62	·25	·13	·20		2
3	·01	·03	-	-	-	-	-	-	-	·25	-	·10		3
4	·10	-	·04	·15	-	-	-	-	-	·07	·07	·43		4
5	-	-			·09	-	-	·03	-	·01	·10	·42		5
6	·02	-	·33		·18	·08	-	·21	-	·20	-	·53		6
7	-	-	-		-	·01	-	·11	-	·08	-	·21		7
8	-	-	-		-	-	-	·04	·32	-	·38	-		8
9	-	·02	·02		-	-	-	-	·02	-	·93	·40		9
10	·08	-	·19	·22	-	-	-	-	-	-	·41	·03		10
11	·40	-	·31	·11	-	-	·10	·09	-	-	-	·12		11
12	·02	-	·02	-	-	-	·20	·18	-	-	-	·10		12
13	·35	-	·17	-	-	-	·56	·20	-	·01	·10	·24		13
14	·08	-	·32	·04	-	·08	-	-	-	-	·16	·55		14
15	·01	-	·12	-	·07	-	-	-	-	-	·13	·60		15
16	·12	-	·20	-	-	-	-	-	-	·32	-	·02		16
17	-	-	-	-	-	-	-	-	-	·10	·03	·11		17
18	·44	-	-	·35	-	[illegible]	·23	-	·02	-	-	·26		18
19	-	-	·33	-	-		-	-	·09	-	·02	·31		19
20	-	-	·03	-	-		·68	-	-	-	-	·03		20
21	-	-	-	·22	-	·08	·39	·06	-	·04	-	-		21
22	-	-	-	-	-	-	·28	·08	·14	-	-	·09		22
23	-	-	-	·20	-	·36	-	-	-	-	·02	·04		23
24	·17	·06	·08	·20	-	·06	·62	-	·05	·08	-	-		24
25	-	·05	-	·18	·06	·18	-	-	-	-	-	·36		25
26	-		-	·34		·12	-	-	-	-	-			26
27	-		-	·02		·07	-	-	-	·03	-	·17		27
28	-		-	·02		·15	-	·86	-	-	-	·20		28
29	-		-	-		-	·02	·01	·16	-	-	-		29
30	·07	×	-	-		-	-	·04	-	-	-	·23		30
31	·04	×	-	×		×	-	-	×	-	×	·06		31
TOTAL	2·10	0·16	2·28	2·05	·52	1·19	3·08	2·13	1·44	1·48	2·60	6·26	Year's Total 25·29	
*Days with ·01 in. or more.	15	4	14	12	5	10	9	13	9	13	13	26	143	
*Days with ·04 in. or more.	10	2	11	10	5	9	8	11	6	10	10	23	115	

-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 213

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Worplesdon Golf Club, Woking

in the County of Surrey.

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·12	·03	-	-	·01	·06	1·00	-	·27	·33	·34	-		1
2	·01	-	-	-		-	-	-	·15	·10	·04	-		2
3	-	·02	·02	·11		·09	-	-	·26	·85	-	-		3
4	-	·02	-	·25		·16	-	-	·22	·25	·11	·05		4
5	-	·09	·08	-		·21	-	-	·57	·01	·01	-		5
6	·08	-		·31		·45	-	-	-	-	-	·02		6
7	-	-		·28		·08	-	-	-	-	·92	·16		7
8	-	-		·32		-	-	-	-	·21	·24	-		8
9	-	-		·30		·52	-	-	·03	·71	·13	-		9
10	·13	-		·31		-	-	-	-	-	·19	·05		10
11	·31	-		·07		·09	·12	-	-	-	·37	-		11
12	-	·02		-		·15	-	·08	·04	-	·82	-		12
13	·06	·13		·14		·03	-		-	-	·02	-		13
14	-	-		-	·05	·03	-		-	-	·10	·07		14
15	-	·19		·35	·15	15	-		·07	-	·23	·11		15
16	-	·03		·11	·01	·26	-		·36	-	·48			16
17	-			·11		·12	·04	·01	·16	-	·23			17
18	-			·20	·23	·05	·01		·24	-	-			18
19	-			-	·45	·02	·12		·02	·06	·09			19
20	-	·29		·15	3·20	·05	·06		·02	-	·20			20
21	-	·36		-	-	-	-		-	-	-			21
22	·02	·05	·06	11	-	-	-	·38	·12	-	-			22
23	-		·10		-	-	-	·40	·11	·27	-	·11		23
24	-	·66			·07	-	-	1·64	·24	-	-	·10		24
25	·13	·56		·22	·16	·60	-	-	-	-	-	·12		25
26	-	-		-	-	-	-	·20	-	-	-	·30		26
27	-	·60		-	-	-	-	-	·15	-	·10	·30		27
28	-	-		-	·10	-	·01	-	·17	-	-	·17		28
29	-			-	-	-		-	·63	-	-	·30		29
30	·07	×		·03	-	-		·81	·01	·21	·51	·36		30
53 31		×		×	-	×			×	·45	×	·24		31
TOTAL	·93	3.05	0·26	3.37	1·43	3·12	1·36	3·52	3·84	3·45	5·13	2·46	Year's Total. 31·92	"d"
* Days with .01 in. or more.	9	14	4	17	10	18	7	7	20	11	19	15	151	
* Days with .04 in. or more.	7	9	3	16	8	15	5	6	16	10	17	14	126	

-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 213

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193

Kept at Worplesdon Golf Club
in the County of Surrey
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 168 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·29	·04		·16		·08	·11	·25			·08	·04		1
2			·03			·31	·01	·06			·03			2
3				·37		·05	·01		·25		·30			3
4						·07			·30			·02		4
5	·46		·10					·02	·03		·09	·11		5
6	·36		·08					·01	·05		·32			6
7	·21		·04			·06	·04		·03		·12	·05		7
8	·23		·03				·03		·10		·17	·12		8
9	·47						·35							9
10	·05						·05	1·01						10
11				·06			·22	·01			·63			11
12				·05	·04	·06	·16		·24	·02	·24	·14		12
13				·08		·54				·04		·22		13
14		·09				·06	·48		·02		·14	·47		14
15		·07					·05		·37		·02	·05		15
16		·10				·05	·03				·32	·11		16
17		·50									·17	·23		17
18		·19				·30	·15	·12				·15		18
19	·78		·03			·67	·12			·02				19
20			·07	·50		·36			·53					20
21				·33	·02	·20	·07							21
22		·47	·09		·35	·02	·09					·15		22
23	·10		·23	·06	·07		·12			·06	·02			23
24		·15							·01	·67				24
25	·06		·07	·20			·07		·08	·03	·03			25
26	·10	·11	·12	·16			·13		·07	·22		·04		26
27	·13								·10	·06				27
28	·73						·60		·02			·06		28
29	·06	·08	·15			·26	·09			·02	·16	·02		29
30		✕			·24	·23				·34				30
31	·42	✕	·23	✕		✕	·15		✕	·31	✕	·22		31 "d"
													Year's Total	
TOTAL	4·45	1·80	1·27	1·97	·72	3·32	3·13	1·48	2·20	1·99	2·84	2·26	27·43	✓
* Days with .01 in. or more.	15	10	13	10	5	16	22	7	15	11	16	17	157	✓
* Days with .04 in. or more.	15	10	9	10	4	15	17	4	10	7	12	15	128	✓

† Spare column, no entries required.

(*Signed*) C. L. Andrews
for Secretary

[P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

tion **A** for the entry of Daily Observations

Station No. 213

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at Worplesdon Golf Club

in the County of Surrey

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 6 in.

„ Ground „ Sea Level 186 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·45	·03	·03	·08	-	-	-	-	-		·63	·85		1
2	·02	·24	·02	·49	-	-	-	-	·13		·02	·61		2
3	-	·13	·01	-	-	-	-	-	-			·02		3
4	·09	·42	-	-	-	-	-	-	-			·25		4
5	·09	·15	·12	-	-	-	·11	·01	-					5
6	·10	·01	·30	·01	·32	-	·01	-	-	·08				6
7	-	35 ·48	·30	·05	-	-	-	-	·02	·01				7
8	TR	·04	-	-	·04	·02	-	-	-	[illegible]	·15	·18		8
9	-	-	-	·26	·15	·05	·03	·03	·31			SNOW ·25		9
10	-	-	·43	·13	T.R.	·36	·05	·13	-			·35		10
11	TR	-	·15	-	·23	·26	·01	-	-			·03		11
12	·16	17	·12	TR	·25	·24	-	·45	·10			·14		12
13	·21	·04	·24	·05	-	·12	-	·14	·38			1·38		13
14	·01	·25	·33	T.R.	-	-	-	·20	·04			-		14
15	·19	·04	-	·14	-	TR	·41	-	·03			-		15
16	·04	·16	·34	48	-	·01	-	·22	·45			-		16
17	·50	·01	·18	·09	-	-	-	-	·24		·02	-		17
18	·31	·04	-	·02	·04	·32	-	-	·01		·16	·08		18
19	·05	·09	·36	·05	-	·16	TR	-	·04			·15		19
20	·38	·01	·09	·21	·55	-	-	-	·01			-		20
21	·47	·42	·06	·04	·02	-	·04	-	-			·02		21
22	·34	·03	·03	-	·06	·42	·05	-	TR	·58	·29	·08		22
23	·23	·03	·02	-	·16	-	·04	-	-	·36		TR		23
24	·32	·45	-	-	·01	-	-	-	·04	·34		·01		24
25	·16	·28	[illegible]	-	·20	-	-	-	·09	·50		·01		25
26	TR.	·20	·02	-	·14	-	-	-		·12		-		26
27	·05	·24	-	·09	-	-	-	-		·59		-		27
28	TR.	·09	-	·03	-	-	-	T.R.		·08		·04		28
29	-		-	-	-	-	-	TR		·02	·07	·04		29
30	·30	×	-	-		·01	-	·01		·08	·15	-		30
31	·28	×	-	×	-	×	-	-	×	·03	×	·05		31
TOTAL	4·63	3·88	3·14	2·22	2·23	2·10	·75	1·22	1·95	2·79	1·49	4·54	Year's Total 30·94	✓
* Days with .01 in. or more.	22	25	20	16	13	11	8	8	14	12	8	19	146	✓
* Days with .04 in. or more.	20	18	13	13	11	8	6	5	10	9	6	14	133	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

10

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 213

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at WORPLESDON GOLF CLUB

in the County of SURREY

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" Ground " Sea Level 186 ft.

Agree to adoption of values ·35, ·20, ·05, ·15 for Dec 21, 22, 25 & 26 SB 26/1/39

Query re Dec. 21, 22, 25, 26 sent today. 26/1/39
Observer agrees to amendments. 30/1/39

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	·06	·09	·34	-	-	·03	TR	·04		1
2	·04	-	-	·07	T.R.	-	·02	-	-	·21	-	·06		2
3	-	-	-	-	·35	-	-	-	-	·33	-	-		3
4	·02	-	-	-	-	-	·07	·11	-	·09	TR	·05		4
5	-	-	-	TR	-	-	·10	-	-	·33	-	-		5
6	·05	-	-	-	-	-	·07	-	·05	-	-	·01		6
7	·01	TR	-	-	-	-	·18	·24	T.R.	·15	-	·01		7
8	·17	-	T.R.	-	-	-	·08	·23	·02	·30	-	-		8
9	·11	·01	-	-	-	·02	-	·04	-	·05	-	·62		9
10	·08	·22	-	-	-	-	TR	·06	TR	·	-	·11		10
11	·20	-	-	-	-	-	-	-	-	·	·17	·09		11
12	·24	·02	-	-	·03	-	-	·08	-	·06	·06	T.R.		12
13	·21	-	-	-	-	-	-		-	·09	·21	·12		13
14	·18	TR	-	-	·08	-	·04	·01	·01	-	·01	T.R.		14
15	·06	·04	-	-	-	-	·32	-	·	·33	·	·15		15
16	~~·07~~ ·24	·03	TR	-	T.R.	-	-	-		·02	·05	·39		16
17	-	·09	-	-	-	-	-	-	·01	·12	-	Sh.		17
18	·04	-	-	-	·01	-	-	-	·25	-	·42	Sn.		18
19	T.R	-	-	-	-	-	-	·05	·08	-	·12	Sn. ✓		19
20	-	-	-	-	-	-	-	-	·02	-	·57	Sn. ✓		20
21	·01	-	-	-	-	-	-	·01	·07	-	·05	(·35) + Sn.	·35	21
22	-	-	-	T.R.	-	·01	-	-	-	T.R	·15	(·20) +	·20	22
23	-	-	-	·02	-	-	-	-	·02	-	·10	✓		23
24	-	-	·06	-	-	-	-	-	·15	-	·06			24
25	·12	·02	·12	·03	·20	-	·02	·05	·04	·06	1·00	(·05) +	·05	25
26	·15	·15	·04	-	T.R.	-	-	-	·25	·20	-	(·15) +	·15	26
27	·07	·03	-	-	-	·22	·25	TR	·43	·12	·26			27
28	·03	·05	-	-	·38	·04	-	·35	·02	-	-	·12		28
29	·26		-	-	·10	-	-	·08		-	·05	·19		29
30	·03	✕	-	-	·07	·12	-	-	·07	·06	·23	-		30
31	·16	✕	-	✕	·07	✕	-	-	✕	·10	✕	·19		31
TOTAL	2·54	·66	·22	·12	1·35	·50	1·49	1·31	1·49	2·65	3·51	~~2·15~~ 2·90	Year's Total ~~17·99~~	✓ 18·74
* Days with .01 in. or more.	22	10	3	3	10	6	11	12	15	18	16	~~14~~ 21	~~140~~	✓ 147
* Days with .04 in. or more.	17	5	3	-	8	3	9	10	9	16	15	~~12~~ 16	~~107~~	✓ 111

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 213

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Totals
Doc.

Kept at Worplesdon Golf Club

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 168 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	-	·01	·25	·27	-	-	·02	·03	-	·03	·04		1
2	·05	-	-	·01	·02	-	T.R	·52	40	-	-	-		2
3	·09	-	-	·22	-	-	-	·24	-	-	·32	·17		3
4	·16	-	·20	·13	-	-	·08	·63	·03	·42	·07	·01		4
5	-	-	-	·12	·03	-	·08	-	-	·27		·06		5
6	·25	-	·03	T.R.	·26	-	·22	-	-	-	} ·69	·04		6
7	·01	·14	-	-	-	-	·01	·03	-	·07	}	·08		7
8	·01	·08	·20	-	-	-	-	·04	-	·37	·42	·20		8
9	·07	·06	-	-	-	-	-	·02	·02	·17	·10	·15		9
10	·23	-	-	-	-	·18	-	·21	-	·15	·02	-		10
11	-	-	·18	-	-	-	-	-	-	·31	-	-		11
12	-	-	T.R	-	·01	·07	-		-	-	-	-		12
13	-	-	-	·03	-	TR	·07		-	1·57	-	·02		13
14	·50	-	-	·50	·05	·01	·05	-		·24	·41	·02		14
15	·35	-	·01	-	·62	·24	-	-	·11	·43	·14	·01		15
16	·18	-	·11	·01	·15	·24	·10	-	-	-	·33	-		16
17	·18	·04	·02	·01	·19	-	·17	-	-	·12	·09	-		17
18	·24	-	·01	-	-	·12	·12	-	-	-	·28	-		18
19	·20	T.R	-	-	-	-	·11	-	-	·16	·02	-		19
20	·24	-	TR	-	-	·10	·43	-	-	-	-	·06		20
21	·05	·12	·10	-	-	·03	·41	·35	·10	-	-	-		21
22	·10	·25	·02	·06	-	·09	·19	-	-	-	·06	-		22
23	·02	-	T.R	·15	-	T.R.	·06	-	-	·05	·60	-		23
24	·06	T.R	·01	·10	-	·03	·09	-	-	·18	-	-		24
25	·56 gh	·32	·06	·01	-	-	·08	-	-	-	·24	-		25
26	·08	-	·01	-	-	-	-	-	-	·22	·21	-		26
27	·03	·05	·06	·04	-	-	-	-	-		·12	·19 Snow.		27
28	·02	·25	·07	·01	-	·07	-	-	-	·11	·11	-		28
29	-		-	·19	-	-	·05	-	-	·07	·02	-		29
30	-		-	·80	-	·20	-	-	-	-	·17	-		30
31	-		TR				·12	03		-		-		31
													Year's Total	
TOTAL	3·99	1·31	1·09	2·64	1·58	1·38	2·38	2·09	·69	5·15	4·45	1·05	27·80	
* Days with .01 in. or more.	24	9	16	17	9	12	18	10	6	17	~~21~~ 22	13	173	
* Days with .04 in. or more.	18	9	8	11	6	9	16	6	3	17	~~17~~ 18	9	130	

† Spare column, no entries required.

(*Signed*) ....

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 213

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Worplesdon Golf Club
in the County of Surrey
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 168 ft.

Rdes

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					~~·3~~						·06			1
2		·09		·17							·37			2
3		·15		·04						·11	·68	(·10)		3
4		·08								·16	·05			4
5		·20								·12		·14		5
6	·25	·18					·39							6
7	·23						·20							7
8	·28			x					✓	·28	·03	·24		8
9						(·05)			✓	·03	·13	·05		9
10							·10		·	·13	·02			10
11				✓			·05		-		·43			11
12			·15				·06		-		·04			12
13			·58				·02		-		·63			13
14			·17	x 15					-	·13	·24	·12		14
15			·02		·07	·08	·47		(1·30) x		·94	-		15
16		·16 S.	·19	·28		·05	·22		x	1·03	·39	✓		16
17			·48				·08		-			✓ (·15)		17
18		x ·19	x ·18	·29			·08		✓	·37	·21	x		18
19		x	x	·06			·13		x			-		19
20				·02			x ·18		·05					20
21			·06		x ·87		x			·22	·32			21
22			·02	·01	x	·46		·06	·03					22
23				·13		(·10)								23
24				·24			·30							24
25			·60				·01			·02				25
26	·75	·18	·68	·04	·16									26
27	·60	·27		·09			·07							27
28	·45	✓ ·12			x									28
29	·15	x	·06	·07	·11 ✓							·24		29
30	x	✕		·13						·06		·06		30
31	11 ✓	✕		✕		✕			✕	·50	✕	·02		31
TOTAL	2·82	1·62	3·19	1·72	~~1·34~~ 1·21	~~·59~~ ·74	2·36	·06	~~·08~~ (1·38)	3·16	4·54	~~·84~~ 1·12	Year's Total ~~22·35~~	~~[illegible]~~ 23·92
* Days with .01 in. or more.	~~8~~ 9	~~10~~ 12	~~12~~ 13	~~14~~ 16	~~8~~ 6	~~6~~ 5	~~15~~ 16	1	~~2~~ 8	13	15	~~7~~ 11	~~10~~ 8	125 "d"
* Days with .04 in. or more.	~~8~~ 9	~~10~~ 11	~~10~~ 11	~~12~~ 13	~~5~~ 6	~~7~~ 5	~~13~~ 14	1	4	11	13	~~6~~ 8	~~9~~ 6	105

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Herbert Lewis
Secty

P.T.O.

214

214

WOODSIDE

1931 - 1940

780105

Section **A** for the entry c

AIR MINISTE

COPY FOR OFFICIAL USE.

ALL ORGANIZATION.

FORM 1090.

REGIS

3!.

Kept at Wood

in the County of

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea

THE MORNING MEASU

AY.

An observer who does not conform to

year in the space on the right of th

e following

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·15				·02	·02				1
2	·22	·11		·30					·52	·02		·03	2
3	·06		·09	·41	·68			·18	·59		·10	·15	3
4	·01				·03			·01	·04	·01	·11		4
5		·03		·18		·35	·14	·04			·03	·11	5
6		·09		·15					·01	·31	·35	·04	6
7		·01		·01	·15	·17		·42		·05	·36	·03	7
8		·05		·02		·41		·24		·01			8
9		·02	·09			·01		·25	·01		·53	·01	9
10		·15				·06					·63		10
11	·06	·26							·02		·20		11
12	·02								·18				12
13	·02						1·06	·30		·02			13
14	·01	·10						·40					14
15	·03	·01		·17			·24					·08	15
16		·04		·12	·30	·10		·30					16
17		·03		·33	·03		·40		·19	·03			17
18	·05	·08	·04	·11				·90		·01	·56		18
19	·04	·01		·55		·40	·54	·04	·05		·01		19
20			·01	·10		·01	·06	·30			·01	·01	20
21	·04				·34								21
22	·20		·03	·03									22
23	·21	·05			·27						·11	·02	23 26.68
24		·01	·02	·45	·09	·08	·15	·10	·08				24
25	·07				·05		·42				·02		25
26		·03		·92			·66				·21		26
27	·10	·29		·14	·50		·24			·01	·05		27
28		·04								·01			28
29	·10				·14		·07			·14	·02		29
30		×					·01	·05					30
31	·19	×		×	·08	×			×		×	·12	31 25·28
TOTAL	1·43	1·41	·28	4·14	2·66	1·59	3·99	3·55	1·71	·62	3·30	·60	YEAR'S TOTAL 25·28
*Days with ·01 in. or more.	17	19	6	19	13	11	18	17	12	11	16	10	169
*Days with ·04 in. or more.	12	11	3	16	11	9	17	15	7	3	11	5	120

40-9999

*See Instruction 2 (*f*) on other side.

(Signed)

P.T.O.

214

Section A for the entry of Daily Observations. **COPY FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Woodside

in the County of Surrey

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground ft. 10 in.

,, Ground ,, Sea Level 146 ft.

BA

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·15				·02	·02				1
2	·22	·11		·30					·52	·02		·03	2
3	·06		·09	·41	·68			·18	·59		·10	·15	3
4	·01				·03			·01	·04	·01	·11		4
5		·03		·18		·35	·14	·04			·03	·11	5
6		·09		·15					·01	·31	·35	·04	6
7		·01		·01	·15	·17		·42		·05	·36	·03	7
8		·05		·02		·41		·24		·01			8
9		·02	·09			·01		·25	·01		·53	·01	9
10		·15				·06					·63		10
11	·06	·26							·02		·20		11
12	·02								·18				12
13	·02						1·06	·30		·02			13
14	·01	·10						·40					14
15	·03	·01		·17			·24					·08	15
16		·04		·12	·30	·10		·30					16
17		·03		·33	·03		·40		·19	·03			17
18	·05	·08	·04	·11				·90		·01	·56		18
19	·04	·01		·55		·40	·54	·04	·05		·01		19
20			·01	·10		·01	·06	·30			·01	·01	20
21	·04				·34								21
22	·20		·03	·03									22
23	·21	·05			·27						·11	·02	23
24		·01	·02	·45	·09	·08	·15	·10	·08				24
25	·07				·05		·42				·02		25
26		·03		·92			·66				·21		26
27	·10	·29		·14	·50		·24			·01	·05		27
28		·04								·01			28
29	·10				·14		·07			·14	·02		29
30		×					·01	·05					30
31	·19	×		×	·08	×			×		×	·12	31
TOTAL	1·43	1·41	·28	4·14	2·66	1·59	3·99	3·55	1·71	·62	3·30	·60	YEAR'S TOTAL 25·28
*Days with ·01 in. or more.	17	19	6	19	13	11	18	17	12	11	16	10	169
*Days with ·04 in. or more.	12	11	3	16	11	9	17	15	7	3	11	5	120

26·68

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Osborn

P. No.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. **Station No.** 214

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Woodside Send Woking

in the County of Surrey

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground ft 10 in.

" Ground " Sea Level 146 ft.

days

30th June given by observer (23/1/33) with amended June & annual totals.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·02		·03	·69			·12	·03	·09	·02		1
2				·21	·07			·06	·07	·05	·01	·15	2
3	·06			·31	·15				·45	·06			3
4	·02					·17					·03		4
5	·13		·08		·02	·02	·21		·07				5
6	·36		·02	·31					·04				6
7			·03	·08	·02				·03	·04			7
8			·18	·03	·29				·13	·29			8
9	x 1·04			·10	·41					·02			9
10	x		·03	·19	·06	·04			·02	·11			10
11	·32			·09	·02		·08	·02		·02	·04		11
12	·16							·03	·05	·22	·01		12
13	·05			·11			·01			·55		·04	13
14	·06	·06		·08	·03			·01		·06	·03		14
15	·01	·01		·06	·20					·09			15
16	·20			·24	·21								16
17				·03						·03	·01		17
18	·01						·15		·17		·08		18
19									·04	·18	·03		19
20				·15	·03			·60		·56	·12	·01	20
21	·03			·09	1·01		·05	·19		·21		·08	21
22			·24		·36		·17		x	·30	·26		22
23		·07	·10		·05	·05			x	·69		·10	23
24							·22		x ·57	·08	·07		24
25				·08			·85			·19		·03	25
26			·07				·32			·02			26
27			·43	·14	·45		·13			·56	·09		27
28			·02	·02	·09		·12			·04			28
29			·33	·07	·08			·03	·15	·36	·01	·03	29
30		✕		·05	·08	1·18		·06	·18		·26	·08	30
31		✕	·06	✕		✕			✕		✕	·04	31 24.33
TOTAL	2·45	·16	1·59	2·47	4·32	1.46 ~~·28~~	2·31	1·12	2·00	~~5~~ 4·82	1·07	·56	YEAR'S TOTAL ~~23.15~~
*Days with ·01 in. or more.	14	4	12	21	20	~~4~~ 5	11	9	16	24	15	9	160 ~~159~~
*Days with .04 in. or more.	10	2	8	17	15	~~3~~ 4	10	5	13	20	7	6	~~116~~ 117

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Osborne

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 214

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Est. [illegible]

Kept at "Woodside" Send

in the County of Surrey

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground ft 10 in.

,, Ground ,, Sea Level 146 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	·16	·10							·03	·01			1
2	·13		·33		·28									2
3		·18	·26		·01									3
4	·11				·27						·05			4
5	·04	·01	·33		·15									5
6		·09	·06		·41					·10	·06			6
7	·13	·03	·08		·16					·15				7
8	·02				·02		·11			·04				8
9					·05		·11			·14	·11			9
10		·43				·06	·04			·25	·07			10
11	·34				·07	·07	·43	·06		·01	·03	+ ·04		11
12				·03		·16	·07		·98					12
13	·05				·08	·09	·27	·02	·15		·10			13
14					·01		·02			+	·55			14
15	·30		·08				·09	·25		·18				15
16			·74			·11	·15		·01		·01			16
17			·32			+					·09			17
18	·14	·05	·10			·34 +					·01			18
19		·09	·16	·04		·06	·06					·03		19
20		·02	·03	·10				·02	·30		·01			20
21		·04			·06	·19		·02		·02				21
22					·98	·01		·25	·22	·20	·05			22
23				·12		·06			·14	·05				23
24		+		·06		·60			·36	·01				24
25		2·22 +		·30					·08		·03	·02		25
26		·79		·03		·06			·12	·03		·11		26
27		·01			·40				·01	·25		·06		27
28					·10		·16			+		·08		28
29	·04		·02	·12			·04			·35 +				29
30	·11	×	·04				·02		·15	·04		·10		30
31	·13	×		×		×		·08	×	·02	×			31
TOTAL	1·63	4·12	2·65	·80	3·05	1·81	1·57	·70	2·52	1·87	1·18	·44	Year's Total 22·34	
*Days with ·01 in. or more.	13	14	14	8	15	13	13	7	11	19	14	7	147	
*Days with ·04 in. or more.	12	10	12	6	12	12	11	4	9	12	8	5	113	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required

(*Signed*) [illegible]

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 214

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Send

in the County of Surrey

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground ft 10 in.

,, Ground ,, Sea Level 146 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1								19	21	5	2	35		1
2	6		13	3					79	28		23		2
3	1	5		5				5		15		2		3
4	8		5	6	4					2		51		4
5			2		7			2			12	37		5
6	2		34	1	17	10				18		74		6
7	5							} 37		9		23		7
8								5	30		53	2		8
9			1								1·25	50		9
10			19	20	5					1	43	2		10
11	37		31	7			3	3				13		11
12	6		3				37	15			1	6		12
13	41		5	2			25	7			10	22		13
14	6		45	3	1						21	70		14
15			11		7	14				18	13	63		15
16	10		25		3					12		1		16
17	2			4						5	1	15		17
18	14		3	25			6					31		18
19			34	8					7	1		15		19
20			6				25					4		20
21		4		25		5		7		3	2	1		21
22							} 35	10			1	7		22
23				22		36			15			4		23
24		4	7	24		2			5		2			24
25	16	4		12		25	47			8		35		25
26	2			28	6	12			3			3		26
27				10		4						18		27
28		5		1		13		78		} 3		23		28
29							7		17			1		29
30	9	×						2	1			19		30
31		×		×		×		5	×	30	×	5		31
TOTAL	1·65	·22	2·44	2·06	·50	1·21	1·85	1·95	1·78	1·58	2·86	6·55	Year's Total. 24·65	
* Days with .01 in. or more.	15	5	16	18	8	9	9 8	13	9	15	13	30	160	
* Days with .04 in. or more.	11	5	12	13	6	8	8 7	10	7	10	7	23	120	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) M Osborne

P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 214

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Woodside End

in the County of Surrey

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground ft 10 in.

,, Ground ,, Sea Level 146 ft.

[illegible]
Total

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·17	·02		·07	·04	·04	·80		·06	x	·16			1
2	x									x ·27	·02			2
3			·09	·07		·02			·27	1·04	·13			3
4		·04		·24		·25			·20	·13		·07		4
5		·12	·04	·05		·24			·60	·03				5
6	·02	·01	·02	·23		·40					·03	·03		6
7	·02	·02		·26		·07					1·00	·16		7
8				·33		·13				·26	·43	·03		8
9			·02	·21		·67			·02	·84	·17			9
10	·05			·03		·01				·01	·16	·03		10
11	·30			·13		·08	·03			·07	·45			11
12		·02				·19		·12	·03		·82			12
13	·05	·10		·16	·02	·06					·01			13
14				·01	·19	·05			·02		·11	·07		14
15		·15		·45		·07			·08		·40	·08		15
16		·03		·04	·02	·10			·30	·03	·66			16
17			·02	·04		·11	·08	·01	·07		·17			17
18				·17	·05	·01	·03		·31	·03		·04		18
19		·02			·44	·03				·03	·06	·02		19
20	·01	·18		·21	·16	·05	·42		·05		·19			20
21		·60		·01							·01			21
22		·05	·04				·x	·18	·16	·12				22
23			·09					·22	·06	·16				23
24	·03	·70			·06			1·80	·31	·01		·20		24
25		·28		·20	·21	·56		·01				·23		25
26	·14	·35						·18	·04		·02	·53		26
27	·01	·57							·10		·08	·22		27
28		·08			·16				·02			·21		28
29	·01								·77	·13		·33		29
30	·05	x						·87	·05	x	·46	·47		30
31		x		x		x			x	·41	x	·37		31
TOTAL	·86	3·34	·32	2·91	1·35	3·14	1·36	3·39	3·52	3·57	5·54	3·09	Year's Total. 32·39	
* Days with .01 in. or more.	12	18	7	19	10	20	5	8	20	~~18~~ 17	21	17	174	
* Days with .04 in. or more.	5	12	4	16	8	16	3	6	16	~~10~~ 11	16	13	126	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) M. Osborne

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 214

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

214

Kept at Woodside Lind

in the County of Surrey

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground ft. 10 in.

,, Ground ,, Sea Level 146 ft.

Act Days Totals.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	33	5	3	10		19	12	55			5	4		1
2			1	45		51	4	6			7			2
3						2	2		2		28			3
4	3		8			7			51		7			4
5	33		4					3	3			9		5
6	35					3		2	10		53			6
7	23		3			4	2				11	4		7
8	25		6				4		4		17			8
9	4[illegible]		1				44		11	2				9
10	10						6	36				11		10
11		1		2			17				88	4		11
12				9	2	52	19		14		22	13		12
13				14		8						28		13
14		5				6	48		2	4	15			14
15						2			18		1			15
16	48	10		1			4				30			16
17		70			1·16	13			1		17	1·18		17
18	13	8				38	13							18
19	24	4	1			30	24	11		3				19
20	13	7	6	52		5	25		59					20
21		1		40	5	30								21
22	10	40	9	1	38	7	11					13		22
23	1	1	27	7	4		13			8				23
24	3	15							10	49				24
25	7		12	22			10		16		4			25
26	1	9	14	8			11		4	20		4		26
27	33						2		14	5				27
28	92		9				56					5		28
29	4	7	9			6	11			2	16	2		29
30	7	✕			20	17				43		1		30
31	20	✕	27	✕	2	✕	14		✕	54	✕	21		31
													Year's Total	
TOTAL	4·78	1·83	1·40	2·11	1·87	3·00	3·52	1·13	2·19	1·90	3·21	2·37	29·31	
* Days with .01 in. or more.	22	14	16	12	7	18	22	6	15	10	15	17	174	
* Days with .04 in. or more.	18	11	11	9	5	15	19	4	11	7	14	14	138	

† Spare column, no entries required.

(*Signed*) M. Osborne

P.T.O.

* See Instruction 3 (f) on other side.

214

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations **Station No.** 214

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Rec :-

Kept at Woodside Send

in the County of Surrey

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground ft. 10 in.

,, Ground ,, Sea Level 146 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·41	·06	·02	·04						·01	·69	·67		1
2	·01	25		60					·29		1	54		2
3		18	·02									2		3
4	07	65										26		4
5	09	8	18				·13	·01			1			5
6		4	1·00	2			2				3			6
7	05	55		5	·33				1					7
8					·08	·03				6	6	20		8
9				27		1	1	7	27			24		9
10			58	9	12	50		18				41		10
11			13		10	2	5					2		11
12	21	20	12	4	68		2	23	11			22		12
13	18	3	39	1		35		13	35			1·19		13
14	02	4	36			1		22	6					14
15	32	6		14			50		6			2		15
16	02	9	48	47				16	42					16
17	68		20	3					23		2			17
18	47	7		7	5	35	6			2	14	11		18
19	04	7	6	5		19			7	1		6		19
20	57	1	9	21	63	1			2	1				20
21	44	46	6	4	2		5					2		21
22	38		3		7	30	4			1.05	22			22
23	29	5			14		3			46		5		23
24	48	38	2						9	49		1		24
25	10	33	23		18				6	34		2		25
26		22	2		1					8				26
27	03	24		19					2	70				27
28		11		4				1		x		5		28
29	05									} ✓9	6	4		29
30	29	✕								8	40			30
31	22	✕		✕		✕			✕	4	✕			31
													Year's Total	
TOTAL	5·42	4·17	3·99	2·36	2·41	1·77	·91	1·01	2·06	3·44	1·64	4·15	33·33	✓ ✓
* Days with .01 in. or more.	23	22	18	17	12	10	10	8	14	~~14~~ 15	10	19	17~~7~~8	✓ ✓
* Days with .04 in. or more.	19	20	13	14	10	5	6	6	11	10	6	13	133	✓ ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) M Osborne

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 214

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Woodside Sand Sy.
in the County of Surrey
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground ft. 10 in.
,, Ground ,, Sea Level 146 ft.

Totals ✓ JR

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.4				4	10	16		2	4	2	8		1
2	.8			7	4		15			32		3		2
3					33	2				41				3
4	4						13	8		1		7		4
5				1			22	1		37				5
6	3						11		4					6
7	1	1					23	16	1	22		3		7
8	19						13	44	4	24		3		8
9	10	1						6		8		86		9
10	7	6						5				15		10
11	20							1		1	16	11		11
12	27	2			2			18		5	6	1		12
13	23	1						2		8	28	15		13
14	26	1			7				2		1			14
15	15	6					31			32	1	31		15
16	14	2	1					1		2	7	60		16
17					1				2	12				17
18	3	9							26		41			18
19	1							6	9		~~27~~			19
20									3		87			20
21	2							10	7		7			21
22				1		1					17	80		22
23				3					6	1	10			23
24			7						16		6			24
25	11		28	10	26		2	1	2	5	1.62		✓	25
26	16	16	4						42	25	28	26		26
27	7	3			3	27	32		53	9				27
28	3	4			32	4		48				11		28
29	32				19			5	3		8	17		29
30	20	✕		1	8	14			6	6	17			30
31		✕		✕	8	✕			✕	7	✕	18		31
													Year's Total	
TOTAL	276	52	40	23	147	58	178	172	188	2.82	4.44	3.95	22.55	✓
* Days with .01 in. or more.	23	12	4	6	12	6	10	15	17	20	17	17	159	✓
* Days with .04 in. or more.	17	5	3	2	9	4	9	10	10	16	14	13	112	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) G. M. Osborne

395

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 214

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Woodside Grnd Cy.

in the County of Surrey

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground ....ft. 10 in.

,, Ground ,, Sea Level 146 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			2	36	27				1			2		1
2	4			1	3		4	57	47					2
3	32			24			2	25			26	28		3
4		2	26	19			9	1·16		28	7	2		4
5				18	4		6				34	7		5
6	38		5		2		20	2		33	11	2		6
7	4							2		2	19	18		7
8	2	19	18				3			35	28	18		8
9	2	6						8		12	23	14		9
10	21							13	2	12	4			10
11			22			14				41	2	2		11
12						8								12
13				3			1		3	1·69		2		13
14			2	3	6		6			41	44	3		14
15	94		6		75	18			15	85	6	2		15
16	48		7		26	15	3			5	46			16
17	26	3	3		6		31				9			17
18	20					38	7				24			18
19	26						24			25				19
20	31		3			13	39							20
21	2	20	9			4	12		10					21
22	16	31		6		11	21		3		7			22
23				14		2	4	1		5	55			23
24	} 86	2	1	10		3	2				2			24
25		33	5				3				31	9		25
26	6		2							32	22	3		26
27	3	16	9	12						7	10			27
28		16		20		4				6	11	11		28
29			4	25			3			7	2			29
30		✕		74		2					22			30
31		✕		✕		✕	14	4	✕	2	✕			31
													Year's Total	
TOTAL	4·61	1·48	1·24	2·65	1·49	1·32	2·14	2·28	·81	5·47	4·45	1·23	29·17	✓
* Days with .01 in. or more.	19	10	16	14	8	12	20	9	7	18	23	15	171	✓
* Days with .04 in. or more.	15	7	10	11	6	9	13	6	3	16	20	7	123	✓

† Spare column, no entries required.

(*Signed*) M. Osborne [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 214

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Woodside Sand
in the County of Surrey
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground ft. 10 in.
,, Ground ,, Sea Level 146 ft.

Jan + Feb apportioned

? Jan / snow

Afcs

~~Totals~~

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		✓									8			1
2		(·32) ~~1·42~~		14			6				57			2
3		X		6						13	1·27	10		3
4		11		2						13	7			4
5		1					1			4	35	15		5
6	28	19					22			21				6
7	26				3		9							7
8				3			3		3	27	2	24		8
9				3		6		1	3	13	28	9		9
10							12	3		12	4	2		10
11				2			2				87			11
12			18	1			10		9		9	1		12
13			68			4			12		1·12			13
14			20	8						8	1	24		14
15					15	2	40		2	2	25	2		15
16	3		22	12		6	19		17	58	1·16	2		16
17			28				5			1	53	1		17
18		x 71	15	33			31	3		16	20	11		18
19		x	6	4			4		68		10	1		19
20			2	3			2	1	22	8	6			20
21	3		5				9			11	34			21
22			3	2	68	54			4	2	1			22
23		8	6	15	1	10				1	1			23
24							29				1	3		24
25			59	31	1		4			2				25
26	77	11	83	7	14		2							26
27	x	35		10			24							27
28	x (1·40)				9				1					28
29	x	13	10	4								25		29
30	x	✕		15						12		3		30
31	✓	✕		✕		✕			✕	69	✕	7		31
TOTAL	2·77 ~~1·37~~	2·01 ~~3·41~~	3·45	1·75	1·11	·82	2·34	·08	1·41	2·93	7·44	1·40	Year's Total 27·51	✓
* Days with .01 in. or more.	105	11	14	19	7	6	19	4	10	19	22	16	157	✓
* Days with .04 in. or more.	73	9	12	12	4	5	14	·	6	14	17	8	108	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(~~Signed~~) M Osborn

P.T.O.

SEND / SEND HILL HO 591/37

Section **A** for the entry of Daily … on No. 214/3
AIR MINISTRY.—M … ORGANIZATION.

FORM 1090.

REGISTE

214/3
SEND
SEND HILL HSE
1937 - 1940

780105

Kept at SEND HILL HOUSE, SE
in the County of SURREY
Diameter of Funnel of Gauge........5
Height of top of Gauge above Ground..
,, Ground ,, Sea Level

THE MORNING MEASUREMEN

An observer who does not conform to this … wing year in the space on the right of this par…

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·32	0·04	0·01	0·06	—	—	—	—	Tr	Tr	0·67	0·59		1
2	0·01	0·32	Tr	0·59	—	—	—	—	0·24	Tr	Tr	0·60		2
3	Tr	0·16	0·02	—	Tr	—	—	—	—	—	Tr	0·02		3
4	0·06	0·61	—	Tr	—	—	—	Tr	—	—	—	0·26		4
5	0·09	0·07	0·18	—	—	—	0·12	0·01	Tr	Tr	Tr	—		5
6	0·06	0·03	0·84	Tr	0·34	—	0·01	—	—	0·04	0·02	—		6
7	—	0·51	Tr	0·06	Tr	—	—	—	0·01	0·01	—	Tr		7
8	Tr	Tr	Tr	—	0·08	0·02	—	—	Tr	—	0·09	0·19		8
9	—	—	—	0·28	0·09	0·03	0·01	0·04	0·29	Tr	—	0·23		9
10	—	—	0·53	0·09	0·07	0·49	0·01	0·14	—	Tr	—	0·36		10
11	—	—	0·12	Tr	0·08	0·03	0·05	—	Tr	Tr	—	0·02		11
12	0·19	0·18	0·15	0·04	0·84	0·31	Tr	0·27	0·11	—	—	0·25		12
13	0·17	0·03	0·39	0·01	Tr	0·05	—	0·25	0·39	—	—	1·20		13
14	0·01	0·04	0·36	Tr	Tr	0·01	—	0·28	0·05	—	Tr	—		14
15	0·28	0·06	—	0·13	Tr	Tr	0·47	—	0·04	—	Tr	Tr		15
16	0·01	0·12	0·47	0·45	—	Tr	—	0·16	0·42	Tr	Tr	Tr		16
17	0·66	Tr	0·19	0·04	—	—	—	—	0·18	Tr	0·01	—		17
18	0·42	0·06	Tr	0·06	0·04	0·42	—	—	Tr	0·01	0·18	0·07		18
19	0·05	0·09	0·05	0·06	Tr	0·18	0·02	—	0·07	0·01	—	0·11		19
20	0·53	0·01	0·04	0·20	0·62	Tr	—	—	0·04	0·01	—	Tr		20
21	0·50	0·38	0·06	0·04	Tr	—	0·04	Tr	Tr	Tr	Tr	0·01		21
22	0·42	0·03	0·02	Tr	0·07	0·34	0·06	—	Tr	0·07	0·29	0·05		22
23	0·25	0·02	0·01	—	0·08	—	Tr	—	Tr	0·38	Tr	Tr		23
24	0·48	0·43	Tr	—	—	—	—	—	0·10	0·47	—	0·01		24
25	0·11	0·37	0·22	—	0·17	—	—	—	0·05	0·39	—	0·01		25
26	Tr	0·21	0·02	—	Tr	—	—	—	—	0·07	Tr	—		26
27	0·04	0·13	Tr	0·16	—	—	—	—	0·02	0·68	Tr	—		27
28	0·01	0·12	—	0·03	—	Tr	—	0·01	—	0·08	Tr	0·04		28
29	0·02	✕	—	—	—	Tr	—	Tr	Tr	0·01	0·06	0·04		29
30	0·31	✕	—	—	—	Tr	—	Tr	Tr	0·10	0·32	Tr		30
31	0·21	✕	—	✕	—	✕	—	—	✕	0·04	✕	0·04		31
TOTAL	5·21	4·02	3·73	2·30	2·48	1·88	0·79	1·16	2·01	3·27	1·64	4·10	Year's Total 32·59	
* Days with .01 in. or more.	~~5~~ 24	~~5~~ 23	~~5~~ 18	~~2~~ 16	~~2~~ 11	~~4~~ 10	~~4~~ 9	~~2~~ 8	~~2~~ 14	~~5~~ 15	~~2~~ 8	~~5~~ 19	175 ~~42~~	
* Days with .04 in. or more.	19	18	13	14	11	6	5	6	12	10	6	14	13~~3~~4	

Print

GB

40-9999.

* See Instruction 2 (f) on other side.

N.

† Spare column, no entries required.

(Signed) ....F. W. Broadwood........... [P.T.O.

L. A. T. BROADWOOD ESQ

SEND (SEND HILL HO 591/37

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 214/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at SEND HILL HOUSE, SEND, WOKING
in the County of SURREY
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground [illegible] ft. [illegible] in.
,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·32	0·04	0·01	0·06	—	—	—	—	Tr	Tr	0·67	0·59		1
2	0·01	0·32	Tr	0·59	—	—	—	—	0·24	Tr	Tr	0·60		2
3	Tr	0·16	0·02	—	Tr	—	—	—	—	—	Tr	0·02		3
4	0·06	0·61	—	Tr	—	—	—	Tr	—	—	—	0·26		4
5	0·09	0·07	0·18	—	—	—	0·12	0·01	Tr	Tr	Tr	—		5
6	0·06	0·03	0·84	Tr	0·34	—	0·01	—	—	0·04	0·02	—		6
7	—	0·51	Tr	0·06	Tr	—	—	—	0·01	0·01	—	Tr		7
8	Tr	Tr	Tr	—	0·08	0·02	—	—	Tr	—	0·09	0·19		8
9	—	—	—	0·28	0·09	0·03	0·01	0·04	0·29	Tr	—	0·23		9
10	—	—	0·53	0·09	0·07	0·49	0·01	0·14	—	Tr	—	0·36		10
11	—	—	0·12	Tr	0·08	0·03	0·05	—	Tr	Tr	—	0·02		11
12	0·19	0·18	0·15	0·04	0·84	0·31	Tr	0·27	0·11	—	—	0·25		12
13	0·17	0·03	0·39	0·01	Tr	0·05	—	0·25	0·39	—	—	1·20		13
14	0·01	0·04	0·36	Tr	Tr	0·01	—	0·28	0·05	—	Tr	—		14
15	0·28	0·06	—	0·13	Tr	Tr	0·47	—	0·04	—	Tr	Tr		15
16	0·01	0·12	0·47	0·45	—	Tr	—	0·16	0·42	Tr	Tr	Tr		16
17	0·66	Tr	0·19	0·04	—	—	—	—	0·18	Tr	0·01	—		17
18	0·42	0·06	Tr	0·06	0·04	0·42	—	—	Tr	0·01	0·18	0·07		18
19	0·05	0·09	0·05	0·06	Tr	0·18	0·02	—	0·07	0·01	—	0·11		19
20	0·53	0·01	0·09	0·20	0·62	Tr	—	—	0·04	0·01	—	Tr		20
21	0·50	0·38	0·06	0·04	Tr	—	0·04	Tr	Tr	Tr	Tr	0·01		21
22	0·42	0·03	0·02	Tr	0·07	0·34	0·06	—	Tr	0·97	0·29	0·05		22
23	0·25	0·02	0·01	—	0·08	—	Tr	—	Tr	0·38	Tr	Tr		23
24	0·48	0·43	Tr	—	—	—	—	—	0·10	0·47	—	0·01		24
25	0·11	0·37	0·22	—	0·17	—	—	—	0·05	0·39	—	0·01		25
26	Tr	0·21	0·02	—	Tr	—	—	—	—	0·07	Tr	—		26
27	0·04	0·13	Tr	0·16	—	—	—	—	0·02	0·68	Tr	—		27
28	0·01	0·12	—	0·03	—	Tr	—	0·01	—	0·08	Tr	0·04		28
29	0·02	✕	—	—	—	Tr	—	Tr	Tr	0·01	0·06	0·04		29
30	0·31	✕	—	—	—	Tr	—	Tr	Tr	0·10	0·32	Tr		30
31	0·21	✕	—	✕	—	✕	—	—	✕	0·04	✕	0·04		31
TOTAL	5·21	4·02	3·73	2·30	2·48	1·88	0·79	1·16	2·01	3·27	1·64	4·10	Year's Total 32·59	
* Days with .01 in. or more.	24	23	18	16	11	10	9	8	14	15	8	19	175 ~~42~~	
* Days with .04 in. or more.	19	18	13	14	11	6	5	6	12	10	6	14	13~~3~~4	

Print

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

N.

(Signed) H. W. Broadwood [P.T.O.

L. A. T. BROADWOOD ESQ

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 214/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at SEND HILL HOUSE, SEND, WOKING

in the County of SURREY

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	Tr	Tr	Tr	—	0·03	0·08	0·19	—	0·01	0·01	—	0·05		1
2	0·08	Tr	Tr	0·06	0·08	Tr	0·11	—	—	0·27	—	0·03		2
3	Tr	—	Tr	—	0·28	0·01	Tr	—	Tr	0·40	0·01	—		3
4	0·03	—	Tr	Tr	—	Tr	0·08	0·07	Tr	0·02	—	0·06		4
5	0·01	—	Tr	Tr	—	—	0·16	New glass 0·01	—	0·35	—	—		5
6	0·03	Tr	Tr	—	—	Tr	0·04	—	0·04	Tr	Tr	—		6
7	0·05	Tr	Tr	Tr	—	—	0·31	0·19	0·01	0·12	Tr	0·02		7
8	0·13	Tr	—	Tr	—	Tr	0·08	0·51	0·04	0·33	Tr	0·02		8
9	0·09	Tr	—	—	—	Tr	Tr	0·06	—	Tr	—	0·84		9
10	0·07	0·07	—	Tr	—	Tr	Tr	0·05	Tr	Tr	Tr	0·13		10
11	0·18	Tr	Tr	Tr	—	Tr	—	Tr	Tr	0·01	0·18	0·11		11
12	0·25	0·03	Tr	Tr	0·03	Tr	Tr	0·22	—	0·09	0·04	Tr		12
13	0·23	Tr	Tr	Tr	Tr	—	—	0·01	—	0·03	0·26	0·12		13
14	0·26	Tr	Tr	—	0·07	—	Tr	—	0·01	—	0·01	0·01		14
15	0·12	0·04	—	Tr	Tr	—	0·30	—	—	0·35	Tr	0·25		15
16	0·17	0·02	Tr	—	Tr	—	Tr	Tr	—	0·01	0·06	0·46		16
17	Tr	0·09	Tr	—	0·01	—	Tr	—	0·01	0·12	—	—		17
18	0·03	—	Tr	—	0·02	Tr	Tr	—	0·34	—	0·41	Tr		18
19	0·01	Tr	—	Tr	—	—	Tr	0·07	0·09	Tr	0·18	0·01		19
20	—	—	—	—	Tr	—	—	Tr	0·02	—	0·70	Tr		20
21	0·02	—	Tr	—	—	—	—	0·12	0·07	Tr	0·07	0·44		21
22	—	—	Tr	0·01	—	0·01	—	Tr	—	0·01	0·17	0·28		22
23	—	—	—	0·04	—	Tr	—	—	0·05	0·01	0·08	Tr		23
24	—	—	0·06	Tr	Tr	—	—	—	0·16	0·01	0·06	0·01		24
25	0·11	0·01	0·21	0·06	0·31	—	0·02	Tr	0·01	0·05	1·51	0·06		25
26	0·16	0·14	0·03	Tr	—	Tr	—	—	0·30	0·26	—	0·18		26
27	0·07	0·02	Tr	Tr	0·02	0·26	0·33	0·01	0·46	0·04	0·30	—		27
28	0·02	0·04	—	Tr	0·31	0·05	Tr	0·51	0·03	—	—	0·11		28
29	0·30	×	—	Tr	0·16	—	—	Tr	—	—	0·05	0·17		29
30	0·02	×	—	Tr	0·06	0·16	—	—	0·06	0·07	0·18	Tr		30
31	0·17	×	—	×	0·08	×	Tr	—	×	0·11	×	0·18		31
TOTAL	2·61	0·46	0·30	0·17	1·46	0·57	1·62	1·83	1·71	2·67	4·27	3·56	Year's Total 21·21	
* Days with .01 in. or more.	24	9	3	4	13	6	10	12	17	21	17	21	157	
* Days with .04 in. or more.	16	5	2	3	8	4	9	9	10	13	15	15	109	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) H W Broadwood

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 214/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at SEND HILL HOUSE, SEND

in the County of SURREY

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·01	—	0·01	0·37	0·26	—	—	Tr	0·06	—	—	0·02		1
2	0·03	Tr	—	0·01	0·02	—	0·02	0·57	0·40	—	0·04	Tr		2
3	0·29	Tr	—	0·20	—	—	Tr	0·21	—	Tr	0·24	0·25		3
4	0·18	Tr	0·22	0·14	Tr	—	0·10	0·98	Tr	0·30	0·07	Tr		4
5	—	0·01	—	0·17	0·03	—	0·10	Tr	—	0·24		0·07		5
6	0·27	0·01	0·03	Tr	0·03	—	0·19	0·01	—	—	0·43	0·02		6
7	0·02	0·12	[illegible]	—	—	—	Tr	0·01	—	0·02	0·16	0·15		7
8	Tr	0·03	0·16	—	—	—	0·01	0·01	Tr	0·37	0·53	0·19		8
9	0·02	0·05	—	—	—	—	—	0·01	—	0·11	0·07	0·13		9
10	0·21	—	—	—	—	0·16	—	0·15	0·02	0·12	0·03	Tr		10
11	—	—	0·20	—	Tr	0·02	—	—	Tr	0·40	0·01	0·01		11
12	Tr	—	—	—	0·01	0·07	—	—	Tr	—	—	Tr		12
13	Tr	—	Tr	0·02	—	Tr	0·03	—	0·03	1·65	Tr	0·01		13
14	0·53	—	—	0·03	0·04	0·02	0·05	—	Tr	0·33	0·48	0·02		14
15	0·44	—	—	Tr	0·69	0·24	Tr	—	0·11	0·83	0·22	0·01		15
16	0·50	Tr	—	Tr	0·25	0·10	0·01	—	Tr	—	0·32	—		16
17	0·26	0·03	0·13	0·01	0·06	Tr	0·19	—	—	0·04	0·07	—		17
18	0·18	Tr	0·03	0·01	Tr	0·23	0·09	—	Tr	0·10	0·24	—		18
19	0·21	Tr	Tr	—	—	—	0·19	—	—	0·13	0·02	0·02		19
20	0·28	Tr	Tr	—	Tr	0·12	0·36	Tr	Tr	—	—	0·06		20
21	0·03	0·17	0·09	—	—	0·03	0·11	0·04	0·09	0·01	—	—		21
22	0·17	0·31	0·01	0·05	—	0·10	0·21	Tr	0·03	Tr	0·06	0·01		22
23	0·01	—	Tr	0·22	—	0·01	0·05	0·01	—	0·04	0·54	0·01		23
24	0·25	0·01	Tr	0·02	—	0·03	0·02	—	—	0·15	—	—		24
25	0·59	0·35	0·04	Tr	Tr	—	0·03	Tr	—	—	0·30	0·01		25
26	0·03	Tr	0·02	Tr	—	Tr	Tr	Tr	—	0·18	0·20	0·03		26
27	0·04	0·14	0·08	0·08	—	Tr	Tr	Tr	—	0·08	0·10	—		27
28	—	0·15	0·04	0·21	—	0·07	Tr	Tr	—	0·04	0·10	0·12		28
29	Tr	X	—	0·36	—	—	0·03	—	—	0·06	0·03	—		29
30	—	✕	—	0·55	—	0·01	—	—	—	Tr	0·19	Tr		30
31	—	✕	Tr	✕	—	✕	0·13	0·04	✕	0·01	✕	—		31
TOTAL	4·55	1·38	1·06	2·45	1·39	1·21	1·92	2·04	0·74	5·21	4·45	1·14	Year's Total 27·54	
* Days with .01 in. or more.	22	12	13	16	9	14	19	11	7	21	24	18	186	
* Days with .04 in. or more.	15	7	8	10	5	8	12	6	4	18	20	7	120	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) H W Broadwood

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 214/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at SEND HILL HOUSE, SEND, WOKING

in the County of SURREY

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 150 ft.

Acds.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	0·02	—	Tr	Tr	—	—	—	—	—	0·06	0·02		1
2	—	0·09	—	0·15	—	—	0·06	—	—	0·08	0·64	0·07		2
3	—	0·19	—	0·04	—	—	Tr	—	—	0·12	1·20	—		3
4	—	0·08	—	0·02	—	—	Tr	—	—	0·14	0·06	—		4
5	0·01	0·18	—	—	—	—	Tr	—	—	0·03	0·33	0·15		5
6	0·26	0·20	—	—	Tr	—	0·18	—	—	0·21	Tr	—		6
7	0·25	Tr	—	Tr	0·02	—	0·09	—	0·05	—	—	—		7
8	—	Tr	—	0·02	—	Tr	—	Tr	Tr	0·27	0·02	0·26		8
9	—	Tr	—	0·03	—	0·27	—	—	0·02	0·17	0·25	0·06		9
10	—	—	—	—	—	Tr	x	0·03	—	0·10	0·05	0·02		10
11	—	Tr	—	0·02	—	—	0·19	—	—	Tr	0·90	—		11
12	—	0·01	0·19	Tr	—	0·04	x	—	0·08	Tr	0·06	—		12
13	—	0·01	0·64	Tr	—	—	0·16	—	0·11	—	1·03	—		13
14	—	—	0·12	0·07	—	—	—	—	✓	0·10	—	0·27		14
15	—	—	0·01	x	0·12	x	0·40	—	0·18	Tr	0·27	—		15
16	0·03	0·21	0·26	0·10	—	0·11	0·19	—	—	0·57	1·01	—		16
17	—	—	0·34	Tr	—	—	x	—	—	0·01	0·55	—		17
18	Tr	0·20	0·06	0·32	—	—	0·30	0·03	—	0·19	0·20	0·14		18
19	—	0·08	0·06	0·04	—	—	0·01	—	0·66	Tr	0·14	—		19
20	—	Tr	0·04	0·02	—	—	0·06	Tr	0·18	0·13	0·02	—		20
21	0·01	Tr	0·01	—	0·46	—	0·09	Tr	—	0·06	0·33	—		21
22	Tr	—	0·02	0·01	0·22	0·59	—	—	0·08	0·02	—	—		22
23	—	0·09	0·05	0·14	0·01	0·07	—	—	—	Tr	—	—		23
24	—	—	—	0·29	—	—	0·29	—	—	—	—	0·02		24
25	—	—	0·69	—	Tr	0·01	0·03	—	—	0·02	—	—		25
26	0·77	0·11	0·70	0·03	0·10	—	—	—	—	—	0·02	—		26
27	0·44	0·34	—	0·10	Tr	—	0·37	Tr	—	—	—	—		27
28	0·49	0·01	—	Tr	0·09	—	—	—	—	—	—	—		28
29	0·13	0·12	0·09	0·04	Tr	0·01	—	—	—	—	—	0·25		29
30	0·20	✕	—	0·14	—	—	—	—	Tr	0·10	—	✓		30
31	0·03	✕	Tr	✕	—	✕	—	—	✕	0·69	✕	0·08		31
TOTAL	2·62	1·94	3·28	1·58	1·02	1·10	2·36	0·06	1·36	3·01	7·14	1·34	Year's Total 26·81	✓
* Days with .01 in. or more.	11	16	15	19	7	8	~~19~~ 16	2	9	18	19	~~13~~ 12	~~156~~ 152	✓
* Days with .04 in. or more.	7	12	12	12	5	6	~~17~~ 14	[illegible]	~~8~~ 7	14	16	~~10~~ 8	~~119~~ 113	✓

“d”

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

X E. HORSLEY (FOREST

214/5

E. HORSLEY FOREST LANE

1934- 1940

1936 A/B

780106.

.294002/33. M.O.7.

Section **A** for the entry of D

AIR MINISTRY.

Station No. 214/5.

ORGANIZATION.

FORM 1090.

REGIST

11/Surrey/6.

Kept at "Two Gates" Fore

in the County of Surrey

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

THE MORNING MEASUR

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	–	–	–	–	–	–	·19	·10	·02	–	–		1
2	·04	–	·10	–	–	–	–	–	–	·25	–	·41		2
3	·01	·04	–	·18	–	–	–	–	–	·15	–	·19		3
4	·07	–	·05	·05	·11	–	–	–	–	·07	·09	·44		4
5	·01	–	·01	–	–	–	–	·03	–	–	–	·29		5
6	–	–	·32	·05	·18	–	–	·33	–	–	–	·74		6
7	·04	–	·01	–	–	·05	–	–	·10	·21	·02	·28		7
8	–	·05	–	–	–	–	–	·01	–	–	·45	·02		8
9	Tr.	–	·01	–	–	–	–	Tr.	–	–	1·10	·58		9
10	–	–	·20	·19	–	–	–	·11	–	·02	·34	·01		10
11	·50	–	·30	·08	–	–	–	–	–	–	–	·19		11
12	·08	Tr.	·03	–	–	–	·30	·15	–	–	–	·03		12
13	·43	–	·06	Tr.	–	–	·11	–	–	–	·05	·16		13
14	·08	Tr.	·50	·03	–	·10	–	–	–	–	–	·48		14
15	·01	–	·08	–	·12	–	–	–	·11	·12	·26	·64		15
16	·11	·01	·28	–	·09	–	–	–	–	·12	·07	–		16
17	·01	–	·01	·10	–	–	–	–	–	·50	–	·19		17
18	·17	–	·28	·27	–	–	·06	–	–	–	–	·34		18
19	–	Tr.	·11	·07	–	–	–	–	–	–	–	·16		19
20	–	–	·06	–	–	–	·30	·01	·07	–	·01	–		20
21	–	–	·01	·21	–	–	·57	·05	–	·09	–	·01		21
22	–	–	–	–	–	·02	·60	·15	–	–	–	–		22
23	–	·01	–	·26	–	·28	–	–	·15	–	·01	·09		23
24	–	·02	·07	·22	–	–	·64	–	–	–	·02	·01		24
25	·22	·11	–	·09	·06	·38	–	–	–	–	–	·03		25
26	·01	–	–	·25	–	·12	–	–	–	–	–	·10		26
27	·03	·01	–	·24	–	–	–	–	·02	·03	–	·21		27
28	–	·08	–	·03	–	·06	–	·65	–	–	–	·15		28
29	–	X	–	–	–	·03	–	–	·16	–	–	Tr.		29
30	·08	X	–	–	–	–	–	·05	–	–	–	·25		30
31	·03	X	–	X	–	X	–	·01	X	·33	X	·01		31
TOTAL	2·02	·33	2·49	2·32	·56	1·04	2·58	1·74	·71	1·91	2·42	6·01	Year's Total 24·13	
*Days with ·01 in. or more.	19	8	19	16	5	8	7	12	7	12	11	26	150	
*Days with .04 in. or more.	12	4	13	14	5	6	7	8	6	9	7	19	110	

40-9999

*See Instruction 2 (*f*) on other side.

N

† Spare column, no entries required.

(*Signed*) H. Blanchard [P.T.O.

X H. BLANCHARD ESQ X

X E. HORSLEY (FOREST . 294002/33. M.O.7.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 214/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

11/Surrey/6.

Kept at "Two Gates" Forest Lane, East Horsley.

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 176 ft.

NB/ Do not take insertion action without file (see letters). 1/1/35

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.09	–	–	–	–	–	–	.19	.10	.02	–	–		1
2	.04	–	.10	–	–	–	–	–	–	.25	–	.41		2
3	.01	.04	–	.18	–	–	–	–	–	.15	–	.19		3
4	.07	–	.05	.05	.11	–	–	–	–	.07	.09	.44		4
5	.01	–	.01	–	–	–	–	.03	–	–	–	.29		5
6	–	–	.32	.05	.18	–	–	.33	–	–	–	.74		6
7	.04	–	.01	–	–	.05	–	–	.10	.21	.02	.28		7
8	–	.05	–	–	–	–	–	.01	–	–	.45	.02		8
9	Tr.	–	.01	–	–	–	–	Tr.	–	–	1.10	.58		9
10	–	–	.20	.19	–	–	–	.11	–	.02	.34	.01		10
11	.50		.30	.08	–	–	–	–	–	–	–	.19		11
12	.08	Tr.	.03	–	–	–	.30	.15	–	–	–	.03		12
13	.43	–	.06	Tr.	–	–	.11	–	–	–	.05	.16		13
14	.08	Tr.	.50	.03	–	.10	–	–	–	–	–	.48		14
15	.01	–	.08	–	.12	–	–	–	.11	.12	.26	.64		15
16	.11	.01	.28	–	.09	–	–	–	–	.12	.07	–		16
17	.01	–	.01	.10	–	–	–	–	–	.50	–	.19		17
18	.17	–	.28	.27	–	–	.06	–	–	–	–	.34		18
19	–	Tr.	.11	.07	–	–	–	–	–	–	–	.16		19
20	–	–	.06	–	–	–	.30	.01	.07	–	.01	–		20
21	–	–	.01	.21	–	–	.57	.05	–	.09	–	.01		21
22	–	–	–	–	–	.02	.60	.15	–	–	–	–		22
23	–	.01	–	.26	–	.28	–	–	.15	–	.01	.09		23
24	–	.02	.07	.22	–	–	.64	–	–	–	.02	.01		24
25	.22	.11	–	.09	.06	.38	–	–	–	–	–	.03		25
26	.01	–	–	.25	–	.12	–	–	–	–	–	.10		26
27	.03	.01	–	.24	–	–	–	–	.02	.03	–	.21		27
28	–	.08	–	.03	–	.06	–	.65	–	–	–	.15		28
29	–	×	–	–	–	.03	–	–	.16	–	–	Tr.		29
30	.08	×	–	–	–	–	–	.05	–	–	–	.25		30
31	.03	×	–	×	–	×	–	.01	×	.33	×	.01		31
													Year's Total	
TOTAL	2.02	.33	2.49	2.32	.56	1.04	2.58	1.74	.71	1.91	2.42	6.01	24.13	
*Days with .01 in. or more.	19	8	19	16	5	8	7	12	7	12	11	26	150	
*Days with .04 in. or more.	12	4	13	14	5	6	7	8	6	9	7	19	110	

40-9999

*See Instruction 2 (*f*) on other side.

N

† Spare column, no entries required.

(*Signed*) H. Blanchard

X H. BLANCHARD ESQ X

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 214/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Two Gates, Forest Lane,

in the County of East Horsley, Surrey.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 176 ft.

July total appears high on plotting but other stations further away had heavy rain in July (Wisley e.g.) & it should not be queried

Cv 7-5-36

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·17	–	–	·04	·02	·06	1·50	–	·13	·08	·27	Tr.		1
2	·02	–	·10	–	–	Tr.	–	–	·10	·17	·08	–		2
3	Tr.	–	·17	·05	–	·02	–	–	·13	·57	·15	–		3
4	–	·03	–	·29	–	·52	–	–	·16	·22	Tr.	·08		4
5	·01	·19	·05	·07	–	·22	–	–	·61	·01	·04	Tr.		5
6	–	Tr.	–	·28	–	·51	–	–	–	·38	·05	–		6
7	·05	Tr.	–	·30	–	·11	–	–	Tr.	·05	·98	·20		7
8	–	·01	Tr.	·35	–	·08	–	–	–	·37	·37	Tr.		8
9	Tr.	·01	Tr.	·30	–	·50	–	–	Tr.	·81	·25	Tr.		9
10	·07	Tr.	–	·11	–	–	–	–	–	·10	·25	·05		10
11	·29	·01	–	–	–	·15	–	–	–	·03	·34	·01		11
12	Tr.	·02	–	–	–	·22	–	·15	–	–	·69	Tr.		12
13	·10	·14	–	·14	·02	·02	–	–	Tr.	–	·03	–		13
14	–	–	–	·01	·15	·07	–	–	·62	–	·14	·17		14
15	–	·16	Tr.	·47	–	·10	–	–	1·54	·02	·28	·02		15
16	–	–	·01	·04	–	·06	–	–	·04	–	1·01	·02		16
17	·01	–	Tr.	·02	–	·06	·80	–	–	–	·18	–		17
18	–	–	–	·27	–	Tr.	·06	·01	·27	·05	·01	·02		18
19	–	Tr.	–	·01	·39	–	–	Tr.	·01	·03	·06	·01		19
20	·01	·24	–	·16	·15	–	–	–	Tr.	–	·24	–		20
21	·01	Tr.	–	·01	–	–	·47	–	Tr.	·11	·01	–		21
22	Tr.	·07	·05	–	–	–	–	·10	·24	·01	·02	–		22
23	Tr.	Tr.	·08	–	–	–	–	·68	·06	·18	·01	·11		23
24	·03	·71	–	–	·08	–	–	1·43	·29	–	·01	·16		24
25	·10	·17	–	·22	·17	·44	–	Tr.	Tr.	–	–	·21		25
26	·04	·15	–	–	–	Tr.	–	·18	·03	·01	–	·42		26
27	·02	·81	–	–	–	–	–	–	·25	Tr.	·08	·27		27
28	Tr.	·07	–	–	–	–	Tr.	·03	·42	·04	–	·21		28
29	–	X	–	–	–	–	–	–	·58	·02	Tr.	·34		29
30	Tr.	✕	–	Tr.	–	Tr.	–	·79	·05	·11	·44	·41		30
31	·08	✕	–	✕	Tr.	✕	–	Tr.	✕	·34	✕	·60		31
TOTAL	1·01.	2·79.	·46.	3·14.	·98.	3·14.	2·83	3·37	5·53	3·71	5·99	3·31	Year's Total 36·26	
* Days with .01 in. or more.	15.	15.	6.	19.	7.	16.	4.	8.	18.	22.	25.	18.	173	
* Days with .04 in. or more.	8.	10.	5.	15.	5.	14.	4.	6.	16.	15.	19.	13.	130	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. Blanchard [P.T.O.

EAST HORSLEY (FOREST LANE)

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 214/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

1936 N R.

294002/33

Kept at Two Gates Forest Lane

in the County of East Horsley, Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" Ground " Sea Level 176 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·58	·07	Tr.	·02	–	–	–	–	–	–	·73	·78		1
2	·01	·20	·01	·63	–	–	–	–	·04	–	·01	·68		2
3	Tr.	·18	Tr.	Tr.	Tr.	Tr.	–	–	·23	Tr.	·01	Tr.		3
4	·05	·63	·02	Tr.	–	–	–	–	–	–	–	·10		4
5	·08	·23	·23	Tr.	–	–	–	Tr.	–	–	–	–		5
6	–	·40	·73	–	·38	–	·13	–	–	–	·02	–		6
7	–	·23	·03	·07	–	–	–	–	·02	–	–	·10		7
8	–	·01	·02	–	·16	·06	–	–	–	·04	·15	·25		8
9	·06	Tr.	Tr.	·25	·02	·01	–	·02	·32	–	·01	·19		9
10	–	–	·63	–	·03	·38	–	·04	Tr.	–	–	·49		10
11	·02	–	·14	·12	x	·04	·05	–	–	Tr.	–	·02		11
12	·15	·22	·10	–	·89	·35	–	·39	·11	–	–	·29		12
13	·20	·03	·39	–	–	·13	–	–	·35	–	–	·97		13
14	·05	·05	·24	–	–	·01	–	–	·04	–	–	·02		14
15	·28	·13	·01	·15	–	·02	·52	·02	·08	–	–	·02		15
16	Tr.	·07	·34	·44	–	·04	–	–	·48	–	–	–		16
17	·60	·14	·19	·04	–	Tr.	–	·10	·41	–	–	–		17
18	·50	–	·02	·07	·11	·39	–	·03	Tr.	·01	·13	–		18
19	·01	·01	·05	·07	·07	·16	·11	–	·09	·01	–	Tr.		19
20	·52	·01	·06	·24	·69	Tr.	–	–	·08	–	–	·01		20
21	·50	·35	x	·04	·11	Tr.	·04	–	Tr.	–	·04	·02		21
22	·33	·06	·06	–	·08	·39	·04	–	–	·64	·21	·04		22
23	·40	·01		–	·14	–	–	–	–	·77	–	x		23
24	·49	·29	–	–	–	–	·01	–	·04	·39	–	·14		24
25	·10	·25	·22	–	·20	–	Tr.	–	·12	·13	–	✓		25
26	·03	·32	–	–	·01	–	–	–	–	·04	–			26
27	Tr.	·13	–	·03	–	–	–	–	Tr.	·58	·01	·10		27
28	·06	·12	–	·14	–	Tr.	–	–	–	·10	–	x		28
29	·02	X	–	–	–	·07	–	–	–	·06	·04	x		29
30	·30	✕	–	–	–	–	–	–	–	·05	·24	·08		30
31	·24	✕	–	✕	–	✕	–	–	✕	·10	✕			31
TOTAL	5·58	4·14	3·49	2·31	2·89	2·05	·90	·60	2·41	2·92	1·60	4·30	Year's Total 33·19	
* Days with .01 in. or more.	24	24	20 ~~19~~	14	14	13	7	6	14	13	12	21	18~~1~~2	
* Days with .04 in. or more.	19	19	13	12	11	10	6	3	13	11	7	1~~3~~4	13~~7~~8	

Print

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. Blanchard [P.T.O.

H. BLANCHARD ESQ

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 214/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at TWO GATES FOREST LANE EAST HORSLEY

in the County of SURREY.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 176 ft.

ap.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	·03	·07.	—	—	·01.	·07.	—	·07.		1
2	·02.	—	·01.	·07.	·05	·12.	—	—	—	·27.	—	·05		2
3	·05.	—	—	Tr.	·33	—	·05	—	·01.	·40.	Tr.	Tr.		3
4	·07.	—	—	—	—	—	·03.	·04.	—	·11.	—	·08.		4
5	—	—	—	Tr.	—	—	·04.	·01.	·02.	·21.	—	—		5
6	·04.	Tr.	—	—	—	—	·45	—	·02.	Tr.	—	—		6
7	Tr.	Tr.	—	—	—	Tr.	—	·13.	Tr.	·13.	—	·05		7
8	·22.	—	—	—	—	Tr.	—	·26.	·06	·26.	—	·08.		8
9	·22.	Tr.	—	—	—	Tr.	—	·06.	—	·03.	—	·63.		9
10	·06.	·01.	—	—	—	·03.	—	·15.	—	Tr.	—	·18.		10
11	·19.	—	—	—	—	Tr.	—	·13.	—	·02.	·14	Tr.		11
12	·24.	·08.	Tr.	—	Tr.	Tr.	—	·22.	—	·01.	·06.	·12.		12
13	·26.	·02.	—	—	Tr.	—	—	Tr.	—	—	·07.	·22.		13
14	·23.	·02.	—	—	·10.	—	·40.	—	·01.	—	Tr.	—		14
15	·19.	·05	—	—	Tr.	—		—	—	·40.	Tr.	·49.		15
16	·07.	·05	·01.	—	Tr.	—	·01.	·01.	—		—	·58.		16
17	Tr.	·06.	—	—	·06.	—		—	—	·19.	Tr.	—		17
18	·04.	Tr.	—	—	·01.	—		—	·26.	—	·68.	—		18
19	—	—	—	—	Tr.	—	—	·06.	·05.	—	·32.	·01.S.		19
20	Tr.	—	—	—	—	—	—	—	·07.	—	·88.	·02.S		20
21	·05.	—	—	—	—	—	—	·20.	·15.	Tr.	Tr.	·31.S.		21
22	·01.	—	—	—	—	·03.	—	·01.	—	—	·08.	·34.S		22
23	·02.	—	—	—	Tr.	Tr.	—	—	·04.	—		—		23
24	—	—	·05	—	Tr.	—	—	—	·35.	Tr.	·12.	—		24
25		Tr.	·28	—	·32.	Tr.	Tr.	Tr.	Tr.	Tr.	1·14.	·20.		25
26	·25	·19.	·03	Tr.	—	Tr.	—	—	·27.	·39.	·01.			26
27	·13.	Tr.	Tr.	Tr.	·08.	·25.	·32.	Tr.	·47.	·01.	·29.			27
28	·04.	·05	—	—	·33.	·05.	—	·43.	·07.	—	—	·26		28
29	·22.	X	—	—	·15.	—	—	·07.	Tr.	·07.	·05			29
30	·02.	✕	—	·05.	·09.	·10.	—	—	·11.	·07.	·27.	Tr.		30
31	·17	✕	—	✕	·11.	✕	—	—	✕	·11.	✕	·17.		31
TOTAL	2·81.	·53.	·38.	·12.	1·66.	·65.	1·30.	1·78	1·97.	2·75.	4·11.	3·86.	Year's Total 21·92.	
‡ Days with .01 in. or more.	24.	9.	5.	2.	12.	7.	8 ~~7~~.	14.	16.	~~17~~ 18.	14.	21.	~~148~~ 150	
* Days with .04 in. or more.	20.	6.	2.	2.	10.	5.	5.	11.	11.	13.	~~12~~ 13	18.	~~115~~ 116	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. Blanchard

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 214/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at TWO GATES, FOREST LANE,

in the County of E. HORSLEY, SURREY.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 176 ft.

Days ✓

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	Tr.	—	·04	·30	·27	—	—	·02	—	—	·02	·01		1
2	·07	—	—	·03	·03	—	·15	·45	·80	Tr.	✓	Tr.		2
3	·27	—	—	·22	Tr.	—	·05	·35	—	—	·29	·37		3
4	·15	—	·31	·10	—	—	4	·97	—	·25	·07	Tr.		4
5	—	—	✓	·30	✗	—	·45	✓	—	·30	·04	·06		5
6	·31	—	·10	Tr.	·20	—	·23	·04	—	Tr.	·49	—		6
7	·02	·12	Tr.	—		—	—	✓	—	·01	·15	·19		7
8	·02	·07	·17	—	—	—	·01	·02	—	·30	·15	·17		8
9	·03	·04	—	—	—	—	—	·01	—	·23	·23	·19		9
10	·18	—	—	—	—	·11	—	·13	·02	·10	·01	Tr.		10
11	—	—	·23	—	—	·02	—	—	—	·48	✓	Tr.		11
12	—	—	Tr.	—	—	—	—	—	—	Tr.	·01	·04		12
13	—	—	—	·01	—	—	·02	—	·01	1·34	—	✓		13
14	·48	—	Tr.	·07	·05	·02	·10	—	·04	·58	·42	Tr.		14
15	·46	—	·07	Tr.	·86	·03	·03	—	·12	·75	·07	Tr.		15
16	·52	—	·07	·01	·32	·25	·03	—	·01	·05	·48	—		16
17	·24	·02	·03	·02	·06	Tr.	·17	—	—	Tr.	·13	—		17
18	·31	·04	·03	Tr.	—	·41	·13	—	Tr.	·03	·22	—		18
19	·22	—	Tr.	—	—	Tr.	·23	—	Tr.	·34	Tr.	—		19
20	·31	·12	Tr.	—	—	·17	·58	—	·01	Tr.	Tr.	·01		20
21	·15	·07	·10	—	—	·03	·02	·02	·10	—	—	—		21
22	·16	·34	·02	Tr.	—	·17	·17	—	·01	—	·07	—		22
23	Tr.	—	—	·25	—	·03	·12	—	·01	·05	·60	—		23
24	·17	—	·03	·11	—		·03	Tr.	Tr.	·21	—	—		24
25	S·59	·35	S·06	·01	—	·02	—	·16	—	Tr.	·52	—		25
26	·04	Tr.	S·03	Tr.	—	·05	·04	·01	—	·27	✗	Tr.		26
27	·06	·10	·04	·05	—	—	Tr.	—	—	·20	·40	—		27
28	·01	·25	·08	·30	—	—	Tr.	—	—	—	✓	—		28
29	—	X	—	·22	—	—	Tr.	—	—	·05	·16	S·27		29
30	—	✕	—	·72	—	—	Tr.	—	—	·02	·11	—		30
31	—	✕	—	✕	—	✕	·17	—	✕	·02	✕	—		31
TOTAL	4·77	1·52	1·41	2·72	1·79	1·31	2·73	2·18	1·13	5·58	4·64	1·31	Year's Total 31·09	"d"
* Days with .01 in. or more.	22	11	17	16	8	12	20 ~~19~~	12 ~~11~~	10	20	23 ~~21~~	10	~~177~~	181
* Days with .04 in. or more.	18	10	11	11	7	6	14	5	4	16	19	6	127	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) H. Blanchard

P.T.O.

COPY FOR OFFICIAL USE File No. 294002/33.

Section A for the entry of Daily Observations

Station No. 214/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40.

Kept at Two Gates, Ford Lane, E. Horsley

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 176 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·02 s.	—	Tr.	—	—	—	—	—	—	·12	—		1
2	—	—	—	·31	—	—	·07	—	—	×	·73	×		2
3	—	·34	—	·07	—	—	—	—	—	·34 ×	1·15	·23		3
4	—	·05	—	Tr.	—	—	—	—	—	×	·07	×		4
5	—	—	—	—	—	—	Tr.	—	—	✓	·27	—		5
6	·27	—	—	·02	—	—	·10	—	—	×	Tr.	—		6
7	·31	T	—	—	—	—	·14	—	—	—	—	T		7
8	—	·34	—	—	—	—	·33	—	·07	×	Tr.	·24		8
9	—	—	—	—	—	—	—	Tr.	—	·64 ×	·31	·07		9
10	—	—	—	—	—	—	·09	—	—	×	·08	—		10
11	—	—	—	·09	—	—	—	—	—	—	·83	—		11
12	—	·04 s.	·15	—	—	—	·11	—	—	—	·03	—		12
13	—	Tr. s.	·64	—	—	·01	—	—	·17	—	1·19	—		13
14	—	—	·25 s.	·08	—	—	—	—	·03	·21	Tr.	·23		14
15	—	—	—	—	·15	—	·37	—	·07	✓	·53	—		15
16	·04 s.	·17 s.	·28	·02	—	·08	·18	—	·07	·47 ×	1·10	—		16
17	—	Tr. s.	·34	·19	—	—	·05	—	Tr.	—	·81	·03		17
18	—	×	·16	·18	—	—	Tr.	·05	—	×	·24	×		18
19	Tr. s.	·10 ✓	·16	·05	—	Tr.	·07	Tr.	·79	—	·15	—		19
20	—	·09	—	—	—	—	·02	Tr.	·17	×29	·32	—		20
21	✓ s	—	·02	—	·30	—	·13	—	—	✓	·05	·18		21
22	·02 —	—	×	—	·48	·37	Tr.	—	—	✓	·02	—		22
23	—	·08	✓	·41	·01	·05	Tr.	—	·02	—	—	✓		23
24	—	—	1·55 —	Tr.	—	—	·27	—	—	—	—	✓		24
25	—	—	×	·37	·01	—	·05	—	—	✓	—	—		25
26	·83	·13	—	—	·08	—	Tr.	—	—	—	—	—		26
27	·38	·34	—	×26	—	—	Tr.	—	—	—	—	—		27
28	× s.	—	—	—	·08	—	Tr.	—	·01	—	—	—		28
29	·31 ×	·13	·12	—	·05	—	—	—	—	—	—	·29		29
30	·23 s.	✕	—	—	—	—	—	—	—	·17	·01	·07		30
31	·04	✕	—	✕	—	✕	—	—	✕	·71	✕			31
TOTAL	2·43	1·83	3·67	2·05	1·16	·51	1·98	·05	1·40	2·80	8·01	1·34	Year's Total 27·23	✓
* Days with .01 in. or more.	10	13	12 ~~10~~	12 ~~13~~	8	4	14	1	9	18	19	12	132	✓ "d"
* Days with .04 in. or more.	9	11	10 ~~9~~	10 ~~11~~	6	3	13	1	6	13	16	8	106	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. Blanchard

P.T.O.

215

215

KAIMOSI MAYFORD.

1931 - 1933

780105.

Section **A** for the entry of
AIR MINISTRY … LL ORGANIZATION.

FORM 1090. **REGIST**

Kept at KAIMOSI , PYL
in the County of SUR

Diameter of Funnel of Gauge
Height of top of Gauge above Groun
,, Ground ,, Sea L

THE MORNING MEASU … Y.

An observer who does not conform to … following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	06	–	18	–	–	–	·05	–	–	–	–	1
2 ✓	·02	·06	–	30	–	–	–	·06	·15	–	·02	~~·03~~	2
3 ✓	·07	~~–~~	·08	39	·58	–		·10	·50	–	·04	–	3
4	–	–	–	–	·09	–	·03	·08	·50	·03	–	~~·02~~	4
5	–	–	–	·20	–	·38	·09	·13	·03	–	–	–	5
6	–	·11	–	·15	–	–	·02	–	–	·37	·37	–	6
7	–		–	–	·16	·18	–	·42	–	·07	·30	–	7
8	–	·03	·01	·01	–	·44	–	·15	–	–		–	8
9	–	·08	·08	·02	–	–	–	–	·10	–	·50	–	9
10	·20	~~–~~	–	–	–	·14	·05	·14	–	–	·30	–	10
11	·05	·36	–		–	–	–	–	·02	–	–	–	11
12	·03	–	–	–	–	–	–	·01	·23	–	–	–	12
13	–	–	–	–	–	–	·09	·26	–	–	–	–	13
14	–	·09	–	–	–	–	1·00	·56	–	–	–	–	14
15	·03	·01	–	·20	·08	–	·13	·22	–	–	–	–	15
16	–	·01	–	·14	·23	·11	–	·15	–	–	–	–	16
17	·03	·07	–	·33	·02	–	·38	·20	·20	–	–	–	17
18	·02	·08	·06	·09	–	·23	·06	·90	–	–	·52	–	18
19	·03	–	–	·55	–	·35	·48	·14	–	–	–	–	19
20	–	–	–	·06	–	–	–	·25	–	–	–	–	20
21	·03	–	·02	–	·38	–	–	–	–	–	–	–	21
22	·28	·86	·02	·02	·01	–	–	–	–	–	–	–	22
23	·17	–	–	·14	·40	·03	–	–	·07	–	·10	–	23
24	–	–	·01	·47	·09	·09	·13	·10	–	–	–	–	24
25				·27	·06		·40						25
26	–	·03	–	·38	–	–	·74	–	–	–	·10	–	26
27	·18	·27	–	·14	·58	–	·31		–	–	·07	Snow	27
28	–	·04	–	·03	·01	–	–		–	–	–	frost	28
29	·01	✕	–	–	·15	–	·07	–	–	·15	–	frost	29
30	·11	✕	–	–	–	–	–	·05	–	–	–		30
31	·07	✕	–	✕	·13	✕	–	–	✕	–	✕	–	31
TOTAL	1·33	1.66	·28	4·07	2·97	1·95	3·98	3·97	1·80	·62	2·32	(·60)	YEAR'S TOTAL 25·55
*Days with ·01 in. or more.	16	15	7	20	15	9	15	19	9	4	11	(8)	148
*Days with ·04 in. or more.	8	11	3	16	12	8	13	18	7	3	9	(4)	112

40-9999

*See Instruction 2 (*f*) on other side.

(Signed)

P.T.O.

814529/27 215

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at KAIMOSI, PYLE HILL

in the County of SURREY

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level ft.

Obst estimated December

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	06	—	18	—	—	—	05	—	—	—	—	1
2 ✓	·02	·06	—	30	—	—	—	·06	·15	—	·02	~~·03~~	2
3 ✓	·07	~~[illegible]~~	·08	39	·58	—		·10	·50	—	·04	x —	3
4	—	—	—	—	·09	—	·03	·08	·50	·03	—	~~·02~~	4
5	—	—	—	20	—	·38	·09	·13	·03	—	—	—	5
6	—	11	—	·15	—	—	·02	—	—	37	·37	—	6
7	—		—	—	·16	·18	—	·42	—	07	*30	—	7
8	—	·03	·01	·01	—	·44	—	·15	—	—		—	8
9	—	·08	·08	·02	—	—	—	—	·10	—	50	—	9
10 ✓	·20	~~[illegible]~~	—	—	—	·14	·05	·14	—	—	·30	—	10
11	·05	36	—		—	—	—	—	·02	—	—	—	11
12	03	—	—	—	—	—	—	·01	·23	—	—	—	12
13	—	—	—	—	—	—	·09	·26	—	—	—	—	13
14	—	09	—	—	—	—	1·00	·56	—	—	—	—	14
15	·03	·01	—	·20	·08	—	·13	·22	—	—	—	—	15
16	—	01	—	·14	23	·11	—	·15	—	—	—	—	16
17	·03	·07	—	·33	·02	—	·38	·20	20	—	—	—	17
18	·02	·08	·06	09	—	23	·06	·90	—	—	·52	—	18
19	·03	—	—	·55	—	·35	·48	·14	—	—	—	—	19
20	—	—	—	·06	—	—	—	·25	—	—	—	—	20
21	·03	—	·02	—	·38	—	—	—	—	—	—	—	21
22	·28	36	·02	·02	·01	—	—	—	—	—	—	—	22
23	17	—	—	·14	40	·03	—	—	07	—	·10	—	23
24	—	—	·01	·47	·09	·09	·13	·10	—	—	—	—	24
25				·27	06		·40						25
26	—	·03	—	·38	—	—	·74	—	—	—	·10	—	26
27	·18	·27	—	·14	·58	—	·31	—	—	—	·07	Snow	27
28	—	·04	—	·03	·01	—	—	—	—	—	—	frost	28
29	·01	×	—	—	·15	—	·07	—	—	15	—	frost	29
30	·11	×	—	—	—	—	—	·05	—	—	—		30
31	·07	×	—	×	·13	×	—	—	×	—	×	—	31
TOTAL	1·33	~~[illegible]~~ 1.66	·28	4·07	2·97	195	3·98	3·97	1·80	·62	2·32	(·60)	YEAR'S TOTAL 26·55
*Days with ·01 in. or more.	16	15	7	20	15	9	15	19	9	4	11	(8)	148
*Days with ·04 in. or more.	8	11	3	16	12	8	13	18	7	3	9	(4)	112

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) S. Guard Williams

P.T.O.

COPY FOR OFFICIAL USE.

Section A **for the entry of Daily Observations.** **Station No.** 215

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Kaimosi Pyle Hill Mayford Woking

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in	in	in.	in.	in.	in.	in.	in.	in.	in.	
1	·20	—	—	—	·51	—	—	·10	-	·06	—	·02	1
2	—	·01	—	·20	·09	—	—	·17	·24	-	·01	·13	2
3	—	—	—	·20	-	—	—	·01	·38	·10	—	—	3
4	—	—	—	—	·08	·18	—	—	-	—	·02	—	4
5	} ·44	—	·04	—	-	—	·30	—	} ·12	—	—	—	5
6		—	} ·08	·43	·08	—	—	—		—	—	—	6
7	—	—		·11	-	—	—	—	—	·20	—	—	7
8	·02	—	—	·04	·33	—	—	—	·12	·13	—	—	8
9	·18	—	—	·02	·37	—	—	—	·19	—	—	—	9
10	·32	·01	—	·11	·06	·06	—	—	-	·13	—	—	10
11	—	·02	—	·14	—	—	·08	—	·04	—	·04	—	11
12	·20	—	—	·14	·03	—	—	·03	·03	·29	-	—	12
13	—	—	—	·09	-	—	—	—	—	·56	·03	·01	13
14	·11	—	—	·03	·02	—	—	—	—	—	—	·01	14
15	{ ·20	·03	—	·09	·22	—	—	—	—	·02	—	—	15
16		—	—	·16	·03	—	01	—	—	—	—	—	16
17	—	—	—	·04	-	—	} 13	—	—	·05	—	—	17
18	—	—	—	—	—	—		—	·17	·15	·01	—	18
19	—	—	—	—	-	—	—	—	·04	-	·02	-	19
20	—	-	—	·16	-	-	—	} ·42	-	·62	·13	—	20
21	-	—	·21	—	1·03	—	·09		-	·29	—	·05	21
22	—	—	} ·15	—	·45	—	·20	—	·29	·70	·25		22
23	—	—		·03	·03	·01	—	—	17	·07	-	·06	23
24	—	·09	—	—	—	—	·30	—	·11	—	·06		24
25	—	·04	—	·05	—	—	·90	—	—	·19	·01		25
26	—	—	·10	—	—	—	·11	—	—	·02	-		26
27	—	—	·22	·02	·40	—	·13	—	—	·44	·11	·01	27
28	—	—	·08	—	·10	—	·13	·08	—	·04	—		28
29	—	—	·24	·07	08	·01	·13	—	·13	·26	·01	·02	29
30	—	×	—	·08	02	·67	·01	—	·23	—	·07		30
31	—	×	—	×	—	×	·04	—	×	—	×	07	31
TOTAL	1·67	0·20	1·12	2·21	3·93	0·93	2·56	0·81	2·26	4.32	0·77	0·38	YEAR'S TOTAL 21·16
*Days with ·01 in. or more.	10	6	10	20	18	5	15	7	14	19	13	9	146
*Days with .04 in. or more.	9	2	10	16	13	3	13	5	13	17	6	4	111

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) S. W. Price Williams

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 215

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at KAIMOSI, MAYFORD

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level ft.

Dec. figures from post-card accompanying return
30/4/34 J.G.G.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in	in	in.	in	in	in.	in.	in.	in.	in.	
1	·04	·03	·11	–	–	–	–	–	–	7	–	–	1
2	–	–	·25	–	–	–	–	–	–	–	–	–	2
3	·12	·13	·22	–	–	–	–	–	–	–	–	–	3
4	·08	·01	–	–	·41	–	–	–	–	–	·05	–	4
5	·03	–	·16	–	·34	–	–	–	–	–	–	–	5
6	–	·05	·02	–	·40	–	–	–	–	mist ·09	–	–	6
7	·13	·05	·06	–	·30	–	–	–	–	·13	–	·04	7
8	·01 f	·01	·01	–	·02	–	·12	–	–	–	–	–	8
9	T	–	–	–	·08	–	·09	–	–	·11	–	–	9
10	–	·50	–	–	–	–	–	tr	–	·16	·25	–	10
11	·36	–	–	–	·05	·10	·56	·09	–	–	–	–	11
12	–	–	–	–	–	·18	·03	–	1·00	–	·03	–	12
13	·05	–	–	·02	·01	–	·19	tr	·10	–	·09	–	13
14	–	–	–	–	–	–	·02	tr	–	·24	·39	·03	14
15	·18	–	·10	–	–	–	·16	·31	–	·01	·02	–	15
16	–	–	·53	–	–	·11	·11	–	·03	–	–	–	16
17	–	–	·32	–	–	·11	–	–	–	–	·06	–	17
18	·13	Snow	·17	–	–	·22	–	–	–	–	–	–	18
19	–	" ·06	·02	–	–		·04	–	·29	–	–	–	19
20	–	·06	·80	·12	–	·20	–	tr	–	–	–	–	20
21	–	·05	–	–	·04	·04	–	·03	·19	·01	–	·02	21
22	–	–	–	–	–	·03	–	·26	·03	·28	·03	–	22
23	–	–	–	·13	–	·07	–	–	·17	·17	–	–	23
24	–	1·50	–	·07	·70	·58	–	–	·13	tr	–	–	24
25	–		–	·30	–	–	–	–	·25	–	–	–	25
26	–	·68	–	·01	–	·11	–	–	·04	·29	·01	·06	26
27	–	–	–	–	·39	–	tr	–	–	–	–	·08	27
28	–	–	–	–	·08	–	·19	–	tr	–	–	·06	28
29	·07	–	–	–	–	–	–	–	–	·46	–	~~·24~~	29
30	·11	×	·05	–	–	–	·02	–	·15	–	–	·15	30
31	·29	×	–	×	–	×	–	·60	×	·01	×	–	31 "d"
TOTAL	1·60	3·13	2·82	0·65	2·82	1·75	1·53	1·28	2·38	1·96	0·93	·44	YEAR'S TOTAL 21·29
*Days with ·01 in. or more.	13	13	14	6	12	12	11	5	11	12	9	7	125
*Days with ·04 in. or more.	11	10	11	4	10	11	8	4	9	9	5	5	97

40-9999

*See Instruction 2 (*f*) on other side.

D

(Signed) A Rud Williams

P.T.O.

216

Section **A** for the entry o

AIR MINISTR

COPY FOR OFFICIAL USE.

ALL ORGANIZATION.

FORM 1090.

REGIS

31.

216

RIPLEY COURT

1931

780105

Kept at Ripley

in the County of S

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea L

THE MORNING MEASU AY.

An observer who does not conform to *following*

year in the space on the right of th

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	01	03	.	16	.	.	.	.	.02	02	.	07	1
2	21	08	.	30	.	.	.	01	50	.	.	13	2
3	07	01	09	43	72	.	.	17	68	.	09	.	3
4	.	.	.	.	03	.	.	01	.	.	07	08	4
5	.	01	.	19	01	40	10	01	.	.	02	03	5
6	.	10	.	15	.	01	03	.	01	32	37	02	6
7	.	01	.	.	10	15	.	40	.	04	32	01	7
8	02	05	04	.	02	42	.	17	.	.	03	01	8
9	.	02	07	02	.	.	.	.	.	.	49	01	9
10	.	13	01	.	.	07	.	24	.	01	60	.	10
11	06	29	.	.	.		.	.	02	01	16	.	11
12	03	01		.	.	.	04	03	19	.	.	.	12
13	.	.	.	.	.	.	03	1.36	.	.	.	.	13
14	01	10	.	.	.	.	84	55	.	.	.	.	14
15	03	02	.	25	09	.	50	18	.	.	.	06	15
16	.	07	.	12	20	11	.	19	08	.	.	.	16
17	02	03	.	42	02	.	37	16	09	02	.	.	17
18	03	18	03	12	.	07	07	86	.	.	51	.	18
19	03	.	.	60	.	20	38	07	04	.	01	.	19
20	.	04	.	10	.	.	10	23	.	.	.	.	20
21	03	.	.	.	38	.	.	.	.	.	.	.	21
22	22	02	03	01	.	.	.	.	03	.	01	.	22
23	17	.	02	03	31	02	.	.	07	.	10	04	23
24	.	.	.	41	09	.	20	07	.	.	.	.	24
25	06	.	.	51	05	.	46	.	.	.	.	.	25
26		02	.	36	.	.	61	.	.	.	.	.	26
27	10	30	.	08	30	.	30	.	.	02	22	.	27
28	02	06	.	03	-	.	.	.	.	02	06	.	28
29	09	.	.	.	14	.	06	.	.	15	01	06	29
30	04	×	.	.	.	.	.	05	.	.	01	.	30
31	14	×	.	×	04	×	.	.	×	.	×	01	31
TOTAL	1·39	1·58	·29	4·29	2.50	1.45	4·09	4·76	1.73	·61	3.08	·53	YEAR'S TOTAL 26·30
*Days with ·01 in. or more.	20	21	7	19	15	9	15	18	11	9	17	12	173
*Days with ·04 in. or more.	10	14	3	15	11	7	13	14	7	3	11	6	111

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) C. M. H. Pearce Capt

[P.T.O.

Section **A** for the entry of Daily Observations. /29. 216 COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Ripley Court

in the County of Surrey

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

" Ground " Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	01	03	·	16	·	·	·	·	·02	02	·	07	1
2	21	08	·	30	·	·	·	01	50	·	·	13	2
3	07	01	09	43	72	·	·	17	68	·	09	·	3
4	·	·	·	·	03	·	·	01	·	·	07	08	4
5	·	01	·	19	01	40	10	01	·	·	02	03	5
6	·	10	·	15	·	01	03	·	01	32	37	02	6
7	·	01	·	·	10	15	·	40	·	04	32	01	7
8	02	05	04	·	02	42	·	17	·	·	03	01	8
9	·	02	07	02	·	·	·	·	·	·	49	01	9
10	·	13	01	·	·	07	·	24	·	01	60	·	10
11	06	29	·	·	·		·	·	02	01	16	·	11
12	03	01	·	·	·	·	04	03	19	·	·	·	12
13	·	·	·	·	·	·	03	1.36	·	·	·	·	13
14	01	10	·	·	·	·	84	55	·	·	·	·	14
15	03	02	·	25	09	·	50	18	·	·	·	06	15
16	·	07	·	12	20	11	·	19	08	·	·	·	16
17	02	03	·	42	02	·	37	16	09	02	·	·	17
18	03	18	03	12	·	07	07	86	·	·	51	·	18
19	03	·	·	60	·	20	38	07	04	·	01	·	19
20	·	04	·	10	·	·	10	23	·	·	·	·	20
21	03	·	·	·	38	·	·	·	·	·	·	·	21
22	22	02	03	01	·	·	·	·	03	·	01	·	22
23	17	·	02	03	31	02	·	·	07	·	10	04	23
24	·	·	·	41	09	·	20	07	·	·	·	·	24
25	06	·	·	51	05	·	46	·	·	·	·	·	25
26		02	·	36	·	·	61	·	·	·	·	·	26
27	10	30	·	08	30	·	30	·	·	02	22	·	27
28	02	06	·	03	-	·	·	·	·	02	06	·	28
29	09	·	·	·	14	·	06	·	·	15	01	06	29
30	04	×	·	·	·	·	·	05	·	·	01	·	30
31	14	×	·	×	04	×	·	·	×	·	×	01	31
TOTAL	1·39	1·58	·29	4.29	2.50	1.45	4·09	4.76	1.73	·61	3.08	·53	YEAR'S TOTAL 26.30.
*Days with ·01 in. or more.	20	21	7	19	15	9	15	18	11	9	17	12	173
*Days with ·04 in. or more.	19	16	3	15	11	7	13	14	7	3	11	6	111

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) C. W. H. Earle Capt

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 220/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at SEWAGE DISPOSAL WORKS, OLD WOKING

in the County of SURREY

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 6 in.

,, Ground ,, Sea Level 76 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	–	–	–	–	–	–	·22	TRACE	·04	TRACE	·45		1
2	·06	–	·13	–	–	–	–	–	·82	·25	–	·21		2
3	·01	·04	–	·05	–	–	–	–	–	·16	–	·08		3
4	·08	–	·04	·06	·09	–	–	–	–	·07	·07	·34		4
5	–	–	–	–	–	–	–	–	–	–	·10	·41		5
6	TRACE	–	·33	TRACE	·20	·10	–	·26	–	·18	·04	·61		6
7	·04	·04	–	–	–	–	–	·14	–	·14	–	·23		7
8	–	–	–	–	·05	–	–	·04	·23	–	·38	·05		8
9	–	–	TRACE	–	–	–	–	–	–	–	1·14	·43		9
10	–	–	·19	·19	–	–	–	–	–	·01	·32	·01		10
11	·40	–	·36	·09	–	–	·01	·04	–	–	TRACE	·11		11
12	·05	–	·02	·01	–	–	·33	·16	–	–	–	·04		12
13	·42	–	·22	·01	–	–	·44	·03	–	–	·11	·14		13
14	·06	–	·43	·02	·01	·16	–	–	–	–	·19	·56		14
15	–	–	·12	–	·09	–	–	–	–	·19	·12	·78		15
16	·11	–	·22	–	·05	–	–	–	–	·13	–	–		16
17	·02	–	–	·06	·01	–	–	–	–	·05	–	·13		17
18	·38	–	·01	·19	–	–	·19	–	–	–	–	·34		18
19	–	–	·31	·10	–	–	–	–	·08	·01	–	·29		19
20	–	–	·05	·02	–	–	·19	TRACE	–	–	–	·02		20
21	–	–	–	·22	–	·05	·03	·06	–	·02	–	–		21
22	–	–	–	–	–	–	·16	·10	·14	–	TRACE	·07		22
23	–	TRACE	–	·21	–	·38	–	–	–	–	–	·02		23
24	–	·14	·07	·20	–	·02	·54	–	·05	–	–	–		24
25	·15	–	–	·14	·05	·31	–	–	–	·08	·01	·35		25
26	–	–	–	·41	–	·14	–	–	·02	–	–	·03		26
27	–	–	–	·11	–	·06	–	–	–	·03	–	·19		27
28	–	·05	–	–	–	·12	–	·78	–	–	·01	·17		28
29	–	–	–	–	–	–	·03	–	·15	–	–	–		29
30	·08	✕	–	–	–	–	–	·09	TRACE	–	–	·18		30
31	·07	✕	–	✕	–	✕	–	·05	✕	·39	✕	·06		31
TOTAL	1·94	·27	2·50	2·09	·55	1·34	1·92	1·97	1·49	1·75	2·49	6·30	Year's Total. 24·61	
* Days with .01 in. or more.	15	4	14	17	8	9	9	12	7	15	11	27	148	
* Days with .04 in. or more.	12	4	12	13	6	8	6	11	6	11	9	23	121	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 220/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at SEWAGE DISPOSAL WORKS, OLD WOKING

in the County of SURREY

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 6" in.

,, Ground ,, Sea Level 76 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·14	·02	–	·07	·02	·04	·57	–	·16	·16	·22	–		1
2	·01	–	·01	–	–	–	–	–	·90	·17	·04	–		2
3	–	·01	·05	·09	–	·02	–	–	·16	1·09	·13	–		3
4	–	·03	–	·27	–	·23	–	–	·18	·12	–	·04		4
5	–	·09	·05	·06	–	·25	–	–	·59	–	–	–		5
6	·04	·01	–	·25	–	·40	–	–	–	·01	·02	·04		6
7	–	–	–	·30	–	·08	–	–	–	·01	·98	·15		7
8	–	–	–	·32	–	·01	–	–	–	·20	·48	·01		8
9	–	–	–	·26	–	·57	–	–	–	·79	·05	–		9
10	·04	–	–	·18	–	–	–	–	–	–	·11	·03		10
11	·30	–	–	·08	–	·06	–	–	–	·01	·44	–		11
12	–	·01	–	–	–	·16	–	·11	·04	–	·80	–		12
13	·05	·11	–	·14	·07	·09	–	–	–	–	–	–		13
14	–	–	–	·01	·15	·04	–	–	–	–	·11	·06		14
15	–	·14	–	·45	·01	·14	–	–	·06	–	·34	·15		15
16	–	·02	·01	·05	–	·30	–	–	·37	·01	·57	·01		16
17	–	–	–	·07	·07	·10	–	–	·06	–	·17	–		17
18	–	–	–	·17	·37	·05	–	–	·20	·02	–	·01		18
19	–	·01	–	–	·25	·02	·09	–	·02	–	·06	·03		19
20	·01	·23	–	·15	–	·05	·12	–	–	–	·19	–		20
21	–	·49	–	–	–	–	·04	–	–	·08	·01	–		21
22	–	·03	–	·01	–	–	–	·24	·22	–	–	–		22
23	–	–	·14	–	·07	–	–	·51	·10	·18	–	·04		23
24	·05	·62	–	–	·13	–	–	1·68	·25	–	–	·12		24
25	·14	·17	–	·22	–	·36	–	–	–	–	–	·14		25
26	·01	·27	–	–	–	–	–	·18	·03	–	–	·41		26
27	–	·52	–	–	·10	–	–	–	·09	–	·09	·19		27
28	–	·08	–	–	–	–	–	–	·12	–	–	·15		28
29	–	✕	–	–	–	–	–	·20	·66	·03	–	·33		29
30	·05	✕	–	·02	–	–	–	·86	·01	·16	·41	·36		30
31	–	✕	–	✕	–	✕	–	–	✕	·41	✕	·28		31
													Year's Total	
TOTAL	·84	2·86	·26	3·17	1·24	2·97	·82	3·78	4·22	3·45	5·22	2·55	31·38	
* Days with .01 in. or more.	11	18	5	20	10	19	4	7	19	16	19	19	167	
* Days with .04 in. or more.	8	10	3	17	8	16	4	7	16	10	17	14	130	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) G. T. Hawkins [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 220/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

Kept at SEWAGE DISPOSAL WORKS, OLD WOKING.

in the County of SURREY

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 6 in.

,, Ground ,, Sea Level 76 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·27	·02	·04	·08	/	·18	·12	·39	/	/	·05	·03		1
2	/	/	/	/	/	·59	·02	·08	/	/	·07	/		2
3	/	/	/	·39	/	·03	·03	/	·18	/	·27	/		3
4	·05	/	·08	/	/	·07	/	/	·28	/	·08	·03		4
5	·27	/	·03	/	/	/	/	·02	·07	/	·01	·05		5
6	·30	/	/	/	/	·03	/	·02	·08	/	·41	/		6
7	·15	/	·02	/	/	·03	·02	/	·02	/	·12	·04		7
8	·25	/	·06	/	/	/	·02	/	·02	/	·16	·13		8
9	·37	/	/	/	/	/	·40	/	·18	/	/	/		9
10	·04	/	/	/	/	/	·11	·41	/	·01	/	/		10
11	/	/	/	·02	/	/	·12	/	/	/	·78	/		11
12	/	/	/	·10	·04	·58	·18	/	·20	/	·20	·11		12
13	/	/	/	·15	/	·06	·01	/	/	/	·06	·31		13
14	/	·04	/	/	/	·04	·48	/	·03	·03	·06	·66		14
15	/	·04	/	/	/	/	/	/	·22	/	·01	·07		15
16	·44	·09	/	·03	/	/	·04	/	/	/	·34	·08		16
17	·08	·58	/	/	·45	·14	/	/	/	·01	·16	·15		17
18	·12	·06	/	/	/	·38	·11	/	/	/	·02	·14		18
19	·17	·03	/	·01	/	·19	·12	·11	/	·02	/	/		19
20	·12	·08	·01	·42	/	/	/	/	·70	/	/	/		20
21	/	/	·03	·37	·04	·28	·13	/	/	/	/	/		21
22	·09	·38	/	/	·40	·07	·11	/	/	/	/	·12		22
23	/	/	·09	·05	·02	/	·10	/	/	·07	/	/		23
24	·05	·16	·31	/	/	/	/	/	·06	·53	/	/		24
25	·07	/	/	·16	/	/	·09	/	·26	·07	·03	/		25
26	·03	·08	·12	·02	/	/	·12	/	·04	·18	/	·03		26
27	·23	/	·13	/	/	/	·02	/	·13	·06	/	/		27
28	·86	/	/	/	/	/	·53	/	/	/	/	·06		28
29	·04	·08	·11	/	/	·36	/	/	/	·01	·15	·04		29
30	·05	×	·04	/	·11	·25	/	/	/	·37	/	/		30
31	·33	×	·24	×	·01	×	·21	/	×	·58	×	·22		31
TOTAL	4·38	1·64	1·31	1·80	1·07	3·28	3·09	1·03	2·46	1·94	2·96	2·26	Year's Total 27·22	✓
* Days with .01 in. or more.	22	12	14	12	7	16	22	6	15	12	18	17	173	✓
* Days with .04 in. or more.	21	10	9	8	5	13	16	4	12	7	14	14	133	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) G. Hawkins

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 220/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at SEWAGE DISPOSAL WORKS. OLD WOKING.

in the County of SURREY

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 6 in.

,, Ground ,, Sea Level 76 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·33	·05	-	·08	-	-	-	-	-	-	·63	·52		1
2	-	·23	-	·60	-	-	-	-	·18	-	-	·45		2
3	-	·16	-	-	-	-	-	-	-	·01	-	-		3
4	·07	·52	-	-	-	-	-	-	-	-	-	·30		4
5	·10	·09	-	-	-	-	·12	-	-	-	-	-		5
6	·06	·02	·98	-	·28	-	·02	-	-	·05	-	-		6
7	-	·43	·13	·06	-	-	-	-	·02	-	-	-		7
8	-	-	-	-	·06	·02	-	-	-	-	·15	·23		8
9	-	-	-	·29	·13	·03	·02	·02	·29	-	-	·22		9
10	-	-	·51	·07	·05	·47	-	·14	-	-	-	·30		10
11	-	-	·21	-	·09	·10	·04	-	-	-	-	·04		11
12	·18	·15	·08	·02	·68	·28	-	·30	·10	-	-	·23		12
13	·17	·05	·13	·01	-	·09	-	·18	·38	-	-	1·14		13
14	·02	·05	·73	-	-	·01	-	·22	·05	-	-	-		14
15	·22	·06	-	·13	-	-	·62	-	·04	-	-	-		15
16	·01	·14	·37	·42	-	-	-	·15	·41	-	-	·02		16
17	·58	-	·18	·04	-	-	-	-	·20	-	·02	-		17
18	·38	·06	·04	·06	·04	·44	-	-	-	-	·12	·07		18
19	·04	·08	·07	·05	-	·17	-	-	·08	-	-	-		19
20	·39	·01	·04	·16	·60	-	-	-	·04	-	-	·10		20
21	·50	·37	·06	·04	-	-	-	-	-	-	-	-		21
22	·46	·02	-	-	·06	·25	·09	-	-	·78	·21	·02		22
23	·20	·02	·03	-	·12	-	-	-	-	·38	-	·05		23
24	·42	·42	-	-	-	-	-	-	·09	·44	-	-		24
25	·13	·31	·05	-	·25	-	-	-	·04	·41	-	·01		25
26	-	·19	·06	-	·02	-	-	-	·03	·12	-	-		26
27	·03	·14	-	·17	-	-	-	-	-	·62	-	-		27
28	-	·10	-	·04	-	-	-	-	-	·08	-	·05		28
29	-	×	-	-	-	-	-	-	-	·02	·06	·05		29
30	·30		-	-	-	·01	-	-	-	·09	·29	-		30
31	·22		-		-		-	-		·03		·06		31
TOTAL	4·81	3·66	3·67	2·24	2·38	1·87	·91	1·01	1·95	3·03	1·48	3·86	Year's Total 30·87	✓
* Days with .01 in. or more.	21	23	16	16	12	11	6	6	14	12	7	18	162	✓
* Days with .04 in. or more.	18	19	15	14	11	7	4	5	12	9	6	15	135	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) G. T. Hawkins [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 220/18

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at SEWAGE DISPOSAL WORKS, OLD WOKING

in the County of SURREY

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 6 in.

,, Ground ,, Sea Level 76 ft.

Acc

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	/	/	/	/	/	.09	.22	/	.01	.16	/	.03		1
2	.08	/	/	.05	.03	/	.09	/	/	.10	/	.04		2
3	/	/	/	/	.36	/	/	/	/	.36	/	/		3
4	/	/	/	/	/	/	.03	.21	/	.07	/	.04		4
5	.04	/	/	/	/	/	.02	/	/	.24	/	/		5
6	.03	/	/	/	/	/	.01	/	.02	/	/	/		6
7	/	/	/	/	/	/	.23	.15	.01	.12	/	.02		7
8	.15	/	/	/	/	/	.08	.34	/	.29	/	/		8
9	.08	/	/	/	/	/	/	.05	/	.02	/	.77		9
10	.06	.05	/	/	/	/	/	.06	/	/	/	.13		10
11	.19	/	/	/	/	/	/	.06	/	/	.19	.09		11
12	.23	.03	/	/	.02	/	/	.25	/	.13	.04	/		12
13	.22	/	/	/	/	/	/	/	/	.04	.22	.11		13
14	.23	/	/	/	.07	/	/	/	/	/	.01	/		14
15	.08	.05	/	/	/	/	.31	/	/	.34	.02	.20		15
16	.19	/	/	/	/	/	/	/	/	.01	.05	.46		16
17	/	.11	/	/	.01	/	/	/	/	.10	/	/		17
18	.03	/	/	/	.02	/	/	/	.35	/	.40	/		18
19	/	/	/	/	/	/	/	.04	/	/	.13	.03		19
20	/	/	/	/	/	/	/	/	.09	/	.66	.03		20
21	.01	/	/	/	/	/	/	.10	.02	/	.04	.20		21
22	/	/	/	/	/	.01	/	/	.08	/	.16	.03 ~~.05~~		22
23	/	/	/	.04	/	/	/	/	.06	/	.08			23
24	/	~~.05~~	.05	/	/	/	/	/	.14	/	.06	.18		24
25	.12	/	.08	.04	.19	/	.01	/	.04	.06	1.14			25
26	.18	.15	.03	/	/	/	/	/	.31	.23	/	.18		26
27	.08	.03	/	/	.03	.25	.30	/	.54	.04	.26	.02		27
28	.03	.04	/	/	.35	.04	/	.46	.03	/	/	.11		28
29	.30	×	/	/	.13	/	/	.04	/	/	.09	.15		29
30	.02	✕	/	.01	.11	.17	/	/	.05	.07	.15	/		30
31	.12	✕	/	✕	.06	✕	/	/	✕	.10	✕	.16		31
TOTAL	2.47	.46	.16	.14	1.38	.56	1.3	1.76	1.75	2.48	3.70	2.98	Year's Total 19.14	
* Days with .01 in. or more.	21	7	3	4	12	5	10	11	14	18	17	20 ~~19~~	~~137~~	142
* Days with .04 in. or more.	16	5	2	3	7	4	6	11	9	16	15	14 ~~16~~	~~110~~	108

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) G. T. Hawkins

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 220/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Sewage Disposal Works, Old Woking

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 6 in.

,, Ground ,, Sea Level 76 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	·01	·40	·28	–	–	·01	·07	–	–	·03		1
2	·04	–	–	·01	·03	–	–	·53	·45	–	·05	–		2
3	·24	–	–	·23	–	–	–	·21	–	–	·24	·22		3
4	·19	–	·18	·12	–	–	·10	·96	·01	·34	·04	–		4
5	–	–	–	·18	·02	–	·05	–	–	·24	·29	·05		5
6	·29	–	·08	–	·07	–	·17	·01	–	–	·17	·05		6
7	·02	·15	·18	–	–	–	–	·03	–	·03	·14	·08		7
8	–	·06	–	–	–	–	·01	·01	–	·36	·48	·18		8
9	·06	·06	–	–	–	–	–	·02	–	·15	·21	·12		9
10	·22	–	–	–	–	·13	–	·20	·02	·13	·02	–		10
11	–	–	·20	–	–	–	–	–	–	·33	–	–		11
12	–	–	–	–	·01	·05	–	–	–	–	–	–		12
13	–	–	–	·02	–	–	–	–	·03	1·52	–	·02		13
14	·49	–	·01	·07	·04	·02	·08	–	–	·29	·48	–		14
15	·38	–	·07	–	·73	·19	–	–	·13	·93	·19	–		15
16	·56	–	·07	·02	·26	·12	–	–	–	·03	·34	–		16
17	·18	·03	·01	·02	·10	–	·15	–	–	–	·07	–		17
18	·15	–	·02	–	–	·17	·08	–	–	·06	·22	–		18
19	·16	–	–	–	–	–	·19	–	–	·16	·01	·01		19
20	·25	–	·02	–	–	·11	·50	–	–	–	–	·06		20
21	·04	·14	·09	–	–	·04	·25	·06	·11	–	–	–		21
22	·11	·25	·04	·01	–	·12	·14	–	–	–	·05	–		22
23	·01	–	–	·20	–	·02	·05	–	–	·04	·54	–		23
24	·20	·03	·01	·29	–	·03	·05	–	–	·12	–	–		24
25	·67	·30	·06	–	–	–	·03	–	–	–	·28	–		25
26	·04	–	·03	–	–	·02	–	–	–	·19	·20	·06		26
27	·09	·10	·10	·08	–	–	–	–	–	·10	·11	–		27
28	–	·13	·07	·18	–	·04	–	–	–	·04	·11	–		28
29	–		–	·26	–	–	–	–	–	·06	·02	–		29
30	–	✕	–	·41	–	·07	·02	–	–	–	·19	–		30
31	–	✕	–	✕	–	✕	·08	·01	✕	–	✕	–		31
TOTAL	4·39	1·25	1·25	2·80	1·57	1·13	1·95	2·05	·82	5·12	4·45	·88	Year's Total 27·66	
* Days with .01 in. or more.	21	10	18	16	9	14	16	11	7	19	23	11	175	
* Days with .04 in. or more.	19	8	11	11	6	10	13	6	4	17	20	8	133	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 220/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1930

Kept at Old Woking, Sewage Disposal Works
in the County of Surrey
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft. 6 in. x
,, Ground ,, Sea Level 76 ft.

Letter sent of D.99.
20.1.31
Jan 27th estd from nearby stns

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	—	—	—	—	—	—	·08	—		1
2	—	·05	—	·09	—	—	·03	—	—	·08	·47	—		2
3	—	·21	—	·07	—	—	—	—	—	·10	1·28	·10		3
4	—	·07	—	·02	—	—	—	—	—	·12	·10	·04		4
5	—	—	—	—	—	—	—	—	—	·01	·31	·14		5
6	·26	·14	—	—	~~·02~~	—	·15	—	—	·16	—	—		6
7	·21	·16	—	—	·02	—	·10	—	—	—	—	—		7
8	—	—	—	·03	—	—	—	—	·02	·21	·01	·25		8
9	—	—	—	·02	—	·01	—	—	·02	·18	·20	—		9
10	—	—	—	—	—	—	·10	·03	—	·15	·04	·09		10
11	—	—	—	·02	—	—	·02	—	—	—	·74	·04		11
12	—	—	·13	—	—	—	·07	—	·06	—	·04	—		12
13	—	—	·66	—	—	·03	·04	—	·10	—	1·15	—		13
14	—	—	·20	·05	—	—	—	—	—	·11	—	·19		14
15	—	—	·01	·01	·10	—	·42	—	—	—	·22	·02		15
16	—	—	·10	·14	—	·09	·18	—	—	·59	·95	·03		16
17	—	—	·30	—	—	—	·05	—	·15	—	·57	—		17
18	—	·32	·17	·32	—	—	·12	·02	—	·21	·20	·11		18
19	—	·16	·06	·05	—	—	·11	—	·65	—	·09	·01		19
20	—	·01	·05	—	—	—	·03	·03	·12	·09	·05	—		20
21	—	—	—	—	·29	—	·23	—	—	·08	·32	—		21
22	—	—	·04	·01	·43	·53	—	—	·08	—	·01	—		22
23	—	·05	·02	·12	—	·06	—	—	—	—	—	—		23
24	—	—	—	·27	—	—	·29	—	—	—	—	—		24
25	—	—	·63	—	—	—	·02	—	—	—	—	—		25
26	·85	·10	·75	·08	·11	—	·01	—	—	—	—	—		26
27	(·53) ~~·23~~	·32	—	·10	—	—	·16	—	—	·03	—	—		27
28	·48	—	—	—	·07	—	—	—	—	—	—	—		28
29	·09	·11	·07	·03	—	—	—	—	—	—	—	·28		29
30	·21	✕	—	·14	—	—	—	—	—	·07	—	·06		30
31	·09	✕	—	✕	—	✕	—	—	✕	·61	✕	·05		31
TOTAL	2·72 ~~2·42~~	1·64	3·26	1·57	1·02	·72	2·13	·08	1·20	2·80	6·83	1·41	Year's Total ~~26·08~~	25·38
* Days with .01 in. or more.	8	12	14	18	6	5	18	3	8	16	19	14	141	
* Days with .04 in. or more.	8	11	11	11	5	3	13	0	6	16	17	11	110	

1·95

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ………………………… [P.T.O.

217

OLD WOKING
THE GRANGE

1931 - 1940

217.

Section **A** for the entry of
AIR MINISTR

COPY FOR OFFICIAL USE.
LL ORGANIZATION.

FORM 1090.

REGIST

1.

Kept at The Grange
in the County of Surrey

Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground
,, Ground ,, Sea Lev

THE MORNING MEASUR

An observer who does not conform to thi ... the following year in the space on the right of this p

Jan. 1, following

Pl... the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	0·03	–	0·19	–	0·01	–	–	0·08	0·02	–	–	1
2	0·22	0·09	–	0·32	–	–	–	0·02	0·49	0·02	0·03	0·07	2
3	0·08	0·01	0·09	0·41	0·67	–	–	0·17	0·66	–	0·10	0·26	3
4	–	0·01	–	0·02	0·12	–	0·04	0·02	0·05	–	0·12	–	4
5	–	0·01	–	0·20	0·02	0·38	0·10	0·16	0·02	–	0·04	0·11	5
6	–	0·10	–	0·16	–	0·03	0·04	0·01	–	0·33	0·32	–	6
7	–	–	–	0·01	0·11	0·15	–	0·46	–	0·10	0·22	0·05	7
8	0·01	0·05	0·03	0·02	0·02	0·43	–	0·17	–	0·02	0·04	0·02	8
9	–	0·10	0·11	0·04	–	0·02	–	–	0·04	–	0·47	0·02	9
10	–	0·05	–	–	–	0·06	0·02	0·28	–	–	0·28	0·02	10
11	0·07	0·28	–	–	–	–	–	–	0·03	–	0·22	–	11
12	0·03	–	–	–	–	–	0·05	0·02	0·20	–	–	–	12
13	0·01	–	–	–	–	–	0·02	0·15	–	–	0·01	–	13
14	–	0·10	–	–	–	–	0·98	0·47	–	–	0·01	–	14
15	0·04	0·02	–	0·20	0·10	–	0·25	0·20	–	–	–	0·07	15
16	0·01	0·05	–	0·15	0·23	0·11	0·01	0·12	0·14	–	–	–	16
17	0·03	0·04	–	0·40	0·04	0·01	0·40	0·18	0·06	0·04	–	–	17
18	0·04	0·11	0·06	0·11	0·01	0·14	0·10	0·96	–	–	0·54	–	18
19	0·04	–	–	0·58	–	0·38	0·49	0·08	0·05	–	0·01	–	19
20	–	0·05	0·01	0·06	–	–	0·08	0·30	–	–	0·08	–	20
21	0·03	–	0·02	–	0·38	–	–	–	–	–	–	–	21
22	0·26	0·01	0·03	0·04	–	–	–	–	0·03	–	0·02	–	22
23	0·19	–	–	0·20	0·38	0·02	–	–	0·04	–	0·10	–	23
24	–	–	0·02	0·41	0·10	0·06	0·18	0·07	0·01	–	–	0·02	24
25	0·08	0·01	–	0·40	0·08	–	0·47	–	–	–	0·02	0·01	25
26	–	–	–	0·36	–	–	0·67	–	–	–	0·17	–	26
27	0·13	0·34	–	0·13	0·53	–	0·17	–	–	0·02	0·08	–	27
28	0·02	0·06	–	0·05	0·02	–	–	–	–	0·02	0·02	0·09	28
29	0·10	–	–	0·01	0·13	–	0·08	–	–	0·16	0·02	–	29
30	0·10	×	–	–	–	–	0·01	0·06	0·01	–	–	–	30
31	0·10	×	–	×	0·13	×	–	–	×	–	×	0·02	31
TOTAL	1·59	1·62	0·37	4·47	3·07	1·80	4·16	3·91	1·91	0·73	2·92	0·76	YEAR'S TOTAL 27·21
*Days with ·01 in. or more.	20	20	8	23	17	13	19	19	15	9	22	12	197
*Days with ·04 in. or more.	13	13	3	19	13	8	15	15	10	4	14	6	133

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Margaret E. Wilson.

P.T.O.

217

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at The Grange Old Woking

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 81 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	0·03	—	0·19	—	0·01	—	—	0·08	0·02	—	—	1
2	0·22	0·09	—	0·32	—	—	—	0·02	0·49	0·02	0·03	0·07	2
3	0·08	0·01	0·09	0·41	0·67	—	—	0·17	0·66	—	0·10	0·26	3
4	—	0·01	—	0·02	0·12	—	0·04	0·02	0·05	—	0·12	—	4
5	—	0·01	—	0·20	0·02	0·38	0·10	0·16	0·02	—	0·04	0·11	5
6	—	0·10	—	0·16	—	0·03	0·04	0·01	—	0·33	0·32	—	6
7	—	—	—	0·01	0·11	0·15	—	0·46	—	0·10	0·22	0·05	7
8	0·01	0·05	0·03	0·02	0·02	0·43	—	0·17	—	0·02	0·04	0·02	8
9	—	0·10	0·11	0·04	—	0·02	—	—	0·04	—	0·47	0·02	9
10	—	0·05	—	—	—	0·06	0·02	0·28	—	—	0·28	0·02	10
11	0·07	0·28	—	—	—	—	—	—	0·03	—	0·22	—	11
12	0·03	—	—	—	—	—	0·05	0·02	0·20	—	—	—	12
13	0·01	—	—	—	—	—	0·02	0·15	—	—	0·01	—	13
14	—	0·10	—	—	—	—	0·98	0·47	—	—	0·01	—	14
15	0·04	0·02	—	0·20	0·10	—	0·25	0·20	—	—	—	0·07	15
16	0·01	0·05	—	0·15	0·23	0·11	0·01	0·12	0·14	—	—	—	16
17	0·03	0·04	—	0·40	0·04	0·01	0·40	0·18	0·06	0·04	—	—	17
18	0·04	0·11	0·06	0·11	0·01	0·14	0·10	0·96	—	—	0·54	—	18
19	0·04	—	—	0·58	—	0·38	0·49	0·08	0·05	—	0·01	—	19
20	—	0·05	0·01	0·06	—	—	0·08	0·30	—	—	0·08	—	20
21	0·03	—	0·02	—	0·38	—	—	—	—	—	—	—	21
22	0·26	0·01	0·63	0·04	—	—	—	—	0·03	—	0·02	—	22
23	0·19	—	—	0·20	0·38	0·02	—	—	0·04	—	0·10	—	23
24	—	—	0·02	0·41	0·10	0·06	0·18	0·07	0·01	—	—	0·02	24
25	0·08	0·01	—	0·40	0·08	—	0·47	—	—	—	0·02	0·01	25
26	—	—	—	0·36	—	—	0·67	—	—	—	0·17	—	26
27	0·13	0·34	—	0·13	0·53	—	0·17	—	—	0·02	0·08	—	27
28	0·02	0·06	—	0·05	0·02	—	—	—	—	0·02	0·02	0·09	28
29	0·10	—	—	0·01	0·13	—	0·08	—	—	0·16	0·02	—	29
30	0·10	×	—	—	—	—	0·01	0·06	0·01	—	—	—	30
31	0·10	×	—	×	0·13	×	—	—	×	—	×	0·02	31
TOTAL	1·59	1·62	0·37	4·47	3·07	1·80	4·16	3·91	1·91	0·73	2·92	0·76	YEAR'S TOTAL 27·21
*Days with ·01 in. or more.	20	20	8	23	17	13	19	19	15	9	22	12	197
*Days with ·04 in. or more.	13	13	3	19	13	8	15	15	10	4	14	6	133

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Margaret E. Wilson.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 217

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at The Grange. Old Woking

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 81 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·10	–	–	0·04	0·69	–	0·01	0·08	0·03	0·08	0·03	0·01	1
2	0·02	0·02	–	0·16	0·07	–	–	0·11	0·11	0·06	0·02	0·14	2
3	–	–	–	0·29	0·18	–	–	0·02	0·46	0·07	–	0·01	3
4	0·02	–	–	0·01	–	0·21	–	–	–	–	0·04	–	4
5	0·12	–	0·03	–	0·03	0·02	0·25	–	0·08	–	–	–	5
6	0·32	–	0·08	0·47	–	–	0·01	–	0·07	0·01	–	–	6
7	0·02	–	0·10	0·10	–	–	–	–	0·07	0·13	–	–	7
8	–	–	0·20	0·06	0·30	–	–	–	0·21	0·21	–	–	8
9	0·24	Snow 0·02	–	0·13	0·44	–	–	–	0·01	0·02	–	–	9
10	0·58	Snow 0·02	–	0·19	0·06	0·01	–	–	0·02	0·15	0·03	–	10
11	0·14	–	–	0·10	0·03	0·03	0·25	0·01	0·02	0·02	0·05	–	11
12	0·11	0·02	–	–	–	–	–	0·03	0·06	0·30	0·01	–	12
13	0·08	–	–	0·12	0·03	–	0·02	–	–	0·58	0·03	–	13
14	0·06	0·04	–	0·07	–	–	–	0·01	–	0·03	0·02	0·03	14
15	0·01	0·02	–	0·08	0·21	–	–	–	–	0·09	–	0·01	15
16	0·15	–	–	0·22	0·10	–	–	–	–	0·01	–	–	16
17	0·01	–	–	0·04	–	–	0·07	–	–	0·06	0·02	–	17
18	–	–	–	–	0·01	–	0·06	–	0·19	–	0·11	–	18
19	–	–	–	–	–	–	0·01	–	0·04	0·20	0·03	–	19
20	–	–	–	0·13	0·03	–	–	0·40	–	0·63	0·13	0·02	20
21	0·03	–	0·03	0·11	0·12	–	0·04	0·12	–	0·20	0·01	0·08	21
22	–	0·02	0·25	0·01	0·32	–	0·23	0·02	0·30	0·29	0·38	–	22
23	–	0·09	0·08	0·10	0·06	0·09	0·01	–	0·19	0·74	0·03	0·08	23
24	–	0·05	–	0·01	–	–	0·30	–	0·11	0·11	0·09	0·01	24
25	–	0·01	–	0·03	–	–	0·93	–	0·13	0·18	0·03	–	25
26	–	–	0·11	0·03	0·01	–	0·10	–	–	0·04	0·03	–	26
27	–	–	0·30	0·10	0·43	0·02	0·15	–	–	0·45	0·10	0·02	27
28	–	–	0·02	0·01	0·22	–	0·15	–	–	0·06	0·01	–	28
29	–	–	0·33	0·08	0·13	0·05	0·01	0·03	0·14	0·33	0·02	0·02	29
30	–	×	0·07	0·06	0·02	0·79	0·01	0·10	0·20	0·01	0·30	0·07	30
31	–	×	–	×	–	×	0·04	–	×	–	×	0·05	31 25·48
TOTAL	2·01	0·31	1·55	2·75	4·49	1·22	2·65	0·93	2·44	5·06	1·52	0·55	YEAR'S TOTAL ~~23·48~~
*Days with ·01 in. or more.	16	10	12	26	21	8	19	11	19	27	22	13	204
*Days with .04 in. or more.	10	3	8	20	14	4	12	5	15	21	8	5	125

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Margaret. E. Wilson

P.T.O.

COPY FOR OFFICIAL USE.

Section **A**³ for the entry of Daily Observations. Station No. 217

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at The Grange. Old Woking

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 81 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·07	0·17	0·09	—	—	—	—	—	—	—	0·03	—	1
2	0·13	—	0·33	—	0·27	—	—	—	—	—	0·02	—	2
3	—	0·21	0·25	—	0·04	—	—	—	—	—	—	—	3
4	0·12	0·02	0·05	—	0·39	—	—	—	—	—	0·06	—	4
5	0·04	0·01	0·33	—	0·05	—	—	—	—	—	—	—	5
6	—	0·10	0·03	—	0·40	—	—	—	—	0·11	0·07	—	6
7	0·13	0·04	0·06	—	0·27	—	—	—	—	0·09	—	—	7
8	0·03	—	0·02	—	0·05	—	0·13	—	—	0·04	—	—	8
9	—	—	—	—	0·07	—	0·13	—	—	0·12	0·10	—	9
10	—	0·48	—	—	—	0·06	0·03	—	—	0·23	0·09	—	10
11	0·37	—	—	—	0·08	0·10	0·67	0·08	0·03	0·01	0·03	—	11
12	—	—	—	—	0·02	0·21	0·07	—	0·93	—	0·02	—	12
13	0·06	—	—	0·03	0·10	0·06	0·23	0·01	0·11	—	0·11	0·03	13
14	—	—	—	—	0·03	—	0·03	0·03	—	0·26	0·42	—	14
15	0·23	—	0·14	—	—	—	0·17	0·38	—	—	0·01	—	15
16	—	—	0·65	—	—	0·16	0·25	—	0·02	0·02	0·01	—	16
17	—	—	0·48	—	—	0·27	0·01	0·01	0·05	—	0·08	—	17
18	0·17	Snow 0·08	0·23	—	—	0·20	—	—	0·01	—	0·01	0·05	18
19	0·01	Snow 0·10	0·04	—	—	0·04	0·03	—	0·31	—	—	—	19
20	—	0·02	0·05	0·11	—	—	—	—	0·02	—	0·01	—	20
21	—	0·04	—	—	—	0·18	—	0·03	0·20	—	—	—	21
22	—	—	—	—	0·08	0·01	—	0·26	0·02	0·23	0·04	—	22
23	—	—	—	0·13	Thunder 2·15	0·03	—	0·01	0·14	0·05	—	—	23
24	—	0·61	—	0·08	—	1·17	—	—	0·27	0·01	—	0·03	24
25	—	0·75	—	0·31	—	0·01	—	—	0·16	—	0·02	0·08	25
26	—	0·66	—	0·04	—	0·07	—	—	0·04	0·05	—	0·06	26
27	—	0·02	—	—	0·32	0·02	—	—	0·01	0·23	—	0·07	27
28	—	0·01	—	—	0·03	—	0·19	—	—	0·33	—	—	28
29	0·06		0·03	0·07	—	—	0·02	—	—	0·12	—	0·14	29
30	0·11	✕	0·06	—	—	—	0·03	—	0·15	0·02	—	—	30
31	0·13	✕	0·01	✕	—	✕	—	0·08	✕	0·02	✕	—	31
TOTAL	1·66	3·32	2·85	0·77	4·35	2·59	1·99	0·89	2·47	1·94	1·13	0·46	YEAR'S TOTAL 24·42
*Days with ·01 in. or more.	14	16	17	7	16	15	14	9	16	17	17	7	165
*Days with .04 in. or more.	12	11	13	6	13	11	8	4	10	12	8	5	113

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Margaret E. Wilson

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 217

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at The Grange, Old Woking

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 81 ft.

Duplicate.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·07	0·17	0·09	—	—	—	—	—	—	—	0·03	—	1
2	0·13	—	0·33	—	0·27	—	—	—	—	—	0·02	—	2
3	—	0·21	0·25	—	0·04	—	—	—	—	—	—	—	3
4	0·12	0·62	0·05	—	0·39	—	—	—	—	—	0·06	—	4
5	0·04	0·01	0·33	—	0·05	—	—	—	—	—	—	—	5
6	—	0·10	0·63	—	0·40	—	—	—	—	0·11	0·07	—	6
7	0·13	0·04	0·06	—	0·27	—	—	—	—	0·09	—	—	7
8	0·03	—	0·02	—	0·05	—	0·13	—	—	0·04	—	—	8
9	—	—	—	—	0·07	—	0·13	—	—	0·12	0·10	—	9
10	—	0·48	—	—	—	0·06	0·03	—	—	0·23	0·09	—	10
11	0·37	—	—	—	0·08	0·10	0·67	0·08	0·03	0·01	0·03	—	11
12	—	—	—	—	0·02	0·21	0·07	—	0·93	—	0·02	—	12
13	0·06	—	—	0·03	0·10	0·66	0·23	0·01	0·11	—	0·11	0·03	13
14	—	—	—	—	0·03	—	0·03	0·03	—	0·26	0·42	—	14
15	0·23	—	0·14	—	—	—	0·17	0·38	—	—	0·01	—	15
16	—	—	0·65	—	—	0·16	0·25	—	0·02	0·02	0·01	—	16
17	—	—	0·48	—	—	0·27	0·01	0·01	0·05	—	0·08	—	17
18	0·17	Snow 0·08	0·23	—	—	0·20	—	—	0·01	—	0·01	0·05	18
19	0·01	Snow 0·10	0·04	—	—	0·04	0·03	—	0·31	—	—	—	19
20	—	0·02	0·05	0·11	—	—	—	—	0·02	—	0·01	—	20
21	—	0·04	—	—	—	0·18	—	0·03	0·20	—	—	—	21
22	—	—	—	—	0·08	0·01	—	0·26	0·02	0·23	0·04	—	22
23	—	—	—	0·13	Thunder 2·15	0·03	—	0·01	0·14	0·05	—	—	23
24	—	0·61	—	0·08	—	1·17	—	—	0·27	0·01	—	0·03	24
25	—	0·75	—	0·31	—	0·01	—	—	0·16	—	0·02	0·08	25
26	—	0·66	—	0·04	—	0·07	—	—	0·04	0·05	—	0·06	26
27	—	0·02	—	—	0·32	0·62	—	—	0·01	0·23	—	0·07	27
28	—	0·01	—	—	0·03	—	0·19	—	—	0·33	—	—	28
29	0·06		0·03	0·07	—	—	0·02	—	—	0·12	—	0·14	29
30	0·11	✕	0·06	—	—	—	0·03	—	0·15	0·02	—	—	30
31	0·13	✕	0·01	✕	—	✕	—	0·08	✕	0·02	✕	—	31
TOTAL	1·66	3·32	2·85	0·77	4·35	2·59	1·99	0·89	2·47	1·94	1·13	0·46	YEAR'S TOTAL 24·42
*Days with ·01 in. or more.	14	16	17	~~6~~ 7	~~15~~ 16	15	14	9	16	17	17	7	165
*Days with .04 in. or more.	12	11	13	6	13	11	8	4	10	12	8	5	113

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) Margaret E. Wilson.

[P.T.O.

217

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 217

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at The Grange Old Woking

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 80 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	–	–	–	–	0·22	0·04	0·06	–	0·48		1
2	0·08	–	0·13	–	–	–	–	–	0·81	0·26	0·02	0·21		2
3	0·02	0·05	–	0·05	–	–	–	0·02	0·01	0·19	–	0·04		3
4	0·09	–	0·04	0·07	0·07	–	–	–	–	0·09	0·06	0·40		4
5	–	–	0·03	–	0·03	–	–	0·03	–	–	0·12	0·40		5
6	0·02	–	0·33	0·02	0·21	0·10	–	0·22	–	0·02	0·05	0·59		6
7	0·05	0·01	0·01	–	–	–	–	0·15	–	0·15	–	0·21		7
8	–	0·04	–	–	0·07	–	–	0·05	0·24	–	0·40	0·03		8
9	–	0·01	0·02	–	–	–	–	–	–	–	1·10	0·39		9
10	–	–	0·18	0·19	–	–	–	0·01	–	0·02	0·33	0·03		10
11	0·34	–	0·34	0·10	–	–	0·01	0·07	–	–	0·01	0·12		11
12	0·06	–	0·03	0·02	–	–	0·32	0·16	0·02	–	0·02	0·05		12
13	0·26	–	0·19	0·02	–	–	0·48	0·06	–	–	0·12	0·16		13
14	0·08	–	0·25	0·03	–	0·15	–	–	–	–	0·17	0·54		14
15	0·01	–	0·12	–	0·10	–	–	–	–	0·19	0·12	0·71		15
16	0·12	–	0·18	–	0·08	–	–	–	–	0·14	0·01	–		16
17	0·03	–	0·02	0·04	0·03	–	–	–	–	0·06	0·01	0·13		17
18	0·43	–	0·02	0·21	–	–	0·17	–	–	–	–	0·34		18
19	–	–	0·21	0·11	–	–	–	–	0·09	0·02	–	0·30		19
20	–	–	0·06	0·03	–	0·02	0·26	0·02	0·01	0·02	0·03	0·06		20
21	–	–	–	0·23	–	0·08	0·04	0·08	–	0·03	–	0·02		21
22	–	–	–	–	–	–	0·28	0·12	0·15	–	0·02	0·08		22
23	–	–	–	0·22	–	0·35	–	–	–	–	–	0·03		23
24	–	0·06	0·09	0·12	–	0·03	0·50	–	0·07	0·01	0·02	–		24
25	0·16	0·10	–	0·15	0·06	0·27	–	–	0·01	0·08	–	0·33		25
26	0·01	–	–	0·37	–	0·15	–	–	0·04	–	–	0·03		26
27	0·03	0·01	–	0·14	–	0·06	–	–	0·01	0·04	–	0·16		27
28	–	0·05	–	0·01	–	0·14	–	0·80	–	–	0·01	0·21		28
29	–		–	–	–	–	0·05	0·02	0·16	–	–	–		29
30	0·08	×	–	–	–	–	–	0·11	–	0·01	–	0·18		30
31	0·06	×	–	×	–	×	–	0·05	×	0·38	×	0·07		31
TOTAL	1·93	0·33	2·25	2·13	0·65	1·35	2·11	2·19	1·66	1·77	2·62	6·30	Year's Total. 25·29	
* Days with .01 in. or more.	18	8	18	19	8	10	9	17	13	18	18	28	184	
* Days with .04 in. or more.	12	5	12	13	6	8	8	12	8	11	9	23	127	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Margaret L. Wilson

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 217

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at The Grange Old Woking

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 80 ft.

Dup

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	–	–	–	–	0·22	0·04	0·06	–	0·48		1
2	0·08	–	0·13	–	–	–	–	–	0·81	0·26	0·02	0·21		2
3	0·02	0·05	–	0·05	–	–	–	0·62	0·01	0·19	–	0·04		3
4	0·09	–	0·04	0·07	0·07	–	–	–	–	0·09	0·06	0·40		4
5	–	–	0·03	–	0·03	–	–	0·03	–	–	0·12	0·40		5
6	0·02	–	0·33	0·02	0·21	0·10	–	0·22	–	0·02	0·05	0·59		6
7	0·05	0·01	0·01	–	–	–	–	0·15	–	0·15	–	0·21		7
8	–	0·04	–	–	0·07	–	–	0·05	0·24	–	0·40	0·03		8
9	–	0·01	0·02	–	–	–	–	–	–	–	1·10	0·39		9
10	–	–	0·18	0·19	–	–	–	0·01	–	0·02	0·33	0·03		10
11	0·34	–	0·34	0·10	–	–	0·01	0·07	–	–	0·01	0·12		11
12	0·06	–	0·03	0·02	–	–	0·32	0·16	0·02	–	0·02	0·05		12
13	0·26	–	0·19	0·02	–	–	0·48	0·06	–	–	0·12	0·16		13
14	0·08	–	0·25	0·03	–	0·15	–	–	–	–	0·17	0·54		14
15	0·01	–	0·12	–	0·10	–	–	–	–	0·19	0·12	0·71		15
16	0·12	–	0·18	–	0·08	–	–	–	–	0·14	0·01	–		16
17	0·03	–	0·02	0·04	0·03	–	–	–	–	0·06	0·01	0·13		17
18	0·43	–	0·02	0·21	–	–	0·17	–	–	–	–	0·34		18
19	–	–	0·21	0·11	–	–	–	–	0·09	0·02	–	0·30		19
20	–	–	0·06	0·03	–	0·02	0·26	0·02	0·01	0·02	0·03	0·06		20
21	–	–	–	0·23	–	0·08	0·04	0·08	–	0·03	–	0·02		21
22	–	–	–	–	–	–	0·28	0·12	0·15	–	0·02	0·08		22
23	–	–	–	0·22	–	0·35	–	–	–	–	–	0·03		23
24	–	0·06	0·09	0·12	–	0·03	0·50	–	0·07	0·01	0·02	–		24
25	0·16	0·10	–	0·15	0·06	0·27	–	–	0·01	0·08	–	0·33		25
26	0·01	–	–	0·37	–	0·15	–	–	0·04	–	–	0·03		26
27	0·03	0·01	–	0·14	–	0·06	–	–	0·01	0·04	–	0·16		27
28	–	0·05	–	0·01	–	0·14	–	0·80	–	–	0·01	0·21		28
29	–		–	–	–	–	0·05	0·02	0·16	–	–	–		29
30	0·08	×	–	–	–	–	–	0·11	–	0·01	–	0·18		30
31	0·06	×	–	×	–	×	–	0·05	×	0·38	×	0·07		31
TOTAL	1·93	0·33	2·25	2·13	0·65	1·35	2·11	2·19	1·66	1·77	2·62	6·30	Year's Total. 25·29	
* Days with .01 in. or more.	18	8	18	19	8	10	9	17	13	18	18	28	184	
* Days with .04 in. or more.	12	5	12	13	6	8	8	12	8	11	9	23	127	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Margaret E. Wilson

[P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 217

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at The Grange Old Woking

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 81 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·15	–	0·01	0·09	0·04	0·06	0·55	–	0·22	0·22	0·26	–		1
2	0·02	0·03	0·01	–	–	0·01	–	–	0·07	0·17	0·05	–		2
3	–	0·02	0·06	0·09	–	0·04	–	–	0·17	1·21	0·15	0·02		3
4	–	0·05	–	0·27	–	0·19	–	–	0·22	0·19	0·02	0·05		4
5	–	0·10	0·06	0·06	–	0·25	–	–	0·60	0·02	0·02	0·02		5
6	0·05	0·02	0·01	0·25	–	0·45	–	–	–	0·03	0·03	0·03		6
7	0·02	–	–	0·27	–	0·11	–	–	–	0·02	1·02	0·16		7
8	–	–	–	0·33	–	0·01	–	–	–	0·22	0·46	0·03		8
9	–	–	–	0·25	–	0·58	–	–	0·04	0·89	0·09	–		9
10	0·04	0·01	0·02	0·18	–	0·01	–	–	–	–	0·12	0·03		10
11	0·31	–	–	0·09	–	0·08	0·04	–	–	0·03	0·41	–		11
12	–	0·02	–	0·01	–	0·19	–	0·13	0·05	–	0·83	–		12
13	0·35	0·13	–	0·13	0·06	0·10	–	–	0·01	0·01	0·02	–		13
14	0·01	–	–	0·02	0·19	0·13	–	–	–	0·02	0·13	0·06		14
15	–	0·15	–	0·37	0·04	0·08	–	–	0·08	0·01	0·37	0·16		15
16	–	0·03	0·01	0·06	0·02	0·43	–	–	0·39	–	0·59	0·03		16
17	–	–	–	0·07	–	0·12	0·01	0·03	0·10	0·03	0·20	0·01		17
18	–	–	–	0·17	–	0·07	0·11	–	0·23	0·03	0·01	0·03		18
19	–	0·02	–	–	0·08	0·04	0·15	–	0·04	0·02	0·07	0·04		19
20	0·02	0·22	–	0·23	0·42	0·07	0·06	–	0·03	–	0·19	–		20
21	–	0·41	–	0·02	0·28	–	0·01	–	0·01	0·11	0·02	–		21
22	–	0·04	0·04	–	–	–	–	0·26	0·20	0·01	–	–		22
23	–	–	0·12	0·01	–	–	–	0·59	0·13	0·19	–	0·08		23
24	0·05	0·53	–	–	0·09	–	–	1·84	0·27	–	–	0·10		24
25	0·16	0·18	–	0·23	0·14	0·35	–	–	–	–	–	0·16		25
26	0·02	0·22	–	–	–	–	–	0·23	0·05	–	–	0·36		26
27	–	0·45	–	–	–	–	–	–	0·12	–	0·10	0·21		27
28	–	0·09	–	–	0·13	–	–	–	0·14	0·04	–	0·18		28
29	–		–	–	–	–	–	0·21	0·71	0·02	–	0·31		29
30	0·06	×	–	0·02	–	–	–	0·92	0·02	0·18	0·43	0·33		30
31	–	×	–	×	–	×	–	0·01	×	0·44	×	0·28		31
TOTAL	1·26	2·72	0·34	3·22	1·49	3·37	0·93	4·22	3·90	4·11	5·53	2·68	Year's Total. 33·77	
* Days with .01 in. or more.	13	19	9	22	11	21	7	9	23	23	23	22	202	
* Days with .04 in. or more.	8	12	4	17	10	18	5	7	19	11	17	14	142	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Margaret. E. Wilson

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 217

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at The Grange Old Woking

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 81 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·30	0·04	0·05	0·11	—	0·18	0·14	0·36	—	—	0·07	0·05		1
2	—	—	0·01	0·01	—	0·69	0·04	0·09	—	—	0·07	—		2
3	—	—	—	0·33	—	0·05	0·04	0·01	0·23	—	0·30	—		3
4	0·03	—	0·09	—	—	0·09	0·01	—	0·27	—	0·07	0·03		4
5	0·25	—	0·04	—	—	—	—	0·03	0·09	—	0·02	0·09		5
6	0·35	—	—	—	—	0·04	—	0·03	0·08	—	0·44	—		6
7	0·16	—	0·03	—	—	0·04	0·03	—	0·05	—	0·15	0·06		7
8	0·27	—	0·08	—	—	—	0·05	—	0·03	0·02	0·17	0·12		8
9	0·37	—	0·02	—	—	—	0·43	—	0·19	0·03	0·01	0·02		9
10	0·06	—	—	—	—	—	0·11	0·46	0·01	—	—	—		10
11	—	—	—	—	—	—	0·11	—	—	—	0·85	—		11
12	—	—	—	snow 0·12	0·06	0·64	0·21	—	0·25	—	0·22	0·13		12
13	—	—	—	0·17	—	0·08	—	—	—	0·02	0·01	0·25		13
14	—	0·05	—	—	—	0·08	0·48	—	0·04	0·03	0·11	0·63		14
15	0·01	0·04	—	—	—	0·01	—	—	0·21	0·01	0·02	0·08		15
16	snow 0·50	0·11	—	0·03	—	—	0·05	—	0·01	—	0·35	0·11		16
17	snow 0·15	0·44	—	—	0·41	0·21	0·01	—	—	0·01	0·18	0·18		17
18	0·08	0·07	—	—	—	0·36	0·14	—	—	0·01	0·02	0·17		18
19	0·24	0·03	0·04	0·02	—	0·24	0·15	0·14	—	0·04	—	0·01		19
20	0·13	0·10	0·04	0·46	—	0·05	0·01	—	0·72	—	—	—		20
21	—	0·02	—	0·38	0·07	0·28	0·14	—	0·02	—	—	—		21
22	0·09	0·36	0·11	0·01	0·45	0·11	0·13	—	—	—	—	0·12		22
23	0·03	0·01	0·30	0·07	0·02	—	0·12	—	—	0·09	—	—		23
24	0·05	0·17	0·01	—	—	—	0·01	—	0·06	0·53	—	—		24
25	0·08	0·01	0·13	0·18	0·01	—	0·13	—	0·25	0·12	0·04	0·02		25
26	0·03	0·09	0·13	0·04	—	—	0·15	—	0·05	0·17	—	0·04		26
27	0·24	0·01	0·02	—	—	—	0·03	—	0·16	0·08	—	—		27
28	0·82	—	0·14	—	—	—	0·65	—	0·05	0·01	—	0·05		28
29	0·06	0·08	0·04	—	—	0·33	0·13	—	0·01	0·02	0·19	0·04		29
30	0·07	✕	—	—	0·14	0·28	0·03	—	—	0·41	—	0·01		30
31	0·33	✕	0·25	✕	0·02	✕	0·36	—	✕	0·64	✕	0·24		31
TOTAL	4·70	1·63	1·53	1·93	1·18	3·76	3·89	1·12	2·78	2·24	3·29	3·45	Year's Total 31·50	✓
* Days with .01 in. or more.	24	16	18	13	8	18	27	7	20	17	19	21	208	✓
* Days with .04 in. or more.	20	11	13	9	5	17	20	4	15	8	14	16	152	✓

† Spare column, no entries required.

(Signed) Margaret E. Wilson [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations **Station No.** 217

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at The Grange Old Woking

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 81 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.39	0.06	0.02	0.07	—	—	0.01	—	—	—	0.64	0.68		1
2	0.02	0.26	0.04	0.12	—	—	—	—	0.12	0.02	0.01	0.53		2
3	—	0.18	0.02	—	—	—	—	—	0.02	—	0.01	0.03		3
4	0.07	0.58	—	0.01	—	—	—	—	—	—	—	0.31		4
5	0.12	0.08	Snow 0.21	—	—	—	0.12	—	—	—	0.01	—		5
6	0.07	0.02	Snow 1.19	0.01	0.31	—	0.03	—	—	0.06	0.02	—		6
7	—	0.51	0.02	0.07	—	—	—	—	0.03	0.02	—	0.02		7
8	0.01	0.01	—	— ~~0.07~~	0.08	0.03	—	—	—	—	0.13	0.23		8
9	—	—	—	0.32	0.15	0.05	0.03	0.04	0.31	—	—	Snow 0.23		9
10	—	—	0.47	0.09	0.03	0.55	0.02	0.10	0.01	—	—	0.35		10
11	—	—	0.13	—	0.14	0.11	0.06	—	—	—	—	0.02		11
12	0.18	0.17	0.13	0.03	0.75	0.29	0.02	0.33	0.11	—	—	0.18		12
13	0.18	0.06	0.37	0.02	0.01	0.10	—	0.35	0.45	—	—	1.25		13
14	0.02	0.05	0.39	0.01	—	0.03	—	0.30	0.06	—	—	—		14
15	0.23	0.07	—	0.14	—	—	0.71	—	0.06	—	—	0.03		15
16	0.02	0.15	0.45	0.47	—	—	—	0.17	0.38	—	0.01	0.01		16
17	0.54	0.01	0.18	0.06	—	—	—	—	0.25	—	0.02	—		17
18	0.34	0.08	0.01	0.07	0.04	0.42	—	0.01	0.01	0.02	0.19	0.09		18
19	0.04	0.10	0.04	0.06	—	0.20	0.01	—	0.09	—	—	0.10		19
20	0.38	0.01	0.08	0.19	0.66	0.01	—	—	0.65	—	—	0.03		20
21	0.57	0.40	0.08	0.06	0.02	—	0.05	—	—	—	0.01	0.02		21
22	0.45	0.04	0.03	0.01	0.07	0.32	0.07	—	—	0.90	0.21	0.07		22
23	0.24	0.03	0.03	—	0.15	—	0.02	—	—	0.41	0.01	—		23
24	0.41	0.44	0.02	—	0.02	—	—	—	0.12	0.43	—	0.02		24
25	0.14	0.35	0.22	—	0.18	—	—	—	0.06	0.40	—	0.02		25
26	0.01	0.20	0.03	—	0.04	—	—	—	—	0.11	—	—		26
27	0.03	0.17	—	0.18	—	—	—	—	0.04	0.69	—	—		27
28	Snow 0.03	Snow 0.13	—	0.05	—	—	—	0.01	—	0.16	—	0.05		28
29	Snow 0.04		—	—	—	0.02	—	—	—	0.02	0.18	0.05		29
30	0.29	×	—	—	—	0.03	—	—	0.01	0.13	0.30	0.03		30
31	0.23	×	—	×	—	×	—	—	×	0.03	×	0.05		31
TOTAL	5.05	4.16	4.16	2.04	2.65	2.16	1.15	1.31	2.18	3.34	1.75	4.40	Year's Total 34.35	✓ ✓
* Days with .01 in. or more.	26	25	22	20	15	13	12	8	18	14	14	24	2~~2~~11	✓ 211 ✓
* Days with .04 in. or more.	19	20	14	14	11	8	5	6	13	9	6	14	139	✓ ✓

† Spare column, no entries required.

(*Signed*) Margaret E. Wilson [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 217

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at The Grange Old Woking

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 81 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·01	–	–	–	–	0·10	0·26	–	–	0·05	–	0·03		1
2	0·07	–	–	0·06	0·04	0·01	0·11	–	–	0·25	–	0·04		2
3	0·01	–	–	–	0·35	0·02	–	–	–	0·39	0·02	–		3
4	0·04	–	–	–	–	0·02	0·04	0·18	–	0·06	–	0·07		4
5	0·02	–	–	0·02	–	–	0·05	0·01	–	0·29	–	0·01		5
6	0·04	–	–	–	–	–	0·04	–	0·06	0·01	–	0·02		6
7	0·02	0·01	–	–	–	–	0·35	0·18	0·02	0·15	–	0·03		7
8	0·16	–	0·02	–	–	–	0·11	0·45	0·06	0·40	–	0·03		8
9	0·09	0·01	–	–	–	0·02	–	0·05	–	0·02	–	0·58		9
10	0·08	0·06	–	–	–	0·03	0·~~09~~ 02	0·09	–	–	–	0·14		10
11	0·21	–	–	–	–	–	–	0·04	–	0·02	0·20	0·12		11
12	0·25	0·04	–	–	0·04	–	–	0·31	–	0·14	0·05	0·02		12
13	0·25	Snow 0·02	–	–	–	–	–	0·02	–	0·05	0·25	0·14		13
14	0·23	–	–	–	0·09	–	0·01	–	0·02	–	0·01	0·01		14
15	0·10	0·05	–	–	–	–	0·30	–	–	0·36	0·03	0·22		15
16	0·22	0·03	0·01	–	–	–	–	0·02	–	0·03	0·06	0·56		16
17	–	Snow 0·10	–	–	0·03	–	–	–	–	0·12	–	–		17
18	0·04	–	–	–	0·03	–	–	–	0·39	0·01	0·40	–		18
19	0·02	–	–	–	–	–	–	–	0·10	–	0·16	Snow 0·01		19
20	0·01	–	–	–	–	–	–	–	0·03	–	0·74	Snow 0·02		20
21	0·02	–	–	–	–	–	–	0·17	0·10	–	0·07	Snow 0·45		21
22	0·01	–	–	–	–	0·02	–	0·01	0·01	–	0·20	Snow 0·32		22
23	–	–	–	0·04	–	–	–	–	0·05	–	0·10	Snow 0·02		23
24	–	–	0·09	–	–	–	–	–	0·28	–	0·08	–		24
25	0·12	–	0·11	0·10	0·23	–	0·03	–	0·03	0·07	1·29	Snow 0·08		25
26	0·18	0·16	0·05	–	–	–	–	–	0·41	0·35	–	Snow 0·20		26
27	0·09	0·04	–	–	0·04	0·28	0·34	0·01	0·53	0·06	0·34	–		27
28	0·04	0·06	–	–	0·38	0·06	–	0·50	0·03	–	–	0·12		28
29	0·40		–	–	0·15	–	–	0·07	–	–	0·07	0·18		29
30	0·03	✕	–	0·01	0·19	0·20	–	–	0·07	0·14	0·19	–		30
31	0·15	✕	–	✕	0·08	✕	–	–	✕	0·12	✕	0·20		31
TOTAL	2·91	0·58	0·28	0·23	1·65	0·76	1·66	2·11	2·19	3·09	4·26	3·62	Year's Total 23·34	✓
* Days with .01 in. or more.	28	11	5	5	12	10	12	15	16	21	18	25	178	✓
* Days with .04 in. or more.	19	7	3	3	10	4	~~10~~ 9	10	10	16	15	15	121	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Margaret E. Wilson [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 217

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at The Grange Old Woking
in the County of Surrey
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level ~~81~~ 78 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·02	–	0·03	0·50	0·31	–	–	0·02	0·12	–	–	0·04		1
2	0·04	–	–	0·01	0·03	–	0·03	0·66	0·48	–	0·05	0·21		2
3	0·26	–	–	0·26	–	–	–	0·22	0·02	–	0·26	0·02		3
4	0·21	–	0·26	0·16	–	–	0·12	0·95	0·05	0·32	0·07	0·06		4
5	–	–	0·01	0·19	0·05	–	0·06	0·01	–	0·22	0·30	0·06		5
6	0·28	–	0·07	0·01	0·65	–	0·25	0·03	–	–	0·23	0·10		6
7	0·03	0·17	–	–	–	–	0·02	0·03	–	0·04	0·17	0·20		7
8	0·01	0·08	0·21	–	–	–	0·02	0·02	–	0·39	0·58	0·08		8
9	0·06	0·07	–	–	–	–	–	0·02	–	0·16	0·19	0·16		9
10	0·22	0·01	–	–	–	0·16	–	0·22	0·04	0·13	0·03	0·02		10
11	–	–	0·25	–	–	0·02	–	–	–	0·37	0·02	0·02		11
12	–	–	–	–	0·02	0·06	–	–	–	0·01	–	–		12
13	–	–	0·01	0·03	–	0·01	–	–	0·04	1·64	–	0·01		13
14	0·54	–	0·02	0·08	0·07	0·03	0·07	–	0·02	0·30	0·53	0·03		14
15	0·39	–	0·09	–	0·89	0·22	0·01	–	0·13	0·98	0·15	0·02		15
16	0·61	–	0·08	0·02	0·29	0·14	0·01	–	0·02	0·06	0·43	–		16
17	0·21	0·05	0·01	–	0·14	0·01	0·17	–	–	–	–	–		17
18	0·17	0·01	0·03	–	0·01	0·18	0·10	–	–	0·07	0·33	–		18
19	0·18	–	–	–	–	–	0·16	–	–	0·17	0·03	0·02		19
20	0·28	–	0·02	–	–	0·14	0·58	–	–	–	–	0·07		20
21	0·05	0·16	0·11	–	–	0·04	0·19	0·12	0·11	0·01	–	–		21
22	0·13	0·26	0·04	0·06	–	0·15	0·17	–	0·02	–	0·06	–		22
23	0·02	–	–	0·20	–	0·02	0·05	–	–	0·05	0·59	–		23
24	0·25	–	0·01	0·14	–	0·04	0·06	–	–	0·16	–	–		24
25	0·65	0·35	0·06	–	–	–	0·05	–	–	0·01	0·28	0·03		25
26	0·07	–	0·06	–	–	0·02	–	0·02	–	0·21	0·21	–		26
27	0·04	0·09	0·10	0·08	–	0·02	–	–	–	0·10	0·14	–		27
28	–	0·15	0·08	0·18	–	0·07	–	–	–	0·05	0·12	Snow 0·10		28
29	–	–	–	0·31	–	–	0·05	–	–	0·07	0·03	–		29
30	–		–	0·76	–	0·08	–	–	–	0·01	0·20	Snow 0·03		30
31	–		–		–		0·11	0·04		0·01		Snow 0·01		31
TOTAL	4·72	1·40	1·48	2·99	2·46	1·41	2·28	2·36	1·05	5·54	5·00	1·29	Year's Total 31·99	
* Days with .01 in. or more.	23	11	20	16	10	18	20	13	11	24	23	20	209	
* Days with .04 in. or more.	18	9	12	12	7	11	15	6	7	19	19	10	145	

* See Instruction 3 (f) on other side.

8·2·8
9 1·10 5·8

† Spare column, no entries required.

(*Signed*) Margaret E. Wilson

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations. Station No. 217

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at The Grange, Old Woking

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 81 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	Snow 0.03	—	—	—	—	—	—	—	—	0.13	—		1
2	—	0.10	—	0.16	—	—	0.06	—	—	0.10	0.57	0.01		2
3	—	0.18	—	0.10	—	—	—	—	—	0.12	1.25	0.09		3
4	—	0.08	—	0.04	—	—	—	—	—	0.15	0.10	0.04		4
5	—	0.01	—	—	—	—	0.03	—	—	0.04	0.34	0.16		5
6	0.30	0.17	—	—	—	—	0.18	—	—	0.19	0.01	—		6
7	0.24	0.19	—	—	0.04	—	0.16	—	—	0.01	—	—		7
8	0.01	—	—	0.03	—	—	0.01	—	0.02	0.28	0.02	0.36		8
9	—	—	—	0.03	—	0.05	—	0.01	0.03	0.20	0.20	0.11		9
10	—	—	—	—	—	—	0.13	0.07	—	0.21	0.06	0.03		10
11	—	Snow 0.01	—	0.03	—	—	0.04	—	—	—	0.76	—		11
12	—	—	0.15	—	—	—	0.10	—	0.10	—	0.06	—		12
13	—	Snow 0.02	0.67	0.02	—	0.06	0.08	—	0.10	—	1.09	—		13
14	—	—	0.23	0.07	—	—	—	—	0.02	0.12	—	0.21		14
15	—	—	0.02	0.02	0.12	0.03	0.49	—	0.03	0.01	0.22	0.02		15
16	Snow 0.03	—	0.27	0.16	—	0.11	0.23	—	0.17	0.58	1.01	0.03		16
17	—	Snow 0.24	0.40	—	—	—	0.07	—	—	—	0.57	—		17
18	—	0.26	0.07	0.31	—	—	0.18	0.05	0.02	0.21	0.20	0.13		18
19	—	0.11	0.05	0.07	—	—	0.13	—	0.71	—	0.14	0.01		19
20	—	0.01	0.06	0.03	—	—	0.04	0.05	0.16	0.09	0.04	—		20
21	Snow 0.03	—	0.04	—	0.38	—	0.25	0.01	—	0.10	0.38	—		21
22	Snow 0.02	—	0.06	0.03	0.37	0.58	0.01	—	0.10	0.02	—	—		22
23	—	—	0.01	0.15	0.03	0.09	0.01	—	—	—	0.01	0.01		23
24	—	—	—	0.31	0.02	0.01	0.34	—	—	—	—	0.02		24
25	—	—	0.71	0.02	0.16	—	0.04	—	—	0.03	0.01	—		25
26	0.98	0.13	0.51	0.05	0.01	0.03	0.02	—	—	—	—	—		26
27	Rain + snow 0.41	0.35	0.01	0.08	0.10	—	0.18	—	—	—	—	—		27
28	Snow 0.49	0.02	—	0.01	0.01	—	0.01	—	0.01	—	—	—		28
29	Snow 0.11	0.11	0.08	0.05	—	0.02	—	—	—	—	—	0.30		29
30	0.19	✕	0.01	0.22	0.01	-	—	—	—	0.08	—	—		30
31	0.04	✕	—	✕	—	✕	—	—	✕	0.60	✕	0.08		31
TOTAL	2.85	2.02	3.55	1.99	1.25	0.98	2.79	0.19	1.47	3.14	7.17	1.61	Year's Total 29.01	
* Days with .01 in. or more.	12	17	17	22	11	9	23	5	12	19	21	16	184	
* Days with .04 in. or more.	8	11	13	13	6	5	17	3	6	15	16	9	122	

2.22

Print with?
EH

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) Margaret E. Wilson

[P.T.O.

218

218

WOKING WESTFIELD

1931 - 1940

780105

Section **A** for the entry of Daily

FOR OFFICIAL USE.

AIR MINISTRY.—

GANIZATION.

FORM 1090.

REGISTE

Kept at "Crossways", (Westfiel

in the County of Surrey

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

„ Ground „ Sea Level

THE MORNING MEASUR

Y.

An observer who does not conform to *of the following year in the space on the right of this paragraph.*

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·05		·18				·04	·06	·01			1
2	·22	·06		·31			·01	·01	·43	·02	·01	·05	2
3	·07		·09	·39	·63			·15	·63		·09	·24	3
4					·09		·01		·05	·01	·15		4
5				·19	·01	·40	·07	·20	·01		·03	·10	5
6		·10		·16		·03	·06	·01		·33	·30		6
7					·13	·14		·40		·08	·28	·04	7
8	·02	·05	·02	·01	·02	·41		·15		·01	·03	·01	8
9		·02	·09	·02		·01			·05		·53	·01	9
10	·01	·14				·04	·01	·24			·26		10
11	·05	·30							·02		·24		11
12	·02						·02	·01	·22			·01	12
13								·87					13
14	·01	·11					1·01	·62					14
15		·01		·19	·08		·17	·18				·08	15
16		·03		·15	·22	·09		·07	·09				16
17	·01	·04		·36	·01		·39	·15	·11	·02			17
18	·03	·09	·07	·11		·12	·13	·90					18
19	·04			·55		·42	·52	·08	·05		·52		19
20	·01	·04		·07			·01	·39			·01		20
21	·03				·39								21
22	·23		·02	·03					·02		·01		22
23	·25		·01	·13	·38	·02			·05		·11	·01	23
24		·01		·36	·09	·06	·14	·07					24
25	·08			·52	·06		·39				·01		25
26		·03		·35			·57				·16		26
27	·13	·30		·17	·40		·17				·08		27
28	·01	·06		·03	·19					·02		·01	28
29	·10				·12		·07			·15	·02	·10	29
30	·03	✕						·06	·01				30
31	·13	✕		✕	·12	✕			✕		✕		31
TOTAL	1·48	1·44	·30	4·28	2·94	1·74	3·75	4·60	1·80	·65	2·74	·66	YEAR'S TOTAL 26·38
Days with ·01 in. or more.	20	17	6	20	16	11	17	19	14	9	18	11	148
Days with ·04 in. or more.	10	12	3	16	13	8	12	16	10	3	11	6	120

40-9999

(Signed) Vernon B. Longhurst [P.T.O.

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at "Crossways" (Westfield) Woking

in the County of Surrey

Diameter of Funnel of Gauge ~~4~~ 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" Ground " Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·05		·18				·04	·06	·01			1
2	·22	·06		·31			·01	·01	·43	·02	·01	·05	2
3	·07		·09	·39	·63			·15	·63		·09	·24	3
4					·09		·01		·05	·01	·15		4
5				·19	·01	·40	·07	·20	·01		·03	·10	5
6		·10		·16		·03	·06	·01		·33	·30		6
7					·13	·14		·40		·08	·28	·04	7
8	·02	·05	·02	·01	·02	·41		·15		·01	·03	·01	8
9		·02	·09	·02		·01			·05		·53	·01	9
10	·01	·14				·04	·01	·24			·26		10
11	·05	·30							·02		·24		11
12	·02						·02	·01	·22			·01	12
13								·87					13
14	·01	·11					1·01	·62					14
15		·01		·19	·08		·17	·18				·08	15
16		·03		·15	·22	·09		·07	·09				16
17	·01	·04		·36	·01		·39	·15	·11	·02			17
18	·03	·09	·07	·11		·12	·13	·90					18
19	·04			·55		·42	·52	·08	·05		·52		19
20	·01	·04		·07			·01	·39			·01		20
21	·03				·39								21
22	·23		·02	·03					·02		·01		22
23	·25		·01	·13	·38	·02			·05		·11	·01	23
24		·01		·36	·09	·06	·14	·07					24
25	·08			·52	·06		·39				·01		25
26		·03		·35			·57				·16		26
27	·13	·30		·17	·40		·17				·08		27
28	·01	·06		·03	·19					·02		·01	28
29	·10				·12		·07			·15	·02	·10	29
30	·03	×						·06	·01				30
31	·13	×		×	·12	×			×		×		31
TOTAL	1·48	1·44	·30	4·28	2·94	1·44	3·75	4·60	1·80	·65	2·74	·66	YEAR'S TOTAL 26·38
Days with ·01 in. or more.	20	17	6	20	16	11	17	19	14	9	18	11	178
Days with ·04 in. or more.	10	12	3	16	13	8	12	16	10	3	11	6	170

40-9999

(Signed) Vernon B. Longhurst

[P.T.O.

218

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at "Crossways", Westfield, Woking

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	·03		·02	·58			·09	·01	·06	·02	·02	1
2				·16	·08			·09	·14	·06	·01	·14	2
3				·22	·17			·01	·49	·06			3
4	·01					·21					·02		4
5	·11		·04		·01	·01	·26		·07				5
6	·32			·50					·05				6
7	·01		·10	·07					·05	·07			7
8			·15	·03	·26				·19	·30		·02	8
9	·25	·01		·11	·44					·01			9
10	·65	·01	·03	·18	·05	·06		·01	·01	·14	·02		10
11	·09			·08	·01		·15		·01	·01	·04	·01	11
12	·09	·01						·03	·05	·26			12
13	·07			·09	·02				·01	·54	·02	·01	13
14	·06	·03		·03	·01			·01		·02	·01		14
15		·01		·07	·21					·08		·01	15
16	·13			·23	·02								16
17				·03			·07			·06	·01		17
18							·07		·19		·10		18
19									·04	·19	·02		19
20				·13				·28	·01	·58	·14	·01	20
21	·03		·01	·09	1·05		·05	·11		·19		·08	21
22		·01	·25		·32		·23	·01	·28	·33	·29		22
23		·07	·05	·08	·02	·03			·19	·71	·08	·07	23
24		·04					·28		·11	·08		·01	24
25				·03		·01	·88		·02	·18	·02	·01	25
26			·10	·03			·08			·02	·02		26
27			·29	·10	·38	·02	·18			·42	·11		27
28					·17		·14			·05			28
29			·29	·06	·08	·04		·03	·13	·35	·01	·02	29
30		×	·04	·04	·06	·75	·01	·08	·22		·25	·08	30
31		×		×		×	·04		×		×	·03	31
TOTAL	1·90	·22	1·35	2·38	3·94	1·13	2·44	·65	2·27	4·77	1·19	·52	YEAR'S TOTAL 22·76
*Days with ·01 in. or more.	13	9	11	22	19	8	13	11	20	24	18	14	182
*Days with ·04 in. or more.	10	2	9	16	13	4	12	5	14	20	7	4	116

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Vernon B. Longhurst

P.T.O.

218

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~218~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at "Crossways", Westfield, Woking

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	·19	·11								·01			1
2	·14		·31		·39						·01			2
3		·20	·31		·05									3
4	·12	·01	·04		·34						·04			4
5	·04	·01	·33		·08									5
6	·01	·08	·04		·36					·11	·06			6
7	·13	·05	·07		·23					·12		·04		7
8	·01				·03		·12			·04				8
9					·06		·10			·11	·10			9
10	·01	·59				·05	·03			·22	·10			10
11	·35				·08	·12	·61	·09	·03		·02			11
12				·02		·14	·04		·78		·01			12
13	·06				·08	·05	·20		·11	·01	·11			13
14					·01		·02	·01		·28	·36	·01		14
15	·25		·10					·30			·01			15
16	·01		·66			·17	·17		·01	·01				16
17			·37			·14	·08		·04		·07			17
18	·13	·07	·22			·21					·01			18
19		·06	·03			·02	·03		·30		·02	·02		19
20			·07	·13					·01					20
21		·07			·02	·20		·01	·19	·01				21
22								·27	·03	·21	·03			22
23				·14	1·09	·02			·16	·06				23
24		·91		·09					·23					24
25		·94		·30		·62			·13		·02	·03		25
26		·75		·03		·08			·03	·05		·06		26
27		·01			·33					·25		·06		27
28					·08		·19			·27		·06		28
29	·08		·02	·06			·01			·12				29
30	·11	×	·05	·02			·03		·15	·03		·12		30
31	·14	×		×		×		·08	×	·03	×			31
TOTAL	1·66	3·94	2·73	·79	3·23	1·82	1·63	·76	2·20	1·93	·98	·40	Year's Total 22·07 ✓	
*Days with ·01 in. or more.	16	14	15	8	15	12	13	5	14	17	16	8	153	
*Days with ·04 in. or more.	12	11	13	5	12	10	8	4	9	12	7	5	108	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) Bruce B. Longhurst

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 218

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at "Crossways", Westfield, Woking,
in the County of Surrey
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
,, Ground ,, Sea Level 100 ft.

Crossed 2nd app. sent 11/2/35 in post.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02							·21	·04	·06	·02	·43		1
2	·06		·12	·02	·05				·75	·25	·01	·20		2
3	·01	·04		·05				·02		·27		·01		3
4	·11		·03	·09	·08					·08	·06	·44		4
5			·02		·02			·02			·09	·40		5
6	·01		·33	·01	·21	·07		·25		·19	·04	·55		6
7	·05							·16		·11		·23		7
8		·03			·06			·04	·22		·37	·03		8
9	·01		·02								1·01	·55		9
10			·21	·20						·01	·39			10
11	·34		·32	·11			·01	·06				·14		11
12	·06		·02				·26	·16				·05		12
13	·34		·13	·02			·52	·10		·01	·11	·17		13
14	·06		·36	·02	·01	·11				·03	·17	·54		14
15	·01		·12		·06					·19	·13	·57		15
16	·11		·21		·07					·13				16
17	·02			·02	·02					·07	·01	·14		17
18	·44		·01	·19			·21					·36		18
19			·31	·10					·08	·01	·01	·28		19
20			·04	·02			·33	·01				·06		20
21				·22		·05	·10	·07		·03				21
22							·37	·09	·14		·02	·08		22
23				·22		·33					·01	·04		23
24		·04	·08	·19		·04	·52		·05					24
25	·16	·07		·14	·07	·45				·07		·36		25
26	·01			·33		·14			·04			·02		26
27	·01			·03		·09				·03		·17		27
28		·03				·13		·93				·22		28
29		x					·02	·02	·14		·01	·01		29
30	·07	X						·08				·20		30
31	·04	X		X		X			X	·34	X	·06		31
TOTAL	1·94	·21	2·33	1·98	·65	1·41	2·34	2·12	1·46	1·88	2·46	6·31	Year's Total 25·09	
*Days with ·01 in. or more.	20	5	16	18	10	9	9	15	8	17	16	27	170	
*Days with ·04 in. or more.	12	3	11	11	7	9	7	11	8	11	9	23	122	

† Spare column, no entries required.

(*Signed*) Vernon B. Longhurst

40-9999

*See Instruction 2 (*f*) on other side.

[P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 218

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at "Crossways" Westfield, Woking.

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·15	·02		·06	·03	·07	·68		·33	·17	·33		1
2	·01					·01			·15	·16	·05		2
3			·06	·13		·04			·07	1·14	·12	·01	3
4		·03		·26		·11			·36	·13		·05	4
5		·09	·04	·06		·28			·63	·01	·01	·01	5
6				·25		·44				·01		·02	6
7	·06	·01		·27		·09				·01	·93	·16	7
8				·33						·22	·31	·02	8
9				·28		·51			·02	·83	·11		9
10	·04		·03	·27							·15	·03	10
11	·31			·10		·05	·11			·02	·44		11
12		·01				·18		·11	·05	·01	·80		12
13	·05	·13		·13	·03	·04					·01		13
14				·02	·19	·04				·01	·13	·07	14
15		·16		·40	·01	·10			·08		·31	·12	15
16				·07		·44			·44	·02	·52	·02	16
17	·01		·02	·08		·12	·02		·13		·19		17
18				·17	·16	·06	·06	·01	·23	·03			18
19		·02			·39	·02	·14		·02	·02	·06	·04	19
20	·01	·24		·17	·27	·06	·05		·03		·20		20
21		·45								·11	·01		21
22		·03	·04	·03				·23	·19				22
23			·10					·42	·08	·18		·06	23
24	·05	·63			·08			1·53	·29			·10	24
25	·16	·23		·23	·15	·59						·19	25
26	·01	·20						·20	·04		·01	·45	26
27		·59							·09		·09	·27	27
28		·08			·12		·01		·12	·02		·16	28
29								·01	·79	·02		·34	29
30	·05	×		·02				·65	·01	·21	·48	·33	30
31		×		×		×			×	·44	×	·33	31
TOTAL	·91	2·92	·29	3·33	1·43	3·25	1·07	3·16	4·15	3·77	5·26	2·78	YEAR'S TOTAL 32·32
*Days with ·01 in. or more.	12	16	6	20	10	19	7	8	21	21	21	20	181
*Days with ·04 in. or more.	8	10	4	17	7	17	5	6	17	10	17	13	131 ~~117~~ x

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Vernon B. Longhurst

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 218

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at "Crossways" Westfield, Woking

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·34	·03		·11		·10	·12	·20			·06	·05		1
2			·04			·43	·03	·07			·05			2
3				·40		·03	·04		·15		·31			3
4	·03		·09			·07			·41		·10	·03		4
5	·34		·05					·02	·08	·01	·01	·12		5
6	·43					·03		·03	·08		·43			6
7	·15		·04			·04	·02		·03		·14	·06		7
8	·27		·07				·04		·03		·19	·11		8
9	·40		·01				·38		·14	·02	·01			9
10	·06						·08	·91						10
11				·02			·16				·81			11
12				·10	·04	·57	·19		·22		·24	·13		12
13				·18		·07	·01			·01	·01	·27		13
14		·06				·06	·49		·03	·03	·11	·74		14
15		·05					·05		·25		·01	·10		15
16	·45	·09		·03							·35	·08		16
17	·09	·60				·17				·01	·17	·22		17
18	·13	·08				·33	·15				·02	·15		18
19	·23	·04	·02			·57	·14	·12		·03		·01		19
20	·11	·08	·05	·48		·12			·70					20
21				·39	·11	·27	·09		·01					21
22	·09	·39	·13	·01	·42	·06	·11					·13		22
23	·02		·23	·06	·04		·13			·09				23
24	·04	·16							·04	·57				24
25	·06		·11	·19	·01		·07		·18	·06	·04			25
26	·01	·09	·13	·07			·13		·05	·19		·03		26
27	·25	·01	·01				·01		·12	·06				27
28	·87		·14				1·05		·01			·06		28
29	·06	·06	·03				·11			·02	·19	·04		29
30	·07	×			·17	·21	·01			·52				30
31	·36	×	·25	×	·01	×	·19		×	·58	×	·23		31
TOTAL	4·86	1·84	1·40	2·04	·80	3·17	3·80	1·35	2·53	2.20	3·25	2·56	Year's Total. 29·80	✓
* Days with .01 in. or more.	23	13	16	12	7	16	24	6	17	14	19	18	185	✓
* Days with .04 in. or more.	20	11	12	9	5	14	18	4	12	7	16	15	141	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Vernon D. Longhurst

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 218

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at "Crossways" Westfield, Woking

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·43	·05	·01	·09							·62	·75		1
2	·02	·26	·03	·65					·18	·02	·01	·58		2
3		·17									·01	·02		3
4	·08	·53										·28		4
5	·10	·12	·20				·13	·01						5
6	·07	·02	·51	·01	·34		·01			·06				6
7		·50	·04	·07					·01		·02			7
8		·01			·09	·02					·17	·20		8
9	·01			·33	·13	·05	·03		·30			·23		9
10			·49	·09		·53	·01	·17				·33		10
11			·18		·19	·52	·06					·03		11
12	·20	·18	·11	·04	·47	·29	·01	·42	·10	·01		·19		12
13	·18	·06	·39	·01		·09		·11	·46			1·10		13
14	·02	·06	·36			·01		·22	·05					14
15	·25	·06		·14			·64		·04					15
16	·04	·16	·41	·49		·01		·18	·36			·01		16
17	·64		·22	·06					·20		·03			17
18	·39	·07		·09	·06	·37			·01	·02	·17	·10		18
19	·07	·09	·07	·06		·20	·01		·07			·11		19
20	·41	·02	·10	·22	·61				·08					20
21	·38	·40	·07	·04	·03		·04					·01		21
22	·40	·04			·08	·39	·05			·64	·30	·06		22
23	·26	·03	·05		·18		·04			·37	·01	·01		23
24	·44	·43							·07	·49		·01		24
25	·14	·33	·23		·15				·08	·48		·02		25
26		·21			·16					·08				26
27	·05	·20	·04	·11					·02	·67				27
28	·01	·10		·04				·01		·09		·05		28
29	·02	×								·02	·07	·05		29
30	·31	✕				·01				·13	·25	·01		30
31	·23	✕		✕		✕			✕	·07	✕	·05		31
TOTAL	5·35	4·10	3·57	2·54	2·49	2·49	1·03	1·12	2·03	3·32	1·66	4·20	Year's Total 33·84	✓ ✓
* Days with .01 in. or more.	25	24	18	17	12	12	11	7	15	14	11	22	188	✓ ✓
* Days with .04 in. or more.	20	19	16	15	11	8	6	5	12	10	6	14	142	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Owen D. Longhurst [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 218

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Crossways, Westfield, Woking

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					.01	.10	.15		.02	.04	.01	.04		1
2	.06			.06	.02		.12			.22		.05		2
3	.01				.37	.01				.38	.01	.01		3
4	.03					.02	.06	.09		.05		.06		4
5	.01			.01			.08			.31				5
6	.04						.03		.04			.01		6
7	.01	.01					.24	.24	.01	.14		.02		7
8	.18						.09	.48	.06	.35		.02		8
9	.10	.01				.02		.06				.78		9
10	.07	.09					.01	.07				.16		10
11	.19							.02			.22	.11		11
12	.26	.02			.04			.28		.08	.05	.01		12
13	.23							.03		.09	.25	.13		13
14	.23						.02		.02		.01			14
15	.09	.04			.08		.33			.33		.18		15
16	.21	.03	.01				.01	.01		.01	.07	.34		16
17		.10							.01	.14				17
18	.04				.02				.33	.01	.42			18
19	.01							.06	.08		.16			19
20									.04		.62			20
21	.01							.09	.08		.06	.50		21
22				.01		.02					.18	.28		22
23				.03					.02		.09			23
24			.07						.18		.07			24
25	.12	.02	.12	.02	.21		.02		.03	.07	.63	.11		25
26	.18	.18	.04						.22	.24		.14		26
27	.07	.03				.27	.32	.01	.47	.05	.28			27
28	.03	.04			.34	.04		.43	.02			.11		28
29	.29	–			.13			.04			.05	.17		29
30	.03	✕			.12	.22			.10	.08	.23	.01		30
31	.14	✕		✕	.08	✕			✕	.10	✕	.21		31
													Year's Total	
TOTAL	2.64	.57	.24	.13	1.42	.70	1.48	1.91	1.73	2.69	3.41	3.45	20.37	✓
* Days with .01 in. or more.	25	11	4	5	11	8	13	14	17	18	18	22	166	✓
* Days with .04 in. or more.	17	5	3	1	8	4	8	10	10	16	15	16	113	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Vernon B. Longhurst

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 218

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Crossways, Westfield, Woking

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01			·33	·25			·01	·08			·02		1
2	·03		·02	·01	·02		·01	·54	·35		·03			2
3	·26	·01		·26				·23			·29	·22		3
4	·20			·17			·10	·74		·42	·07	·01		4
5			·20	·16	·04		·04			·23	·32	·05		5
6	·50				·22		·21	·02			·26	·04		6
7	·01	·16	·06					·02		·05	·18	·08		7
8		·07	·17				·01	·02		·37	·40	·23		8
9	·05	·06						·01		·15	·24	·15		9
10	·25					·16		·21	·03	·13	·03			10
11			·19			·03			·01	·37	·01	·01		11
12					·02	·08								12
13				·02			·01		·01	·63				13
14	·50		·01	·06	·05	·02	·08		·05	·24	·51	·02		14
15	·37		·02		·72	·22	·01		·09	·92	·14	·02		15
16	·54		·06	·02	·23	·12	·14			·05	·40			16
17	·22	·04	·01	·02	·16		·18				·09			17
18	·22	·01	·03			·19	·10			·05	·25			18
19	·19						·15			·15	·02	·01		19
20	·26		·01			·12	·46					·07		20
21	·08	·15	·09			·03	·29	·28	·09					21
22	·11	·32	·01	·07		·11	·23		·01		·06			22
23	·01			·16		·01	·02	·01		·05	·56	·03		23
24	·11	·01		·13		·02	·11			·16				24
25	·76	·33	·06				·06				·28	·01		25
26	·05		·02							·23	·21	·02		26
27	·05	·10	·07	·05						·10	·13			27
28		·16	·06	·13		·04				·04	·12	·13		28
29				·24			·04			·07	·02			29
30		✕		·73		·10					·22			30
31		✕		✕		✕	·15	·04	✕	·01	✕			31
TOTAL	4·78	1·42	1·09	2·56	1·41	1·25	2·40	2·13	·72	4·42	4·84	1·12	Year's Total 28·44	✓
* Days with .01 in. or more.	22	12	17	16	9	14	20	12	9	20	24	17	192	✓
* Days with .04 in. or more.	18	9	9	12	7	9	15	6	5	19	19	8	136	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Vernon B. Longhurst

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 218

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~4~~40 (1 Jan. to 6 Nov.)

Kept at "Crossways" Westfield, Woking

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 100 ft.

Nov. + Dec. est. from nearby stns.

~~Ign.~~

moved to Guildford.

905326/29

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		·01									·11			1
2		·10		·14			·06			·08	·55	✓		2
3		·18		·06						·11	1·29	+		3
4		·07		·03						·12	·11	+		4
5	·02	·01								·03	·35	+		5
6	·27	·18					·20			·20				6
7	·24	·22			·03		·11							7
8				·04					·01		✓	+		8
9				·04		·04		·01	·06	·32	+	+		9
10							·11	·06		·21	✓	✓		10
11				·01			·03		·08		+			11
12		·01 (snow)	·14	·01			·07		·13		+			12
13		·01 (snow)	·65				·08				+			13
14			·19 (snow)	·07					·01	·12		+		14
15			·01	·01	·11	·02	·47			·01	+	✓		15
16	·03 (snow)	·38 (snow)	·21	·19		·08	·23		·17		+	✓		16
17			·33				·07			·65	+ (4·79)			17
18		·23	·19	·31			·15	·06	·01	·25	+	+		18
19		·09	·12	·06			·13		·75		+	✓		19
20			·03	·02			·04	·01	·15	·04	+			20
21	·01 (snow)		·05		·31		·15		·09	·14	+			21
22			·03	·01	·39	·59				·03		✓		22
23		·05	·05	·15	·02	·15					✓	✓		23
24				·27			·29							24
25			·63				·02			·02	✓			25
26	·79	·14	·72	·03	·14		·01							26
27	·45	·33		·11			·10							27
28	·50 (snow)				·09									28
29	·15 (snow)	·11	·08	·05		·02			·01			+		29
30	·17	✕								·09				30
31	·06	✕		✕		✕			✕	·68	✕	+		31
TOTAL	2·69	2·12	3·43	1·61	1·09	·90	2·32	·14	1·47	3·10	(7·20) ~~2·41~~	(1·60)	Year's Total ~~23·28~~	(27·67)
* Days with .01 in. or more.	11	16	15	19	7	6	18	4	11	14	20 ~~5~~	16	~~129~~	(160)
* Days with .04 in. or more.	8	12	12	12	5	4	15	2	7	13	16 ~~5~~	9	~~105~~	(115)

30 np ~~[illegible]~~ [illegible] 31 est [illegible]

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Vernon B. Longhurst

[P.T.O.

219

219
RIDGE END HOOK HEATH
1931 - 1938

780105

Section A for the entry of
AIR MINISTRY

FOR OFFICIAL USE.
LL ORGANIZATION.

FORM 1090.

REGIST

/ .

Kept at Ridge End. Ho

in the County of Su

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASU

An observer who does not conform to t *following year in the space on the right of this paragraph.*

Jan. 1, following
\

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	05	–	·18	–	·05	–	·04	·06	–	–	–	1
2	·21	07	–	·35	–	–	–	–	·32	·02	–	–	2
3	·08	–	·08	·28	·65	–	–	·15	·66	–	·14	·27	3
4	–	–	–	–	·08	–	–	–	·04	–	·15	–	4
5	–	–	–	·19	–	·37	·11	·03	·01	–	–	·11	5
6	–	·10	–	·15	–	–	·07	–	–	·30	·30	–	6
7	–	–	–	–	·14	·18		·40	–	·09	·33	·03	7
8	·01	·04	·02	·01	–	·37		14	–	–	·05	–	8
9	–	·11	10	·02	–	–		–	·14	–	·52	·01	9
10	–	04	–	–	–	·04		·12	–	–	·23	–	10
11	·05	27	–	–	–	–		–	·02	–	·35	–	11
12	·02	–	–	–	–	–		–	·20	–	–	–	12
13	–	–	–	–	–	–	·02	1·16	–	·02	–	–	13
14	–	·10	–	–	–	–	·90	·82	–	–	–	–	14
15	·03	02	–	·22	·05	–	·10	·17	–	–	–	·07	15
16	–	04	–	·17	·22	·10	–	·12	·13	–	–	–	16
17	–	02	–	·35	·01	–	·37	·10	·05	01	–	–	17
18	·03	08	·06	·07	–	·12	·09	·95	–	–	·49	–	18
19	·04	–	–	·52	–	·60	·44	·22	–	–	–	–	19
20	–	·04	–	·03	–	–	–	18	–	–	·03	–	20
21	·03	–	–	–	·38	–	–	–	–	–	–	–	21
22	·29	–	·01	·03	–	–	–	–	·05	–	·01	–	22
23	·19	·02	–	·12	·39	–	–	–	·04	–	·12	–	23
24	–	–	–	·46	·10	·08	·15	·04	–	–	–	–	24
25	·08	·02	–	·36	·05	–	·40	–	–	–	–	–	25
26	–	–	–	·37	–	–	·49	–	–	–	·17	–	26
27	·14	·31	–	·19	·58	–	·10	–	–	–	·05	–	27
28	–	·06	–	·03	–	–	–	–	–	–	·02	·14	28
29	·11		–	–	·15	–	·06	·09	–	·15	–	–	29
30	–	✕	–	–	–			–	·01	–	–	–	30 d
31	·14	✕	–	✕	·06	✕		–	✕	–	✕	–	31 25.95
TOTAL	1·45	1·30	·27	4·10	2·89	1·91	3·30	4·73	1·73	·59	2·96	·63	YEAR'S TOTAL 28·85
*Days with ·01 in. or more.	~~15~~	~~17~~	~~5~~	~~20~~	~~13~~	~~9~~	~~13~~	~~16~~	~~13~~	~~6~~	~~15~~	~~6~~	~~[illegible]~~
*Days with ·04 in. or more.	10	13	3	15	12	9	13	15	10	3	12	4	119

40-9999

(Signed) William S. Patterson [P.T.O.

*See Instruction 2 (*f*) on other side.

219

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Ridge End, Hook Heath, Woking

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 10 in.

,, Ground ,, Sea Level 160 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	05	–	·18	–	·05	–	·04	·06	–	–	–	1
2	·21	07	–	·35	–	–	–	–	·32	·02	–	–	2
3	·08	–	·08	·28	65	–	–	·15	·66	–	·14	·27	3
4	–	–	–	–	08	–	–	–	·04	–	·15	–	4
5	–	–	–	·19	–	·37	·11	·03	·01	–	–	·11	5
6	–	·10	–	·15	–	–	·07	–	–	·30	·30	–	6
7	–	–	–	–	·14	·18		·40	–	·09	·33	·03	7
8	·01	04	·02	·01	–	37		14	–	–	·05	–	8
9	–	·11	10	·02	–	–		–	·14	–	·52	·01	9
10	–	04	–	–	–	·04		·12	–	–	·23	–	10
11	·05	·27	–	–	–	–		–	·02	–	·35	–	11
12	·02	–	–	–	–	–		–	·20	–	–	–	12
13	–	–	–	–	–	–	·02	1·16	–	·02	–	–	13
14	–	·10	–	–	–	–	·90	·82	–	–	–	–	14
15	·03	02	–	·22	·05	–	·10	·17	–	–	–	·07	15
16	–	04	–	·17	·22	·10	–	·12	·13	–	–	–	16
17	–	02	–	·35	·01	–	·37	·10	·05	01	–	–	17
18	·03	08	·06	·07	–	·12	·09	·95	–	–	·49	–	18
19	·04	–	–	·52	–	·60	·44	·22	–	–	–	–	19
20	–	·04	–	·03	–	–	–	18	–	–	·03	–	20
21	·03	–	–	–	·38	–	–	–	–	–	–	–	21
22	·29	–	·01	·03	–	–	–	–	·05	–	·01	–	22
23	·19	·02	–	·12	·39	–	–	–	·04	–	·12	–	23
24	–	–	–	·46	·10	·08	·15	·04	–	–	–	–	24
25	·08	·02	–	·36	·05	–	·40	–	–	–	–	–	25
26	–	–	–	·37	–	–	·49	–	–	–	·17	–	26
27	·14	·31	–	·19	·58	–	10	–	–	–	·05	–	27
28	–	·06	–	·03	–	–	–	–	–	–	·02	·14	28
29	·11		–	–	·15	–	·06	·09	–	·15	–	–	29
30	–	×	–	–	–			–	·01	–	–	–	30 d
31	·14	×	–	×	·06	×		–	×	–	×	–	31 25.95
TOTAL	1·45	1·30	·27	4·10	2·89	1·91	3·30	4·73	1·73	·59	2·96	·63	YEAR'S TOTAL 26·85
*Days with ·01 in. or more.	~~15~~	~~17~~	~~5~~	~~20~~	~~13~~	~~9~~	~~13~~	~~16~~	~~13~~	~~5~~	~~15~~	~~6~~	~~140~~
*Days with ·04 in. or more.	10	13	3	15	12	9	13	15	10	3	12	4	119

40-9999

(Signed) William S. Patterson [P.T.O.

*See Instruction 2 (*f*) on other side.

219

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Ridge End, Hook Heath, Woking
in the County of County of Surrey
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 165 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	·01	–	·02	·55	–	·14	·13	–	·05	·01	·13	1
2	–	–	–	·16	·06	–	–	·10	18	·04	–	13	2
3	–	–	–	·20	17	·02	–	–	·37	·06	–	–	3
4	–		–	–	–	·19	–	–	–	–	·02	–	4
5	·12	–	·03	–	·01	·01	·26	–	·06	–	–	–	5
6	·35	–	·02	·50	–	–	–	–	·03	–	–	–	6
7	–	–	·09	·05	–	–	–	–	·04	·15	–	–	7
8	–	–	·14	·02	·31	–	–	–	·20	·21	–	–	8
9	·20	–	–	·13	·31	–	–	–	–	·01	–	–	9
10	65	–	–	·16	·05	·05	–	–	–	·13	·01	–	10
11	·03	·03	–	·06	01	–	·17	–	–	–	·04	–	11
12	·14	–	–	–	–	–	–	·03	·06	·24	–	–	12
13	·03	–	–	·11	·02	–	·01	–	–	·55	·02	·02	13
14	·08	·05	–	–	01	–	–	–	–	–	·01	–	14
15	–	02	–	·08	·21	–	–	–	–	·09	–	–	15
16	·16		–	·21	0·2	–	·01	–	–	–	–	–	16
17	–	–	–	·03	–	–	06	–	–	·06	–	–	17
18	–	–	–	–	–	–	·08	–	·16	–	·10	–	18
19	–	–	–	–	–	–	–	–	·03	·18	·02	–	19
20	–	–	–	·14	–	–	–	·44	–	·60	·14	·01	20
21	–	–	–	08	1·03	–	–	·08	–	·18	–	07	21
22	·04	·01	·27	–	·26	–	·28	–	·25	·26	·26	–	22
23	–	·05	·04	·06	·02	–	–	–	·16	·72	–	·08	23
24	–	·03	–	–	–	–	·40	–	·10	·07	·06	–	24
25	–	–	–	–	–	–	·71	–	·02	17	·04	01	25
26	–	–	·10	·02	–	–	·10	–	–	·05	–	–	26
27	–	–	·33	·10	·37	–	·08	–	–	·37	·10	–	27
28	–	–	–	–	·22	–	·13	–	–	·03	–	–	28
29	–	–	·35	·06	·08	–	–	·07	·13	35	–	·01	29
30	–	×	01	·05	·09	·55	–	·03	·19	–	·13	·07	30
31	–	×		×		×	·04	–	×	–	×	–	31
TOTAL	1·81	·20	1·38	2·24	3·20	·82	2·47	·88	1·98	4·57	·94	·53	YEAR'S TOTAL 21·62
*Days with ·01 in. or more.	~~11~~	~~9~~	~~10~~	~~20~~	~~19~~	~~5~~	~~14~~	~~7~~	~~15~~	~~22~~	~~14~~	~~9~~	~~153~~
*Days with ·04 in. or more.	9	2	7	16	13	3	12	5	12	20	7	5	109

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) William S. Patterson

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No.** 219

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193 .

Kept at Ridge End Hook Heath, Woking

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 160 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12	·34	·12	—	—	—	—	—	·07	·16	·02	—	1
2	·14	—	·36	—	·32	—	—	—	—	—	—	—	2
3	—	·20	·29	—	·05	—	—	—	—	—	—	—	3
4	·16	·01	—	—	·40	—	—	—	—	—	·05	—	4
5	·03	—	·34	—	—	—	—	—	—	—	—	—	5
6	—	·10	·02	—	·33	—	—	—	—	09	·05	—	6
7	·14	—	·05	—	·18	—	—	—	—	·11	—	—	7
8	·02	—	—	—	·03	—	·13	—	—	·04	—	—	8
9	—	—	—	—	·05	—	·10	—	—	·10	·09	—	9
10	—	·59	—	—	—	—	·03	—	—	·18	·10	—	10
11	·30	—	—	—	·06	·10	·53	·04	—	—	—	—	11
12	—	—	—	·02	—	·16	·04	—	·88	—	·03	—	12
13	06	—	—	—	·10	—	·18	—	·07	—	·10	—	13
14	—	—	—	—	—	—	·02	—	—	·22	·33	·02	14
15	·23	—	·15	—	—	—	·15	·25	—	—	·02	—	15
16	—	—	·58	—	—	·12	·15	—	—	—		—	16
17	—	—	·32	—	—	·09	—	—	·03	—	·06	—	17
18	·14	·06	·23	—	—	·50	—	—	—	—	—	—	18
19	—	·05	·04	—	—	·01	·04	—	·42	—	·03	·05	19
20	—	—	·08	·10	—	—	—	—	·01	—	—	—	20
21	—	·02	—		·04	·07	—	—	·17	—	—	—	21
22	—	—	—		—	·05	—	·23	·03	·27	·03	—	22
23	—	—	—	·15	1·35	—	—	—	·18	·09	—	—	23
24	—	·87	—	·08	—	·36	—	—	·14	—	02	—	24
25	—	86	—	·30	—	—	—		·14	—	—	·03	25
26	—	·58	—	·02	—	·10	—		·01	·11	—	·05	26
27	—	·01	—	—	·32	—	—			·19	—	·06	27
28	—	—	—	—	·07	—	·22			·25	—	·06	28
29	·17		—	·10		—	—			·16	—	—	29
30	—	×	·05	·05			—			—	—	·10	30
31	—	×	—	×		×	·01		×	·03	×		31
TOTAL	1·51	2·61	2·63	·82	3·30	1·21	1·60	·52	2·25	2·00	·93	·37	YEAR'S TOTAL 20·75
*Days with ·01 in. or more.	11	12	13	8	13	10	12	3	12	14	13	7	~~128~~
*Days with ·04 in. or more.	9	9	12	6	12	9	9	3	8	13	7	5	102

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) William Seeds Patterson

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 219

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Ridge End. Hook Heath Woking

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 160 ft.

[illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02	·04	—	—	—		—	·19	—	·05	·04	·43		1
2	07	—	·11	—	·11		—	—	·76	·24	—	·18		2
3	·01	·03	—	·12	—		—	—		·23	—	·12		3
4	·09	—	·03	·07	·09		—	—		·07	·06	·29		4
5	—	—	·01	—			—	02	—	—	·19	·40		5
6	·01	—	·33	01	·17	·04	—	·34	—	·19	·03	·51		6
7	·04	02	—	—	—	·02	—	—	—	·09	—	·20		7
8	—	—	—	—	·06	—	—	·03	·21	—	·39	·09		8
9	—	—	—	—	—	—	—	—	—		1·00	·43		9
10	02	—	·20	·19	—	—	—	·01	—		41	·02		10
11	39	—	·35	·12	—	—	·01	·03	—		—	·11		11
12	—	—	·02	—	—	—	·22	·12	—	·02	—	·09		12
13	·36	—	·15	·04	—	—	·48	·11	—	04	·10	·22		13
14	06	—	·36	—	—	·11	—	—	—		·17	55		14
15	—	—	·12	—	·07		—	—	—	·18	·12	53		15
16	·10	—	20	—	·03		—	—	—	·12	—	·01		16
17	·02	—	—	·04	·03		—	—		·08	·02	·12		17
18	·42	—	·08	17	—		·27	—	·01	—	—	·26		18
19	—	—	·24	·11	—		—	—	·09	·01	—	27		19
20		—	·04	—	—		·54	·03	—	—	·01	·04		20
21	—	—	—	21	—	·06	20	—	—	·03	—	·01		21
22	—	—	—	—	—		·35	·13	12	—	·01	·08		22
23	—	—	—	·19	—	·30	—	—	—	—	—	·03		23
24		—	·07	·19	—	03	50	—	·04	—	—	—		24
25	·14	·10	—	·10	·09	·44	—	—	—	·05	—	·37		25
26	·02	—	—	·33		12	—	—	·03	—	—	·01		26
27	—	—	—	·01		·08	—	—	—	·03	—	·20		27
28	—	·02	—	—		·19	—	1·00	—	—	01	·14		28
29	—		—	—		—	02	·01	~~·05~~	—	—	01		29
30	·07	×	—	—		—	—	06	·01		—	·19		30
31		×	—	×		×	·03	—	×		×	—		31
TOTAL	1·84	·21	2·31	1·40	·65	1·37	2·62	2·08	1·42	1·66	2·47	5·92	Year's Total 24·45	
*Days with ·01 in. or more.	16	5	15	15	8	10	10	13	9	15	14	29	159	
*Days with ·04 in. or more.	10	2	12	13	6	8	7	7	6	11	9	23	114	

999

struction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) William S. Patterson

[T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 219

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Ridge End, Hook Heath, Woking

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 14 in.

,, Ground ,, Sea Level 160 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·18	03	—	·05	·04	05	1·11	—	·43	·24	·55	·21		1
2	·01		—	—	—	—	—	—	·20	·15	·03	—		2
3	—	·01	—	·08	—	·04	—	—	30	1·02	·12	·01		3
4	—	—	—	·22	—	·23	—	—	·09	·35	—	03		4
5	—	·10	07	06	—	·09	—	—	·60	·01	—	01		5
6	·05	—		·24	—	·34	—	—	—	—	—	01		6
7	—	—		·26	—	·05	—	—	—	—	·91	15		7
8	—	—		·36	—		—	—	—	20	·35	02		8
9	—	—		·22	—	49	—	—	—	71	·05	—		9
10	·05	—		·35	—	—	—	—	—	—	15	03		10
11	30	—		·06	—	08	·07	—	—	—	40	—		11
12	—	—		—	—	·13	—	·10	—	—	·79	—		12
13	·05	·15		·12	·08	·03	—		·05	01	—	—		13
14	—	—		·02	·14	07	—		—	—	·09	·07		14
15	—	·16		·37	·02	·10	—		·07	—	·25	·11		15
16	—	02	·02	·13	—	28	—		·35	03	·52	01		16
17	—	—	—	·03	·18	·11	—		·08	—	·17	—		17
18	—	—	—	17	—	·05	·05		·20	—	—	—		18
19	—	—	—	—	·40	·02	16		·02	—	·08	·03		19
20	01	·25	—	·16	19	·07	·05		·01	—	18	—		20
21	—	·38	—	—	—	—	—		—	09	—	—		21
22	—	·03	·03	·13	—	—	—	·05	·13	—	—	—		22
23	—	—	07	—	—	—	—	66	·11	·18	—	·06		23
24	04	·65	—	—	·08	—	—	1·26	·22	—	—	·11		24
25	09	·21	—	·22	·14	·68	—	·20	—	—	—	·18		25
26	—	·38	—	—	—	—	—	—	·03	—	—	·39		26
27	—	37	—	—	—	—	·03	—	07	—	08	·32		27
28	—	·08	—	—	·11	—	—	—	52	·02	—	·11		28
29	—		—	—	—	—		—	·32	·01	—	·34		29
30	—	×	—	—	—			78		·15	22	·38		30
31	·05	×	—	×	—	×		—	×	·30	×	·10		31
TOTAL	·83	2·82	·19	3·25	1·38	2·91	1·47	3·05	3·81	3·47	4·94	2·68	Year's Total 30·80	
*Days with ·01 in. or more.	10	14	4	19	10	18	6	6	20	15	17	21	160	
*Days with .04 in. or more.	8	10	2	17	9	16	5	6	17	11	16	13	140	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) William S. Patterson

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2-19

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Ridge End Hookheath Woking

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 15 in.

,, Ground ,, Sea Level 160 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	42	21	·08	·34	—	·15	12	·19	—	—	·06	·06		1
2	—	—	—	—	—	·34	02	·06	—	—	07	—		2
3	—	—	—	·60	—	·03	02	—	·35	—	·28	—		3
4	—	—	08	—	—	·06	—	—	·31	—	·08	·04		4
5	54	—	04	—	·01	—	—	02	08	—	—	·09		5
6	·32	—	—	—	—	—	—	03	06	—	·36	—		6
7	·11	—	—	—	—	03	·02	—	·05	—	10	·05		7
8	23	—	—	—	—	—	·03	—	·01		19			8
9	44	—	07	—	—	—	·36	—	·14	02	—	·11		9
10	03	—	·01	—	—	—	·09	1·04	01		—	—		10
11	—	—	—	·05	—	—	·17	—	—		·84	—		11
12	—	—	—	·08	·04	·60	·17	—	·24		·10	·12		12
13	—	—	—	·12	—	·03	—	—	—	03	·13	25		13
14	—	06	—	—	—	·07	·48	—	·03	·01	·01	50		14
15	—	03	—	—	—	—	01	—	·28	—	·02	08		15
16	·44	·11	—	·03	—	—	·03	—	·01	—	·34	12		16
17	·18	·60	—	—	—	·40	—	—	—	—	·16	16		17
18	—	·10	—	—	—	·07	·10	—	—	—	02	14		18
19	23	·02	·02	·03	—	·68	·15	·10	—	·03	—	—		19
20	10	·05	04	·45	—	·21	—	—	68	—	—	—		20
21	—	07	—	32	·05	·23	·12	—	·01	—	—	—		21
22	08	·31	·13	—	·42	·02	·13	—	—	—	—	·15		22
23	·01	—	28	·05	—	—	·07	—	—	07	—			23
24	04	15	—	—	—	—	—	—	02	64	—			24
25	04	—	13	·18	01	—	08	—	15	·15	03			25
26	—	·09	·07	·14	—	—	·14	—	05	·10		03		26
27	·22	—	—	—	—	—	·01	—	14	·06		—		27
28	·82	—	·14	—	—	—	·58	—	—	—		05		28
29	05	—	·01	—	—	·43	08	—	—	·01	·16	03		29
30	05	×	—	—	·20	19	—	—	—	·59	—	—		30
31	17	×	—	×	·02	×	·12	—	×	·47	×	—		31
TOTAL	4·52	1·80	1·10	2·19	·75	3·54	3·40	1·44	2·62	2·18	2·95	1·98	Year's Total. —	28·47 ✓
* Days with .01 in. or more.	20	12	13	12	7	16	23	6	18	12	17	16	172	✓
* Days with .04 in. or more.	18	10	9	10	4	12	14	4	12	7	13	14	127	✓

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 219

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Ridge End, Hook Heath, Woking

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 15 in.

,, Ground ,, Sea Level 160 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	49	·11	03	·10	–	–	·02	–		–	67	82		1
2	14	23	02	01	–	–	–	–	16	–	–	56		2
3	–	16	–	·60	–	–	–	–		–	02	·02		3
4	·08	55	–	01	–	–	–	–		–	–	27		4
5	10	05	18	02	–	–	·12	–		–	·01	–		5
6	06	·02	·87	–	32	–	01	–		06	–	–		6
7	–	47	–	03		–	–	–	·01	01	–	–		7
8	–	–	–	06	·11	–	–	–		–	17	·18		8
9	–	–	–	·33	·10	·06	·02	·03	·30	–		·24		9
10	–	–	·51	·05	11	·47	·02	21		–		·34		10
11	–	–	·09	–	11	33	·06	–		–		–		11
12	·16	16	·09	04	41	·29	01	58	·12	–	–	·20		12
13	·17	06	·44	–	–	·13	–	07	36	–	–	1·28		13
14	02	06	24	–	–	·02	–	·17	06	–	–	–		14
15	·25	06	–	15	–	–	57	–	05	–	–	–		15
16	–	·15	37	45	–	·01	–	17	·40	–	–	·02		16
17	·55	·02	18	06	–	–	–	–	13	–	·01			17
18	30	11	–	·07	·04	30	–	–	–	–	·18	08		18
19	·02	·03	04	·04	–	·18	–	–	07	–	–			19
20	37	02	·10	20	·61	–	–	–	05	–	–	0·10		20
21	·52	42	08	·04	–	–	03	–		–	–	·01		21
22	47	03	–	–	06	·35	08	–		–	·29	·06		22
23	17	02	·02	–	·14	–	–	–		·85		–		23
24	37	42	–	–	–	–	–	–	07	·52		–		24
25	·15	35	·22	–	19	–	–	–	08	·41		–		25
26	01	14	·02	–	·17	–	–	–	–	·38		–		26
27	03	24	–	10	–	–	–	–	01	17		–		27
28	–	8	–	03	–	–	–	–		·60	06	06		28
29	–		–		–	–	–	–		·10	·18	04		29
30	30	✕	–		–	–	–	–		·08				30
31	16	✕	–	✕	–	✕	–	–	✕	–	✕		31·94	31 ✓
TOTAL	4·89	396	3·50	2·39	2·37	2·14	·94	1·23	1·77	2·88	1·59	4·26	Year's Total ~~32·24~~	✓
* Days with .01 in. or more.	22	24	17	19	12	10	10	6	14	10	9	16	169	✓
* Days with .04 in. or more.	18	18	13	14	12	8	4	5	12	9	6	13	132	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) William S. Patterson

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 219

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Ridge End Hook Heath

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 15 in.

" Ground " Sea Level 160 ft.

Circ. D. sent 20.2.39. EMF.

Rain & Wet Days; Corr. for April. 20.2.39 EMF.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	·08	·05		·04		·13		·01		·2	·15		1
2	04	—		·06		·10						·4		2
3	—	—			·39		·8			·22		·4		3
4	03	—					·5	·9		·35	·1			4
5	32	—			·03	·03	·8			·8		·6		5
6	03	—					·5			·32				6
7	01	—					·18	·24	·03					7
8	18	—					·5	33	·08	·14		·2		8
9	09	—						05		·34				9
10	05	01				·02		06				·12		10
11	17	·12										·9		11
12	24	—						·16			·20			12
13	21	·11			·03			·2		·12	·5	·12		13
14	20	—			·07		·4			·4	22			14
15	09	—					·27					·15		15
16	19	·12								·30	·5	·46		16
17	—	·11							·01	·2				17
18	04	·9							·24	·13	40			18
19	—	—						·5	·09		12			19
20	01	—						·4	·03		·50			20
21	01	—							·08		·8	·7		21
22	—	—				·1					·7	·33		22
23	—	—		·05							·11	·24		23
24	20 —	—							·18		·6			24
25	11		·08	·04			·2		·02		·65	·16		25
26	18	·17	·09	·01	·18			·2	·35	·28		·5		26
27	·08	04	·04			·25	·27		·47	·6	·26			27
28	·01				·37	·4		·38	·02			·14		28
29	33				·12			·4	—		·14	·17		29
30	04	✕			·17	·11		—	·7	·8	·15	—		30
31	08	✕		✕	·7	✕		—	✕	10	✕	·0		31
TOTAL	25·1	·85	·26	·16	1·44 7	·56	1·22	1·48	1·68	2·67 58	3·09	2·36	Year's Total ~~17·70~~ 18·22	
* Days with .01 in. or more.	25	9	4	4	9 10	7	11	12	14	15	17	16 8	143 6	
* Days with .04 in. or more.	~~19~~ 20	8	4	3	8	5 4	10	10	8	14	15	15 7	118 21	

Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) William S. Patterson

[P.T.O.

Woking (York

Section **A** for the entry of Daily

AIR MINISTRY.—ME

FORM 1090.

REGISTE

219/4

WOKING YORK ROAD

1935 - 1940

780105

n No. 219/4

GANIZATION:

Surrey 1b

X

Kept at WOKING

in the County of SURREY

Diameter of Funnel of Gauge ~~17~~ 5

Height of top of Gauge above Ground 1

,, Ground ,, Sea Level

THE MORNING MEASUREMENT

An observer who does not conform to this rul *of the following year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·13	·02	-	·05	·02	·06	1·09	-	·25	·19	·44	-		1
2	·01	-	-	-	-	-	-	-	·20	·13	·07	-		2
3	-	-	·02	·06	-	·05	-	-	·12	1·04	·12	-		3
4	-	·02	-	·22	-	·09	-	-	·35	·12	-	·03		4
5	-	·06	·04	·04	-	·17	-	-	·47	·01	-	-		5
6	·04	-	·01	·25	-	·41	-	-	-	-	-	·02		6
7	-	-	-	·28	-	·04	-	-	-	-	·94	·15		7
8	-	-	-	·33	-	·02	-	-	-	·18	·21	·03		8
9	-	-	-	·28	-	·45	-	-	·01	·80	·17	·01		9
10	·05	-	·01	·28	-	-	-	-	-	-	·13	·02		10
11	·29	-	-	·10	-	·04	·10	-	-	-	·46	-		11
12	·02	-	-	-	-	·15	-	·10	·01	-	·81	-		12
13	·04	·12	-	·12	·02	·03	-	-	·01	-	·02	-		13
14	-	-	-	·02	·16	·03	-	-	-	-	·11	·07		14
15	-	·15	-	·35	·01	·22	-	-	·06	-	·26	·15		15
16	-	·02	·02	·09	·01	·15	-	-	·37	·01	·47	·02		16
17	-	-	-	·09	-	·11	-	·01	·08	-	·19	-		17
18	-	-	-	·19	·12	·06	·05	-	·21	·03	-	-		18
19	-	·01	-	-	·41	·02	·15	-	·01	·01	·06	·03		19
20	-	·25	-	·16	·18	·06	·05	-	·02	-	·19	-		20
21	-	·42	-	-	-	-	-	-	-	·08	·01	-		21
22	·01	·03	·02	·09	-	-	-	-	·11	-	-	-		22
23	-	-	·10	-	-	-	-	·52	·09	·17	-	·07		23
24	·04	·61	-	-	·04	-	-	1·72	·27	-	-	·11		24
25	·18	·21	-	·23	·17	·62	-	·01	-	-	-	·16		25
26	-	·15	-	-	-	-	-	·21	·03	-	-	·42		26
27	-	·55	-	-	-	-	-	-	·07	-	·08	·29		27
28	-	·05	-	-	·08	-	-	-	·12	·02	-	·17		28
29	-		-	-	-	-	-	·14	·74	·01	-	·37	print	29
30	·03	✕	-	·02	-	-	-	·85	·03	·16	·45	·35		30
31	-	✕	-	✕	-	✕	-	-	✕	·42	✕	·30		31
TOTAL	·84	2·67	·22	3·25	1·22	2·78	1·44	3·56	3·63	3·38	5·19	2·77	Year's Total. 30·95	
* Days with .01 in. or more.	11	15	7	20	11	19	5	8	22	16	19	19	172	
* Days with .04 in. or more.	7	10	2	18	7	15	5	6	15	10	17	12	124	

40-9999 X L.C. Norris. Esq X N.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) L.C Norris.

[P.T.O.

Woking (York

~~CROWN COPYRIGHT RESERVED.~~

Section **A** for the entry of Daily Observations. Station No. 219/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Surrey 11

X

Kept at WOKING

in the County of SURREY

Diameter of Funnel of Gauge ~~4~~ 5 in.

Height of top of Gauge above Ground 1 ft. 3/8 in.

,, Ground ,, Sea Level 120 ft.

7489747/36

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·13	·02	-	·05	·02	·06	1·09	-	·25	·19	·44	-		1
2	·01	-	-	-	-	-	-	-	·20	·13	·07	-		2
3	-	-	·02	·06	-	·05	-	-	·12	1·04	·12	-		3
4	-	·02	-	·22	-	·09	-	-	·35	·12	-	·03		4
5	-	·06	·04	·04	-	·17	-	-	·47	·01	-	-		5
6	·04	-	·01	·25	-	·41	-	-	-	-	-	·02		6
7	-	-	-	·28	-	·04	-	-	-	-	·94	·15		7
8	-	-	-	·33	-	·02	-	-	-	·18	·21	·03		8
9	-	-	-	·28	-	·45	-	-	·01	·80	·17	·01		9
10	·05	-	·01	·28	-	-	-	-	-	-	·13	·02		10
11	·29	-	-	·10	-	·04	·10	-	-	-	·46	-		11
12	·02	-	-	-	-	·15	-	·10	·01	-	·81	-		12
13	·04	·12	-	·12	·02	·03	-	-	·01	-	·02	-		13
14	-	-	-	·02	·16	·03	-	-	-	-	·11	·07		14
15	-	·15	-	·35	·01	·22	-	-	·06	-	·26	·15		15
16	-	·02	·02	·09	·01	·15	-	-	·37	·01	·47	·02		16
17	-	-	-	·09	-	·11	-	·01	·08	-	·19	-		17
18	-	-	-	·19	·12	·06	·05	-	·21	·03	-	-		18
19	-	·01	-	-	·41	·02	·15	-	·01	·01	·06	·03		19
20	-	·25	-	·16	·18	·06	·05	-	·02	-	·19	-		20
21	-	·42	-	-	-	-	-	-	-	·08	·01	-		21
22	·01	·03	·02	·09	-	-	-	-	·11	-	-	-		22
23	-	-	·10	-	-	-	-	·52	·09	·17	-	·07		23
24	·04	·61	-	-	·04	-	-	1·72	·27	-	-	·11		24
25	·18	·21	-	·23	·17	·62	-	·01	-	-	-	·16		25
26	-	·15	-	-	-	-	-	·21	·03	-	-	·42		26
27	-	·55	-	-	-	-	-	-	·07	-	·08	·29		27
28	-	·05	-	-	·08	-	-	-	·12	·02	-	·17		28
29	-		-	-	-	-	-	·14	·74	·01	-	·37		29
30	·03	X	-	·02	-	-	-	·85	·03	·16	·45	·35		30
31	-	X	-	X	-	X	-	-	X	·42	X	·30		31
TOTAL	·84	2·67	·22	3·25	1·22	2·78	1·44	3·56	3·63	3·38	5·19	2·77	Year's Total. 30·95	
* Days with .01 in. or more.	11	15	7	20	11	19	5	8	22	16	19	19	172	
* Days with .04 in. or more.	7	10	2	18	7	15	5	6	15	10	17	12	124	

40-9999 L.C. Norris. Esq N.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) L.C Norris.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 219/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Woking

in the County of SURREY

Diameter of Funnel of Gauge 17 in.

Height of top of Gauge above Ground 1 ft. 3/8 in.

,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·32	·04	·03	·10	-	·11	·10	·16	-	-	·05	·04		1
2	-	-	·01	-	-	·35	·01	·09	-	-	·03	-		2
3	-	-	-	·38	-	·02	·04	-	·12	-	·32	-		3
4	·02	-	·08	-	-	·06	-	-	·45	-	·06	·02		4
5	·32	-	·03	-	-	-	-	·01	·06	-	·03	·09		5
6	·49	-	-	-	-	·02	-	-	·07	-	·37	-		6
7	·16	-	·03	-	-	·02	·01	-	·04	-	·12	·04		7
8	·26	-	·02	-	-	-	·03	-	·02	-	·20	·11		8
9	·51	-	·01	-	-	-	·36	-	·14	-	-	·01		9
10	·04	-	-	-	-	-	·18	·89	-	-	-	-		10
11	-	-	-	·01	-	-	·15	-	-	-	·82	-		11
12	-	-	-	·08	·02	·58	·17	-	·22	-	·18	·10		12
13	-	-	-	·08	-	·07	-	-	-	·01	-	·27		13
14	-	·05	-	-	-	·05	·46	-	·05	·02	·14	·60		14
15	·01	·06	-	-	-	-	·03	-	·28	-	·01	·07		15
16	·39	·08	-	·02	-	-	·03	-	·03	-	·37	·05		16
17	·06	·57	-	-	·03	·10	-	-	-	-	·14	·22		17
18	·12	·12	-	-	-	·33	·12	-	-	-	·01	·17		18
19	·22	·03	·02	-	-	·37	·10	·09	-	·03	-	-		19
20	·10	·05	·05	·43	-	·06	-	-	·65	-	-	-		20
21	-	-	-	·34	·08	·25	·09	-	-	-	-	-		21
22	·09	·37	·10	-	·41	·04	·10	-	-	-	-	·10		22
23	·02	-	·54	·05	·03	-	·12	-	-	·08	-	-		23
24	·03	·14	-	-	-	-	·01	-	·02	·72	-	·01		24
25	·05	-	·09	·17	-	-	·06	-	·23	·05	·02	-		25
26	-	·09	·12	·01	-	-	·16	-	·04	·28	-	·02		26
27	·24	-	-	-	-	-	·01	-	·11	·05	-	-		27
28	·85	-	·13	-	-	-	·98	-	·01	-	-	·05		28
29	·05	·06	·03	-	-	·27	·08	-	-	·01	·17	·03		29
30	·06	✕	-	-	·11	·18	·02	-	-	·45	-	-		30
31	·33	✕	·27	✕	·01	✕	·33	-	✕	·57	✕	·22		31
TOTAL	4·74	1·66	1·56	1·67	·69	2·88	3·75	1·24	2·54	2·27	3·04	2·22	Year's Total 28·26	✓
* Days with .01 in. or more.	23	12	16	11	7	17	25	5	17	11	17	19	180	✓
* Days with .04 in. or more.	19	11	8	8	3	14	17	4	13	7	12	14	130	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) LC Norris [P.T.O.

CROWN COPYRIGHT RESERVED.

Section **A** for the entry of Daily Observations.

Station No. 219/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Woking

in the County of Surrey

Diameter of Funnel of Gauge ~~11~~ 5 in.

Height of top of Gauge above Ground 1 ft. 3/8 in.

,, Ground ,, Sea Level 120 ft.

Ack.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·39	·02	·01	·08	-	-	-	-	-	-	·59	·74		1
2	·01	·24	·02	·55	-	-	-	-	·16	-	·01	·59		2
3	-	·13	·01	-	-	-	-	-	-	-	·01	·01		3
4	·06	·50	-	-	-	-	-	-	-	-	-	·27		4
5	·10	·13	·17	-	-	-	·11	-	-	-	-	-		5
6	·07	·01	·96	·01	·29	-	·01	-	-	·04	·02	-		6
7	-	·50	·01	·06	-	-	-	-	·01	·01	-	·01		7
8	-	·01	-	-	·10	·02	-	-	-	-	·22	·15		8
9	-	-	-	·30	·11	·04	·02	-	·28	-	-	·22		9
10	-	-	·42	·10	-	·51	·02	·05	-	-	-	·35		10
11	-	-	·16	-	·17	·15	·03	·15	-	-	-	·01		11
12	·18	·17	·07	·02	·28	·26	·03	·48	·08	-	-	·17		12
13	·16	·06	·40	·02	-	·12	-	·10	·43	-	-	1·22		13
14	·02	·05	·33	-	-	·01	-	·25	·04	-	-	·01		14
15	·22	·06	-	·15	-	-	·66	-	·02	-	-	-		15
16	·03	·16	·37	·42	-	-	-	·16	·37	-	-	-		16
17	·60	-	·22	·05	-	-	-	-	·17	-	·01	-		17
18	·35	·05	-	·07	·05	·37	-	-	-	·01	·18	·10		18
19	·03	·09	·05	·04	-	·18	-	-	·07	-	-	·05		19
20	·42	·01	·08	·20	·59	-	-	-	·07	-	-	·01		20
21	·57	·37	·05	·03	·01	-	·03	-	-	-	·01	·01		21
22	·40	·02	·02	-	·05	·41	·03	-	-	·68	·27	·08		22
23	·24	·02	·01	-	·16	-	·04	-	-	·43	-	-		23
24	·37	·44	·01	-	-	-	-	-	·07	·46	-	·01		24
25	·13	·32	·18	-	·13	-	-	-	·07	·42	-	·01		25
26	-	·19	·01	-	·13	-	-	-	-	·07	-	-		26
27	·04	·19	-	·09	-	-	-	-	·01	·68	-	-		27
28	·01	·09	-	·02	-	-	-	·01	-	·09	-	·03		28
29	·01	×	-	-	-	-	-	-	-	✓ }	·06	·04		29
30	·29	×	-	-	-	·01	-	-	-	✓ ·12 }	·18	·01		30
31	·24	×	-	×	-	×	-	-	×	✓ }	×	·02		31
TOTAL	4·94	3·83	3·56	2·21	2·07	2·08	·98	1·20	1·85	3·01	1·56	4·12	Year's Total. 31·41	✓ ✓
* Days with .01 in. or more.	24	24	21	17	12	11	10	7	14	N 13	11	23	185 7	✓ ✓
* Days with .04 in. or more.	18	18	13	12	11	8	3	6	11	9 ✓	6	12	127	✓ ✓

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations**

Station No. 219/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Woking

in the County of Surrey

Diameter of Funnel of Gauge 11·5 in.

Height of top of Gauge above Ground 1 ft. 3/8 in.

,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·	·	·	·02	·09	·09	·	·01	·03	·02	·02		1
2	·03	·	·	·03	·01	·	·12	·	·	·17	·	·05		2
3	·	·	·	·	·39	·	·	·	·	·40	·01	·		3
4	·02	·	·	·	·	·03	·02	·11	·	·12	·	·04		4
5	·01	·	·	·	-	·	·01	·	·	·22	-	·01		5
6	·03	·	·	·	·	·	·05	·	·04	·	·	·		6
7	·	·	·	·	·	·	·16	·20	·01	·15	-	·01		7
8	·17	·	·	·	·	·	·09	·47	·04	·35	·	·		8
9	·08	·	·	·	-	·02	·	·05	·	·	·	·84		9
10	·05	·05	·	·	-	·02	·	·06	·	-	-	·12		10
11	·21	·	·	·	-	·	·	·	·	·	·18	·09		11
12	·26	·	·	·	·03	·	·	·62	·	·07	·08	·		12
13	·22	·	·	·	-	·	·	·	·	·09	·20	·12		13
14	·21	·	·	·	·07	·	·02	·	·01	·	·01	·01		14
15	·09	·03	·	·	·	·	·28	·	·	·30	·	·14		15
16	·23	·03	·	·	·	·	·	·	·	·02	·06	·41		16
17	·	·10	·	·	·	·	·	·	·	·12	·	·		17
18	·03	·	·	·	·01	·	·	·	·21	·	·43	·		18
19	·	·	·	·	·	·	·	·07	·08	·	·13	·02		19
20	·	·	·	·	·	·	·	·	·03	·	·65	·		20
21	·01	·	·	·	·	·	·	·11	·07	·	·04	·37		21
22	·	·	·	·	·	·01	·	·	·	·	·15	·19		22
23	·	·	·	·02	·	·	·	·	·01	·	·10	·		23
24	·	·	·06	·	·	·	·	·	·15	·	·05	·		24
25	·12	·	·05	·01	·19	·	·02	·04	·03	·04	1·11	·06		25
26	·15	·18	·03	·	·	·	·	·	·28	·22	·	·17		26
27	·07	·03	·	·	·02	·25	·28	·01	·44	·05	·26	-		27
28	·03	·05	·	·	·33	·04	·	·37	·01	·	·	·10		28
29	·35	×	·	·	·10	·	·	·03	·	·	·03	·17		29
30	·02	×	·	·	·13	·09	·	·	·06	·06	·21	·01		30
31	·14	×	·	×	·07	×	·		×	·10	×	·20		31
TOTAL	2·53	·47	·14	·06	1·37	·55	1·14	2·14	1·48	2·51	3·72	3.15	Year's Total 19·26	✓
* Days with .01 in. or more.	22	7	3	3	12	8	11	12	16	17	18	21	150	✓
* Days with .04 in. or more.	14	4	2	0	7	4	7	10	9	15	14	15	101	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) L.C. Norris

[P.T.O.

CROWN COPYRIGHT RESERVED.

Section **A** for the entry of Daily Observations. Station No. 219/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1939.

Kept at Woking

in the County of Surrey

Diameter of Funnel of Gauge 17 in.

Height of top of Gauge above Ground 1 ft 3/8 in.

,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.01	-	.01	.36	.23	.	.	.02	.02	.	-	.01		1
2	.02	-	.	.01	.02	.	.	.51	.10	.	.02	.		2
3	.24	-	.	.22	.	.	.	.20	.31	.	.30	.19		3
4	.13	.	.19	.13	-	.	.07	.63	.03	.41	.06	.01		4
5	-	.	.	.14	.03	.	.03	.	.	.25	.34	.03		5
6	.31	-	.08	.	.02	.	.19	.01	.	.	.43	.01		6
7	.02	.13	.	.	.	.	.	.02	.	.05	.18	.07		7
8	-	.07	.16	.	-	.	.01	.07	.	.40	.30	.25		8
9	.06	.05	.	.	.	.	.	.02	.	.17	.28	.15		9
10	.27	.	.	.	.	.15	.	.19	.02	.14	.02	.		10
11	-	.	.17	.	.	.06	.	.	.	.31	.01	.		11
12	.	.	.	.	.01	.09	.	.	.	.	.	.		12
13	.	.	.	.01	.	.	.	.	.01	1.52	.	.01		13
14	.51	.	.	.06	.05	.01	.05	.	.03	.21	.42	.01		14
15	.34	.	.01	.	.66	.21	.	.	.08	.89	.03	.01		15
16	.54	.	.05	.01	.13	.13	.17	.	.	.03	.42	.		16
17	.20	.03	.	.01	.21	.	.18	.	.	-	.08	.		17
18	.26	.	.02	.	.	.19	.10	.	.	.02	.23	.		18
19	.19	.	.	.	.	.	.11	.	.	.17	.01	.		19
20	.22	.	-	.	.	.11	.42	.	.	.	-	.05		20
21	.07	.13	.09	.	.	.03	.41	.36	.11	.	-	-		21
22	.08	.31	.03	.03	.	.10	.13	.	.	.	.04	.		22
23	.01	.	.	.20	.	.01	.03	.	.	.03	.60	.02		23
24	.24	.	.	.10	.	.02	.09	.	.	.13	.	-		24
25	.59	.24	.03	.	.	-	.07	.	.	-	.28	.		25
26	.04	.	.01	-	.	.01	.	.	.	.21	.20	.01		26
27	.03	.07	.04	.04	.	.	.	.	.	.09	.19	.		27
28	-	.17	.05	.13	.	.06	.	.	.	.02	.11	.11		28
29	.	×	.	.25	.	.	.03	.	.	.05	.02	.		29
30	.	×	.	.62	.	.17	.	.	.	.	.20	.		30
31	.	×	.	×	.	×	.12	.	×	.	×	.		31
TOTAL	4.38	1.20	.94	2.32	1.36	1.35	2.21	2.03	.71	5.10	4.77	.94	Year's Total. 27.31	
* Days with .01 in. or more.	22	9	14	16	9	15	17	10	9	19	24	15	179	
* Days with .04 in. or more.	17	8	8	11	5	10	13	6	4	15	18	6	121	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) L.C. Norris.

[P.T.O.

CROWN COPYRIGHT RESERVED.

Section **A** **for the entry of Daily Observations?** **Station No.** 219/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 19~~3~~40.

Kept at Woking

in the County of Surrey

Diameter of Funnel of Gauge ~~17~~ 5 in.

Height of top of Gauge above Ground 1 ft 3/8 in.

,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. ✓

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·04									·08			1
2		·09		·19			·04			·07	·64			2
3		·15		·08						·15	1·23	·08		3
4		·08		·02						·12	·09	·04		4
5										·03	·33	·18		5
6	·31						·28			·19				6
7	·21	·21			·02		·16							7
8		·18		·01					·03	·26	·02	·25		8
9				·02				·01	·05	·25	·20	·10		9
10							·10	·02		·10	·03	·02		10
11				·01			·02				·79			11
12			·14				·04		·10		·04			12
13			·63				·03		·10		·97			13
14		·01	·16	·07					·01	·12		·21		14
15			·01	·01	·08	·03	·37		·01		·31	·01		15
16	·01		·36	·23		·08	·27		·16	·64	·87	·02		16
17		·40	·20				·05		·01		·49	·01		17
18			·22	·19			·09	·03		·24	·15	·10		18
19		·22	·07	·06			·15		·77		·16			19
20		·09	·04	·02			·05	·02	·03	·07	·01			20
21			·02		·40		·30			·10	·37			21
22			·02	·01	·30	·58			·06	·03				22
23			·03	·15	·01	·10								23
24		·04		·27			·31					·01 1·03		24
25			·70				·02			·01				25
26	·84		·59	·05	·14	·01	·01							26
27	·44	·14		·08			·06							27
2·37 28	·61	·30			·08									28
29	·31	·10	·07	·04		·02						·32		29
30	·08	✕		·15						·09		·03		30
31	·09	✕		✕		✕			✕	·70	✕	·07		31
TOTAL	2·90	2·05	3·26	1·76	1·03	·82	2·35	·08	1·33	3·17	6·78	1·45	Year's Total. 26·98	✓
* Days with .01 in. or more.	9	14	15	19	7	6	18	4	11	17	18	15	141	✓
* Days with .04 in. or more.	8	13	11	12	5	3	14	·	6	14	15	9	110	✓

40-9999

† Spare column, no entries required

(*Signed*) L. C. Norris

* See Instruction 2 (f) on other side.

[P.T.O.

OCKHAM

219/5

Section **A** for the entry
AIR MINIST

FORM 1090.

REGI

Kept at Ockham

in the County of Su

Diameter of Funnel of Gauge
Height of top of Gauge above Gro
,, Ground ,, Sea

219/5

OCKHAM SCHOOL

1931 - 1932

780105

FOR OFFICIAL USE.
FALL ORGANIZATION.

93~~2~~1

Surrey/6.

/30

Id.

…moves informed 10/3/32. [illegible]

THE MORNING MEAS … **DAY.**

An observer who does not conform … *the following*
year in the space on the right of

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		✓	~~·35~~	✓	·00	~~·88~~	·00		·01	·00		·00	1
2		·25	·02	✓		·00	·00		·02	·00		·00	2
3		·1	·1	✓	✓	·00	·00		·05		·05 ~~·15~~		3
4		·02	·00	·82	·48	·00			·03		·04	·00	4
5		·00	·00	✓	·03	·00				·02	·03		5
6		·01	·00	✓	·03		·09			·00	·01		6
7	+·40				·00		·02		·04	·35		·00	7
8		✓		✓	·08	·5	·00		·00	·05		·25	8
9		✓	·03	✓		·34	·00		·00	·02	·00		9
10		·15	·04			·01			·03		1·25		10
11		·11	·02	·33	·02	·04			·00			·00	11
12	·06	·25	·00		·00	·00				·00		·00	12
13	·03	·00	·00	·00	·00		·06			·00	·00	·01	13
14	·01	✓		·00	·00		·04		·20	·00	·00	·00	14
15		✓		·00	✓ ·00	·00	·48		·00	·00	·00	·00	15
16		·11	·00	·20	✓	·00	·46		·00	·00	·00		16
17		·08	·00	·09	·31	·05	·00		·05		·00	·00	17
18		·03	·00	✓ ~~1·09~~		·01			·10		·00	·00	18
19	·05	·06	·02	✓	·00	·11				·00	·40		19
20	·03	·00	·00	1·09	·00		·41			·00		~~·02~~	20
21	·00			·11	·00		·03		·05	·00			21
22	·04		✓	·00	·34	·25	·00		·02	·00		·02	22
23	·26	·04	·05	·03		·00	·00		·00	·00	·00		23
24		·01	·00	·01		·02	·00		·06		·00		24
25		·01	·02	✓		·06			·00		·05		25
26	·22	·00	·00	✓		·00				·00	·00		26
27	·00	·03	·00	1·19		1·20	1·20			·00	·00	+·20	27
28	·08			·09			·25		·00	·05			28
29	·02	·35		·02		·00	·00		·00	·00			29
30	·09	✕	·00	·00		·00			·00	See	·00		30 (24·41)
31		✕	·00	✕	·88	✕			✕	Nov 3rd & 10	✕		31
TOTAL	(1.29) ~~·89~~	1.61 ~~1·26~~	·33 ~~·68~~	3·98	2·50 ~~1·62~~	2·62 ~~3·50~~	3·64	4·85	·66	·59 ~~·49~~	1·86 ~~1·96~~	(·48) ~~·28~~	YEAR'S TOTAL ~~18·96~~+ 23·81
*Days with ·01 in. or more.	~~7~~	~~8~~	~~6~~	~~7~~	~~4~~	~~6~~	~~6~~		~~8~~	~~4~~	~~7~~	~~1~~	
*Days with ·04 in. or more.	~~2~~	~~3~~	~~2~~	~~3~~	~~2~~	~~4~~	~~3~~		~~3~~	~~3~~	5	~~1~~	

May 23–30: Total for this period see June 1st

August: No Record kept in detail!

40-9999

*See Instruction 2 (f) on other side.

N. X (Signed) J. K. Freeman.
The Head Teacher.

[P.T.O.

OCKHAM

219/5

Section A for the entry of Daily Observations.

FOR ~~OFFICIAL~~ USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193~~2~~1

Surrey/6.

Kept at Ockham C of E. School. ~~Nr. Woking.~~

in the County of Surrey.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 70' ft.

NR 1929/30

monthly values allocated.
Jan 1-11 } estimated. Observer informed 10/3/32
Dec 23-31 }

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		✗	~~·35~~	✗	·00	~~·88~~	·00		·01	·00		·00	1
2		·25	·02	✗		·00	·00		·02	·00		·00	2
3		·1	·1	✗	✗	·00	·00		·05		~~·15~~ ·05		3
4		·02	·00	·82	·48	·00			·03		·04	·00	4
5		·00	·00	✗	·03	·00				·02	·03		5
6		·01	·00	✗	·03		·09			·00	·01		6
7	4.40				·00		·02		·04	·35		·00	7
8		✗		✓	·08	·5	·00		·00	·05		·25	8
9		✓	·03	✓		·34	·00		·00	·02	·00		9
10		·15	·04			·01			·03		1·25		10
11		·11	·02	·33	·02	·04			·00			·00	11
12	·06	·25	·00		·00	·00				·00		·00	12
13	·03	·00	·00	·00	·00		·06			·00	·00	·01	13
14	·01	✗		·00	·00		·04		·20	·00	·00	·00	14
15		✓		·00	✗ ·00	·00	·48		·00	·00	·00	·00	15
16		·11	·00	·20	✗	·00	·46		·00	·00	·00		16
17		·08	·00	·09	·31	·05	·00	No Record Kept in detail.	·05		·00	·00	17
18		·03	·00	✗ ~~1·09~~		·01			·10		·00	·00	18
19	·05	·06	·02	✗	·00	·11				·00	·40		19
20	·03	·00	·00	1·09	·00		·41			·00		~~·02~~	20
21	·00			·11	·00		·03		·05	·00			21
22	·04		✓	·00	·34	·25	·00		·02	·00		·02	22
23	·26	·04	·05	·03		·00	·00		·00	·00	·00		23
24		·01	·00	·01		·02	·00		·06		·00		24
25		·01	·02	✗		·06			·00		·05		25
26	·22	·00	·00	✗	Total for this period see June 1st	·00				·00	·00		26
27	·00	·03	·00	1·19		1·20	1·20			·00	·00	4·20	27
28	·08			·09			·25		·00	·05			28
29	·02	·35 ×		·02		·00	·00		·00	·00			29
30	·09		·00	·00		·00			·00	See	·00		30 "d" (24.41)
31		×	·00	×	·88	×			×	Nov 3rd ✗10	×		31
TOTAL	(1.29) ~~·89~~	1.61 ~~1·26~~	·33 ~~·68~~	3·98	2·60 ~~1·62~~	2·62 ~~3·50~~	3·64	4·85	·66	·59 ~~·49~~	1.86 ~~1·96~~	4·48 ~~·23~~	YEAR'S TOTAL ~~18·96~~ ~~4·45~~ ~~23·81~~
*Days with ·01 in. or more.	~~7~~	~~8~~	~~6~~	~~7~~	~~4~~	~~6~~	~~6~~		~~8~~	~~4~~	~~7~~	~~1~~	
*Days with ·04 in. or more.	~~2~~	~~3~~	~~2~~	~~3~~	~~2~~	~~4~~	~~3~~		~~3~~	~~3~~	~~5~~	~~1~~	

40-9999

*See Instruction 2 (*f*) on other side.

N. X (Signed) I. K. Freeman. [P.T.O.

The Head Teacher. X

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 219/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

File No. 11268/30

Kept at Ockham School Coff.

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level – ft.

Observer confirms that for Jan–July are 1931 figures 1932 not available. 1931 [illegible]

[illegible] asking for values for Jan Feb Mar Apr 1932. 27/3/32

Letter sent 10/4/33 1 days re 1932 values being identical with [illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following 1931

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·25	·35			–	–		–		·04	·05	1
2		·1	·02			–	–	·15		·23	·02		2
3		·02	·1	·82	·98	–				·10	–		3
4		–	–		·03	–			·60	–		·12	4
5		·01	–		·03		·09		·07	–		–	5
6					–		·02		·02	–	·02	–	6
7					·08	·50	–		·03		–	–	7
8			·03			·37	–		·10		–	–	8
9		·15	·07			·01				·45	–		9
10		·11	·02	·33	·02	·04				·12	–		10
11		·25	–		–	–		·02	·01	·26		–	11
12	·06	–	–	–	–		·06		·03	·55		–	12
13	·03			–	–		·04		–		·05	–	13
14	·01			–	–	–	·78		–		·02	–	14
15		·11	–	·20		–	·46		–		–	–	15
16		·08	–	·09		·05	–			·12	–		16
17		·03	–		·31	·01				·05	–		17
18	·05	·06	·02		–	·11			·14	·02		–	18
19	·03	–	–	1.09	–		·71		·05	·16		–	19
20	–			·11	–		·03		–		·23	–	20
21	·04			–	·37	·25	–	·74	–		–		21
22	·26	·04	·05	·03		–	–		·3		·27		22
23		·01	–	·01		·02	–				·03		23
24		·01	·02			·06					–		24
25	·22	–	–			–			·25			(·40)	25
26	~~·04~~	·03	–	1.19			1.20		·01				26
27	·08 ~~·02~~			·09			·25		–	–	·13		27
28	·02			·02		–	–		–		–		28
29	·09		–	–		–		·04	·10		·03		29
30		×	–	–		–		·04		1.16	·26		30
31		×	–	×	·88	×		–	×		×		31 unf
TOTAL	·89	1·26 1931	·68	3·98	2·70	1·42	1931 3·64	·99	1·71	3·22	1·10	(·57) ~~·17~~	YEAR'S TOTAL ~~21·76~~
*Days with ·01 in. or more.	~~11~~	~~15~~	~~9~~	~~11~~	~~8~~	~~10~~	~~10~~	~~5~~	~~13~~	~~11~~	~~11~~	~~2~~	~~116~~
*Days with .04 in. or more.	~~7~~	~~9~~	~~4~~	~~8~~	~~5~~	~~7~~	~~8~~	~~4~~	~~8~~	~~10~~	~~6~~	~~2~~	~~78~~

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J. H. Freeman.

P.T.O.

220/5

BROOKWOOD

SHEETS HEATH

1932 - 1940

780105

220/5

Section **A** for the ent

AIR MINI

COPY FOR OFFICIAL USE.

INFALL ORGANIZATION.

FORM 1090. **REC** 1932.

Surrey /6

Kept at X Broo

in the County of S

Diameter of Funnel of Gauge

Height of top of Gauge above

,, Ground ,,

J. CANN,

gnals, S. R.

C1932

GEWAY,

TS HEATH,

BROOKWOOD.

THE MORNING MI S DAY.

An observer who does not confo *of the following*

year in the space on the right

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								·08	–	·06	·02	–	1
2								·09	–	·06	–	·07	2
3								~~·09~~	–	·09	–	–	3
4								–	·10	–	·05	–	4
5								–	·48	–	–	·09	5
6								–	·07	–	–	–	6
7								away on leave no record	·08	·10	–	·05	7
8									·18	·20	Tr	–	8
9									–	·10	–	·02	9
10									–	·20	–	Tr	10
11									·04	·07	·09	–	11
12									–	·15	Tr	–	12
13									–	·52	·05	–	13
14									–	·01	–	–	14
15									–	·09	–	·08	15
16									–	–	–	–	16
17									–	·05	–	·04	17
18									·26	–	·10	·02	18
19									·04	·17	·02	–	19
20									–	·64	·14	–	20
21							·04		·02	·16	–	–	21
22							·23	–	·17	·22	–	–	22
23							–	–	·15	·76	–	·44	23
24							·27	–	+	·06	·29	–	24
25							·84	–	·07	·16	·02	–	25
26							·36	–	·10	·04	–	–	26
27							·08	–	Tr	·35	·10	·01	27
28							·13	–	–	·35	–	–	28
29							·20	–	·14		–	–	29
30		×					·08	·04	·21	–	·26	·10	30
31		×		×		×	·07	–	×	–	×	·04	31
TOTAL							~~2.30~~	–	2.11	4.64	1.14	·96	YEAR'S TOTAL
*Days with ·01 in. or more.							~~10~~	–	15	23	11	11	imp.
*Days with ·04 in. or more.							~~7~~	–	4	21	8	7	n.r.

40-9999

*See Instruction 2 (*f*) on other side.

N

(*Signed*) X CAPTAIN H. J. Cann X

[P.T.O.

220/5

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Surrey /6

Kept at Brookwood (SHEETS HEATH)

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 200 ft. (about)

CAPTAIN H. J. CANN,
Royal Corps of Signals, S. R.
THE RIDGEWAY,
SHEETS HEATH,
BROOKWOOD.

c 1932

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								·08	-	·06	·02	-	1
2								·09	-	·06	-	·07	2
3								~~·09~~	-	·09	-	-	3
4								-	·10	-	·05	-	4
5								-	·48	-	-	·09	5
6								-	·07	-	-	-	6
7								away on leave No record	·08	·10	-	·05	7
8									·18	·20	Tr	-	8
9									-	·10	-	·02	9
10									-	·20	-	Tr	10
11									·04	·07	·09	-	11
12									-	·15	Tr	-	12
13									-	·52	·08	-	13
14									-	·01	-	-	14
15									-	·09	-	·08	15
16									-	-	-	-	16
17									-	·05	-	·04	17
18									·26	-	·10	·02	18
19									·04	·17	·02	-	19
20									-	·64	·14	-	20
21							·04		·02	·16	-	-	21
22							·23	-	·17	·22	-	-	22
23							-	-	·15	·76	-	·44	23
24							·27	-	+	·06	·29	-	24
25							·84	-	·07	·16	·02	-	25
26							·36	-	·10	·04	-	-	26
27							·08	-	Tr	·35	·10	·01	27
28							·13	-	-	·35	-	-	28
29							·20	-	·14		-	-	29
30		X					·08	·04	·21	-	·26	·10	30
31		X		X		X	·07	-	X	-	X	·04	31
TOTAL							~~2.30~~	-	2.11	4.64	1.14	·96	YEAR'S TOTAL imp.
*Days with ·01 in. or more.							~~10~~	-	15	23	11	11	n.p.
*Days with ·04 in. or more.							~~7~~	-	4	21	8	7	

40-9999

*See Instruction 2 (*f*) on other side.

N

(Signed) CAPTAIN H. J. Cann
Captain

P.T.O.

Station File ~~220/5~~ 220/5

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. ~~Station~~ No. ~~196744/32~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Brookwood (SHEETS HEATH) cf 233/5 219

in the County of Surrey

CAPTAIN H. J. CANN,
Royal Corps of Signals, S. R.

Surrey/6

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 200 ft. about

Days Comp 1932

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12	.20	.13	—	—	—	—	—	—	—	away on duty	—	1
2	.16	—	.34	—	.58	—	—	—	—	—		—	2
3	—	.20	.29	—	.04	—	—	—	—	—		—	3
4	.21	.01	.04	—	.38	—	—	—	—	—	.31	—	4
5	.03	.01	.30	—	.04	—	—	—	—	—		—	5
6	—	.09	.03	—	.23	—	—	—	—	.15		—	6
7	.14	.04	.03	—	.20	—	—	—	—	.08	—	—	7
8	.02	—	—	—	.03	—	—	—	—	.02	—	—	8
9	—	—	—	—	.05	—	—	—	—	.10	—	—	9
10	—	.52	—	—	—	—		—	—	.21	.14	—	10
11	.30	—	—	—	.09	.13	Camp 7 days	—	TR	.02	—	—	11
12	—	—	—	—	—	—		leave	.94	—	.02	—	12
13	.05	—	—	—	.09	.14	1.20			—	.10	—	13
14	—	—	—	—	—	.03	away		—	.18	.28	—	14
15	.20	—	.10	—	—	—			—	—	—	—	15
16	—	—	.55	—	—	.02			.01	—	—	—	16
17	.01	—	.35	—	—	.19	—		.03	—	—	—	17
18	.14	.02 Snow	.29	—	—	.21	—		—	—	—	—	18
19	—	—	.20	—	—	TR	—		.55	—	.10	.08	19
20	—	.04 Snow	.06	.10	—	—	—	.52	—	—	—	—	20
21	—	.01 Snow	—	—	.17	—	—		.16	—	—	—	21
22	—	—	—	—	.30	—	—	on	.10	~~.05~~ on duty	.02	—	22
23	—	—	—	—	2.45	.02	—		.21		—	—	23
24	—	1.04 Snow	—	.40	—	.19	—	away	.24		—	—	24
25	—	.91	—	.20	—	—	—		.10	1.00	—	.09	25
26	—	.71	—	—	—	.24	—		.02		—	.04	26
27	—	.02	—	—	.40	—	—		—	&	—	.08	27
28	—	—	—	—	—	—	.28		—		—	.10	28
29	—	—	TR	.15	—	—	.02	—	—	away	—	—	29
30	.14	×	.08	.06	—	—	—	—	.15		—	.13	30
31	.14	×	—	×	—	×	—	.08	×		×	TR ~~.13~~	31
TOTAL	1.66	3.82	2.80	.91	5.05	1.17	1.58	.60	2.51	1.76	.97	.52	YEAR'S TOTAL 23.32
*Days with .01 in. or more.	13	14	14	5	14	9	?	?	12	?	?	6	
*Days with .04 in. or more.	10	8	12	5	13	6	?	?	9	?	?	6	

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) H. J. Cann Captain

X CAPT H J CANN X

P.T.O.

220/5

COPY FOR OFFICIAL USE. ✓ 1j.

Section **A** for the entry of Daily Observations. Station No. 220/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934. 196744/32

Kept at Sheets Heath Brookwood

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 200 ft.

CAPTAIN H. J. CANN,
Royal Corps of Signals, S. R.
THE RIDGEWAY,
SHEETS HEATH,
BROOKWOOD.

Oct–Nov amended for accumulation – monthly totals [illegible] for accumulation

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	–	–	–	–	·24	–	·40		·45		1
2	–	–	·18	–	–	–	–	–	–			·18		2
3	–	·03	–	·03	·26	–	–	–	–	·25	(·02) ~~·37~~	·10		3
4	·17	–	·06	·09	–	–	–	–	–	–		·37		4
5	–	–	–	–	·11	–	–	–	–	–	·10	·40		5
6	–	–	·31	TR	–	–	–	·24	–	·23	–	·52		6
7	·08	–	–	–	–	–	–	·10	–	·09	–	·20		7
8	–	·02	–		·25	–	–	·10	·20	–	·38	·02		8
9	–	–	·02	·32	–	–	–	–	–	–	·94	·50		9
10	–	–	·18		–	–	–	·04	–	TR.	·41	·03		10
11	·40	–	·35		–	–	–	–	–	–	–	·13		11
12	·04	–	–	–	–	–	·22	·23	–	–	–	·09		12
13	·39	–	·29	·01	–	–		·26	–	·01	·08	·30		13
14	·07	–	·35	–	·01	·09	–	–	–	·04	·19	·50		14
15	–	–	·12	–	·10	–	–	–	–	–	·11	·48		15
16	·10	–	·19	–	·03	–		–	–	·28	–	·01		16
17	–	–	·02	·02	–	–		–	–	·15	·04	~~·10~~ ·11		17
18	·52	–	·02	·18	–	–		–	–	–	–	~~·30~~ ·20		18
19	–	–	·30	–	–	–	1·40	–	·10	–	·01	·30		19
20	–	–	·05	·07	–	–		–	–	·01	–	·02		20
21	–	–	–	·18	–	·04			–		–	·01		21
22	–	–	–	–	–	–	·25		·14		–			22
23	–	–	–	–	–	·35	·51		–		–			23
24	–	·03	·06	·62 Thunder	–	–	–		·08		–	·66		24
25	·14	–	–	·14	–	·10	–		–		–			25
26	–	–	–	·46	–	·10	–	1·63	·02	See Nov. 1–4	–			26
27	–	–	–	·10	–	·04	–		–		–	·14		27
28	–	–	–	·33	–	·25	–		–		–	·18		28
29	–	–	–	–	–	–	–		–		·02	·01		29
30	·06	×	–	–	–	–	·06		–		–	·29		30
31	·07	×	–	×	–	×	–		×	(·35)	×	·06		31
TOTAL	2·04	·08	2·50	2·55	·76	·97	2·94	2·84	·5~~7~~4	(1·81) ~~1·46~~	(2·30) ~~2·67~~	6·26	Year's Total 25·59 ✓ d	
*Days with ·01 in. or more.														
*Days with ·04 in. or more.														

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) H. J. Cann

[P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 220/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

19 6744/32

Kept at Brookwood

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 200 ft.

CAPTAIN H. J. CANN,
Royal Corps of Signals, S. R.

Brookwood Lane

aug + Sept. adjusted from surrounding stns.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.16	.03		.08	.02	.20	1.02		(.50)	.25		.05		1
2	.01		.01			.01								2
3	TR	.02		.01		.13			?	.93				3
4		.02		.25		.04			43	.33	.93	.07		4
5		.09	.06			.15			.49			.01		5
6	.02			.34		.44				.20				6
7				.33		.07						.16		7
8				.40		.03					.20	.03		8
9				.31		.50				.85	.48			9
10	.04			.30		.01						.03		10
11	.33			.11							.47			11
12		.03				.20	.12	.08	.04		.83			12
13	.05	.10		.14	.03					.03	.04			13
14		TR		.04	.20	.33					.07			14
15		.18		.34	.02				.12		.28	.20		15
16		.03		.11					.41		.50			16
17	.01			.10		.18			.09		.21			17
18				.19	.24	.01			.23	.06	.02			18
19		.05		.01	.40	.02				.01	.35			19
20		.20		.18	.16	.19	.25							20
21		.33		.01					.01		.03			21
22	.01	.04	.06	.05				(2.98)	.10					22
23		.10	.10					~~3.48~~	.20			.15		23
24		.60							.25			.13		24
25	.15	.51		.24	.19	.80			.04			.20		25
26		.26										.45		26
27		.63							.14		.10	.30		27
28		.09							.80			.15		28
29		×										.30		29
30	.06	×		.03							.40	.38		30
31		×		×		×			×		×	.26	d	31
TOTAL	.84	3.31	.23	3.57	1.26	3.31	1.39	(3.06) ~~3.56~~	(3.85) ~~3.35~~	2.69	4.91	2.87	Year's Total. 31.29	
* Days with .01 in. or more.	~~10~~	~~18~~	~~4~~	~~21~~	~~8~~	~~17~~	~~3~~	~~–~~	~~14~~	~~8~~	~~–~~	~~16~~	..	
* Days with .04 in. or more.	~~6~~	~~12~~	~~3~~	~~17~~	~~5~~	~~12~~	~~3~~	~~–~~	~~13~~	~~7~~	~~–~~	~~13~~	..	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. J. Cann Captn

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 220/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

1967 44/32

Total

Kept at Brookwood

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·48	·04	·04	·14	—	·05	·23		·02	—	·80	·06		1
2	·03	—	—	—	—	·36	·15	·38	—	—	·10	—		2
3	—	—	—	·36	—	·12	—		·24	—	·03	—		3
4	·01	—	·10	—	—	·06	·06	—	·30	·02	·30	·03		4
5	·51	—	·07	—	—	—	—	·03	—	—	·16	—		5
6	·44	—	—	—	—	—	—	·01	·18	—	·36	·15		6
7	·20	—	·05	—	—	—	—	—	·04	—	·14	—		7
8	·24	—	·03	—	—	—	·24	—	—	—	·15	·19		8
9	·61	—	·05	—	—	—	—	—	·14	—	—	—		9
10	·02	—	—	—	—	—	·38	·92	·01		—	—		10
11	—	—	—	·11	—	·11	·08	—	—	—	·65	—		11
12	—	—	—	·08	—	·50	·20	—	·21	—	·18	—		12
13	—	·40	—	·06	—	·10	·20	—	—	—	·02	·19		13
14	—	—	—	—	—	—	—	—	·05	·06	·20	·61		14
15	—	—	—	—	—	—	·50	—	·15	—	—	·08		15
16		—	—	—	—	—	·05	—	·03	—	·38	·09		16
17		·60	—	—	—	·08	—	—	—	—	·17	·16		17
18	·90	·30	—	—	—	·16	·15	—	—	—	·01	·19		18
19	Snow	—	·03	—	—	·62	—	·08	—	—	—	—		19
20	Ice	·05	—	·50	—	·45	—	—	·68	—	—	—		20
21	—	—	—	·13	—	·23	·15	—	—	—	—	—		21
22	·13	·47	·08	—	·48	·11	—	—	—	—	—	—		22
23	—	·15	·33	·06	·08	—	·27	—	—	—	—	—		23
24	·05	—	—	—	—	—	—	—	·02	·08	—	—		24
25	·03	—	~~·20~~	·20	—	—	·05	—	·10	·70	—	—		25
26	·21	·11	~~·20~~	·06	—	—	·15	—	·06	·06	—	·06		26
27	—	—	—	—	—	—	·02	—	·28	·30	—	—		27
28	·81	—	—	—	—	—	·51	—	—	·06	—	—		28
29	·08	·08	·19	—	—	—	·10	—	—	—	·19	·05		29
30	·05	✕	—	—	·15	·50	·06	—	—	—	—	·01		30
31	·25	✕	·20	✕	—	✕	·03	—	✕	—	✕	·34	'd'	31
TOTAL	5·05	2·20	1·17	1·70	·71	3·45	3·58	1·42	2·51	1·28	3·84	2·21	Year's Total 29·12	
*Days with ·01 in. or more.	22 ~~21~~	9	12	10	3	14	20	6 5	16	7	16	14	149	
*Days with ·04 in. or more.	18 ~~17~~	9	12	10	3	14	18	4 3	12	6	13	12	131	

gauge frozen.

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) H. J. Cann

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 270/5 ~~19 67~~ 44/52.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at The Ridgeway, Sheets Heath Brookwood

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 200 ft.

Captain H. J. Cann
The Ridgeway
Sheets Heath
Brookwood
Woking, Surrey

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	·10	–	–	·03	–	–	–	·61	·40	1
2	–	·25	–	–	–	–	–	–	–	–	–	1·01	2
3	–	·21	–	–	–	–	–	–	·10	–	–	–	3
4	·12	·50	–	·10	–	–	–	–	–	–	–	–	4
5	·13	·21	–	–	–	–	–	–	–	–	–	·32	5
6	·10	–	Snow 1·17	·30	·31	–	·10	–	–	–	–	–	6
7	–	·57		–	–	–	·08	–	·03	·09	–	·03	7
8	–	·03		–	·12	–	–	–	–	–	–	–	8
9	–	–	3·11	·34	·19	·08	–	·08	·31	–	–	·56 Snow	9
10	–	–	Snow	·12	·01	·38	–	·08	–	–	–	·35	10
11	–	–		–	·28	·23	–	–	–	–	–	–	11
12	·21	·17	–	·06	·29	·48	·08	·65	–	–	–	1·0	12
13	·20	·11	·18	·03	–		–	–	·55	–	–	·15	13
14	·01	·05		TR	–	–	–	·40	·04	–	–	–	14
15	–	·07	–	·15	–	–	–	–	·30	–	–	–	15
16	·25	–	·49	·50	–	–	·29	–	·31	–	·16	–	16
17	·40	–	–	–	–	–	–	–	·25		–	–	17
18	·32	·24	–	–	·04	–	–	–	–		·20	–	18
19	–	–	–	–	–	·26	·03	–	·10		–	·15	19
20	·50	–	–	·38	·52	·19	–	–	·01		–	–	20
21	·49	·50	·32	·05	–	–	–	–	–		–	·10	21
22	·48	·05	–	–	·17	·24	–	–	–		·40	–	22
23	·21	–	–	–	·10	–	–	–	–	25	–	·10	23
24	·38	·50	–	–	–	–	–	–	·10		–	–	24
25	·15	·35	–	–	·19	–	–	–	·10		–	–	25
26	–	·16	–	–	·18	–	–	–	–		–	–	26
27	–	·15	–	·10	–	–	–	–	–		–	–	27
28	–	Snow ·09	–	·03	–	–	–	–	–		–	–	28
29	Snow	–	–	–	–	–	–	–	–		·08	–	29
30	·38	×	–	–	–	–	–	–	–	–	·16	–	30
31	·25	×	–	×	–	×	–	–	×	·18	×	–	31
TOTAL	4·58	4·21	5·27	2·26	2·40	1·86	·61	1·21	2·20	2·32	1·61	4·17	YEAR'S TOTAL 32·70
*Days with ·01 in. or more.	~~17~~	~~18~~	~~5~~	~~13~~	~~12~~	~~7~~	~~6~~	~~4~~	~~12~~	~~3~~	~~6~~	~~11~~	~~″~~
*Days with .04 in. or more.	~~16~~	~~17~~	~~5~~	~~11~~	~~11~~	~~7~~	~~4~~	~~4~~	~~10~~	~~3~~	~~6~~	~~10~~	~~″~~

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) H. J. Cann Captain

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 220/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

196744/32

Kept at The Ridgeway, Sheets Heath, Brookwood

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 200? ft.

CAPTAIN H. J. CANN.
THE RIDGEWAY,
SHEETS HEATH,
BROOKWOOD,
WOKING,
SURREY.

V wes R.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–			–	·03	·16		–	·04	–	–	·03		1
2	–			·05	·01			–		·22	–	·08		2
3	–				·36			–		·41	·03	–		3
4	–							·08		·12	Tr	·05		4
5	–							–		·25		–		5
6	·05						·28	–		·15		–		6
7	–	·19					–	·26	·05	–		·02		7
8	·20						·15	·23		·38		–		8
9	·15					·05	·08	·05		·02		·68		9
10	–						–	·08		·01		·15		10
11	·25							–		–	·24	·10		11
12	·74				·02			·28		·11	–	Tr		12
13	·28				–					·04	·25	–		13
14	·21				–						·01	·16		14
15	·19				·10						·03	·18		15
16	–		Tr		–		·38				–	·49		16
17	–				–						–	–		17
18	·05				·02				·20		·36	–		18
19	Tr								·10		·12	–		19
20									·04		·53	–		20
21								·56	·08	·99	·06	x		21
22				·02					–		·15	x		22
23				·03					–		·10	·91 ✓	Gauge	23
24			·08	–			·03		·20		·06		frozen	24
25			·02	·01	·15	·21	–		–		·91	x (Snow)		25
26		·55	·14		–	–	–		·12		–	x		26
27		·04			·02	–	·26		·40		·26			27
28		·15			·28	–	–		·08		–	·13		28
29		–			·16	·08	–	–	–		·06	·21		29
30	·50	✕			·14	·20	–	–	·10		·15	–		30
31	·04	✕		✕	·08	✕	–	–	✕		✕	·20		31
TOTAL	2·16	·93	·24	·11	1·37	·64	1·18	1·54	1·41	2·70	3·32	3·39	Year's Total 18·99	18·99
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) H. J. Cann [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 220/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

196744/32.

Kept at The Ridgeway, Sheets Heath, Brookwood

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 200 ft.

CAPTAIN H. J. CANN,
Royal Corps of Signals,
THE RIDGEWAY,
SHEETS HEATH,
BROOKWOOD,
WOKING,
SURREY.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	·30	·14	—		—	·33	—	—	—		1
2	·05	—	—	·02	·14	—		·50	·51	—	—	—		2
3	—	—	—	·31	—	—		·25	—	—	·37	·41		3
4	—	—	·50	—	—	—		·39	—	·35	—	—		4
5	—	—	—	—	—	—	·65	—	—	·18	·50	·15		5
6	—	—	—	·28	·01	—		·08	—	—	·42	—		6
7	·30	·13	·08	—	—	—		—	—	·10	·29	—		7
8	·08	·39	·19	—	·17	—		·15	—	·42	·29	·31		8
9	·05	·05	—	—	·03	—	—	—	—	·16	·20	·20		9
10	—	—	—	—	—	·18	—	—	·07	—	—	—		10
11	—	—	·18	—	·08	—	—	—	·07	·27	—	—		11
12	—	—	—	—	·08	·09	—	—	—	—	—	—		12
13	—	—	—	—	—	—	—	—	—	1 inch	·45	—		13
14	·85	—	—	—	—	—	·11	—	—	·30	—	—		14
15	·40	—	—	·12	·47	·35	·12	—	·15	·80	—	—		15
16	·49	—	·17	·02	·11	·11	·09	—	—	~~·20~~	·50	—		16
17	·20	—	—	·03	·21	—	·20	—	—	·22 ~~·80~~	·10	—		17
18	·20	·05	—	—	—	·22	·14	—	—	~~·22~~	·30	—		18
19	·03	—	—	—	—	—	·24	—	—	·17 ~~·47~~				19
20	·62		—	—	—	—	·60	—	—	—				20
21	·08	·12	·16	—	—	—	—	·50	—	—	·88			21
22	·10	·34	—	—	—	·13	—	—	—	—				22
23	·01	—	—	·38	—	·11	·19	—	—	·05				23
24	Snow	—	—		—	·03	·11	—	—	·17				24
25	·84	—	—	—	—	—	—	—	—	—				25
26	—	—	—	—	—	—	—	—	—	·23	—	·34		26
27	·18	—	·08	—	—	—	—	—	—	—	·40			27
28	—	—	·10	—	—	—	—	—	—	·02	—			28
29	—	X	—	·30	—	—	·08	—	—	·07	·15			29
30	—	✕	—	·81	—	—	—	—	—	—				30
31	—	✕	—	✕	—	✕	·25	·09	✕	—	✕			31
TOTAL	4·48	1·08	1·46	2·07	1·44	1·22	2·78	1·96	1·13	4·51	4·85	1·41	Year's Total	28·89
* Days with .01 in. or more.														
* Days with .04 in. or more.														"α"

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 220/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1930

1967 44/32

? Jan + Feb

Jan + Feb Apportioned

Kept at The Ridgeway, Sheets Heath Brookwood

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 200 ft.

CAPTAIN H. J. CANN,
Royal Corps of Signals,
THE RIDGEWAY,
SHEETS HEATH,
BROOKWOOD,
WOKING,
SURREY.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1											·10			1
2		(34) ~~1·44~~	~~·15~~	·15			·06				·65			2
3	·32 Snow	Snow	~~·05~~	·05							1·20			3
4	Frost.	ice									·15	·10		4
5											·35	·15		5
6							·25			·25				6
7							·15							7
8										·30		·25		8
9									·05	·06	·22	·11		9
10				·07			·15	·06		·16				10
11							·04				·80			11
12			·30				·15		·08		·08			12
13		ice							·18	·13	1·0			13
14		1·35	·70	·10	·26						·35	·20		14
15					·08	·09	·50			·66				15
16			·40	·26		·04	·30		·20		·90			16
17	·95		·18				·04				·50			17
18	Snow		·20	·33			·12	·05		·27	·18	·18		18
19	Ice			·06					·65					19
20	all						·42		·05	·06	·18			20
21	Frozen		·08		·50			·03						21
22			·03		·25	·30			·05					22
23				·16										23
24				·23		·43	·30							24
25			·50											25
26			·60		·16									26
27				·15			·08							27
28	(1·60)	·40			·07									28
29	See		·08		·10				·35			·33		29
30	Feb. 1-4.	✕		·25										30
31		✕		✕		✕			✕	·80	✕			31
TOTAL	2·87 ~~1·27~~	2·69 ~~3·29~~	3·07	1·81	1·42	·86	2·46	·14	1·61	2·69	6·66	1·32	Year's Total ~~26·60~~	27·60
* Days with .01 in. or more.													26·60	
* Days with .04 in. or more.													·0	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) H. J. Cann Captain

P.T.O.

Section **A** for the entry of Dail

AIR MINISTRY.—M

FORM 1090.

REGISTE

PY FOR OFFICIAL USE.

ORGANIZATION.

220

~~220~~

WOKING THE GREEN

1931 - 1940

780105.

400

Kept at The Green Maybury

in the County of Surrey

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground —

,, Ground ,, Sea Level

THE MORNING MEASUREM

An observer who does not conform to this r … *wing*

year in the space on the right of this par

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·03		·20				·03	·10				1
2	·22	·08		·33			·02	·02	·49	·02		·06	2
3	·08		·08	·40	·69			·19	·60		·08	·19	3
4					·09		·04	·02	·04	·01	·13		4
5		·02		·20		·39	·10	·09	·01			·09	5
6		·10		·16		·03		·01		·31	·30	·02	6
7					·09	·18		·45		·14	·25	·03	7
8		·04	·02	·02		·34		·15		·01	·03	·02	8
9		·02	Snow ·10	·03					·03		·50	·02	9
10	Tr	·13				·03		·22			·22		10
11	·06	·31							·02		·29	·02	11
12	·03						·04	·02	·19	·02			12
13								·91					13
14	·01	·10					·96	·75			·01		14
15	·03	·01		·23	·09		·33	·17				·08	15
16				·14	·22	·08		·17	·14				16
17	·02	·07		·40	·02		·37	·04	·06	·02			17
18	·03	·09	·05	·11		·14	·12	·93			·54		18
19	·03			·50		·39	·26	·26	·06				19
20		·04		·05				·25			·02	·01	20
21	·03				·40						·02		21
22	·22		·02	·02					·02		·02		22
23	·18			·12	·40				·05		·10		23
24			·01	·38	·10		·18	·05			·01		24
25	·07			·41	·06		·45						25
26		·04		·30			·50		·01		·14		26
27	·12	·30		·11	·43		·11			·02	·06	·01	27
28	·02	·05								·01	·01	Snow ·08	28
29	·08	×		·03	·10		·07				·02		29
30	·03	×					·01	·15	·01	·14			30
31	·09	×		×	·09	×			×		×	·02	31
TOTAL	1·35	1·43	·28	414	2·78	1·58	3·56	4·88	1·83	·70	2·75	·65	YEAR'S TOTAL 25·93
*Days with ·01 in. or more.	18	16	6	20	13	8	15	20	15	10	19	13	173
*Days with ·04 in. or more.	9	12	3	16	12	6	13	15	9	3	11	5	114

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) M. S. Howlett

P.T.O.

220

Section **A** for the entry of Daily

Y FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at The Green. Mayburg. Woking

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft 9 in.

„ Ground „ Sea Level 100 ft.

File ref. 895795/29

Station No. 220.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·03		·20				·03	·10				1
2	·22	·08		·33			·02	·02	·49	·02		·06	2
3	·08		·08	·40	·69			·19	·60		·08	·19	3
4					·09		·04	·02	·04	·01	·13		4
5		·02		·20		·39	·10	·09	·01			·09	5
6		·10		·16		·03		·01		·31	·30	·02	6
7					·09	·18		·45		·14	·25	·03	7
8		·04	·02	·02		·34		·15		·01	·03	·02	8
9		·02	Snow ·10	·03					·03		·50	·02	9
10	Tr	·13				·03		·22			·22		10
11	·06	·31							·02		·29	·02	11
12	·03						·04	·02	·19	·02			12
13								·91					13
14	·01	·10					·96	·75			·01		14
15	·03	·01		·23	·09		·33	·17				·08	15
16				·14	·22	·08		·17	·14				16
17	·02	·07		·40	·02		·37	·04	·06	·02			17
18	·03	·09	·05	·11		·14	·12	·93			·54		18
19	·03			·50		·39	·26	·26	·06				19
20		·04		·05				·25			·02	·01	20
21	·03				·40						·02		21
22	·22		·02	·02					·02		·02		22
23	·18			·12	·40				·05		·10		23
24			·01	·38	·10		·18	·05			·01		24
25	·07			·41	·06		·45						25
26		·04		·30			·50		·01		·14		26
27	·12	·30		·11	·43		·11			·02	·06	·01	27
28	·02	·05								·01	·01	Snow ·08	28
29	·08	×		·03	·10		·07				·02		29
30	·03	×					·01	·15	·01	·14			30
31	·09	×		×	·09	×			×		×	·02	31
TOTAL	1·35	1·43	·28	4·14	2·78	1·58	3·56	4·88	1·83	·70	2·75	·65	YEAR'S TOTAL 25·93
*Days with ·01 in. or more.	18	16	6	20	13	8	15	20	15	10	19	13	173
*Days with ·04 in. or more.	9	12	3	16	12	6	13	15	9	3	11	5	114

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) M. S. Howlett

P.T.O.

220

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 220

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at The Green Woking
in the County of Surrey
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground — ft 9 in.
,, Ground ,, Sea Level 100 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	·02		·02	·59			·10	·01	·07	·02	·03	1
2				·17	·06			·17	·13	·07	·02	·13	2
3				·71	·20				(·48) [illegible]	·07			3
4	·01					·23					·03		4
5	·12		·02		·02	·02	·25		·07				5
6	·33			·37					·04				6
7	·02		·10	·10	·01				·05	·12			7
8			·14	·05	·28				·15	·21			8
9	·20	·01		·13	·39					·01			9
10	·64	·02	·03	·18	·05	·05			·01	·15			10
11	·07			·10	·01		·69		·02	·02	·05		11
12	·08							·03	·04	·28	·01	·01	12
13	·06	·01		·11			·02		·01	·53	·03	·02	13
14	·06	·03		·03	·03					·02	·03		14
15	Tr			·08	·18					·08			15
16	·15			·25	·06								16
17				·04			·06			·07			17
18							·06		·22		·10		18
19									·04	·18	·03		19
20				·16	·02			·31	·02	·55	·15		20
21			·02	·10	1·07			·10		·19		·09	21
22			·25		·35		·19		·26	·28	·28		22
23		·08	·02	·05	·07	·07			·19	·76	·03	·08	23
24		·04					·30		·08	·14	·09	·01	24
25							·81		·04	·16	·02	·01	25
26			·10	·02	·01		·38			·06	·05		26
27			·27	·09	·39	·01	·07			·47	·09		27
28			·01		·25		·15			·06			28
29			·32		·12	·04		·03	·13	·34	·02		29
30		×	·01	·06		·67	·01	·09	·19		·19	·07	30
31		×		×		×	·03		×		×	·04	31

	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	YEAR'S TOTAL
TOTAL	1·83	·21	1·29	2·82	4·16	1·09	3·02	·83	2·18	4·89	1·24	·49	24·05
*Days with ·01 in. or more.	12	7	12	20	20	7	13	7	20	24	18	10	170
*Days with .04 in. or more.	10	2	6	17	14	5	10	5	15	21	8	5 ~~4~~	11~~7~~ 8

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) Mary S. Howlett

P.T.O.

220

KG.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 220

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at The Green, Woking

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 9 in.

,, Ground ,, Sea Level 100 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	·18	·09		·02					·01	·03			1
2	·19		·27		·29									2
3		·21	·29		·03									3
4	·14	·02	·01		·35					·01	·06			4
5	·03	·01	·29		·05									5
6		·09	·02		·36					·10	·06			6
7	·12	·04	·03							·13		·03		7
8			·02		·07		·12			·02				8
9		·01			·05		·11			·13	·06			9
10		·52				·05	·03			·18	·07			10
11	·34				·04	·14	·35		·02	·03	·03			11
12	·01			·03		·23	·06	·09	·87					12
13	·05				·10		·22		·10	·03	·15			13
14							·03	·02		·24	·35	·01		14
15	·22		·12				·20	·25			·01			15
16			·68			·18	·36		·02	·02	·01			16
17			·44			·26			·03		·08			17
18	·13	·08	·25			·15								18
19		·05	·07			·02	·04		·32					19
20		Snow ·02	·04	·13										20
21		·04				·45		·06	·21		·01	·01		21
22					·16			·25	·03	·29	·04			22
23				·13	1·63	·02			·15	·05				23
24		·70		·08		·81			·26					24
25		·78		·30					·18	·01	·02	·03		25
26		·60		·02	·11	·05				·06		·08		26
27		·01			·32				·02	·23		·05		27
28							·21			·32				28
29	·07		·02	·07			·02			·12				29
30	·14	×					·02		·14	·02		·15		30
31	·12	×		×		×		·09	×		×			31
													Year's Total	
TOTAL	1·63	3·36	2·64	·76	3·58	2·36	1·77	·76	2·35	2·00	·98	·36	22·55	
*Days with ·01 in. or more.	13	16	15	7	14	11	13	6	13	19	14	7	148	
*Days with ·04 in. or more.	11	11	10	5	12	9	9	5	8	11	8	3	102	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) M. S. Howlett

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 220

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at The Green Maybury Woking

in the County of Surrey

File Number 895795/29

400

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1								·18		·05	·03	·40		1
2	·07		·11						·70	·25	·01	·21		2
3	·03	·04		·05						·24		·06		3
4	·09		·04	·07						·06	·07	·33		4
5			·05		·01			·02			·10	·40		5
6	·06		·31	·02	·19	·24		·26		·17		·50		6
7		·03						·12		·14	·04	·23		7
8					·05			·03	·20		·36	·03		8
9											1·0	·49		9
10			·14	·19						·01	·30	·02		10
11	·29		·32								·01	·12		11
12	·05		·02				·22	·22		·02		·05		12
13	·26		·25	·02			·48	·04			·11	·11		13
14	·06		·27	·02	·02	·18					·19	1·03		14
15	·01		·14		·11					·17	·12	·50		15
16	·11		·16							·14				16
17	·02			·04	·04					·05	·02	·13		17
18	·45			·15			·29					·26		18
19			·25	·10					·09	·02		1·10		19
20			·06	·02			·22			·01		·05		20
21				·21		·06	·07	·08		·03				21
22							·20	·09	·15			·10		22
23		·01		·22		·35					·01	·03		23
24		·03	·08	·10			·67		·10		·02			24
25	·15	·08		·14	·04	·45				·05		·33		25
26	·01		·01	·41		·12			·02			·03		26
27				·10		·06				·05		·17		27
28		·04		·01		·14		·81				·20		28
29							·11		·16		·02	·01		29
30	·08	×										·24		30
31	·06	×		×		×		·03	×	·34	×	·07		31
TOTAL	1·80	·23	2·21	1·87	·46	1·60	2·26	1·88	1·42	1·80	2·41	7·20	Year's Total 25·14	
*Days with ·01 in. or more.	16	6	15	17	7	8	8	11	7	17	16	28	156	
*Days with ·04 in. or more.	12	3	13	12	5	8	8	8	6	12	9	23	119	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Mary S. Howlett

P.T.O.

7517

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 220

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

400

Kept at The Green, Shaftesbury Rd. Woking

File number. 895 795/29

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 9 in.

,, Ground ,, Sea Level 122 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·15	·03		·08	·03	·05	1·18		·36	·14	·42			1
2	·02		·02						·14	·15	·05			2
3			·06	·09		·03			·15	1·12	·15	·04		3
4				·24		·14			·23	·10	·02			4
5		·09	·06	·05		·12				·02		·03		5
6	·04		·01	·27		·40					·03			6
7	·02			·30						·03	1·04	·18		7
8				·35		·05				·18	·33	·03		8
9				·25		·49			·02	·75	·09			9
10	·06		·01	·33							·15	·04		10
11	·28			·11		·05	·03			·01	·22			11
12						·17		·12	·02		·76			12
13	·05	·15		·13	·05	·04					·01			13
14				·04	·18	·05					·13	·09		14
15		·16		·33	·02	·22			·08		·82	·14		15
16			·01	·09		·16			·42		·53			16
17	·02			·25		·12		·02	·07		·22			17
18				·18	·09	·13	·01		·20	·05		·02		18
19		·02		·04	·39	·04	·18		·03		·07	·06		19
20	·01	·15		·18	·26	·06	·09		·03		·23			20
21	·01	·40								·10	·01			21
22		·03	·04					·22	·15			·02		22
23			·14					·54	·13	·20		·08		23
24	·06	·60			·10			1·61	·27			·10		24
25	·17	·19		·25	·12	·29					·02	·15		25
26	·02	·27						·17	·05			·42		26
27		·42							·09		·09	·24		27
28		·05			·18				·13	·04		·15		28
29								·05	·77			·30		29
30		×		·03				·84	·03	·19	·44	·37		30
31	·05	×		×	Tr	×			×	·40	×			31
TOTAL	·96	2·56	·35	3·59	1·42	2·61	1·49	3·57	3·37	3·48	5·83	2·46	Year's Total. 31·69	
* Days with .01 in. or more.	14	13	8	20	10	18	5	8	20	15	22	18	171	
* Days with .04 in. or more.	8	10	4	19	8	17	3	7	15	12	17	14	134	

0-9999

e Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Mary S. Howlett.

[P.T

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 220

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at The Green Maybury Woking

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

,, Ground ,, Sea Level 100 ft. 122

1400

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.31	.04	.04	.10		.10	.12	.23			.06	.04		1
2			.01			.61	.02	.09			.10			2
3				.32		.04	.05		.28		.26	.02		3
4	.05		.08			.09			.28		.08	.04		4
5	.30		.03						.09	.01	.01	.06		5
6	.34					.03		.02	.08		.37			6
7	.16		.03			.04	.01		.05		.12			7
8	.25		.05				.08		.03		.22	.12		8
9	.46						.46		.18					9
10	.04						.08	.46	.01					10
11				.01			.18				.86			11
12				.11		.58	.19		.22		.20	.12		12
13				.10		.08						.26		13
14		.05			.01	.07	.50		.09	.03	.17	.75		14
15		.07							.24		.02	.10		15
16	.51	.09		.04			.05		.05		.39	.06		16
17	.15	.56			.30	.20					.18	.20		17
18	.01	.09				.40	.14			tr		.18		18
19	.20	.03	.04				.12	.11		.02				19
20	.10	.07	.04	.45		.20			.71			tr		20
21		.02		.35	.04	.30	.11		.02					21
22	.11	.35	.16		.44		.12							22
23	.01		.33	.05	.03		.12			.10		.12		23
24	.04	.17							.03	.76				24
25	.07		.14	.19	.01		.06		.20	.15				25
26	.05	.11	.14				.12		.04	.28				26
27	.20						.02		.16					27
28	.87		.14				.76			.06		.08		28
29	.08	.08	.03			.24	.10			.02	.19			29
30	.06	✕			.11					.46		.04		30
31	.35	✕	.28	✕	.02	✕	.50		✕	.54	✕	.29		31
TOTAL	4.72	1.73	1.48	1.72	.96	2.98	3.91	.91	2.76	2.43	3.23	2.48	Year's Total 29.31	
* Days with .01 in. or more.	23	13	15	10	8	14	22	5	18	11	15	16	170	
* Days with .04 in. or more.	21	11	11	9	4	13	19	4	14	7	13	15	141	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Mary S. Howlett [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 220

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Clg

Kept at The Green Maybury Woking

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ... ft. 9 in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·30			·08							·62	·68		1
2	·02	·24	·03	·60					·15		·02	·42		2
3		·17	·02											3
4	·06											·29		4
5	·13	·07	·20							·01	·02			5
6	·06		·75		·33		·13			·05	·02			6
7		·50	·09	·08					·03	·01				7
8		·01			·09	·03					·20	·18		8
9				·34	·15	·06	·03	·04	·29					9
10			·46	·09	·06	·41		·25				·33		10
11			·14		✗	·07	·05	·30				·02		11
12	·18	·18	·11	·02	✗ ·50	·33	·03		·09			·37		12
13	·17	·07	·39	·02		·10		·14	·39			·91		13
14	·02	·08	·32			·02		·51	·05			·04		14
15	·20	·07		·15		—	·45		·04					15
16		·15	·36	·43		—		·19	·31					16
17	·55		·23	·07		—					·02			17
18	·38	·07			·05	·42			·35		·19	·10		18
19		·08		·06		·17			·08	·02		·09		19
20	·39	·02	·21		·63	—			·05					20
21	·55	·40	·08	·05		—	·04							21
22	·42	·03			·06	·21	·07			·78	·23			22
23	·22	·02	·02		·14		·03			·28		·08		23
24	·41	·45								·41				24
25	·14	·38	·20		·16				·10			·02		25
26	·02	·17	·02		·10				·07	·19				26
27		·40		·15					·03					27
✗ 28	M.S. ·02	·12		·04						·58		·04		28
✗ 29	M.S. ·01	✗							·01	·02		·05		29
30	·28	✗								·10	·20	·01		30
31	·25	✗		✗		✗			✗	·03	✗	·05		31
TOTAL	4·78	3·68	3·63	2·18	1·94	1806 1·82	·83	1·43	2·04	2·48	1·52	3·68	Year's Total 30·04	✓ ✓
* Days with .01 in. or more.	22	21	17	14	12 ✓	10	8	6	15	12	9	17	163	✓ ✓
* Days with .04 in. or more.	17	17	13	12	12	8	5	6	12	7	5	14	128	✓ ✓

* See Instruction 3 (f) on other side. ✗ Melted snow
✗ " "

† Spare column, no entries required.

(Signed) M. S. Howlett [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 220

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at The Green

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

,, Ground ,, Sea Level 100 ft.

Apr. & Nov. Rain + Wet days Corr. for Arith. 18.2.39. EM7

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1					.04	.09	.12			.06		.03		1
2	.05	.01			.04		.08			.16		.07		2
3					.38					.40	.01			3
4	.03					.03	.03	.17		.09		.06		4
5	.01						.03			.20				5
6	.03			.04			.08		.04			.01		6
7	.02						.28	.16	.01	.14		.02		7
8	.18						.08	.18	.05	.33		.01		8
9		.01				.03		.06				.75		9
10		.04				.08		.08						10
11	.23							.04			.23			11
12	.25	.03			.03			.49		.17	.05			12
13	.25							.04		.04	.20	.13		13
14					.08				.02		.03			14
15	.09	.04					.31			.34		.16		15
16	.23		.01					.02		.03	.07	.38		16
17		.14								.13				17
18	.03				.03			~~.25~~	.25		.43			18
19								~~.09~~	.09		.14			19
20											.63			20
21	.02							.05	.09		.07	.40	Snow	21
22				.02		.01						.23	"	22
23				.04					.04		.10			23
24			.06						.17	.01	.05			24
25	.13		.09		.20		.02		.02		1.06	.07		25
26	.18	.18	.04						.35	.28				26
27	.10	.03			.04	.25	.29	.02	.54	.05	.28	.25	"	27
28	.04				.39	.05		.43	.01			.12		28
29					.13			.04			.08	.11		29
30					.11	.11			.07	.08	.20	.20		30
31	.15				.07									31
TOTAL	2.02	.48	.20	.14	1.54	.65	1.32	1.78	1.75	2.51	3.63	3.08	Year's Total 1910	✓
* Days with .01 in. or more.	18	8	4	4 3	12	8	10	13	14	16	17 6	17	148 39	✓
* Days with .04 in. or more.	12	4	3	3 2	10	5	7	11	10	14	13 4	13	106 57	✓

* See Instruction 3 (f) on other side.

5.03
54 days

† Spare column, no entries required.

14.07

(Signed) Mary S. Howlett

86 days

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 222

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at The Green Woking

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10			·44	·25				·16			·03		1
2	·04							·55	·18		·04			2
3	·25			·23				·20			·25	·20		3
4	·14		·20	·18			·09	·66		·30	·05	·03		4
5				·18			·03	·03		·20	·30	·05		5
6	·30		·06	·03			·24	0	·01		·49	·04		6
7	·03	·14						·02		·03	·15	·10		7
8		·08	·18				·03	0		·44	·36	·21		8
9	·06	·07						·06		·15	·30	·16		9
10	·25					·15		0	·03	·13	·03			10
11			·19		·02			·22		·33	·02	·02		11
12								0		·01				12
13				·02		·03	·02	0	·03	1·52				13
14	·48			·09	·16		·05	0		·25	·45			14
15	·35		·08		·72	·21	·01	0	·12	·90	·11	·04		15
16	·58		·07	·02	·23	·13		0		·03	·39			16
17	·21	·04		·02	·16		·24	0			·09			17
18	·21		·04			·26	·10	0		·06	·24			18
19	·18						·10	0			·02			19
20	·25					·13	·55	0						20
21	·04	·15	·12			·04	·25	0	·21	·10				21
22	·10	·25		·05		·14	·15	·10			·06			22
23	·02			·30		·02	·05	0		·06	·57			23
24	·15			·05		·02	·15	0		·14				24
25	·32	·25	·05				·04	0		·03	·29			25
26	·09		·02			·03		0		·19	·23			26
27	·06	·09	·08	·05				0		·05	·23	·01		27
28		·13	·08	·14		·06	·02	0			·12	·08		28
29				·31			·04			·06	·04			29
30		✕		·68		·12					·20			30
31		✕		✕		✕	·15		✕		✕			31
TOTAL	4·21	1·20	1·17	2·79	1·54	1·36	2·31	1·75	·74	4·98	4·94	·97	Year's Total 27·96	
* Days with .01 in. or more.	22	9	12	16	6	13	19	8	7	20	24	12	168	
* Days with .04 in. or more.	20	9	11	12	5	10	14	5	4	16	21	8	135	

* See Instruction 3 (f) on other side.

1227

† Spare column, no entries required

1569

(*Signed*) Mary S. Howlett

88

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 220

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~ 40

Kept at Woking (The Green)

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

,, Ground ,, Sea Level 100 ft.

The values in this sheet were obtained by multiplying readings supplied by observer; factor used $\frac{64}{25}$

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·03			·03						·08			1
2		·10		·26			·05			·13	·13			2
3		·18		·08						·10	·64	·10		3
4	·02	·08								·15	1·28			4
5		·03					·02			·05	·13	·05		5
6		·18								·21	·02			6
7	·51	·23					·18			·20				7
8				·02					·13	·03				8
9					·02					·10		·54		9
10				·05		·03	·13	·05			·18	·03		10
11							·02							11
12							·05		·13		·64			12
13		·02	·77			·03	·18		·13		1·07			13
14			·28	·08						·10		·26		14
15					·10	·03	·41		·05		·31	·02		15
16		·38	·25	·05		·10	·20		·18	·51	·95			16
17			·49				·05				·61			17
18		·23	·07	·54			·13	·05	·03	·23	·18			18
19		·10		·08			·26		·77	·21	·10			19
20		·03	·05				·03	·13	·02		·10			20
21					·36	·01	·31		·28	·08	·38			21
22					·36	·54			·10		·02			22
23		·05		·03	·02		·33			·13				23
24				·15										24
25			·67	·31										25
26	·90	·15	·67	·02	·13		·03							26
27	·46	·33		·15			·10							27
28	·31				·08									28
29	·15	·13		·03								·41		29
30	·10	×		·15						·10		·13		30
31	·26	×		×		×			×	·64	×			31
TOTAL	2·71	2·25	3·25	2·00	1·10	·74	2·48	·23	1·82	2·97	6·86	1·54	Year's Total 27·95	
* Days with .01 in. or more.	8	16	8	15	8	6	17	3	10	16	17	8	132	
* Days with .04 in. or more.	7	12	8	11	5	2	13	3	8	15	15	6	105	

213

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed) S W Hewlett

[P.T.O.

COPY FOR OFFICIAL USE

ction **A** for the entry of Daily Observations

Station No. 220

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

39 F

Kept at The Green. Shaftesbury Rd Woking

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ...... ft. 9 in.

,, Ground above Sea Level 100 ft.

Nov. [illegible], [illegible] note on back

895795/29

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		·01			·01						·03			1
2		·04		·10			·02			·05	·05			2
3		·07		·03						·04	·25	·04		3
4	·01	·03								·06	·50			4
5		·01					·01			·02	·05	·02		5
6		·07								·08	·01			6
7	·20	·09					·07			·08				7
8				·01					·05	·01				8
9					·01	·01				·04		·21		9
10				·02			·05	·02			·07	·01		10
11							·01							11
12							·02		·05		·25			12
13		·01	·30			·01	·07		·05		·42			13
14			·11	·03						·04		·10		14
15					·04	·01	·16		·02		·12	·01		15
16		Snow ·15	·10	·02		·04	·08		·07	·20	·37			16
17			·19				·02				·24			17
18		·09		·21			·05	·02	·01	·09	·07			18
19		·04	·03	·03			·10		·30	·08	·04			19
20		·01	·02			·01	·01	·05	·01		·04			20
21					·14		·12		·11	·03	·15			21
22					·14	·21			·04		·01			22
23		·02		·01	·01		13			·05				23
24				·06										24
25			·26	·12										25
26	·35	·06	·26	·01	·05		·01							26
27	·18	·13		·06			·04							27
28	Snow ·12				·03									28
29	·06	·05		·01								·16		29
30	·04	×		·06						·04		·05		30
31	·10	×		×		×			×	·25	×			31
TOTAL	1·06	·88	1·27	·78	·43	·29	·97	·09	·71	1·16	2·68	·60	Year's Total 10·92	
* Days with .01 in. or more.	8	16	8	15	8	6	17	3	10	16	17	8	132	
* Days with .04 in.	7	10	6	6	4	2	10	1	7	13	15	5	86	

[illegible]

Instruction 3 (f) on other side.

4·[illegible]71 61 35

† Spare column, no entries required

(*Signed*) M. S. Howlett

Section **A** for the … AIR M…

FORM 1090. **RE…**

221/5

WOKING

GOLDSWORTH RD

1931 - 40

780105

221/5

COPY FOR OFFICIAL USE.

RAINFALL ORGANIZATION.

193/ . Surrey/16

Kept at GOLDSWORTH…

in the County of…

Diameter of Funnel of Ga…

Height of top of Gauge abo…

,, Ground ,,

THE MORNING … **OUS DAY.**

An observer who does not co… …1st of the following year in the space on the ri…

Jan. 1, following

Please read the Notes and Instructions Overleaf.

NOT AVAILABLE

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1									·04	—	—	—	1
2									·46	·02	·01	·07	2
3									·52	—	·10	·20	3
4									·04	—	·20	—	4
5									—	—	·03	·11	5
6									—	·27	·29	—	6
7									—	·13	·30	·04	7
8									—	—	·06	·02	8
9									·13	—	·52	—	9
10									—	·01	·18	—	10
11									·02	·01	·29	—	11
12									·18	—	—	—	12
13									—	·03	—	—	13
14									—	—	—	—	14
15									—	—	—	·08	15
16									·01	—	—	—	16
17									·22	—	—	—	17
18									—	—	·52	—	18
19									·05	—	—	—	19
20									—	—	·03	—	20
21									—	—	·01	—	21
22									—	—	·01	—	22
23									·05	—	13	—	23
24									—	—	—	—	24
25									—	—	·01	—	25
26									—	—	·18	—	26
27									—	·01	·07	—	27
28									—	—	·01	·01	28
29									—	·15	·02	SNOW ·03	29
30		X							·01	—	—	—	30
31		X		X		X			X	—	X	—	31
TOTAL									1·73	·63	2·97	·56	~~YEAR~~'S TOTAL 4 MONTHS ~~5·89~~
*Days with ·01 in. or more.									12	8	20	8	~~48~~
*Days with ·04 in. or more.									9	3	12	5	~~29~~

40-9999

*See Instruction 2 (*f*) on other side.

N.

(Signed) … Engineer & Surveyor

P.T.O.

221/5.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193 .

Surrey /16

Kept at GOLDSWORTH ROAD DEPOT WOKING U.D.C.
in the County of SURREY.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 2 ft 6 in.
,, Ground ,, Sea Level 96 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

NOT AVAILABLE

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1									·04	—	—	—	1
2									·46	·02	·01	·07	2
3									·52	—	·10	·20	3
4									·04	—	·20	—	4
5									—	—	·03	·11	5
6									—	·27	·29	—	6
7									—	·13	·30	·04	7
8									—	—	·06	·02	8
9									·13	—	·52	—	9
10									—	·01	·18	—	10
11									·02	·01	·29	—	11
12									·18	—	—	—	12
13									—	·03	—	—	13
14									—	—	—	—	14
15									—	—	—	·08	15
16									·01	—	—	—	16
17									·22	—	—	—	17
18									—	—	·52	—	18
19									·05	—	—	—	19
20									—	—	·03	—	20
21									—	—	·01	—	21
22									—	—	·01	—	22
23									·05	—	13	—	23
24									—	—	—	—	24
25									—	—	·01	—	25
26									—	—	·18	—	26
27									—	·01	·07	—	27
28									—	—	·01	·01	28
29									—	·15	·02	SNOW ·03	29
30		✕							·01	—	—	—	30
31		✕		✕		✕			✕	—	✕	—	31
TOTAL									1·43	·63	2·97	·56	~~YEAR~~'S TOTAL 4 MONTHS ~~5·59~~
*Days with ·01 in. or more.									12	8	20	8	~~48~~
*Days with ·04 in. or more.									9	3	12	5	~~29~~

40-9999

*See Instruction 2 (*f*) on other side.

N.

(Signed) Engineer & Surveyor

P.T.O.

WOKING (GOLDSWORTH RD. DEPOT) 173232/33.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 221/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Surrey/16

Kept at WOKING. (Goldsworth Rd. Depot)

in the County of SURREY.

1931 info

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft 6 in.

,, Ground ,, Sea Level 96 ft.

6K print

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	·01	—	·03	·60	—	—	·14	TRACE.	·06	·02	·01	1
2	—	—	—	·17	·04	—	—	·12.	·37	·07	·01	·04	2
3	—	—	—	·16	·18	—	—	—	·26	·05	—	—	3
4	·02	—	—	—	TRACE	·20	—	—	—	—	·02	—	4
5	·16	—	·01	TRACE.	·01	TRACE.	·28	—	·06	—	—	—	5
6	·38	—	·01	·41	TRACE	—	TRACE	—	·05	—	—	—	6
7	—	—	·09	·09	TRACE.	TRACE	TRACE.	—	·07	·17	—	—	7
8	—	—	·13	·04	·26	—	—	—	·19	·19	—	—	8
9	·23	—	TRACE	·13	·35	—	—	—	·01	—	TRACE	—	9
10	·65	·02	·02	·17	·05	·04	—	—	TRACE.	·14	TRACE	—	10
11	·08	·01	—	·09	·01	—	·39	—	—	·01	·04	TRACE	11
12	·13	—	—	TRACE.	TRACE.	—	—	·05	·05	·19	—	TRACE.	12
13	·07	—	—	·11	·01	—	TRACE.	—	TRACE.	·48	·03	·01	13
14	·08	·07	—	·03	—	—	TRACE	TRACE.	—	·03	·01	TRACE	14
15	—	·02	—	·07	·18	—	—	—	—	·08	—	TRACE	15
16	·13	—	—	·22	·02	—	·04	—	—	—	—	TRACE.	16
17	—	—	—	·04	—	—	·02	—	—	·06	TRACE.	—	17
18	—	—	—	—	TRACE.	—	·15	—	·19	—	·11	—	18
19	—	—	—	—	—	—	—	—	·04	·18	·02	—	19
20	—	TRACE.	—	·16	TRACE	—	TRACE.	·37	·01	·61	·16	—	20
21	·03	TRACE	·01	·07	1·02	—	TRACE.	·02	—	·18	TRACE.	·07	21
22	—	·01	·25	TRACE.	·28	—	·26	TRACE.	·24	·27	·28	—	22
23	—	·05	·02	·05	·01	—	·04	—	·16	·77	·05	·07	23
24	—	·04	—	TRACE	TRACE.	TRACE	·47	—	·08	·13	·08	—	24
25	—	TRACE	—	TRACE	TRACE.	TRACE.	·62	—	·04	·16	·02	·01	25
26	—	—	·11	·01	TRACE.	—	·44	—	TRACE.	·05	·02	—	26
27	—	—	·34	·10	·36	TRACE.	·12	—	—	·45	·12	—	27
28	—	—	TRACE.	TRACE	·32	—	·14	—	TRACE.	·04	TRACE.	—	28
29	—	—	·36	·05	·08	·04	TRACE	·10	·14	·34	·02	·02	29
30	—	×	·01	·04	·04	·65	—	—	·16	TRACE	·23	·08	30
31	—	×	TRACE	×	—	×	·03	—	×	TRACE.	×	·04	31
TOTAL	2·06	·23	1·36	2·24	3·82	·93	300	·80	2·12	4·71	1·24	·35	YEAR'S TOTAL 22·86
*Days with ·01 in. or more.	12	8	12	21	18	4	13	6	14	23	17	9	160
*Days with ·04 in. or more.	10	3	6	14	13	4	11	5	15	21	8	5	118

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) P.T.O.

WOKING U. D. C.

Section **A**

COPY FOR OFFICIAL USE.

for the entry of Daily Observations.

Station No. 221/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at WOKING

in the County of SURREY

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 6 in.

,, Ground ,, Sea Level 96 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·08	·18	·12	—	·02	—	—	—	—	·02	·03	—		**1**
2	·19	—	·35	—	·27	—	—	—	—	—	TRACE	—		**2**
3	TRACE	·20	·31	—	·05	—	—	—	—	—	—	—		**3**
4	·17	·01	—	—	·38	—	—	—	—	—	·08	—		**4**
5	—	·01	·35	—	·03	—	—	—	—	—	—	—		**5**
6	—	·09	·02	—	·32	—	—	—	—	·10	·06	—		**6**
7	·13	·03	·01	—	·23	—	·12	—	—	·11	—	·04		**7**
8	·02	TRACE	·01	—	·07	—	·13	—	—	—	—	—		**8**
9	—	—	—	—	·04	—	·02	TRACE	—	·15	·06	—		**9**
10	TRACE	·50	—	—	TRACE	·04	·33	—	—	·20	·10	—		**10**
11	·30	—	—	—	·02	·01	·10	·06	·03	·04	—	—		**11**
12	—	—	—	·02	TRACE	·17	·14	—	·90	—	·03	—		**12**
13	·05	—	—	—	·10	—	·03	TRACE	·04	·01	·14	—		**13**
14	—	—	—	—	·02	—	·17	TRACE	—	·23	·33	·01		**14**
15	·25	—	·13	—	—	·01	·15	·30	—	TRACE	·02	—		**15**
16	TRACE	—	·66	—	—	—	TRACE	—	—	·01	TRACE	—		**16**
17	TRACE	—	·35	—	—	·23	—	TRACE	·03	—	·07	—		**17**
18	·14	·01	·15	—	—	·16	—	—	—	—	—	—		**18**
19	—	·08	·23	TRACE	—	·01	·05	—	·39	—	·03	·03		**19**
20	—	TRACE	·03	·11	—	TRACE	—	TRACE	·02	—	TRACE	—		**20**
21	—	·02	—	—	·02	·15	—	·07	·18	TRACE	TRACE	—		**21**
22	—	—	—	—	TRACE	TRACE	—	·23	·04	·24	·02	—		**22**
23	—	—	—	·15	1·18	·01	—	—	·13	·05	—	—		**23**
24	—	·85	—	·08	TRACE	·53	—	—	·23	TRACE	~~0~~	—		**24**
25	—	·70	—	·30	TRACE	—	—	—	·15	—	·02	·02		**25**
26	—	·68	—	·04	TRACE	·04	—	—	TRACE	·07	TRACE	·06		**26**
27	—	·01	—	TRACE	·32	—	TRACE	—	—	·22	—	·05		**27**
28	—	—	—	TRACE	·02	—	·17	—	—	·28	—	·06		**28**
29	·08	×	TRACE	·08	—	—	—	—	—	·15	—	TRACE		**29**
30	·10	×	·06	·05	TRACE	—	·02	—	·15	·01	—	·15		**30**
31	·15	×	—	×	—	×	—	·08	×	—	×	—		**31**
TOTAL	1·66	3·37	2·78	·83	3·09	1·36	1·43	·74	2·29	1·89	·99	·42	Year's Total 20·85	
*Days with ·01 in. or more.	11	14	14	8	16	11	12	5	12	16	13	8	141	
*Days with .04 in. or more.	11	8	10	7	10	7	9	5	9	12	7	5	100.	

D

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) G Y Hawkins

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 221/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at GOLDSWORTH Rd DEPÔT, WOKING

in the County of SURREY

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft 6 in.

,, Ground ,, Sea Level 96 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	TRACE	–	–	–	–	–	–	·20	TRACE	TRACE	–	·43		1
2	·08	–	·11	–	·03	–	–	TRACE	·70	·26	·02	·23		2
3	·01	·02	–	·05	–	–	–	·01	–	·24	TRACE	·08		3
4	·09	TRACE	·04	·08	·10	–	–	–	–	·05	·04	·40		4
5	–	–	·04	–	–	–	–	·02	TRACE	·05	·04	·40		5
6	·03	–	·32	–	·19	·08	–	·27	–	·18	·02	·51		6
7	–	·01	–	TRACE	–	TRACE	–	·02	–	·10	·01	·22		7
8	–	·01	–	–	·03	–	–	·10	·20	–	·34	·04		8
9	–	–	·01	–	–	–	–	–	–	–	1·02	·45		9
10	·08	–	·15	·19	–	–	–	–	–	·01	·32	·01		10
11	·39	–	·32	·11	–	–	·01	·02	–	–	TRACE	·12		11
12	·03	–	·03	–	–	–	·19	·22	–	–	TRACE	·10		12
13	·40	–	·32	·02	–	–	·54	·08	TRACE	–	·10	·17		13
14	·07	–	·36	·03	TRACE	·12	–	–	–	·01	·17	·46		14
15	·13	–	·14	–	·12	–	–	–	–	·17	·12	·55		15
16	·03	–	·18	–	·06	–	–	–	–	·14	TRACE	TRACE		16
17	·38	TRACE	TRACE	·04	–	–	–	–	·02	·06	·03	·13		17
18	–	–	·01	·18	–	–	·36	–	TRACE	TRACE	–	·18		18
19	–	–	·30	·07	TRACE	TRACE	–	TRACE	·10	·01	–	·28		19
20	–	–	·05	TRACE	–	·02	·41	TRACE	TRACE	TRACE	–	·05		20
21	–	–	TRACE	·19	–	·08	·10	·05	–	·03	·01	·01		21
22	–	–	–	–	–	–	·66	·07	·15	–	–	·08		22
23	–	TRACE	–	·20	–	·30	–	–	TRACE	–	TRACE	·05		23
24	–	·04	·07	·11	–	·04	·54	–	·07	–	·02	TRACE		24
25	·16	·07	–	·12	·07	·35	–	–	–	·07	–	·35		25
26	TRACE	–	–	·39	–	·12	–	–	·03	TRACE	–	·03		26
27	–	–	–	·03	–	·07	–	–	TRACE	·04	–	·16		27
28	–	–	–	TRACE	–	·13	TRACE	·99	–	–	TRACE	·18		28
29	–	·04	–	–	–	–	·07	TRACE	·16	–	–	·02		29
30	·08	×	–	–	–	–	–	·03	TRACE	–	–	·25		30
31	·05	×	–	×	–	×	·03	–	×	·28	×	·06		31
TOTAL	2·01	·19	2·45	1·81	·60	1·31	2·91	2·08	1·43	1·65	2·32	6 inches	Year's Total. 24·76	
* Days with .01 in. or more.	15	6	16	15	7	10	10	13	8	15	14	29	158	
* Days with .04 in. or more.	11	3	13	12	5	9	8	8	6	11	8	25	119	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 221|5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at GOLDSWORTH ROAD DEPOT, WOKING

in the County of SURREY

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 6 in.

,, Ground ,, Sea Level 96 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·14	·02	–	·07	·02	·06	1·37	–	·18	·15	·46	–		1
2	TRACE	–	TRACE	TRACE	–	–	TRACE	–	·17	·16	·04	–		2
3	–	TRACE	·03	·12	–	·06	–	TRACE	·35	1·02	·14	TRACE		3
4	–	·03	–	·22	–	·22	–	–	·07	·15	–	·05		4
5	–	·08	·05	·05	–	·08	–	–	·47	·02	–	·01		5
6	·06	–	TRACE	·27	–	·45	–	–	–	–	·02	·02		6
7	–	TRACE	–	·30	–	·04	–	–	–	·05	·98	·11		7
8	–	–	–	·35	TRACE	TRACE	–	–	–	·14	·30	·04		8
9	–	–	–	·29	–	·47	–	–	·01	·82	·08	–		9
10	·08	–	TRACE	·30	–	·02	–	–	–	–	·15	·03		10
11	·32	–	–	·10	–	·08	·08	–	–	–	·45	TRACE		11
12	·01	TRACE	–	·02	–	·15	–	·11	·01	–	·84	–		12
13	·04	·12	–	·13	·08	·03	–	–	TRACE	TRACE	TRACE	–		13
14	–	–	–	·05	·15	·05	–	–	TRACE	TRACE	·11	·08		14
15	–	·16	–	·35	·04	·22	–	–	·07	–	·27	·10		15
16	–	·02	–	·10	–	·16	–	TRACE	·37	·01	·49	–		16
17	TRACE	–	–	·07	–	·13	TRACE	TRACE	·08	–	·27	–		17
18	–	–	–	·08	·13	·10	·01	TRACE	·21	·04	TRACE	–		18
19	–	·02	–	·09	·41	·03	·15	–	·04	–	·08	·05		19
20	–	·26	–	·03	·20	·07	·07	–	·01	–	·20	–		20
21	–	·04	–	·05	–	–	–	–	TRACE	·10	·01	–		21
22	TRACE	·05	·02	·13	–	–	–	·27	·15	–	–	–		22
23	TRACE	–	·15	–	–	–	–	·49	·14	·19	–	·07		23
24	·06	·70	–	–	·12	–	–	1·47	·25	–	–	·12		24
25	·20	·23	–	·26	·10	·58	–	–	–	–	–	·12		25
26	TRACE	–	–	–	–	TRACE	–	·18	TRACE	TRACE	–	·45		26
27	TRACE	·50	–	–	TRACE	–	–	–	·13	–	·10	·32		27
28	–	·04	–	–	·10	–	–	–	·06	TRACE	–	·14		28
29	–	✕	–	–	–	–	–	·04	·88	·01	TRACE	·38		29
30	·04	✕	–	·04	–	–	–	·90	·03	·20	·46	·45		30
31	–	✕	–	✕	TRACE	✕	–	–	✕	·43	✕	·27		31
TOTAL	·95	2·63	·25	3·47	1·35	3·00	1·68	3·46	3·68	3·49	5·45	2·81	Year's Total 3222	
* Days with .01 in. or more.	9	14	4	23	10	19	5	7	20	15	19	18	163	
* Days with .04 in. or more.	8	10	2	21	9	16	4	7	16	12	17	15	137	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) G. J. Hawkins

[P.T.O.

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations** **Station No.** 221/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at GOLDSWORTH ROAD DEPÔT, WOKING.

in the County of SURREY

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 6 in.

,, Ground ,, Sea Level 96 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·32	·03	·04	·27	/	·17	·11	·05	/	/	·05	·05		1
2	/	/	TRACE	·05	/	·33	TRACE	·10	TRACE	/	·10	TRACE		2
3	/	/	/	·30	/	·02	·05	/	·31	/	·25	/		3
4	·05	/	·10	/	/	·06	·03	/	·30	/	·10	·06		4
5	·51	/	·04	/	/	TRACE	TRACE	TRACE	·05	TRACE	TRACE	·06		5
6	·46	/	/	/	/	·03	/	TRACE	·10	/	·40	/		6
7	·14	/	·03	/	/	·02	·02	/	·07	/	·25	TRACE		7
8	·27	/	·03	/	/	/	·07	/	/	/	·08	/		8
9	·60	/	·01	/	/	/	·38	/	·16	/	/	/		9
10	·92	/	/	·05	/	TRACE	·06	1·05	TRACE	/	/	/		10
11	/	TRACE	/	·10	/	/	·04	/	/	/	·80	/		11
12	/	/	/	TRACE	·01	·65	·29	/	·21	/	·18	·28		12
13	/	/	/	·05	/	·07	·01	/	/	·03	·02	·35		13
14	/	·04	/	/	/	·10	·52	/	·05	/	·17	·64		14
15	TRACE	·05	/	/	/	/	TRACE	/	·32	/	·08	·10		15
16	·30	·10	/	/	/	/	·01	/	·03	/	·32	·09		16
17	·18	·57	/	/	·02	·28	TRACE	/	TRACE	TRACE	·15	·20		17
18	·10	·12	/	/	/	·15	·15	/	/	·04	·01	·18		18
19	·16	/	·03	·01	/	·27	·11	·11	/	/	/	/		19
20	·10	·07	·06	·48	/	·10	/	/	·66	/	/	/		20
21	/	TRACE	TRACE	·35	·10	·20	·12	/	/	/	/	/		21
22	/	·39	·12	TRACE	·48	·04	·15	/	/	/	/	·14		22
23	·05	/	·43	·01	/	/	·12	/	/	·05	/	/		23
24	·03	·15	/	TRACE	/	/	TRACE	/	·02	·71	/	/		24
25	·06	/	·13	·11	TRACE	/	·05	/	·26	·34	·03	/		25
26	·02	·11	·11	·08	/	/	·11	/	·04	·30	/	/		26
27	·24	·01	/	/	/	/	TRACE	/	·12	·08	/	/		27
28	·83	/	/	/	/	/	·92	/	·01	/	/	·10		28
29	·06	·06	·15	/	/	·17	·03	/	/	·02	·19	/		29
30	·04	✕	TRACE	/	·20	·21	·03	/	/	·47	/	TRACE		30
31	·32	✕	·21	✕	·05	✕	·42	/	✕	·56	✕	·35		31
TOTAL	4·86	1·70	1·49	1·86	·86	2·87	3·80	1·31	2·71	2·58	3·18	2·59	Year's Total 29·81	✓
* Days with .01 in. or more.	22	12	14	12	6	17	23	4	16	10	17	13	166	✓
* Days with .04 in. or more.	19	10	10	10	4	14	17	4	13	8	14	13	136	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) G. F. Hawkins [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 221/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at GOLDSWORTH ROAD DÊPOT WOKING

in the County of SURREY

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 6 in.

,, Ground ,, Sea Level 96 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·27	·02	TRACE	·10	-	-	TRACE	-	TRACE	-	·72	·88		1
2	·02	·27	-	·32	-	-	-	-	·12	·01	-	·48		2
3	TRACE	·18	TRACE	-	-	-	-	-	-	-	-	·01		3
4	·05	·54	-	-	-	-	-	-	-	-	-	·29		4
5	·13	·10	-	-	-	-	·13	-	-	TRACE	-	-		5
6	·04	-	·97	TRACE	·31	-	·02	-	·01	·04	·04	-		6
7	-	·53	·12	·08	-	-	-	-	-	-	-	·05		7
8	-	·01	TRACE	-	·07	·01	-	-	-	-	·29	·12		8
9	-	-	-	·29	·16	·06	-	·04	·28	-	-	·48		9
10	-	-	·48	·11	·08	·49	-	·24	-	-	-	·35		10
11	·19	-	·13	TRACE	·11	·08	·06	-	-	-	-	-		11
12	-	·20	·10	·02	·27	·31	TRACE	·40	·09	-	-	·22		12
13	·17	·07	·15	·02	TRACE	·12	-	·03	·43	-	-	1·22		13
14	-	·05	·68	TRACE	-	·01	-	·24	·04	-	-	-		14
15	·25	·07	-	·12	-	-	·64	·10	·04	-	-	-		15
16	TRACE	·16	·38	·41	-	TRACE	-	·18	·44	-	·02	-		16
17	·59	TRACE	·17	·05	-	-	-	-	·15	-	·22	-		17
18	·32	·08	TRACE	·09	·07	·39	-	-	TRACE	-	-	-		18
19	-	·08	·06	·06	-	·19	·02	-	·09	-	-	·08		19
20	·46	·01	·04	·21	·63	-	-	-	·09	-	-	-		20
21	·57	·40	·05	TRACE	TRACE	-	·05	-	TRACE	-	·31	·02		21
22	·45	·03	TRACE	·03	·07	·24	·07	-	-	·85	TRACE	·08		22
23	·23	·02	·02	-	·18	-	-	-	-	·31	-	-		23
24	·40	·47	TRACE	-	TRACE	-	-	-	·11	·23	-	·02		24
25	·17	·35	·02	-	·14	-	-	-	·05	·46	-	·02		25
26	TRACE	·18	·02	-	·11	-	-	-	-	·11	-	-		26
27	·04	·19	-	·11	-	-	-	-	TRACE	·62	-	-		27
28	TRACE	·07	-	·03	-	TRACE	-	-	-	·09	-	·04		28
29	·01	×	-	-	-	TRACE	-	-	-	·03	·06	·04		29
30	·31	×	-	-	-	·04	-	-	-	·07	·18	TRACE		30
31	·25	×	-	×	-	×	-	-	×	·04	×	·05		31
TOTAL	4·92	4·08	3·39	2·25	2·20	1·91	·99	1·23	1·94	3·06	1·84	4·45	Year's Total 32·26	
* Days with .01 in. or more.	20	23	15	16	12	11	7	7	13	12	8	19	163	
* Days with .04 in. or more.	18	18	12	11.	12	8	5	6	12	10	7	14.	133	

† Spare column, no entries required.

(*Signed*) G. J. Hawkins [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 221/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at GOLDSWORTH ROAD DEPOT, WOKING

in the County of SURREY

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 6 in.

,, Ground ,, Sea Level 96 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	—	TRACE	—	·03	·11	·06	—	—	·01	—	·02		1
2	·04	—	—	—	·03	TRACE	·08	—	—	·22	—	·07		2
3	TRACE	—	—	—	·39	—	—	—	—	·39	·01	—		3
4	·03	—	—	—	—	·01	·03	·08	—	·09	TRACE	·06		4
5	TRACE	—	—	TRACE	—	—	·02	—	—	·21	—	—		5
6	·04	—	—	—	—	—	·09	—	·05	TRACE	TRACE	—		6
7	TRACE	TRACE	—	—	—	TRACE	·21	·17	·01	·12	—	·02		7
8	·19	—	—	—	—	—	·04	·47	·03	·38	—	—		8
9	·09	TRACE	—	—	—	·02	TRACE	·05	—	·02	—	·86		9
10	·07	·06	—	—	—	·02	TRACE	·06	—	—	—	·11		10
11	·22	—	—	—	—	—	—	—	TRACE	·02	·21	·11		11
12	·26	—	—	—	·02	—	—	·81	—	·10	·04	—		12
13	·24	TRACE	—	—	—	—	—	·01	—	·03	·20	·11		13
14	·21	TRACE	—	—	·07	—	·04	—	·01	—	—	—		14
15	·15	·05	—	—	TRACE	—	·25	—	—	·31	TRACE	·15		15
16	·21	TRACE	TRACE	—	—	—	—	·01	—	·03	·08	·51		16
17	—	·09	—	—	—	—	—	—	TRACE	·12	—	—		17
18	·03	—	—	—	·02	—	—	·02	·31	—	·41	—		18
19	TRACE	—	—	—	TRACE	—	—	—	·09	—	·19	·05		19
20	—	—	—	—	—	—	—	—	·03	—	·66	·11		20
21	—	—	—	—	—	—	—	·11	·08	—	·05	·21		21
22	·02	—	—	TRACE	—	TRACE	—	TRACE	—	—	·11	·06		22
23	—	—	—	·03	—	TRACE	—	—	·01	—	·11	—		23
24	—	—	·03	—	TRACE	—	—	—	·11	—	·05	·20		24
25	TRACE	TRACE	·17	·01	·19	—	·02	·04	·03	·06	1·12	TRACE		25
26	·30	·15	·03	—	TRACE	—	—	—	·30	·24	·01	·27		26
27	·09	·05	—	—	·02	·12	·27	·02	·45	·06	·28	·09		27
28	·04	·06	—	—	·33	·05	—	·37	·02	—	—	·05		28
29	·33	X	—	TRACE	·13	TRACE	—	·02	TRACE	TRACE	·15	·17		29
30	·02	✕	—	·01	·11	·11	—	—	·07	·06	·12	—		30
31	·19	✕	—	✕	·08	✕	—	—	✕	·12	✕	·17		31
TOTAL	2·78	·46	·23	·05	1·402	·44	1·11	2·24	1·6	2·59	3·8	3·4	Year's Total 20·12	
* Days with .01 in. or more.	21	6	3	3	12	7	11	14	15	19	17	20	148	
* Days with .04 in. or more.	16	6	1	—	7	4	8	9	8	13	15	18	105	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) G. T. F. Cawkins

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 281/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Goldsworth Road Depot, Woking.

in the County of Surrey.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 6 in.

" Ground " Sea Level 96 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	—	—	·36	·24	—	—	·02	·04	—	—	·02		1
2	·03	—	—	·01	·03	—	·02	·56	—	—	·04	—		2
3	·28	—	—	·19	—	—	—	·15	—	—	·31	·21		3
4	·14	—	·18	·12	—	—	·08	·65	—	·42	·06	—		4
5	—	—	—	·14	—	—	·04	—	—	·25	·34	·06		5
6	·33	—	·18	·01	·08	—	·21	·01	—	—	·55	—		6
7	TRACE	·14	—	—	—	—	TRACE	·02	—	·29	·21	·16		7
8	·02	·07	·18	—	—	—	—	·13	—	·57	·38	·20		8
9	·07	·09	—	—	—	—	—	·02	—	·09	·32	·12		9
10	·28	—	—	—	—	·15	—	·13	·11	·14	·22	—		10
11	—	—	·02	—	—	·01	—	—	·01	·31	·01	—		11
12	—	—	—	—	·01	·07	—	—	—	—	·01	—		12
13	—	—	—	·01	—	Trace	·04	—	—	1·59	—	·01		13
14	·52	—	—	·11	·11	·01	·02	—	Trace	·92	·42	—		14
15	·36	—	·02	—	·41	·25	·04	—	·15	·74	·21	·03		15
16	·51	—	·07	·01	·19	·11	·09	—	—	·05	·29	—		16
17	·28	·01	—	·01	·18	Trace	·20	—	—	·01	·08	—		17
18	·25	—	Trace	—	—	·23	·18	—	—	·02	·25	—		18
19	·19	·01	·04	—	—	—	·12	—	—	·19	·01	Trace		19
20	·25	—	—	—	—	·16	·55	—	—	—	—	·05		20
21	·02	·11	·12	—	—	·03	·14	·27	·12					21
22	·11	·29	·03	·05	—	·11	·14				·07			22
23	·02	—	—	·28	—	—	·06	Trace		·05	·62			23
24	Snow ·23	—	Trace	·04	—	·04	·31			·14				24
25	Snow ·75	·21	·05	·04	—	—	·05			·06	·39			25
26	·05	—	·01	Trace	—	—				·18	·17			26
27	·03	·09	·06	Trace	—	Trace	Trace			·20	·17			27
28	—	·18	·06	·16	—	·06				·04	·12	Snow. ·19		28
29	—	—	—	·37	—	—	·03			·05	·02			29
30	—	✕	—	·59	—	·17	Trace				·18			30
31	—	✕	—	✕	—	✕	·18	·03	✕	·01	✕			31
TOTAL	4·74	1·20	1·02	2·50	1·55	1·40	2·50	1·99	·43	6·32	5·45	1·05	Year's Total 30·15	
* Days with .01 in. or more.	22	10	13	17	8	13	19	11	5	22	25	10	175	
* Days with .04 in. or more.	18	8	9	12	6	10	16	6	4	19	21	7	134	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 221/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1930

Kept at Goldsworth Rd Depot Woking
in the County of Surrey
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 6 in. ✕
,, Ground ,, Sea Level 96 ft.

Letter re end of Sept. total 30.1.31

H.J.J.

Jan 7th ests from nearby stns

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	·01 SNOW	–	TRACE	TRACE	–	–	–	–	–	·11	–		1
2	–	·08	–	·21	–	–	·11	–	–	·11	1·95	TRACE		2
3	–	·19	–	·12	–	–	TRACE	–	–	·11	–	·09		3
4	–	·06	–	·03	–	–	–	–	–	·15	–	–		4
5	–	–	–	–	–	–	·01	–	–	·06	·41	·24		5
6	·03	·21	–	–	·01	–	·30	–	–	·16	–	–		6
7	(·32) ~~·62~~	–	–	–	·03	–	·17	–	–	–	–	–		7
8	·34	–	–	·03	–	–	–	–	~~·09~~	·28	·04	·27		8
9	–	–	–	·03	–	TRACE	TRACE	·01	·05	·24	·08	·09		9
10	–	–	–	·02	–	–	·11	·06	–	·08	·14	–		10
11	–	–	–	–	–	–	·01	–	–	–	·82	–		11
12	–	·09 SNOW	·13	–	–	–	·04	–	·17	–	·06	–		12
13	–	·11 SNOW	·21	–	–	–	–	–	·05	–	1·09	–		13
14	–	–	·66 SNOW	·08	TRACE	–	–	–	–	·13	–	·25		14
15	–	–	–	·03	·09	·04	·39	–	·06	–	·37	–		15
16	·02	·25 SNOW	·32	·26 SNOW AND RAIN	–	·09	·21	–	·11	·66	·84	–		16
17	–	–	·41	·29	–	–	·06	–	–	–	·58	–		17
18	–	·25	·07	–	–	–	·12	·02	·05	·25	·14	·21		18
19	–	·11	·04	·07	–	–	·11	–	·75	–	·11	–		19
20	–	–	·05	·02	–	–	·12	TRACE	·04	·09	·08	–		20
21	–	–	·03	–	·50	–	·28	–	·02	–	·41	–		21
22	–	TRACE	–	·01	·23	·71	TRACE	–	·06	·09	–	–		22
23	–	·07	–	·17	–	–	–	TRACE	–	–	–	–		23
24	–	–	·04	·19	–	TRACE	·35	TRACE	–	–	–	–		24
25	–	–	·75	–	–	–	·02	–	–	·02	–	–		25
26	·91	·13	·61	·13	·15	–	·01	–	–	–	TRACE	–		26
27	·61	·31	–	–	TRACE	–	·01	–	–	–	–	–		27
28	·29 SNOW	TRACE	–	–	·01	–	–	–	–	–	–	–		28
29	·17 SNOW	·09	·08	·05	·05	–	–	–	–	–	–	·35		29
30	·17 SNOW RAIN		–	·15	–	–	–	–	–	·08	–	·05		30
31	·04		–		–		–	–		·71		·04		31
TOTAL	2·90 ~~3·10~~	1·95	3·40	1·89	1·07	·84	2·43	·09	1·45 ~~3·22~~	3·22	7·23	1·59	Year's Total ~~30·03~~	~~28·26~~ 28·06 ✓
* Days with .01 in. or more.	10	14	13	18	8	3	18	3	16	16	16	9	139	✓
* Days with .04 in. or more.	8	13	12	11	5	3	13	1	15	15	16	9	106	✓

2·19

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

221

221

WOKING

GOLDSWORTH

1931 - 1939

FORM 1090. **B** Mont
Sum

** The following register of monthly
&c., is NOT required if daily or
values are given on the other side

and also the space for

egister should be sent:—

King.

in Summer noon

RAINFALL IN 1931

At Goldsworth. Wok

In the County of Surrey

Direction from gauge E

Direction from gauge S.W

Rain Gauge
Diameter of Funnel 5
Height of Top above Ground 1 *ft*
Height of Ground above Sea Level 110 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	1·47				
FEB.	1·41				
MAR.	0·24				
APRIL	3·69				
MAY	3·04				
JUNE	1·82				
JULY	3·71				
AUG.	6·66				
SEPT.	1·72				
OCT.	0·58				
NOV.	2·98				
DEC.	0·64				
Total	27·96				

Signature

*See Instruction 2 (*f*) below.

Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move NO Distance NO Direction NO

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(269) Wt.5244/391/474 14,000 6/30. Gp. 119/110.

221

FORM 1090. **B** Monthl Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931

At Goldsworth, Woking
In the County of Surrey
Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft* 4 *in.*
Height of Ground above Sea Level 110 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	1·47				
FEB.	1·41				
MAR.	0·24				
APRIL	3·69				
MAY	3·04				
JUNE	1·82				
JULY	3·71				
AUG.	6·66				
SEPT.	1·72				
OCT.	0·58				
NOV.	2·98				
DEC.	0·64				
Total	27·96				

Signature

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:— Mrs Glocock. Woking.

Hour of observation by the clock—in Winter noon in Summer noon

Nearest Railway Station 1 mile Distance E Direction from gauge

Nearest Parish Church at 3/4 mile Distance S.W Direction from gauge

Nature of objects nearest to gauge	none			
Heights of objects				
Distances				
Directions from gauge				

If gauge has been moved during the year state—

Date of move NO Distance NO Direction NO

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(269) Wt.5244/391/474 14,000 6/30. Gp. 119/110.

221

FORM 1090. **B** Monthly Summary.

. The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932

At Goldsworth. Woking

In the County of Surrey

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 4 *in.*
Height of Ground above Sea Level 110 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	2·80				
FEB.	·17				
MAR.	1·39				
APRIL	2·97				
MAY	4·21				
JUNE	·96				
JULY	3·03				
AUG.	·72 2·09				
SEPT.	[illegible]				
OCT.	4·60				
NOV.	(1·50)?				
DEC.	·42				
Total	(24·06)				

Signature

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
(Mrs) J. Slocock
Goldsworth. Woking

Hour of observation by the clock—in Winter noon in Summer noon

Nearest Railway Station Woking. Distance 1m. Direction from gauge E

Nearest Parish Church at S. John's Distance 3/4 m. Direction from gauge S.W

Nature of objects nearest to gauge	none.			
Heights of objects				
Distances				
Directions from gauge				

If gauge has been moved during the year state—

Date of move no Distance no Direction no.

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

~~See Nov~~

M.O. 7
6 JAN 1933

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(a) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1090.

B Monthly Summary.

, The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1933

At Goldsworth Woking

In the County of Surrey

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* 4 *in.*
- *Height of Ground above Sea Level* 170 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	1·87				
FEB.	3·62				
MAR.	2·63				
APRIL	·80				
MAY	3·25				
JUNE	1·31				
JULY	1·34				
AUG.	·68				
SEPT.	2·42				
OCT.	1·86				
NOV.	·89				
DEC.	·38				
Total	21·05 ✓ 21·05				

Signature G. Glover

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
(Mrs) G. Glover
Goldsworth Woking

Hour of observation by the clock—in Winter noon in Summer noon

Nearest Railway Station Woking Distance 1 m Direction from gauge E

Nearest Parish Church at S Johns Distance 3/4 Direction from gauge S W

Nature of objects nearest to gauge	none			
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move no Distance no Direction no

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B.**)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as* 0·1 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{l}17\\18\end{array}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

M.O. 7
3 JAN 1934

221

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At Goldsworth. Woking

In the County of Surrey

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 4 *in.*
Height of Ground above Sea Level 110 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	(2·92)				
FEB.	0·14				
MAR.	2·22				
APRIL	1·78				
MAY	0·61				
JUNE	1·23				
JULY	3·27				
AUG.	2·20				
SEPT.	1·55				
OCT.	1·80				
NOV.	2·92				
DEC.	6·61.				
Total	(25·33)				

Signature G. Slocock.

Est Jan
Total

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
(Mrs) G. Slocock
Goldsworth. Woking

Hour of observation by the clock—in Winter noon in Summer noon.

Nearest Railway Station Woking Distance 1 m Direction from gauge E

Nearest Parish Church at S. John Distance 3/4 Direction from gauge S.W.

Nature of objects nearest to gauge	none.			
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2; or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{c}17\\18\end{array}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

FORM 1090.

B Monthly Summary.

C Particulars of Station.

✓

221

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935

At Goldsworth, Woking

In the County of Surrey

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* 4 *in.*
- *Height of Ground above Sea Level* 110 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	·81				
FEB.	2·89				
MAR.	·23				
APRIL	2·82				
MAY	1·51				
JUNE	2·78				
JULY	(1·70)				
AUG.	3·20				
SEPT.	3·60				
OCT.	3·74				
NOV.	4·89				
DEC.	2·84				
Total	31·01				

Signature

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
(Mrs) S. Slocock
Goldsworth, Woking

Hour of observation by the clock—in Winter noon in Summer noon

Nearest Railway Station Woking Distance 1 Direction from gauge E

Nearest Parish Church at S. Johns Distance 3/4 m Direction from gauge S.W

Nature of objects nearest to gauge	none			
Height of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move no Distance no Direction no

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Total ? July 8 day

July total estimated from surrounding stations SHell.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

FORM 1090.

B Monthly Summary.

, The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936

At Goldworth Woking

In the County of Surrey

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* 4 *in.*
- *Height of Ground above Sea Level* 116 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	4·68				
FEB.	1·83				
MAR.	1·58				
APRIL	1·61				
MAY	·71				
JUNE	3·00				
JULY	3·92				
AUG.	1·64				
SEPT.	2·63				
OCT.	2·43				
NOV.	3·05				
DEC.	2·37				
TOTAL	29·45 ✓				

Signature M. S. Slocock

*See Instruction 2 (*f*) below.

C Particulars of Station,

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Mrs. S. Slocock
Goldworth Ho. WOKING

Hour of observation by the clock—in Winter noon, in Summer noon

Nearest Railway Station WOKING Distance 1m. Direction from gauge E.

Nearest Parish Church at S. John's Distance 3/4 m. Direction from gauge S.W

Nature of objects nearest to gauge	none			
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move no Distance — Direction —

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) It is known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfull and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning, preferably at* 9 *a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January* 1st *is the rainfall for the* 24 *hours following* 9 *a.m. on January* 1st; *it is therefore the amount measured on January* 2nd.
9 *a.m. Greenwich Mean Time is* 10 *a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}$ ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.
Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

Form 1090.

B Monthly Summary.

⁎ The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937

At Goldsworth. Woking

In the County of Surrey

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 4 *in.*
Height of Ground above Sea Level 110 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
Jan.	4·66				
Feb.	3·98				
Mar.	3·38				
April	2·17				
May	2·16				
June	2·29				
July	·80				
Aug.	1·20				
Sept.	1·92				
Oct.	0·70				
Nov.	1·75				
Dec.	4·33				
Total	31·34 ✓				

✓

Signature S. Elcock

* See Instruction 3 *(f)* below.

C Particulars of Station.

221

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
Mr S Elcock
Goldsworth House. Woking

Hour of observation by the clock—in Winter noon in Summer noon

Nearest Railway Station Woking Distance 1m Direction from gauge E.

Nearest Parish Church at St Johns Distance 3/4 m Direction from gauge S.W.

Nature of objects nearest to gauge	none			
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move no Distance — Direction —

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
3 JAN. 1938

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

FORM 1090. **B** Monthly Summary. incomplete **C** Particulars of Station. 227

. The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938

At Goldsworth

In the County of Surrey

Rain Gauge { Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 4 *in.*
Height of Ground above Sea Level 110 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	2·70				
FEB.	·53				
MAR.	·16				
APRIL	·37				
MAY	1·34				
JUNE	·74				
JULY	(1·40)				
AUG.	2·39 To Aug 21 1·82 + ·57				
~~SEPT.~~	1·60 Sept 12 to Oct 1 1·60				
OCT.	1·54 2·53				
NOV.	3·20				
DEC.	3·40				
TOTAL	19·76				

Print
GB
23/3/39

Signature ....

* See Instruction 3 *(f)* below.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
Mr. S. Clocker
Goldsworth Road, Woking

Hour of observation by the clock—in Winter noon in Summer noon

Nearest Railway Station Woking Distance 1 m. Direction from gauge E

Nearest Parish Church at S. John's Distance 3/4 m. Direction from gauge S.W.

Nature of objects nearest to gauge	none			
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move no Distance — Direction —

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

July total estimated from nearby stns.
Aug-Sept totals adjusted by reference to nearby stns.

5 JAN. 1939

letter written re estns
GB
23/3/39

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91.
S.O. Code No. 40-9999

FORM 1090.

2-21

B Monthly Summary.

, The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1939

At Goldsworth

In the County of Surrey

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* 4 *in.*
- *Height of Ground above Sea Level* 110 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	5·13				
FEB.	1·26				
MAR.	1·04				
APRIL	2·60				
MAY	1·13				
JUNE	1·43				
JULY	2·37				
AUG.	2·25				
SEPT.	·20				
OCT.	5·20				
NOV.	4·70				
DEC.	1·05				
TOTAL	28·56				

Signature ....

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Mrs G. Elcock
Goldsworth Rd. Woking

Hour of observation by the clock—in Winter noon in Summer noon

Nearest Railway Station Woking Distance 1 m. Direction from gauge E.

Nearest Parish Church at St. John's Distance 3/4 Direction from gauge S.W.

Nature of objects nearest to gauge	none.			
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move no Distance — Direction —

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
-8 JAN 1940

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91.
S.O. Code No. 40-9999

220/8 — 283183

OLD WOKING S.W.

1932 - 1940

780105

Section **A** for th

AIR

INFALL ORGANIZATION.

Station No. 220/8

FORM 1090.

R

1932.

Kept at Sewage

in the County of

Diameter of Funnel of

Height of top of Gauge a

,, Ground ,,

THE MORNIN

DAY.

An observer who does not

of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						/	/	0.06	0.01	0.06	0.02	Trace	1
2						/	/	0.09	0.34	0.03	0.01	0.13	2
3						0.01	/	/	0.26	0.06	/	/	3
4						0.20	/	/	/	/	0.04	/	4
5						0.01	0.21	/	0.08	/	/	/	5
6						/	Trace	/	0.05	/	/	/	6
7						/	/	/	0.06	0.10	/	/	7
8						/	/	/	0.14	0.20	Trace	/	8
9						/	/	/	0.01	Trace	Trace	/	9
10						0.04	/	/	0.01	0.13	0.01	/	10
11						/	0.20	/	0.02	Trace	0.03	/	11
12						/	/	0.02	0.04	0.27	Trace	Trace	12
13						/	Trace	/	/	0.50	0.01	Trace	13
14						/	/	0.01	/	0.01	0.01	Trace	14
15						/	Trace	/	/	0.07	/	Trace	15
16						/	/	/	/	/	/	/	16
17						/	0.10	/	0.01	0.05	Trace	/	17
18						/	0.04	/	0.17	/	0.08	/	18
19						/	/	/	0.04	0.18	0.02	/	19
20						/	/	0.38	0.01	0.60	0.13	0.01	20
21						/	0.02	0.10	/	0.19	/	0.07	21
22						/	0.23	/	0.29	0.31	0.30	Trace	22
23						0.09	Trace	/	0.14	0.81	0.02	0.08	23
24						/	0.40	/	0.01	0.12	0.08	/	24
25						/	0.75	/	0.07	0.16	0.02	/	25
26						/	0.10	/	/	0.02	/	/	26
27						0.01	0.14	/	/	0.45	0.09	Trace	27
28						/	0.11	/	/	0.04	Trace	/	28
29						0.04	/	0.05	0.13	0.35	0.01	0.01	29
30		×				0.90	0.02	0.03	0.18	/	0.24	0.06	30
31		×		×		×	Trace	/	×	/	×	0.03	31
TOTAL						1.30	2.32	0.74	2.07	4.71	1.12	0.39	YEAR'S TOTAL 12.65
*Days with ·01 in. or more.						8	12	8	21	22	17	7	95
*Days with .04 in. or more.						5	10	5	14	19	7	4	64

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) G. F. Hawkins

P.T.O.

Section **A** for the entry of Daily Observations. Station No. 220/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Sewage Works, Old Woking

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground / ft. 6 in.

,, Ground ,, Sea Level 76 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						/	/	0.06	0.01	0.06	0.02	Trace	1
2						/	/	0.09	0.34	0.03	0.01	0.13	2
3						0.01	/	/	0.26	0.06	/	/	3
4						0.20	/	/	/	/	0.04	/	4
5						0.01	0.21	/	0.08	/	/	/	5
6						/	Trace	/	0.05	/	/	/	6
7						/	/	/	0.06	0.10	/	/	7
8						/	/	/	0.14	0.20	Trace	/	8
9						/	/	/	0.01	Trace	Trace	/	9
10						0.04	/	/	0.01	0.13	0.01	/	10
11						/	0.20	/	0.02	Trace	0.03	/	11
12						/	/	0.02	0.04	0.27	Trace	Trace	12
13						/	Trace	/	/	0.50	0.01	Trace	13
14						/	/	0.01	/	0.01	0.01	Trace	14
15						/	Trace	/	/	0.07	/	Trace	15
16						/	/	/	/	/	/	/	16
17						/	0.10	/	0.01	0.05	Trace	/	17
18						/	0.04	/	0.17	/	0.08	/	18
19						/	/	/	0.04	0.18	0.02	/	19
20						/	/	0.38	0.01	0.60	0.13	0.01	20
21						/	0.02	0.10	/	0.19	/	0.07	21
22						/	0.23	/	0.29	0.31	0.30	Trace	22
23						0.09	Trace	/	0.14	0.81	0.02	0.08	23
24						/	0.40	/	0.01	0.12	0.08	/	24
25						/	0.75	/	0.07	0.16	0.02	/	25
26						/	0.10	/	/	0.02	/	/	26
27						0.01	0.14	/	/	0.45	0.09	Trace	27
28						/	0.11	/	/	0.04	Trace	/	28
29						0.04	/	0.05	0.13	0.35	0.01	0.01	29
30		×				0.90	0.02	0.03	0.18	/	0.24	0.06	30
31		×		×		×	Trace	/	×	/	×	0.03	31
TOTAL						1.30	2.32	0.74	2.07	4.71	1.12	0.39	YEAR'S TOTAL 12.65
*Days with ·01 in. or more.						8	12	8	21	22	17	7	95
*Days with ·04 in. or more.						5	10	5	14	19	7	4	64

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) G. F. Hawkins

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 220/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193 .

Surrey

Kept at ~~Sewage Works~~ X Old Woking (SEWAGE WORKS) X

in the County of Surrey

Good agreement.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground / ft. 6 X in.

,, Ground ,, Sea Level 76. X ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.07	0.15	0.08	Trace	0.01	/	/	/	/	0.01	0.03	/		1
2	0.15	/	0.32	/	0.32	/	/	/	/	/	/	/		2
3	/	0.20	0.28	/	0.02	/	/	/	/	/	/	/		3
4	0.11	0.01	0.02	Trace	0.43	/	/	/	/	Trace	0.05	/		4
5	0.04	0.01	0.36	/	0.01	/	/	/	/	/	/	/		5
6	/	0.11	0.02	/	0.41	/	/	/	/	0.10	0.06	/		6
7	0.13	0.03	0.04	/	0.26	/	/	/	/	0.14	/	0.04		7
8	0.01	/	Trace	/	0.03	/	0.11	/	/	0.03	/	/		8
9	/	/	/	/	0.05	/	0.11	/	/	0.10	0.09	/		9
10	Trace	0.51	/	/	/	0.06	0.01	/	/	0.24	0.08	/		10
11	0.34	/	Trace	/	0.09	0.07	0.64	0.06	0.01	/	/	/		11
12	/	/	/	0.01	0.02	0.27	0.06	/	0.95	/	0.03	/		12
13	0.05	/	/	/	0.11	Trace	0.19	Trace	0.07	/	0.12	/		13
14	/	/	/	/	/	/	Trace	0.01	/	0.26	0.40	/		14
15	0.23	/	0.12	/	/	/	0.15	0.38	/	/	/	/		15
16	Trace	/	0.71	/	/	0.17	0.30	/	/	/	/	/		16
17	0.01	/	0.41	/	/	0.27	/	/	0.04	/	0.07	/		17
18	0.14	0.05	0.22	/	/	0.17	/	/	/	/	/	/		18
19	/	0.10	0.03	Trace	/	0.02	0.03	/	0.33	/	/	/		19
20	/	0.01	0.05	0.15	/	/	/	/	/	/	/	/		20
21	/	0.03	/	/	0.01	0.21	/	0.03	0.23	Trace	/	/		21
22	/	/	/	/	0.10	/	/	0.25	0.02	0.31	0.04	/		22
23	/	Trace	/	0.13	2.30	0.03	/	/	0.12	0.04	/	/		23
24	/	0.86	/	0.07	Trace	1.20	/	/	0.26	/	/	/		24
25	/	1.08	/	0.32	/	/	/	/	0.17	/	0.01	Trace		25
26	/	0.73	/	0.08	/	0.06	/	/	0.02	0.08	/	0.13		26
27	/	0.01	/	/	0.31	0.01	/	/	/	0.20	/	0.06		27
28	/	Trace	/	/	0.01	/	0.21	/	/	0.35	/	0.05		28
29	0.03		0.01	0.10	/	/	/	/	/	0.11	/	/		29
30	0.10	×	0.04		/	/	0.02	/	0.14	0.02	/	/		30
31	0.12	×	/	×	/	×	/	0.09	×	Trace	×	0.14		31
TOTAL	1.53	3.89	2.71	0.86	4.49	2.54	1.83	0.84	2.36	1.99	0.98	0.42	Year's Total 24.44	
*Days with ·01 in. or more.	14	15	15	7	17	12	11	6	12	14	11	5	139	
*Days with .04 in. or more.	11	9	11	6	10	9	8	4	9	11	8	5	101	

40-9999

*See Instruction 2 (*f*) on other side.

D N

† Spare column, no entries required.

(*Signed*)

X WOKING U.D.C. X

[P.T.O.

WOKING (PERCYS

220|9

WOKING PERCYSTREET

1934 - 1940

780105

Section **A** for the entry of Dai

AIR MINISTRY.—

ation No. 220/9

ORGANIZATION.

FORM 1090.

REGIST

t. 11/Surrey/6.

Kept at Depot, Percy Street,

in the County of Surrey

Diameter of Funnel of Gauge 8

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREME

An observer who does not conform to this *llowing*
year in the space on the right of this pa

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1									·72	·03	·015	·46		1
2										·22	·005	·19		2
3										·23		·12		3
4										·04	·05	·32		4
5											·08	·40		5
6										·18	·025	·50		6
7										·10		·225		7
8									·19		·39	·05		8
9											·93	·49		9
10										·005	·315	·02		10
11										—		·105		11
12										—		·08		12
13										·005	·09	·155		13
14										·01	·175	·50		14
15										·15	·15	·45		15
16										·13				16
17	First reading taken on 18.8.34 @10a/m								·01	·05	·015	·12		17
18												·20		18
19									·09	·005	·005	·255		19
20										·005	·005	·03		20
21								·05		·02		·03		21
22								·06	·13		·005	·09		22
23									·015		·005	·02		23
24									·04		·005			24
25										·06		·35		25
26									·02			·015		26
27										·04		·20		27
28								·97			·01	·135		28
29									·14					29
30		X						·025	·01			·235		30
31		X		X		X			X	·31	X	·06		31
TOTAL								[illegible]	1·37	1·59	2·27	5·81	Year's Total. [illegible]	
* Days with .01 in. or more.													–	
* Days with .04 in. or more.													–	

40-9999

* See Instruction 2 (f) on other side.

N 22 JAN 1935

† Spare column, no entries required.

WOKING WATER & GAS Co.

(Signed) W. FIDKIN

P.T.O.

WOKING (PERCY S

OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 220/9

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934. 11/[illegible]/6.

Kept at Depot, Percy Street, Woking
in the County of Surrey
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 100. ft.

C 1934

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1									} ·72	·03	·015	·46		1
2										·22	·005	·19		2
3										·23		·12		3
4										·04	·05	·32		4
5											·08	·40		5
6										·18	·025	·50		6
7										·10		·225		7
8									·19		·39	·05		8
9											·93	·49		9
10										·005	·315	·02		10
11										—		·105		11
12										—		·08		12
13										·005	·09	·155		13
14										·01	·175	·50		14
15										·15	·15	·45		15
16										·13				16
17	First reading taken on 18. 8. 34 @10a/m								·01	·05	·015	·12		17
18												·20		18
19									·09	·005	·005	·255		19
20										·005	·005	·03		20
21								·05		·02		·03		21
22								·06	·13		·005	·09		22
23									·015		·005	·02		23
24									·04		·005			24
25										·06		·35		25
26									·02			·015		26
27										·04		·20		27
28								·97			·01	·135		28
29									·14					29
30		×						·025	·01			·235		30
31		×		×		×			×	·31	×	·06		31
TOTAL								nip	1·3~~65~~7	1·59	2·27~~5~~	5·8~~65~~1	Year's Total. nip	✓
* Days with .01 in. or more.													—	
* Days with .04 in. or more.													—	

WOKING WATER & GAS Co.

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

N 22 JAN 1935

(Signed) W. FIDKIN [illegible]

P.T.O.

WOKING (PERCY ST.)

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 853964/28

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

220|9

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Percy St. Depot, Woking

in the County of Surrey

c. inf 1934

Surrey/6

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·145	·02	TR.	·055	·025	·065	1·25	—	·19	·14	·48	—		1
2	TR	—	TR.	TR.	—	TR	TR	—	·19	·14	·02	TR.		2
3	—	·005	·02	·105	—	·065	—	TR	·35	1·06	·13	·02		3
4	—	·02	—	·21	—	·19	—	—	·06	·09	TR	·04		4
5	—	·085	·05	·045	—	·065	—	—	·46	·005	TR	·01		5
6	·05	TR.	TR	·27	—	·415	—	—	TR	TR	·02	·02		6
7	·005	TR	—	·305	—	·04	—	—	—	·05	·99	·15		7
8	—	—	TR	·39	TR	—	—	—	—	·13	·32	·03		8
9	TR	—	—	·24	—	·45	—	—	·005	·79	·05	TR		9
10	·065	·005	·01	·33	—	TR	—	—	—	TR	·13	·03		10
11	·31	TR	—	·04	—	·06	·07	—	—	TR	·44	TR		11
12	—	·01	—	—	—	·13	TR	·10	·01	—	·80	—		12
13	·045	·125	—	·115	·075	·02	—	—	—	·005	TR	—		13
14	—	·007	—	·025	·135	·035	—	—	—	TR	·11	·08		14
15	—	·14	—	·335	·02	·27	—	—	·065	TR	·26	·14		15
16	—	·025	·01	·15	—	·14	—	—	·40	·005	·55	·02		16
17	—	—	—	·02	—	·12	TR	·005	·07	—	·18	—		17
18	TR.	—	—	—	·115	·15	·005	TR.	·21	·04	TR	·02		18
19	—	TR	—	—	·41	·02	·13	—	·04	—	·07	·03		19
20	·005	·26	—	·18	·195	·06	·08	—	—	—	·20	—		20
21	·005	·41	—	·14	—	—	—	—	—	·10	TR	—		21
22	TR	·04	·03	·085	—	—	—	·245	·14	—	TR	—		22
23	—	—	·115	—	—	—	—	·47	·14	·185	—	·09		23
24	·05	·69	TR	—	·11	—	—	1·47	·235	—	—	·13		24
25	·16	·20	—	·26	·08	·51	—	TR	TR	—	TR	·13		25
26	·01	·35	—	—	—	TR	—	·20	·04	—	TR	·43		26
27	—	·35	—	—	—	—	—	TR	·08	TR	·09	·31		27
28	—	·055	—	—	·135	—	—	TR	·30	·025	TR	·13		28
29	TR	X	TR	TR	—	—	—	TR	·61	TR	TR	·36	-	29
30	·04	X	—	·03	TR	TR	—	·95	·02	·20	·44	·41		30
31	—	X	—	X	TR	X	—	TR	X	·42	X	·22		31
TOTAL	·89	2·797	·235	3·330	1·300	2·805	1·535	3·440	3·615	3·385	5·280	2·80	Year's Total 31·412	
* Days with .01 in. or more.	9	15	6	20	10	18	4	6	19	13	18	21	159	
* Days with .04 in. or more.	8	11	2	17	7	15	4	6	17	12	16	13	128	

40-9999.

WOKING WATER & GAS Co.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) ....

P.T.O.

O X W. FIDKIN ESQ C.E. X

Engineer & Manager

CROWN COPYRIGHT RESERVED.

Section **A** **for the entry of Daily Observations.** **Station No.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

220/9

Kept at Percy Street Depot. Woking.

in the County of Surrey.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	**Jan.**	**Feb.**	**Mar.**	**April**	**May**	**June**	**July**	**Aug.**	**Sept.**	**Oct.**	**Nov.**	**Dec.**		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·35	·02	·05	·06		·16	·11	·06	TR		·04	·04		**1**
2	TR		TR	TR		·32	·005	·08	·005	TR	·08			**2**
3	TR	TR		·31		·01	·04		·28		·25	·01		**3**
4	·04		·08	TR	TR	·06			·29	TR	·08	·04		**4**
5	·53		·03			TR		·02	·07	TR	TR	·06		**5**
6	·33					·03		·005	·06	TR	·37			**6**
7	·11		·03			·02	·01		·06	TR	·11	·06		**7**
8	·26		·03	TR.	TR		·06		TR	TR	·16	·10		**8**
9	·59		·01		TR		·38		·15	·005	TR	TR		**9**
10	·01		TR			TR	·05	·82	TR					**10**
11		TR		·005			·17		TR		·90	TR		**11**
12				·08	·01	·62	·18	TR	·21		·08	·11		**12**
13				·04		·04	TR			·02	·18	·30		**13**
14		·06				·06	·49		·04	TR	TR	·62		**14**
15	·01	·06					TR		·28		·005	·09		**15**
16	·43	·09		·03			·03		·03		·38	·08		**16**
17	·15	·56			·06	·37	TR		TR	TR	·16	·17		**17**
18	·03	·12				·17	·13	TR		·01	·01	·18		**18**
19	·23	·02		·05		·23	·09	·09		TR	TR	TR		**19**
20	·10	·05	TR	·41		·02	TR		·68			TR		**20**
21		·05		·36	·07	·27	·11		·005		TR			**21**
22	·11	·34	·14	·01	·45	·03	·14		TR.		TR	·14		**22**
23	·005	TR	·36	·04	·005		·09			·07	TR			**23**
24	·03	·16		TR					·02	·89	TR	·005		**24**
25	·05	TR	·14	·18	TR	TR	·05		·21	·21	·02	TR		**25**
26	·07	·10	·09	TR	TR	TR	·15		·03	·22	TR	·02		**26**
27	·18	TR	TR				TR		·12	·05				**27**
28	·85		·14			TR	·91		·01			·06		**28**
29	·06	·06	·01		TR	·20	·04			·01	·18	·02		**29**
30	·05	X	TR		·19	·19	·04	TR.		·52		TR		**30**
31	·31	X	·30	X	·01	X	·39		X	·52	X	·35		**31**
TOTAL	4·885	1·69	1·40	1·575	·795	2·80	3·665	1·075	2·55	2·525	3·005	2·455	Year's Total. 28·42	✓
* Days with .01 in. or more.	23	13	13	11	6	17	21	5	16	10	15	18	168	✓
* Days with .04 in. or more.	19	11	8	9	4	12	19	4	12	7	13	15	133	✓

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*)

[P.T.O.

220/9

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No 853964/28.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

WOKING WATER & GAS Co.
Kept at DEPOT PERCY STEET WOKING
in the County of SURREY
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
„ Ground „ Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·30	·02	T.R.	·10			TR		TR		·65	·81		1
2	·01	·25	·01	·50					·12	TR	TR	·50		2
3	TR	·17	TR		T.R.						TR	·01		3
4	·05	·54		·005	T.R.							·27		4
5	·13	·03	·19	TR.			·11	TR		TR	·01			5
6	·05	TR	1·03	·06	·30		·01			·04	·01			6
7		·52	TR	·02					·01	TR		·01		7
8		TR	TR	TR	·10	·02	TR				·26	·32		8
9	T.R.		TR	·33	·11	·04	·01	·04	·26	TR		·14		9
10			·47	·07	·06	·44	TR	·34				·33		10
11	TR.		·09		·09	·06	·04					·01		11
12	·19	·20	·08	·02	·29	·33	·01	·36	·08	TR		·22		12
13	·16	·07	·43	·005	TR.	·07		·04	·43		TR	1·15		13
14	·01	·05	·24	TR		·01		·52	·03			·005		14
15	·22	·07		·16			·64	TR	NOT ✓ TAKEN		TR	TR		15
16	T.R.	·16	·37	·42		TR		·17	·40			TR		16
17	·58	·005	·20	·04		TR			·11	TR	·005/	TR		17
18	·31	·10	TR	·06	·05	·38			TR	·005	·16	·13		18
19	·03	·03	·05	·05	TR	·17	·01		·06	TR		·05		19
20	·41	·005	·07	·18	·59	TR			·05	·005		TR		20
21	·56	·39	·08	·04	TR.		·04				TR	·01		21
22	·48	·01	TR	TR	·05	·20	·07			·89	·28	·08		22
23	·17	·02	·01		·19		TR			·25		TR		23
24	·37	·46	TR		TR				·11	·42		·01		24
25	·16	·37	·19		·11				·05	·46		·01		25
26	TR	·12	·005		·15					·17	TR			26
27	·03	·22		·11					·005	·59				27
28	·005	·04		·03		TR		·005		·09		·04		28
29	·005	✕				·005		TR		·01	·06	·04		29
30	·29	✕				·01		TR		·10	·17	·005		30
31	·25	✕		✕		✕			✕	·03	✕	·03		31
TOTAL	4·77	3·85	3·515	2·20	2·09	1·735	·94	1·48 1·475	1·715	3·06	1·61 1·605	4·18	Year's Total 31·135	
* Days with .01 in. or more.	21	21	15	16	12	11	9	6	13	11	9 8	20	164	
* Days with .04 in. or more.	17	16	13	13	12	8	5	6	10	9	6	13	128	

40-9999.

WOKING WATER & GAS Co.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

Engineer & Manager

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 853964/28.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

220/9

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Woking Water & Gas Co. Depot, Percy Street, Woking.

in the County of SURREY.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

" Ground " Sea Level 100 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	TR	TR			.03	.09	.04			.01	TR	.02		1
2	.04	TR		.04	.07	TR	.08			.15		.06		2
3	TR				.33	TR				.42	.005	TR		3
4	.03		TR	TR		.02	.02	.10		.08		.06		4
5	.01			TR			.02	TR	TR	.18	TR	TR		5
6	.02					TR	.09		.04	.01	TR	.005		6
7	.005	.005	TR				.22	.16	.01	.14		.01		7
8	.18					TR	.02	.45	.03	.34				8
9	.08	TR				.01	TR	.05		TR		.83		9
10	.06	.05				.07	TR	.06	TR			.10		10
11	.22	TR						TR	TR	.01	.21	.09		11
12	.24	.01			.02			.67		.14	TR	TR		12
13	.23	.005			TR			.01		.01	.22	.12		13
14	.20	TR			.07		.04	TR	.005		.005			14
15	.10	.03			.005		.36			.30	TR	.13		15
16	.21	.02	TR					.005		.02	.04	.45		16
17		.12	TR		TR				TR	.12	TR			17
18	.03				.01				.22	TR	.41	TR		18
19	TR						TR	.03	.07	TR	.13	.02		19
20	TR	TR			TR				.02		.63	.03		20
21	.005		TR					.05	.07		.05	4½" snow. .41		21
22	TR		TR	TR		.01		TR		TR	.15	2" snow. .18		22
23				.02	TR	TR			.01	TR	.10	TR		23
24		TR	.07	TR	TR				.17		.05	TR		24
25	.13	.005	.07	.005	.19		.02	.04	.01	.04	1.11	1" snow. .09		25
26	.15	.17	.03	TR		TR			.26	.25	TR	.17		26
27	.08	.02			.02	.25	.26	.01	.46	.06	.27			27
28	.03	.05			.37	.03		.38	.01		TR	.10		28
29	.31				.11			.01	TR	TR	.14	.16		29
30	.03	✕		TR	.11	.09		TR	.08	.05	.12	TR		30
31	.18	✕		✕	.06	✕		TR	✕	.11	✕	.19		31
TOTAL	2.57	.485	.17	.065	1.395	.57	1.17	2.025	1.465	2.44	3.64	3.225	Year's Total 19.22	
* Days with .01 in. or more.	.21	8	3	2	12	8	11	13	14	19	14	19	144	
* Days with .04 in. or more.	15	4	2	1	8	4	7	9	8	14	14	15	101	

WOKING WATER & GAS CO.

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(Signed) .... [P.T.O.

Engineer & Manager

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. ~~839/64/28~~ 220/9

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Woking Water & Gas Company, Depot, Percy Street, Woking.

in the County of Surrey

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.01		.01	.39	.60			.00~~5~~	.11			.01		1
2	.02	TR		TR	.24		.005	.57	.43	TR	.03			2
3	.27			.23	.03			.14		TR	.31	.18		3
4	.13		.19	.16			.08	.66		.40	.04	.01		4
5			TR	.14	.01		.03	TR		.27	.33	.05		5
6	.31	TR	.10	TR	.07		.19	.01			.58	.02		6
7	.02	.12						.01		.04	.17	.13		7
8	.00~~5~~	.07	.18				.005	.14		.48	.36	.19		8
9	.06	.06						.02		.12	.20	.15		9
10	.26		TR			.13		.13	.02	.13	.02	TR		10
11			.20		TR	.02			TR	.33	.01	.00~~5~~		11
12		TR			.01	.05				TR	TR	TR		12
13	TR			.01	TR	TR	.02		.02	1.59	TR	.005		13
14	.49		TR	.08	.13	.01	.03		.02	.24	.40	.02		14
15	.34		.03	TR	.72	.23	.01		.08	.91	.17	.01		15
16	.51		.06	.01	.19	.10	.14		TR	.04	.31			16
17	.23	.02	.00~~5~~	.01	.17	TR	.20			TR	.07	TR		17
18	.22	.00~~5~~	.02		TR	.23	.11		TR	.08	.22			18
19	.18	TR	TR		TR		.13		TR	.12	.02	.005		19
20	.26		.01			.12	.52	TR	TR		TR	.05		20
21	.02	.17	.10			.02	.13	.20	.11	TR	TR			21
22	.08	.26	.03	.05		.11	.14		TR		.06			22
23	TR	TR	TR	.30		.00~~5~~	.04	TR		.04	.60	.02		23
24	.23	TR	.01	.01		.03	.27			.13	TR	TR		24
25	.71	.21	.03	TR			.04			.02	.30	TR		25
26	.06	TR	.01	TR		.01	TR			.20	.23	.02		26
27	.02	.08	.05	TR		TR	TR		TR	.06	.16	TR		27
28		.14	.06	.04		.06	.01			.03	.11	.11		28
29	TR			.14			.02			.05	.03			29
30		✕		.33		.19				TR	.16	.01		30
31		✕	TR	✕		✕	.18	.02	✕	TR	✕	TR		31
TOTAL	4.43~~5~~	1.14 1.13~~5~~	1.09~~5~~	1.90	2.17	1.32 1.31~~5~~	2.30	1.91 1.90~~5~~	.79	5.28	4.89	.99~~5~~	Year's Total 28.21	
* Days with .01 in. or more.	21	9	16	14	10	14	19	10	7	20	24	15	179	
* Days with .04 in. or more.	16	8	8	10	7	9	13	6	4	18	19	7	125	

WOKING WATER & GAS Co.

† Spare column, no entries required.

(*Signed*) WWaterfield

* See Instruction 3 (f) on other side.

P.T.O.

220/9

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 853964/28.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Woking Water Tasks Depot, Surrey St. Woking.

in the County of Surrey

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.01	-	Tr.	TR.	-	-	-	-	-	.10	TR.		1
2	-	.10	-	.18	TR.	-	.04	-	-	.10	.70	TR.		2
3	-	.16	-	.06	-	-	TR.	-	-	.09	1.25	.07		3
4	-	.07	TR.	.03	-	-	TR.	-	-	.14	.12	.04		4
5	.005	.005	-	-	-	-	.07	TR.	-	.06	.30	.20		5
6	.31	.20	-	-	TR.	-	.22	-	-	.15	TR.	TR.		6
7	.23	.18	-	TR.	.02	-	.16	-	.09	TR.	-	.26		7
8	Tr.	TR.	-	.03	-	-	TR.	-	TR.	.26	.02	.08		8
9	-	TR.	-	.03	-	TR.	TR.	.03	.05	.24	.19	.02		9
10	-	-	TR.	-	-	-	.09	.01	TR.	.06	.03	TR.		10
11	-	TR.	TR.	.02	-	-	.005	-	-	TR.	.82	-		11
12	-	.005	.13	TR.	-	-	.04	-	.11	-	.04	TR.		12
13	-	.005	.70	-	-	.01	.02	-	.11	TR.	1.11	.005		13
14	-	-	.17	.07	-	-	.01	TR.	TR.	.11	TR.	.20		14
15	-	-	TR.	.02	.08	.02	.38	-	.03	TR.	.35	.01		15
16	.01	.34	.29	.22	-	.07	.18	-	.16	.62	.87	.02		16
17	-	TR.	.40	-	-	-	.05	-	TR.	TR.	.50	TR.		17
18	TR.	.22	.06	.29	-	-	.13	.02	.01	.23	.15	.11		18
19	-	.10	.04	.06	-	-	.10	-	.78	TR.	.11	.01		19
20	-	TR.	.03	.02	-	TR.	.01	.04	.03	.09	.08	-		20
21	.01	-	TR.	-	.50	-	.30	TR.	-	.07	.39	-		21
22	TR.	-	.03	.01	.23	.55	TR.	TR.	.06	.02	TR.	-		22
23	-	.06	.03	.13	.11	.06	TR.	TR.	-	-	.005	-		23
24	-	TR.	TR.	.26	-	-	.33	-	-	-	TR.	.005		24
25	TR.	TR.	.72	-	-	TR.	.02	-	-	.005	.005	.01		25
26	.88	.12	.59	.03	.12	.005	.01	-	-	TR.	TR.	-		26
27	.61	.29	TR.	.09	TR.	-	.06	-	-	TR.	-	-		27
28	.35	TR.	-	TR.	.07	-	-	-	-	-	-	TR.		28
29	.21	.09	.07	.04	TR.	.005	TR.	-	TR.	-	-	.35		29
30	.16	✕	-	.14	-	-	TR.	-	-	.08	-	TR.		30
31	.05	✕	-	✕	-	✕	-	-	✕	.69	✕	.13		31
TOTAL	2.825	1.955	3.26	1.73	1.13	.72	2.225	.10	1.43	3.015	7.14	1.52	Year's Total 27.05	
* Days with .01 in. or more.	10	13	13	19	7	5	19	4	10	16	18	14	148	
* Days with .04 in. or more.	8	12	10	11	6	3	14	1	7	15	16	9	112	

* See Instruction 3 (f) on other side.

WOKING WATER & GAS CO.

† Spare column, no entries required.

(Signed) .... Engineer & Manager.

(P.T.O.)

WOKING (MAYBURY HILL

221/7

WOKING MAYBURY HILL

1932 - 1935

780105

221/7

Section **A** for the entry of Daily C

FOR OFFICIAL USE.

AIR MINISTRY.—MET

ANIZATION.

FORM 1090.

REGISTER

Surrey /c

Kept at Woking, St. Peter's

in the County of Surrey

Diameter of Funnel of Gauge......in

Height of top of Gauge above Ground......

,, Ground ,, Sea Level ......

THE MORNING MEASUREMENT

An observer who does not conform to this rule s

year in the space on the right of this paragra

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											·02	·02	1
2											·01	·13	2
3											–	–	3
4											·02	–	4
5											–	–	5
6											–	–	6
7											–	–	7
8											–	–	8
9											–	–	9
10											·02	–	10
11											·04	·02	11
12											·02	–	12
13											·04	·02	13
14											·03	–	14
15											–	–	15
16											–	–	16
17											·02	–	17
18											·09	–	18
19											·15	–	19
20											·15	–	20
21											–	·08	21
22											·30	–	22
23											·02	·08	23
24											·09	·01	24
25										·14	·03	·02	25
26										·06	·02	–	26
27										·52	·08	–	27
28										·05	–	·02	28
29										·35	·02	·08	29
30		×									·21	·02	30
31		×		×		×			×		×		31
TOTAL										~~1·12~~	1·38	·50	YEAR'S TOTAL ~~1·~~·49
*Days with ·01 in. or more.											11	7	~~29~~
*Days with ·04 in. or more.										~~5~~	9	4	~~85~~

40-9999

*See Instruction 2 (*f*) on other side.

N. *(Signed)*...... [P.T.O.

WOKING (MAYBURY HILL

221/7

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Surrey 1c

Kept at Woking, St. Peter's

in the County of Surrey

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level 160" ft.

OK [illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											·02	·02	1
2											·01	·13	2
3											–	–	3
4											·02	–	4
5											–	–	5
6											–	–	6
7											–	–	7
8											–	–	8
9											–	–	9
10											·02	–	10
11											·04	·02	11
12											·02	–	12
13											·04	·02	13
14											·03	–	14
15											–	–	15
16											–	–	16
17											·02	–	17
18											·09	–	18
19											·15	–	19
20											·15	–	20
21											–	·08	21
22											·30	–	22
23											·02	·08	23
24											·09	·01	24
25										·14	·03	·02	25
26										·06	·02	–	26
27										·52	·08	–	27
28										·05	–	·02	28
29										·35	·02	·08	29
30		×									·21	·02	30
31		×		×		×			×		×		31
TOTAL										unf ~~1·12~~	1·38	·50	YEAR'S TOTAL ~~[illegible]·49~~
*Days with ·01 in. or more.											11	7	~~29~~
*Days with ·04 in. or more.										×	9	4	~~[illegible]~~

40-9999

*See Instruction 2 (*f*) on other side.

N.

(*Signed*)..........

[P.T.O.

X WOKING (MAYBURY HILL) X

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 221/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Surrey/6

Kept at ~~S. Peter's Memorial Home~~

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 19 in.

,, Ground ,, Sea Level ~~110~~ ft.

c. imp 1932

cf 222 221/5

Letter sent re large total 6/3/34

Asked for gauge to be here for Cal. 19/3/34

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: 8

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02	—	·09	Trace	·02	—	—	—	—	·02	·03	Tr.		1
2	·04	·15	·30	—	·29	—	—	—	—	Tr.	Tr.	Tr.		2
3	·07	·18	·34	—	·03	—	—	—	—	Tr.	—	—		3
4	·14	—	·01	—	·43	—	—	—	—	Tr.	·06	—		4
5	—	·22	·33	—	Tr.	—	—	—	—	·02	Tr.	—		5
6	·16	·02	·03	—	·39	—	—	—	—	·09	·07	Tr.		6
7	·04	·02	·03	—	·30	—	—	—	—	·13	·01	·04		7
8	—	·11	·02	—	·08	—	·11	—	—	·02	Tr.	—		8
9	·14	·02	Trace	—	~~·06~~	—	·12	—	—	·13	·07	—		9
10	—	—	—	—	Tr.	·06	·03	Tr.	—	·23	·07	Tr.		10
11	—	—	Tr. Fog	—	·05	·10	·33	·09	Tr.	·06	·05	—		11
12	—	·33	—	·02	·03	·22	·10	—	·88	Tr.	·02	·02		12
13	·33	—	—	·07	·11	·01	·15	Tr.	·08	·02	·15	—		13
14	—	—	—	—	·01	Tr.	·03	·02	Tr.	·26	·35	·02		14
15	·06	—	·15	—	—	—	·21	·28	—	·01	·02	Tr.		15
16	—	—	·67	—	—	·20	·40	Tr.	Tr.	·02	·04	—		16
17	·21	—	·50	—	—	·25	Tr.	—	·05	Tr.	·03	Tr.		17
18	—	—	·25	—	—	·15	—	—	Tr.	—	·02	—		18
19	—	—	·05	Slight snow	—	·02	·03	—	·34	—	Tr.	·03		19
20	·14	—	·04	·13	—	·01	—	—	·02	—	·02	·01		20
21	—	Snow ·06	Tr.	Tr.	—	·52	—	·07	·21	·02	Tr.	Tr.		21
22	—	·09	—	—	·16	·03	—	·26	·05	·29	·04	—		22
23	—	Snow ·03	—	·14	1·85	·05	—	—	·13	·05	·01	—		23
24	—	—	—	·09	·02	·85	—	—	·28	·02	Tr.	Tr.		24
25	—	Tr. snow	—	·32	Tr.	·02	—	Tr.	·19	Tr.	·03	·04		25
26	—	·85	—	·04	—	·07	—	—	·03	·12	·02	·09		26
27	—	·73	—	—	·35	—	Tr.	—	·01	·18	Tr.	·06		27
28	—	·60	—	—	·02	—	·21	—	Tr.	·35	Tr.	·06		28
29	—	·02	·01	·09	—	—	·05	—	·01	·11	—	·02		29
30	—	✕	·05	Tr.	—	—	·02	—	·14	·03	—	Slight snow ·15		30
31	77	✕	~~·01~~	✕	—	✕	—	·08	✕	·02	✕	—		31
TOTAL	·78 ~~1·62~~ 1·61	3·28 ~~3·43~~	2·87 ~~2·88~~	·90	~~4·12~~ ~~4·28~~	2·55 ~~2·25~~	1·79	·80	2·42	2·20	1·13	·54	Year's Total ~~24·06~~	24·23
*Days with ·01 in. or more.	11 ~~12~~	14 ~~4~~ 15	~~6~~ 16 17	X 8	16 ~~6~~ 17	5 15	~~4~~ 13	X 6	~~4~~ 14	~~10~~ 22	~~9~~ 19	~~5~~ 11	56	~~109~~ 165
*Days with .04 in. or more.	3 11	9 ~~10~~	11	7	10 ~~11~~	10	9	5	10	12	10	6	112	110

by NP

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(Signed) ~~Anita, Sister, Comm. of S. Peter~~ [P.T.O.

SISTER ANITA X

X WOKING (MAYBURY HILL) X

F2 30650/33

C imp 1932 big imp 1933

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 221/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

11 Burrey 6

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at St. Peter's Memorial Home, Woking

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 19 in.

,, Ground ,, Sea Level c 150 ft. ?

X March 22nd to April 1st. Rain guage at Air Ministry for testing. Little or no rain

* Nov. 19th & 20th Thick white fog nt. & day. No rain as far as I know. B.A.

ϕ April 12th ·38 added from a neighbouring guage [Mr Hancock's] when 2 days here were missed. i.e. 1·40 recorded ·38 added 1·78 total

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. I reported this to the Director on May 28th.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02		·02	X				·18	·03	·05	·03	·44		1
2	·0[illegible]		·12						·75	·24		·23		2
3	·03	·04	Trace	·05						·25	Trace	·03		3
4	·09	·02	·05	·06	·08					·07	·07	·39		4
5	·03	Trace	·05					·02			·09	·44		5
6	·02		·33	·02	·05	·10		·35		·17	·05	·54		6
7	·06	03	Trace					·02		·14	·06	·23		7
8	–		–					·03	·21	Trace	·38			8
9	·01		·01			·01					1·05	·56		9
10	Trace		·13	x				Trace		·02	·30	·03		10
11	·01	Fog	·34	x			·02	·03			·02	·11		11
12	·04	Fog	·02	ϕ[·38]			·23	·19	Trace		Trace	·06		12
13	·38		·28	✓			·51	·02		Trace	·10	·11		13
14	·37		·36	[illegible]	·11	·16				·02	·20	·51		14
15	·06	·02	·13	[illegible]	·12	[illegible]				·15	·12	·55		15
16	Trace	Trace	·21		·06					·15	·02	·05		16
17	·11		·01		·03					·06	·01	·13		17
18	·02		·02	·18			·32		Trace	Trace	Trace	·26		18
19	·46		·27					·02	·09	·02	*·02	·28		19
20			·06				·23			·02	·02	·05		20
21			Trace			·06	·10	·08		·04	·01	·03		21
22		·01	–X				·17	·09	·15		·02	·05		22
23		·03	–			·36			·02		·02	·04		23
24	X	·04	(·10)	·40		·03	·74		·04		·02	·02		24
25	·14	·07	–		·04	·40				·07	Trace	·32		25
26	·02		–	·04	.	·13			·02		Trace	·03		26
27	Trace	·03	–	·04	-	·07			·01	·07	Trace	·75		27
28	·02	·02	–	·01	.	·12	·01	·85		Trace	·02	·20		28
29			–		.		·10		·16		·01	·02		29
30	·08	X	–		.				·02		Trace	·23		30
31	·07	X	–	X	.	X			X	·35	X	·06		31
TOTAL	2·12	·31	(2·38) 4:	1·78 [see above]	·50	1·45	2·43	1·93	1·50	1·89	2·64	6·75	Year's Total. 7 25·X8	
* Days with .01 in. or more.	21 ~~9~~	10 ~~7~~	18 ~~8~~	12 ~~2~~	7 ~~1~~	11 ~~8~~	10 ~~2~~	13 ~~6~~	11 ~~5~~	17 ~~4~~	22 ~~12~~	30 ~~6~~	182 ~~[illegible]~~	
* Days with .04 in. or more.	12	3	13 ~~12~~	8 ✓	6	8	8	7	6	13	10	24	~~117~~	118

NB March 24th (·10) from surrounding obs. (g. was with M.O. on test during this time) April 10th–14th quite O.K. Observer informed on 906 on 18/3/35 + agrees. 20/3/35.

X Thick fog & frost all day

V. Gretan print

OK print

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side. X SISTER ANITA X (Signed ~~Anita, Sister, Comty of S. Peter~~) [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 221/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935

[illegible] Days

Kept at S. Peter's Memorial Home

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 19 in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·16		~~02~~	07	02		1-15		33	06	36	(.22)		1
2	·02	03	05		~~[illegible]~~	06	Tr		14	13	11	02		2
3	Trace	Trace	~~06~~	07		03			13	1-32		02		3
4	~~06~~	03	Tr	23		21			07					4
5	~~05~~	08	(·06) ~~06~~	06		08			53	(·35)				5
6	·05	01	~~28~~	28		41			~~15~~					6
7	02		~~31~~	31		05					(7·20) ~~20~~	·31		7
8					Fog &	04					~~20~~ ~~77~~			8
9	Trace		~~65~~	65	[illegible]	5·2			~~22~~	(·95)	77			9
10	06		~~35~~	35	over	02					02			10
11	~~Trace~~	~~02~~	Tr	11		07	18			Tr	41	~~31~~		11
12	26	~~28~~		Tr		17		12	02		79	~~20~~ Tr		12
13	02	15		13	09	04						Tr		13
14	06	Tr		03	13	06					13	10		14
15	Tr	25		35	02	22				(·05)	29	13		15
16	Tr	Tr	03	12	~~38~~	16					32	Slight frost		16
17	02	~~08~~		19		11			·97		22	02		17
18		~~05~~		03	07	15						04		18
19		Tr		~~25~~	39	03	(·20)				08	04		19
20	02	28		15	26	07					25	02		20
21	~~01~~	~~[illegible]~~ 18					~~[illegible]~~		Tr			04		21
22	02	04	05	05				41	14	02		Tr		22
23	Tr	Tr	12	[illegible]				1-62	13	19				23
24	06	63			13			41	18	02	01	20		24
25	Tr	17		26	09	26		02		Tr	Tr	12		25
26	15	75		Tr					·15			(·75)		26
27	~~02~~	06						·20		Tr	09			27
28					19					05		16		28
29								04	88×					29
30	06	×				04		83		19	(·22) ~~44~~	31		30
31	Tr	×		×		×			×	(·35)	×	35		31
TOTAL	·99 ~~87~~	2·96 ~~2·47~~	·34 ~~44~~	3·44 ~~3·56~~	1·39 ~~1·58~~	2·80 ~~2·78~~	1·53 ~~1·58~~	3·65 ~~3·68~~	3·16	3·68 ~~3·68~~ ~~4·55~~	4·67 ~~5·80~~	2·85 ~~4·86~~	Year's Total. 33·71	(31·96) ~~32·76~~
* Days with .01 in. or more.														
* Days with .04 in. or more.														

2 days

Oct: 3 (9 [probably Sep 31] measured again after heavy shower between 8 & 10 a.m.

× 2 days

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

Print

(Signed) † Anita Sister C.S.P.

[P.T.O.

222

Section **A** for the entry of D

AIR MINISTRY.

OPY FOR OFFICIAL USE.

ORGANIZATION.

FORM 1090.

REGIST

222

HORSELL VICARAGE

1931 - 1935

780105

Kept at Horsell V

in the County of Surre

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Leve

THE MORNING MEASURI

An observer who does not conform to thi *llowing*
year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·05		·17				·02	·02				1
2	·21	·05		·32					·41	·01		·05	2
3			·07	·35	·70			·18	·50		·05	·15	3
4					·06		·01		·02		·20		4
5				·17		·45	·10	·01			·02	·08	5
6		·10		·15			·10			·26	·28		6
7					·09	·17		·39	·01		·24	·02	7
8	·01	·04	·02	·01	·01	·30		·15			·06	·02	8
9		·12	·07	·02					·13		·47		9
10						·01		·26			·14		10
11	·05	·30							·01		·25		11
12	·02							·92	·17				12
13	·01							~~[illegible]~~		·04			13
14	·01						1·01	1·10				·07	14
15		·08		·24	·08		·16	·16					15
16		·04		·12	·20	·08		·17	·11				16
17	·01	·03		·31			·34	~~[illegible]~~	·11				17
18	·03	·06		·06		·10		1·00			·50		18
19	·03			·51		·48	·21	·07					19
20		·03		·03			·02	·39	·04		·02	·01	20
21	·02				·37			~~[illegible]~~					21
22	·20			·02					·01				22
23	·21			·07	·43				·03		·10		23
24				·31	·09	·04	·10						24
25	·07			·40	·10		·41						25
26		·02		·17			·32				·14		26
27	·11	·30		·12	·55		·14			·01	·06		27
28	·01			·03	·01					·14		·07	28
29	·08				·10		·06				·01		29
30	·01	×					·01	·13	·01				30
31	·08	×		×	·11	×			×		×		31 d
TOTAL	1·17	1·22	·16	3·58	2·90	1·63	2·99	4·95	1·58	·46	2·54	·47	YEAR'S TOTAL 23·65
*Days with ·01 in. or more.	18	13	3	20	14	8	14	14	14	5	15	8	146
*Days with ·04 in. or more.	8	10	2	15	12	7	11	12	7	3	12	5	104

40-9999

(*Signed*) Norman Pares

P.T.O.

*See Instruction 2 (*f*) on other side.

222

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Horsell Vicarage
in the County of Surrey
Diameter of Funnel of Gauge 5 ins
Height of top of Gauge above Ground 1 ft 1 in.
,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·05		·17				·02	·02				1
2	·21	·05		·32					·41	·01		·05	2
3			·07	·35	·70			·18	·50		·05	·15	3
4					·06		·01		·02		·20		4
5				·17		·45	·10	·01			·02	·08	5
6		·10		·15			·10			·26	·28		6
7					·09	·17		·39	·01		·24	·02	7
8	·01	·04	·02	·01	·01	·30		·15			·06	·02	8
9		·12	·07	·02					·13		·47		9
10						·01		·26			·14		10
11	·05	·30							·01		·25		11
12	·02							·92	·17				12
13	·01							[illegible]		·04			13
14	·01						1·01	1·10				·07	14
15		·08		·24	·08		·16	·16					15
16		·04		·12	·20	·08		·17	·11				16
17	·01	·03		·31			·34	[illegible]	·11				17
18	·03	·06		·06		·10		1·00			·50		18
19	·03			·51		·48	·21	·07					19
20		·03		·03			·02	·39	·04		·02	·01	20
21	·02				·37			[illegible]					21
22	·20			·02					·01				22
23	·21			·07	·43				·03		·10		23
24				·31	·09	·04	·10						24
25	·07			·40	·10		·41						25
26		·02		·17			·32				·14		26
27	·11	·30		·12	·55		·14			·01	·06		27
28	·01			·03	·01					·14		·07	28
29	·08				·10		·06				·01		29
30	·01	×					·01	·13	·01				30
31	·08	×		×	·11	×			×		×		31
TOTAL	1·17	1·22	·16	3·58	2·90	1·63	2·99	4·95	1·58	·46	2·54	·47	YEAR'S TOTAL 23·65
*Days with ·01 in. or more.	18	13	3	20	14	8	14	14	14	5	15	8	146
*Days with ·04 in. or more.	8	10	2	15	12	7	11	12	7	3	12	5	104

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Norman Pares

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.**

Station No. 222

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Horsell Vicarage

in the County of Surrey

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

*, My own record being uncertain I got this from a neighbour who lives ½ mile away

Jan. 1, following

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10			·26	·06			·17		·04	·01		**1**
2				·36	·59			·10	·12	·06	·01	·32*	**2**
3					·05				·51				**3**
4					·18	·20					·04		**4**
5	·13				·01		·28		·06				**5**
6	·31			·34									**6**
7				·06					·09	·06			**7**
8			·08		·21				·15	·24			**8**
9			·09		·41	·04							**9**
10	·49			·26	·05					·13	·01		**10**
11	·06				·01		·46				·04	·01	**11**
12	·07	·01								·17			**12**
13	·06			·07	·01			·03		·46	·02		**13**
14	·07			·04	·01					·01			**14**
15				·06	·16					·07	·02		**15**
16	·10			·21	·01		·10						**16**
17				·04			·07			·03			**17**
18							·06		·18		·10		**18**
19									·04	·15	·15		**19**
20				·20	·01			·31	·01	·61			**20**
21	·01			·06	1·00					·16		·05	**21**
22			·25	·04	·26		·22		·23	·25	·25		**22**
23				·06	·01				·14	·80	·04	·06	**23**
24		·06					·30		·07	·13	·07		**24**
25		·03					·74			·13			**25**
26							·51			·04			**26**
27			·34	·10	·37		·07			·48	·10		**27**
28			·27		·20		·13			·04			**28**
29				·05	·07	·03		·07	·12	·32	·01		**29**
30		×		·06		·51	·01		·16		·18	·07	**30**
31		×		×		×			×		×	·04	**31**
TOTAL	1·40	·10	1·03	2·27	3·68	·78	2·95	·68	1·88	4·38	1·05	·55	YEAR'S TOTAL 20·75
*Days with ·01 in. or more.	~~10~~	~~3~~	~~5~~	~~17~~	~~20~~	~~4~~	~~12~~	~~5~~	~~13~~	~~21~~	~~15~~	~~6~~	~~131~~
*Days with .04 in. or more.	9	1	5	17	13	3	11	4	12	19	9	5	108

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Norman Pares

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 222

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Horsell Vicarage

in the County of Surrey

Diameter of Funnel of Gauge ..... in.
Height of top of Gauge above Ground ..... ft ..... in.
,, Ground ,, Sea Level ..... ft.
as before

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	·18	·10		·05						·03			1
2	·12		·29		·26									2
3		·19	·27		·04									3
4	·17	·01			·33						·08			4
5	·02	·01	·25		·07									5
6		·06	·02		·32					·09	·06			6
7	·12	·03	·01		·27					·11		·03		7
8	·02				·08		·11			·13				8
9					·03		·10			·12				9
10		·59			·03	·03	·04			·14	·08			10
11	·29					·01	·26		·04	·06	·02			11
12				·02		·14	·04		·86		·01			12
13	·05				·11	·01	·16		·08	·01	·14			13
14							·04			·21	·31	·01		14
15	·20		·10			·04	·18	·27						15
16			·51			·13	·22		·01		·01			16
17			·37			·25			·03		·07			17
18	·10	·07	·24			·04	·04				·01			18
19		·03	·11			·02	·02		·43		·02	·03		19
20			·04	·10					·01					20
21		·03				·12		·06	·16	·01				21
22					·03			·22	·02	·28	·02			22
23				·13	1·14				·17	·05				23
24		·58		·06		·43			·21					24
25		·52		·29					·15		·01	·03		25
26		·56		·01		·04				·04				26
27		·01			·33	·01				·24		·10		27
28							·21			·28		·06		28
29	·08			·08						·13				29
30	·10	×	·05	·04					·13	·02		·14		30
31	·11	×		×		×		·08	×		×			31
TOTAL	1·44	2·87	2·36	·73	3·09	1·27	1·42	·63	2·30	1·92	·87	·40	Year's Total 19·30	
*Days with ·01 in. or more.	13	14	13	8	14	13	12	4	13	16	14	7	141	
*Days with .04 in. or more.	11	8	11	6	11	8	11	4	9	3	6	3	91	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) Notman Pares

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations, Station No 227

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Horsell Vicarage

in the County of Surrey

Diameter of Funnel of Gauge 5 ins

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 140 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01					·02		·15	·01	·03	·01	·38		1
2	·06		·10		·03				·62	·24		·20		2
3	·02	·03		·04				·01		·21		·03		3
4	·08		·03	·09	·05					·03	·05	·37		4
5			·03		·02			·01			·09	·38		5
6	·01		·31		·16	·07				·16	·03	·43		6
7	·04	·02						·40		·08		·17		7
8					·05						·32	·02		8
9									·20		·96	·35		9
10	·01		·12	·17							·29	·02		10
11	·26		·32	·11								·09		11
12	·04		·02				·18					·08		12
13	·24		·22				·62	·27			·09	·18		13
14	·05		·25	·01	·01	·11				·01	·19	·40		14
15			·12		·08					·16	·11	·56		15
16			·12		·04					·13	·01			16
17	·10			·02					·01	·05	·02	·10		17
18	·35			·13			·43					·16		18
19			·25	·05					·06	·01		·27		19
20			·04				·40					·04		20
21				·19		·06	·15	·03		·01	·01			21
22							·55	·05	·13			·08		22
23				·17		·31						·04		23
24			·06	·13		·02	·69		·01		·01			24
25	·14	·06		·10		·22				·03		·31		25
26				·34		·10						·01		26
27				·05		·06				·05		·15		27
28	·01			·01		·13		·99			·01	·13		28
29							·07		·16					29
30	·06	×						·01				·24		30
31	·04	×		×		×	·01		×	·25	×	·06		31
TOTAL	1·52	·11	1·99	1·61	·44	1·10	3·10	1·92	1·20	1·45	2·20	5·25	Year's Total. 21.89	
* Days with .01 in. or more.	17	3	14	15	8	10	9	9	8	15	15	27	150	
* Days with .04 in. or more.	12	1	11	12	5	8	8	5	5	9	8	23	107	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE. /

Section **A** for the entry of Daily Observations. Station No. 222

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

M07

WITH
RECEIVED 7 JAN 1936
21
INITIALS
RELEVANT
FILE NO.
TO

15

Totals ck.

Kept at Horsell Vicarage

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level ? ~~150~~ 140 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·13	·02		·05	·01				·12	·12	·34			1
2	·01					·05			·05	·13	·03			2
3			·01	·07		·06	1·50		·23	·97	·13			3
4		·02		·21		·12			·14	·13			·04	4
5		·06	·05	·04		·08			·48	·02	·03		·02	5
6	·05		·01	·26		·30								6
7				·28		·01				·02	·95		·15	7
8				·33		·01				·14	·25		·03	8
9				·22		·37				·74	·12		·01	9
10	·05		·01	·22							·13			10
11	·27			·08		·10	·08				·36			11
12		·01				·11		·07			·79			12
13	·04	·12		·11	·05	·01								13
14				·03	·14	·05				·03	·06		·08	14
15		·14		·27	·02	·25			·06	·12	·22		·12	15
16		·03	·02	·11		·07			·27	·02	·50		·02	16
17				·02		·15			·06		·21			17
18				·15	·11	·13			·18	·03			·03	18
19		·01			·31	·01	·10		·02	[illegible]	·07		·04	19
20		·19		·11	·22	·03	·05				·20			20
21		·28							·02	·09			·08	21
22		·02	·03	·12				·21	·13					22
23			·09					·39	·15	·18				23
24	·04	·62			·09			1·53	·20	[illegible]			·10	24
25	·16	·25		·25									·12	25
26		·21			·11			·20	·03				·29	26
27		·38			·14	·47			·09		·08		·26	27
28									·18	·03			·16	28
29									·70				·26	29
30	·04	×		·05				·84	·01	·17	·44		·22	30
31		×		×		×			×	·35	×		·21	31
TOTAL	·79	2·36	·22	2·98	1·20	1·98	1·73	3·24	3·12	3·10	4·91		Year's Total. 2·24	27·87 ?
* Days with .01 in. or more.	9	15	7	~~28~~ 20	10	16	4	6	19	13	18		19	156
* Days with .04 in. or more.	8	9	2	18	8	11	4	6	15	11	16		13	121

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Norman Pares

[P.T.O.

FORM 1090. **B** Mo
Sur

222/5

222|5

WOKING HORSELL RIDGEWAY

1939

780105

*The following register of mont
&c., is NOT required if daily
values are given on the other

n and also the space for

s register should be sent :—

RAINFALL IN 193

At Woking, Horsell

In the County of Surrey

ry Woking

......in Summer..................

e...............Direction from gauge...........

nce...............Direction from gauge...........

Rain Gauge

- Diameter of Funnel............
- *Height of Top above Ground*....1....*ft*....6....*in.*
- *Height of Ground above Sea Level*....150....*ft.*

Nature of objects nearest to gauge				
Height of objects	Distance	from	trees	53ft
Distances ...	"	"	house	60ft
Directions from gauge ...				

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	4·14				
FEB.	1·17				
MAR.	1·10				
APRIL	2·23				
MAY	1·52				
JUNE	1·37				
JULY	2·39				
AUG.	1·81				
SEPT.	·86				
OCT.	4·81				
NOV.	3·94				
DEC.	1·74				
TOTAL	27·08				

✓ late JH

Signature ....

7A200177/40

* See Instruction 3 (*f*) below.

If gauge has been moved during the year state—

Date of move.. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91 S.O. Code No. 40-9999

FORM 1090.

B Monthly Summary.

C Particulars of Station.

222/5

* The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1939

At Woking, Horsell Ridgeway

In the County of Surrey

Rain Gauge

Diameter of Funnel 5 in.

Height of Top above Ground 1 *ft.* 6 *in.*

Height of Ground above Sea Level 150 *ft.* ?

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	4·14				
FEB.	1·17				
MAR.	1·10				
APRIL	2.23				
MAY	1·52				
JUNE	1·37				
JULY	2·39				
AUG.	1.81				
SEPT.	·86				
OCT.	4.81				
NOV.	3.94				
DEC.	1·74				
TOTAL	27·08				

✓ take WH

Signature ....

7 A200177/40

* See Instruction 3 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :— Rev. J. R. Coch
Upton Horsell Ridgeway Woking

Hour of observation by the clock—in Winter........................in Summer........................

Nearest Railway Station........................ Distance................ Direction from gauge............

Nearest Parish Church at........................ Distance................ Direction from gauge............

Nature of objects nearest to gauge				
Height of objects	Distance	from	trees	53 ft
Distances ...	"	" house		60 ft
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move........................ Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{c}17\\18\end{array}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91
S.O. Code No. 40-9999

224

Section **A** for the entr

AIR MINI

FORM 1090.

REG

1.

FOR OFFICIAL USE.

L ORGANIZATION.

181

224

283424

WISLEY

1931 — 40

780105

Kept at Wisley

in the County of

Diameter of Funnel of Gauge

Height of top of Gauge above G

,, Ground ,, S

THE MORNING ME

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3			·07		·69				·70			·23	3
4													4
5													5
6										·30			6
7													7
8						·40							8
9											·48		9
10													10
11													11
12													12
13								1·13					13
14							·81						14
15													15
16													16
17													17
18											·48		18
19													19
20													20
21													21
22	·24												22
23													23
24				·55									24
25													25
26													26
27		·30											27
28													28
29		✕											29
30		✕											30
31		✕		✕		✕			✕		✕		31
TOTAL	1.34	1.51	0.22	3.98	2.38	1.40	3.43	4.34	1.81	0.63	2.84	0.62	YEAR'S TOTAL 24.50
*Days with ·01 in. or more.	20	19	7	20	15	12	16	18	14	11	15	13	180
*Days with ·04 in. or more.	10	13	2	16	10	9	12	15	8	3	11	4	113
40-9999	34.0	38.4	5.6	101.1	60.5	35.6	87.1	110.2	46.0	16.0	72.1	15.7	622.3

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

224

Section A for the entr

AIR MINI

L ORGANIZATION.

FOR OFFICIAL USE.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

181

Kept at Wisley

in the County of Surrey

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3			·07		·69				·70			·23	3
4													4
5													5
6										·30			6
7													7
8						·40							8
9											·48		9
10													10
11													11
12													12
13								1·13					13
14							·81						14
15													15
16													16
17													17
18											·48		18
19													19
20													20
21													21
22	·24												22
23													23
24				·55									24
25													25
26													26
27		·30											27
28													28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL	1.34	1·51	0.22	3·98	2·38	1·40	3·43	4·34	1.81	0.63	2·84	0.62	YEAR'S TOTAL 24·50
*Days with ·01 in. or more.	20	19	7	20	15	12	16	18	14	11	15	13	180
*Days with ·04 in. or more.	10	13	2	16	10	9	12	15	8	3	11	4	113
40-9999	34·0	38·4	5·6	101·1	60.5	35·6	87·1	110·2	46·0	16·0	72·1	15·7	622·3

*See Instruction 2 (*f*) on other side.

(*Signed*) ....

[P.T.O.

Section **A** for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19631

COPY

Kept at WHISLEY

in the County of

Diameter of funnel of gauge ..... in.

Height of top of gauge above ground ..... ft. ..... in.

Height of ground above sea level ..... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	01	04	[illegible]	16		03		01	12	01				1
2	20	08		34					38	01		08		2
3	06	01	07	37	69			18	70		10	23		3
4					03		04	02	02	01	09			4
5				19	01	33	06	04	01		02	10		5
6		09		14		09	03			30	35	02		6
7					08	09		40		08	30	02		7
8	01	05	03	01		40		16		01	03	01		8
9		17	05	01		01			03		48	01		9
10		01	02			04		23			44	01		10
11	06	28							02	01	17			11
12	02						03	02	20					12
13							01	113						13
14	01	09			01		81	35						14
15	02	01		22	07		34	17				06		15
16		09		10	21	09		23	13					16
17	02	01		42	02		35	09	02	01				17
18	04	08	02	13		16	09	90			48			18
19	03			54		08	21	10	05					19
20		04		04			03	19			01			20
21	03				39									21
22	24	05	02	05					04					22
23	17	01		01	31	03			08		10	03		23
24	04		01	55	08	05	19	06	01					24
25	04			32	05		39							25
26		03		30			66				21			26
27	11	30		06	31		13			01	05			27
28	02	07		02						02		02		28
29	08	X			09		06			16	01	01		29
30	03	X						06						30
31	14	X		X	03	X			X		X	02		31
TOTAL	1·34	1·51	·22	3·98	2·38	1·40	3·43	4·34	1·81	·63	2·84	·62	Year's Total 24·50	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) ..... (P.T.O.)

224

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1

REGISTER OF RAINFALL IN 1932.

101

Kept at Wisley

in the County of Surrey

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2									·35			·11	2
3													3
4													4
5													5
6				·34									6
7													7
8													8
9													9
10	·79												10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20								·88					20
21					1.19								21
22											·28		22
23		·11											23
24													24
25							·64						25
26													26
27			·40							·66			27
28													28
29													29
30		×				1.14							30
31		×		×		×			×		×		31
TOTAL	2·41	0·21	1.35	2.17	4·42	1.45	2·62	1.26	1·84	4.89	1.04	0.44	YEAR'S TOTAL 24·10
*Days with ·01 in. or more.	13	7	12	23	20	7	13	9	17	24	18	11	174
*Days with ·04 in. or more.	10	2	6	17	15	3	9	4	12	21	6	5	110
40-9999	61·2	5·3	34·3	55·1	112·3	36·8	66·5	32·0	46·7	124·2	26·4	11·2	

*See Instruction 2 (*f*) on other side.

(Signed) ....

P.T.O.

Section **A** for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~32

Kept at WHISLEY

COPY

in the County of

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	09	01		02	61			03		06	03	01		1
2				15	01			10	35	04	01	11		2
3				13	16	02			25	10				3
4	01					18					03			4
5	12		01		04	01	17		06					5
6	36			34					04					6
7	02		09	08					05	07		01		7
8			13	03	30				08	27				8
9	39	01		11	38					01				9
10	79		03	16	04	03				14				10
11	20			08	01		45		01	01	03			11
12	13	01						01	03	18				12
13	05			11	03		03			53	01	01		13
14	06	02		08	01					01	01	01		14
15		01		07	11					08		01		15
16	17			22	04									16
17				03			13			05	01			17
18							02		15		06			18
19									03	18	02			19
20				12	01			88	01	54	12			20
21	02		01	10	119			13		18		06		21
22			24	01	32		26	01	28	33	28			22
23		11	01	08	22	04	01		13	65	02	10		23
24		04					42		12	16	08			24
25				06			64		01	14	02			25
26			07	02	04		13			12	01			26
27			40	09	38		23			66	06			27
28			03		42		11			04				28
29			32	07	10	03			11	34	01	01		29
30		X	01	01		114	02	08	13		23	07		30
31		X		X		X		01	X		X	04		31
TOTAL	2·41	·21	1·35	2·17	4·42	1·45	2·62	1·26	1·84	4·89	1·04	·44	Year's Total 69 24·10	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.   †Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

Section **A** for the entry of Daily Observations.

224

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept [illegible] Wisley

in the County of Surrey

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft ...... in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11	·31						·58						11
12									1·04				12
13													13
14											·45		14
15								·32					15
16			·66										16
17													17
18													18
19													19
20													20
21													21
22										·30			22
23					2·25								23
24		1·05				·48							24
25				0·29									25
26												·15	26
27													27
28													28
29													29
30		×										·15	30
31		×		×		×			×		×		31
ins. TOTAL	1·49	3·81	2·64	0·67	4·26	1·62	1·56	0·74 ~~0·66~~	2·50	1·94	1·04	0·46	YEAR'S TOTAL 73 ~~22·65~~
*Days with ·01 in. or more.	15	14	15	8	16	11	14	~~5~~6	13	17	14	7	150 ~~149~~
*Days with ·04 in. or more.	12	10	11	5	12	9	10	~~4~~5	11.	11.	8	4	108 ~~107~~
mms.	37·8			17·0			39·6						

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) ....

[P.T.O.

Section **A** for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 1933

Kept at WHISLEY

in the County of SURREY

COPY

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	07	14	10		01					02	03			1
2	17		28		24									2
3		20	27		02									3
4	10	01			42						05			4
5	04	01	36											5
6		11	02		34					11	07			6
7	15	02	05		31					17		03		7
8	01		01		04		08			02				8
9					05		10			10	09			9
10		46				05	02			24	04			10
11	31				06	05	58	05	09	01	02			11
12				02	02	23	08		104					12
13	04				09		16	02	06		14			13
14							01			24	45			14
15	22		15				12	32			01			15
16			66			16	07			01	02			16
17	01		41			22			04		05			17
18	10	07	21			13								18
19	01	06	02	05		01	05		37		02	02		19
20			04	10					01					20
21		055				20		06	22					21
22					06			21	02	30	04			22
23				10	225	02			11	04				23
24		105		08		48			29					24
25		90		29					10		01	01		25
26		72		02		07			04	06		15		26
27		01			29		01			20		06		27
28					01		22			29		04		28
29	04	X	02	01			05			11				29
30	10	X	04		05		01		11	01		15		30
31	102	X		X		X		08	X	01	X			31
TOTAL	1·49	3·81	2·64	·67	4·26	1·62	1·56	·74	2·50	1·94	1·04	·46	Year's Total 22·73	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

224

Kept at Wisley

in the County of Surrey

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2									·73				2
3													3
4													4
5													5
6					·17								6
7													7
8													8
9											·94		9
10													10
11													11
12													12
13	·43												13
14			·36									·65	14
15													15
16													16
17													17
18													18
19													19
20													20
21							·62						21
22													22
23						·29							23
24													24
25		·10											25
26				·32									26
27													27
28								·73					28
29		X											29
30		**X**											30
31		**X**		**X**		**X**			**X**	·30	**X**		31
TOTAL	1·93	0·26	2·39	2·11	0·67	1·08	2·41	1·75	1·50	1·50	2·30	6·00	YEAR'S TOTAL 23·90
*Days with ·01 in. or more.	18	6	16	17	10	9	9	14	10	16	14	29	168
*Days with ·04 in. or more.	11	3	14	14	7	7	8	8	6	11	8	23	120

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) ....

[P.T.O.

Section **A** for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 1934

Kept at WHISLEY

COPY

in the County of

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	01							13		04	02	46		1
2	05		12		13				73	22		20		2
3	02	04		07				01	01	13		09		3
4	08		04	05	09			01		03	06	36		4
5	~~8~~01		05					34			10	37		5
6			32	01	17	05		03		15	02	62		6
7	04	03						0~~8~~5		20		21		7
8					05				27		40	04		8
9	01										94	3~~9~~9		9
10			14	16				08		01	34	01		10
11	41		32	07			01	19				13		11
12	04		02				20	01				06		12
13	43		20	01			40				07	12		13
14	07		36		01	16				01	20	65		14
15			11		10					11	11	52		15
16	11		22		06					13		01		16
17	02			07	01					05		13		17
18	39		11	18			22					33		18
19			25	07	01				07	01		27		19
20			05	02			29				01	01		20
21			01	22		10	62	06		01		01		21
22							10	08	15		01	05		22
23		01		22		29			01		01	02		23
24		02	07			02	52		04					24
25	14	10		22	04	18				06		30		25
26	01			23		12			02			03		26
27	01			17		01				04		19		27
28		06		32		15		·73			01	18		28
29		X		20			05		19					29
30	08	X		04				02	01			16		30
31		X		X		X		01	X	30	X	08		31
TOTAL	1·93	·26	2·39	2 1 ~~1·18~~ 2·33	0·67	1·08	2·41	1·75	1·50	1·50	2·30	6·00	Year's Total ~~[illegible]~~	24·12 23·90
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) (P.T.O.)

Section **A** for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~35

Kept at WHISLEY

COPY

in the County of

Diameter of funnel of gauge in.
Height of top of gauge above ground ft. in.
Height of ground above sea level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	14	03		06	01	09	123		21	09	14			1
2	01		07						02	15	01			2
3		01	06	05		05			29	66	12	01		3
4		02		22		34			09	15		05		4
5		10	05	06		17	05		58			02		5
6	02	01	01	25		42				07	04	04		6
7	02			27		12				04	95	15		7
8				30						22	33	01		8
9				22		62			01	81	06			9
10	04		01	06							08	03		10
11	26			09		06	06			01	40			11
12		01				15		12	04		70			12
13	05	13		12	07	08					01			13
14				01	15	04			03		08	07		14
15		14		37	02	12			04		47	11		15
16		02		11		40			31	01	61	02		16
17				02		09		01	05		21			17
18				17		08	03		20	02	02	01		18
19		01			34	02	16		05		08	03		19
20	01	20		19	25	05	07				24			20
21		58		03						09	01			21
22		03	03					20	19					22
23			11					51	12	13		07		23
24	05	61			13			146	22		01	11		24
25	11	46		24	10	61						18		25
26	03	29						20	03			44		26
27	01	42							10		07	20		27
28		05			22				37	04		16		28
29		X						06	50	01		29		29
30	06	X						79	01	15	42	44		30
31		X		X		X			X	40	X	36		31
TOTAL	0·81	3·12	0·34	2·86	1·29	3·51	1·60	3·35	3·46	3·05	5·06	2·~~[illegible]~~ 80	Year's Total ~~[illegible]~~	31·25
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) (P.T.O.)

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations.

Station No. 224

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

1R1

Kept at Wisley

in the County of Surrey

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft ...... in.

,, Ground ,, Sea Level 150 ft.

T. L.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1							1.23							1
2														2
3														3
4														4
5									58					5
6														6
7											·95			7
8														8
9										·81				9
10														10
11	·26													11
12														12
13														13
14														14
15				·37										15
16														16
17														17
18														18
19					·34									19
20														20
21														21
22														22
23			·11											23
24		·61						1.46						24
25						·61								25
26												·44		26
27														27
28														28
29														29
30		×										·44		30
31		×		×		×			×		×			31
TOTAL	0.81	3.12	0.34	2.86	1.29	3.51	1.60	3.35	3.46	3.05	5.06	2.80	Year's Total 1.2 30.85	
*Days with ·01 in. or more.	13	18	7	20	9	18	6	8	21	17	22	21	180	
*Days with .04 in. or more.	7	10	4	16	7	17	5	7	16	13	17	15	134	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) ....

P.T.O.

Section **A** for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

Metform 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 1936

Kept at WHISLEY

COPY

in the County of

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	27	02	02	08		19	12	08			06	03		1
2						39	01	10			09			2
3				28			04		19		25			3
4	11		07			08			24		06	03		4
5	23		02					02	47	01	01	06		5
6	36					06		01	08		46	01		6
7	15		01			02	01		05		09	06		7
8	23		07				03				17	13		8
9	42						43		14	03		01		9
10	05						10	66						10
11				02			15				88			11
12				08	02	56	18		10		19	13		12
13				10		06				01	01	29		13
14		05				04	50			01	15	75		14
15	01	05							09		01	08		15
16	42	07					04				38	06		16
17	10	63			24	33	01				16	20		17
18	08	08				18	11				01	17		18
19	21	03	01	0 ~~8~~6		27	19	12		01				19
20	13	08	02	38		10			84					20
21		02		38	02	34	14		01					21
22	09	39	10		47	11	13					11		22
23	01	01	37	05			07			10				23
24	02	16							06	55				24
25	07		13	21			11		33	15	02			25
26	04	09	13	01		01	12		02	17		02		26
27	24		01				01		13	06				27
28	87		13			03	28					04		28
29	06	08	03			57	03			01	15	01		29
30	05	X			08	11	06			36		01		30
31	30	X	24	X	01	X	26		X	54	X	21		31
TOTAL	4·52	1·76	1·36 ~~0·67~~	1·65	0·84	3·45	3·13	0·99	2·75	2·01	3·15	2·41	Year's Total 28·02	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No 224

181

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Wisley

in the County of Surrey

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 150 ft.

TL

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9														9
10								·66						10
11											·88			11
12														12
13														13
14							·50					·75		14
15														15
16														16
17		·63												17
18														18
19														19
20				·38					·84					20
21				·38										21
22					·47									22
23			·37											23
24										·55				24
25														25
26														26
27														27
28	·87													28
29						·57								29
30		×												30
31		×		×		×			×		×			31
													Year's Total.	
TOTAL	4·52	1·76	1·36	1·65	0·84	3·45	3·13	0·99	2·75	2·01	3·15	2·41	28·02	✓
* Days with .01 in. or more.	24	14	15	11	6	18	24	6	14	13	18	20	183	✓
* Days with .04 in. or more.	21	10	8	9	3	15	18	4	12	7	13	13	133	✓

40-9999

† Spare column, no entries required

* See Instruction 2 (f) on other side.

(*Signed*)

[P.T.O.

Section **A** for the entry of Daily Observations Station No.

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19837

Kept at WHISLEY

COPY

in the County of –

Diameter of funnel of gauge in.
Height of top of gauge above ground ft. in.
Height of ground above sea level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	42	05	01	07							66	84		1
2	01	25	04	72					23			41		2
3		14	02									01		3
4	06	61										30		4
5	12	07	19				12				01			5
6	06	01	95		36		02			05	01			6
7		50	01	05					03	01				7
8	01				08	04					21	24		8
9				26	07	03	01	03	30			22		9
10			40	09	07	32		13				36		10
11			12		12	07	06							11
12	16	14	13	01	46	35	01	45	11			26		12
13	17	05	35	01		02		23	40			111		13
14	01	08	23			02		17	05					14
15	22	07		12			41		03					15
16		15	41	47		02		15	42					16
17	61	01	18	0~~5~~4					20		01			17
18	41	05		05	13	54				01	14	14		18
19	04	08	05	07	01	16			09			03		19
20	44	01	09	14	65	01			01	01				20
21	45	40	06	06			04							21
22	38	03	01		04	40	07			117	21	05		22
23	27	02	01		15					36				23
24	44	41	01						11	42				24
25	08	28	21		18				05	30		01		25
26		27	01		03					09				26
27	02	13		14					01	62				27
28	02	09		0~~7~~44						09		04		28
29	01	X		[illegible]		03				01	04	04		29
30	25	X				01				06	34	01		30
31	20	X		X		X			X	07	X	04		31
TOTAL	4·86	3·90	3·49	2·34	2·35	2.02	·74	1·16	2·04	3·27	1·63	4·11	Year's Total 31·91	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) (P.T.O.)

181

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 224

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090. Byfleet

REGISTER OF RAINFALL IN 1937.

Kept at (Wisley R.H.S. Gdns)
in the County of Surrey)
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 150 ft.

1400 T.L.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											·66			1
2				·72										2
3														3
4		·61												4
5														5
6			·95											6
7														7
8														8
9														9
10														10
11														11
12								·45						12
13												1·11		13
14														14
15							·41							15
16									42					16
17	·61													17
18						·54								18
19														19
20					·65									20
21														21
22										1·17				22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
													Year's Total	
TOTAL	4·86	3·90	3·49	2·34	2·35	2·02	·74	1·16	2·04	3·27	1·63	4·11	31·91	✓ ✓
* Days with .01 in. or more.	24	24	21	16	13	14	8	6	14	14	9	17	180	✓ ✓
* Days with ·04 in.	18	189	14	13	11	7	5	5	10	10	5	13	130	✓ ✓

† Spare column, no entries required.

(f) on other side.

(*Signed*) .... [P.T.O.

Section **A** for the entry of Daily Observations

Station No. ....

METEOROLOGICAL OFFICE

Metform 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19~~6~~38

Kept at WHISLEY

COPY

in the County of ....

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					01	12	07		01	01		04		1
2	10			04	11	01	08			25		05		2
3	01				27	01				40	01			3
4	03						04	12		05		05		4
5	01						01	01		21				5
6	03						03		01					6
7	01						30	13	01	11		02		7
8	17						06	28	04	33		02		8
9	08					01		06				90		9
10	07	04				05		08				12		10
11	21	01						06		01	16	09		11
12	24				02			107		14	04			12
13	24									03	25	14		13
14	24	03			08				01		01			14
15	08	01			01		25			35	01	27		15
16	22	08	01					01		01	02	71		16
17					05					10				17
18	02				02				26		42			18
19	01							04	06		17			19
20									01		68	01		20
21	01							32	07		04	42		21
22						01			01		13	27		22
23				02					02		10 ~~10~~	02		23
24			07						22		07	03		24
25	12		08	01	23		01		01	05	154	12		25
26	18	15	03						15	24		11		26
27	11	03			18	27	32	01	46	05	30	02		27
28	03	05			26	04		48	03			11		28
29	16	X			12			05			05	17		29
30	02	X			14	19			07	08	19	01		30
31	13	X		X	06	X			X	11	X	18		31
TOTAL	2·53 ~~13~~	·40	·19	·07	1·56	·71	1·17	2·72	1·45	2·53	4·19	3·88	Year's Total 21·40	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

181

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 224

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM

REGISTER OF RAINFALL IN 1938

Kept at Byfleet (Wisley R. H. S. Gdns.)

in the County of Surrey

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 150 ft.

T.L.

400

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2				·04										2
3					·27					·40				3
4														4
5														5
6														6
7														7
8														8
9												·90		9
10														10
11														11
12	·24							1·07						12
13	·24													13
14	·24													14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24														24
25											1·54			25
26		·15												26
27						·27	·32		·46					27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL	2·53	·40	·19	·07	1·56	·71	1·17	2·72	1·45	2·53	4·19	3·88	Year's Total 21·40	✓
* Days with .01 in. or more.	25	8	4	3	14	9	10	14	17	18	18	23	163	✓
* Days with .04 in. or more.	15	4	2	1	10	5	7	11	8	14	14	16	107	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side. 66

(*Signed*) ....

[P.T.O

Section **A** for the entry of Daily Observations

Station No. ....

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 1989

Kept at WHISLEY
in the County of ....
Diameter of funnel of gauge ....in.
Height of top of gauge above ground ....ft. ....in.
Height of ground above sea level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	01		01	44	28			01				02		1
2	02				03			55	51		04			2
3	22			19				20			25	29		3
4	16		22	15			10	87		32	04	01		4
5				17	02		15			21	30	04		5
6	32	01	09	01	18		16	02			11	03		6
7	02	12						02			13	09		7
8		08	16					03		38	46	20		8
9	07	07						01		10	14	16		9
10	20					13		16	02	09	01			10
11			19		02					35		01		11
12					01	02								12
13				02			04		02	167		01		13
14	49		01	05	07	02	04			32	51	02		14
15	43		06		72	18			15	75	34	01		15
16	50		07	02	28	09				05	31			16
17	22	04	02	02	07		26				07			17
18	17		03		01	28	08			15	24			18
19	17						15			10		02		19
20	28					28	57					06		20
21	03	12	01			03	03		10					21
22	14	28	02	06		11	16		02		04			22
23	01			33		01	03	01		04	55			23
24	17	01		03		05	02			16	01			24
25	62	32	04				02			09	35			25
26	04		01			01				12	23	04		26
27	04	09	08	12						07	14			27
28		20	05	22		05				08	11	13		28
29		X		87			03			04	02			29
30		X		54		03					24	02		30
31		X		X		X	10		X		X	01		31
TOTAL	4·33	1·34	1·07	2·74	1·69	1·29	1·94	1·88	·82	5·09	4·64	1·17	Year's Total 28·00	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*)..(P.T.O.)

COPY FOR OFFICIAL USE

~~21~~

Section **A** for the entry of Daily Observations

Station No. 224

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Byfleet (Wisley R.H.S. Gdns)

in the County of Surrey

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 150 ft.

400 7L.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1										–	–	02		1
2								~~·55~~	·51	–	·04	tr		2
3										tr	·25	·29		3
4			·22					·87		·32	·04	·01		4
5										·21	·30	·04		5
6										–	·11	·03		6
7										tr	·13	·09		7
8										·38	·46	·20		8
9										·10	·14	·16		9
10										·09	·01	–		10
11										·35	tr	·01		11
12										–	–	–		12
13										1·67	–	·01		13
14										·32	·51	·02		14
15					·72					·75	·34	·01		15
16										·05	·31	–		16
17										tr	·07	–		17
18						·28				·15	·24	–		18
19										·10	tr	·02		19
20						·28	·57			–	–	·06		20
21										tr	–	–		21
22										–	·04	–		22
23										·04	·55	–		23
24										·16	·01	–		24
25	·62	·32								·09	·35	–		25
26										·12	·23	·04		26
27										·07	·14	–		27
28										·08	·11	·13		28
29										·04	·02	–		29
30		✕		·54						tr	·24	·02		30
31		✕		✕		✕			✕	tr	✕	·01		31
TOTAL	4·33	1·34	1·07	2·74	1·69	1·29	1·94	1·88	·82	5·09	4·64	1·17	Year's Total 28·00	
* Days with .01 in. or more.	22	11	16	16	11	14	16	10	6	19	23	18	182	
* Days with .04 in. or more.	17	9	11	11	6	8	11	4	3	19	120	8	124	

† Spare column, no entries required.

e Instruction 3 (f) on other side.

(*Signed*) ....

181

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 224 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

400

Kept at Byfleet (Wisley R.H. Gdns

in the County of Surrey

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 150 ft.

Daily Values

T.L.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·01	-	-	-	-	-	-	-	-	·09	-		1
2	-	·09	-	·09	-	-	·04	-	-	·09	·59	·01		2
3	-	·19	-	·04	-	-	-	-	-	·09	1·22	·08		3
4	-	·07	tr	·02	-	-	-	-	-	·12	·10	·04		4
5	-	·01	-	-	tr	-	·01	-	-	·02	·29	·20		5
6	·28	·10	-	-	-	-	·15	-	-	·21	-	-		6
7	·22	·20	-	tr	·02	-	·17	-	·07	-	-	tr		7
8	-	tr	-	·05	-	-	·01	-	·01	·23	·01	·25		8
9	-	-	-	·01	-	tr	-	tr	·04	·15	·23	·09		9
10	-	-	-	-	-	-	·11	·07	-	·13	·06	·01		10
11	-	·01	-	·03	-	-	·02	-	-	tr	·81	·01		11
12	-	tr	·16	tr	-	-	·10	-	·12	tr	·05	-		12
13	-	·01	·66	·02	-	·02	·03	-	·04	-	1·11	-		13
14	-	-	·19	·06	-	-	·01	-	-	·05	-	·18		14
15	-	-	tr	·02	·09	-	·38	-	·04	·02	·21	·01		15
16	·02	·23	·26	·13	-	·07	·15	-	·12	·43	1·16	·02		16
17	-	-	·37	-	-	-	·05	-	-	tr	·53	·01		17
18	-	·20	·06	·33	-	-	·17	·04	·05	·12	·19	·11		18
19	-	·11	·10	·04	-	-	·06	-	·58	tr	·13	·01		19
20	-	·01	·04	·03	-	·01	·05	·04	·14	·08	·03	-		20
21	·02	-	tr	-	·30	-	·43	-	-	·03	·34	-		21
22	-	-	·04	·01	·45	·45	tr	-	·04	·02	-	-		22
23	-	·05	·03	·16	·06	·04	tr	-	-	tr	·01	tr		23
24	-	tr	tr	·26	-	-	·33	-	-	-	tr	·01		24
25	-	-	·77	-	·02	-	·03	-	-	·02	-	-		25
26	·82	·09	·62	·69	·13	tr	·01	-	-	tr	-	-		26
27	·14	·34	-	·18	tr	-	·02	-	-	-	-	-		27
28	·80	·01	-	tr	·08	-	-	-	·02	-	-	-		28
29	·11	·09	·08	·02	·01	tr	-	-	-	-	-	·26		29
30	·16		tr	·10	-	-	-	-	-	·07	-	·04		30
31	·12		-		-		-	-		·63		·05		31
TOTAL	2·69	1·82	3·38	2·29	1·16	·59	2·33	·15	1·27	2·51	7·16	1·39	Year's Total ~~26·7~~ 26·74	
* Days with .01 in. or more.	10	18	13	20	9	5	21	3	12	18	19	18	166	
* Days with .04 in. or more.	8	12	12	12	6	3	13	3	10	13	16	10	118	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

225

Section **A** for the entry of Daily

AIR MINISTRY.—ME

FORM 1090.

REGISTER

225

WISLEY

OUTFALL WORKS

1931 - 1940

780105

FOR OFFICIAL USE.

RGANIZATION.

Kept at Outfall Works W

in the County of Surrey

Diameter of Funnel of Gauge 5"

Height of top of Gauge above Ground 1

,, Ground ,, Sea Level

THE MORNING MEASUREME

An observer who does not conform to this rul
year in the space on the right of this parag ng

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	Nil	·03	Nil	·15	Nil	·07	Nil	·01	·09	·01	Nil	Nil	1
2	·22	·09	Nil	·28	Nil	Nil	·02	Nil	·47	·02	Nil	·05	2
3	·06	Nil	·07	·38	·61	Nil	Nil	·19	·66	Nil	·08	·28	3
4	Nil	Nil	Nil	Nil	·04	Nil	Nil	·02	·02	·03	·13	Nil	4
5	Nil	·04	Nil	·22	·01	·33	·10	·35	·01	Nil	·02	·11	5
6	Nil	·09	Nil	·15	Nil	·04	·06	·02	Nil	·89	·37	·02	6
7	Nil	Nil	Nil	Nil	·07	·14	Nil	·42	Nil	·07	·29	·02	7
8	Nil	·08	Nil	·01	·03	·35	Nil	·17	Nil	Nil	·02	·02	8
9	Nil	·07	·10	·02	Nil	·04	Nil	Nil	·15	Nil	·38	Nil	9
10	Nil	·12	Nil	Nil	Nil	·04	·01	·22	Nil	Nil	·37	Nil	10
11	·06	·29	Nil	Nil	Nil	Nil	Nil	Nil	·02	Nil	·25	Nil	11
12	·03	Nil	Nil	Nil	Nil	Nil	·03	·02	·18	Nil	Nil	Nil	12
13	Nil	Nil	Nil	Nil	Nil	Nil	·04	·43	Nil	Nil	Nil	Nil	13
14	Nil	·10	Nil	Nil	Nil	Nil	·88	·60	Nil	Nil	Nil	Nil	14
15	·03	·03	Nil	·22	·08	Nil	·23	·08	Nil	Nil	Nil	·07	15
16	Nil	·05	Nil	·10	·19	·10	Nil	·18	·04	Nil	Nil	Nil	16
17	·02	·04	Nil	·47	Nil	Nil	·35	·06	·16	·01	Nil	Nil	17
18	·04	·10	·02	·21	Nil	·08	·10	·90	Nil	Nil	·48	Nil	18
19	·06	Nil	Nil	·29	Nil	·26	·17	·08	·05	Nil	Nil	Nil	19
20	Nil	·03	Nil	·06	Nil	Nil	·06	·18	Nil	Nil	·03	Nil	20
21	·03	Nil	Nil	Nil	·41	Nil	Nil	Nil	Nil	Nil	Nil	Nil	21
22	·27	Nil	·02	·03	Nil	Nil	Nil	Nil	·02	Nil	Nil	Nil	22
23	·20	Nil	Nil	·15	·31	Nil	Nil	Nil	·07	Nil	·11	·04	23
24	Nil	Nil	Nil	·33	·10	·05	·13	·05	·01	Nil	Nil	Nil	24
25	·04	Nil	Nil	·46	·06	Nil	·63	Nil	Nil	Nil	Nil	Nil	25
26	Nil	·06	Nil	·37	Nil	Nil	·58	Nil	Nil	Nil	·21	Nil	26
27	·10	·27	Nil	·07	·32	Nil	·11	Nil	Nil	Nil	·03	Nil	27
28	·02	·10	Nil	·04	·03	Nil	Nil	Nil	Nil	Nil	Nil	·02	28
29	·10	X	Nil	Nil	·07	Nil	·07	Nil	·01	·19	Nil	Nil	29
30	·03	X	Nil	Nil	Nil	Nil	·02	·07	Nil	Nil	Nil	Nil	30
31	·12	X	Nil	X	·09	X	Nil	Nil	X	Nil	X	Nil	31
TOTAL	1·43	1·59	·21	4·11	2·42	1·50	3·59	4·05	1·96	·62	2·77	·63	YEAR'S TOTAL 24·88
*Days with ·01 in. or more.	17	17	4	20	15	11	18	19	15	7	14	9	166
*Days with ·04 in. or more.	11	14	2	17	12	11	14	15	9	3	10	5	123

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) [P.T.O.

225

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Outfall works Wisley

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 55 ft.

dap

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	Nil	·03	Nil	·15	Nil	·07	Nil	·01	·09	·01	Nil	Nil	1
2	·22	·09	Nil	·28	Nil	Nil	·02	Nil	·47	·02	Nil	·05	2
3	·06	Nil	·07	·38	·61	Nil	Nil	·19	·66	Nil	·08	·28	3
4	Nil	Nil	Nil	Nil	·04	Nil	Nil	·02	·02	·03	·13	Nil	4
5	Nil	·04	Nil	·22	·01	·33	·10	·35	·01	Nil	·02	·11	5
6	Nil	·09	Nil	·15	Nil	·04	·06	·02	Nil	·89	·37	·02	6
7	Nil	Nil	Nil	Nil	·07	·14	Nil	·42	Nil	·07	·29	·02	7
8	Nil	·08	Nil	·01	·08	·35	Nil	·17	Nil	Nil	·02	·02	8
9	Nil	·07	·10	·02	Nil	·04	Nil	Nil	·15	Nil	·38	Nil	9
10	Nil	·12	Nil	Nil	Nil	·04	·01	·22	Nil	Nil	·37	Nil	10
11	·06	·29	Nil	Nil	Nil	Nil	Nil	Nil	·02	Nil	·25	Nil	11
12	·03	Nil	Nil	Nil	Nil	Nil	·03	·02	·18	Nil	Nil	Nil	12
13	Nil	Nil	Nil	Nil	Nil	Nil	·04	·43	Nil	Nil	Nil	Nil	13
14	Nil	·10	Nil	Nil	Nil	Nil	·88	·60	Nil	Nil	Nil	Nil	14
15	·03	·03	Nil	·22	·08	Nil	·23	·08	Nil	Nil	Nil	·07	15
16	Nil	·05	Nil	·10	·19	·10	Nil	·18	·04	Nil	Nil	Nil	16
17	·02	·04	Nil	·47	Nil	Nil	·35	·06	·16	·01	Nil	Nil	17
18	·04	·10	·02	·21	Nil	·08	·10	·90	Nil	Nil	·48	Nil	18
19	·06	Nil	Nil	·39	Nil	·26	·17	·08	·05	Nil	Nil	Nil	19
20	Nil	·03	Nil	·06	Nil	Nil	·06	·18	Nil	Nil	·03	Nil	20
21	·03	Nil	Nil	Nil	·41	Nil	Nil	Nil	Nil	Nil	Nil	Nil	21
22	·27	Nil	·02	·03	Nil	Nil	Nil	Nil	·02	Nil	Nil	Nil	22
23	·20	Nil	Nil	·15	·31	Nil	Nil	Nil	·07	Nil	·11	·04	23
24	Nil	Nil	Nil	·33	·10	·05	·13	·05	·01	Nil	Nil	Nil	24
25	·04	Nil	Nil	·46	·06	Nil	·63	Nil	Nil	Nil	Nil	Nil	25
26	Nil	·06	Nil	·37	Nil	Nil	·58	Nil	Nil	Nil	·21	Nil	26
27	·10	·27	Nil	·07	·32	Nil	·11	Nil	Nil	Nil	·03	Nil	27
28	·02	·10	Nil	·04	·03	Nil	Nil	Nil	Nil	Nil	Nil	·02	28
29	·10	X	Nil	Nil	·07	Nil	·07	Nil	·01	·19	Nil	Nil	29
30	·03	X	Nil	Nil	Nil	Nil	·02	·07	Nil	Nil	Nil	Nil	30
31	·12	X	Nil	X	·09	X	Nil	Nil	X	Nil	X	Nil	31
TOTAL	1·43	1·59	·21	4·11	2·42	1·50	3·59	4·05	1·96	·62	2·77	·63	YEAR'S TOTAL 24·99
*Days with ·01 in. or more.	17	17	4	20	15	11	18	19	15	7	14	9	166
*Days with ·04 in. or more.	11	14	2	17	12	11	14	15	9	3	10	5	123

40-9999

*See Instruction 2 (*f*) on other side.

(Signed)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 225

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Wisley Outfall Works

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

„ Ground „ Sea Level 55 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11	·01	nil	·03	·61	nil	·02	·04	·01	·06	·02	nil	1
2	nil	nil	nil	·19	·04	nil	nil	·15	·20	·03	·01	·13	2
3	nil	nil	nil	·21	·18	nil	nil	·04	·46	·10	nil	·01	3
4	nil	nil	nil	nil	nil	·15	nil	nil	nil	nil	·04	nil	4
5	·14	nil	nil	nil	·03	·06	·20	nil	·07	nil	nil	nil	5
6	·32	nil	·02	·32	nil	nil	nil	nil	·04	nil	nil	nil	6
7	·01	nil	·09	·08	nil	nil	·02	nil	·09	·08	nil	nil	7
8	nil	nil	·20	·04	·18	nil	nil	nil	·07	·25	nil	nil	8
9	·27	nil	nil	·12	·78	nil	nil	nil	nil	·03	nil	nil	9
10	·74	·08	·04	·17	·05	·08	nil	nil	nil	·14	·02	nil	10
11	·14	nil	nil	·09	·02	·02	·12	·05	·02	·01	·03	·01	11
12	·09	nil	nil	nil	nil	nil	nil	·02	·03	·28	nil	nil	12
13	·07	nil	nil	·10	·03	nil	·02	nil	nil	·54	·03	·02	13
14	·06	·05	nil	·08	nil	nil	nil	·01	nil	·06	·01	·04	14
15	·01	·01	nil	·10	·04	nil	nil	nil	nil	·08	nil	nil	15
16	·14	nil	nil	·25	·16	nil	nil	nil	nil	·01	nil	nil	16
17	nil	nil	nil	·04	nil	nil	·11	nil	nil	·03	·01	nil	17
18	nil	nil	nil	nil	nil	nil	·04	nil	·12	nil	·07	nil	18
19	nil	nil	nil	nil	nil	nil	nil	nil	·04	·19	nil	nil	19
20	nil	nil	nil	·12	·02	nil	nil	1·02	·04	·56	·15	nil	20
21	·05	nil	·04	·10	1·14	nil	nil	·08	nil	·18	nil	·08	21
22	nil	nil	·24	nil	·29	nil	·28	·02	·35	·29	·30	nil	22
23	nil	·11	·03	·06	·08	·04	nil	nil	·28	1·02	·19	·09	23
24	nil	·06	nil	nil	nil	nil	·35	nil	·07	·16	·09	nil	24
25	nil	nil	nil	nil	nil	nil	1·00	nil	·03	·14	·03	nil	25
26	nil	nil	·07	·03	·02	nil	·80	nil	nil	·05	nil	nil	26
27	nil	nil	·32	·08	·43	nil	·10	nil	nil	·91	·07	nil	27
28	nil	nil	·01	·02	·15	nil	·13	nil	nil	·05	nil	nil	28
29	nil	nil	·35	·07	·13	·03	nil	·05	·10	·31	nil	nil	29
30	nil	×	·05	nil	nil	1·08	nil	·04	·14	·01	0.20	·07	30
31	nil	×	nil	×	nil	×	·03	nil	×	nil	×	·03	31
TOTAL	2·15	0·32	1·46	2·30	4·38	1·46	3·17	1·52	2·16	6·52	1·27	0·48	YEAR'S TOTAL 26·19
*Days with ·01 in. or more.	13	6	~~3~~12	~~8~~21	~~5~~19	~~8~~7	14	11	18	26	16	9	~~56~~172
*Days with ·04 in. or more.	11	4	9	18	14	5	10	8	14	20	8	5	126

40-9999

*See Instruction 2 (*f*) on other side.

? Woking UDC (*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 225

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Sewage Works, Wisley,

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 53 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·06	0·15	0·10	/	0·06	/	/	/	/	0·02	0·04	/		1
2	0·13	/	0·38	/	0·26	/	/	/	/	/	/	/		2
3	/	0·19	0·36	/	0·02	/	/	/	/	/	/	/		3
4	0·14	/	0·05	/	0·39	/	/	/	/	/	0·05	/		4
5	0·03	0·03	0·33	/	0·13	/	/	/	/	/	/	/		5
6	/	0·08	0·07	/	0·33	/	/	/	/	0·12	0·07	/		6
7	0·15	0·05	0·11	/	0·11	/	/	/	/	/	/	/		7
8	0·02	Trace	/	/	0·10	/	0·08	/	/	0·15	/	/		8
9	/	/	/	/	0·09	/	0·09	/	/	0·08	0·05	/		9
10	/	0·45	/	/	0·01	0·05	0·03	/	/	0·21	0·04	/		10
11	0·29	/	/	/	0·06	0·04	0·41	0·05	0·12	0·09	0·02	/		11
12	/	/	/	/	/	0·24	0·06	/	1·26	/	/	/		12
13	0·06	/	/	/	0·10	/	0·18	0·01	0·09	/	0·15	/		13
14	/	/	/	/	/	/	0·04	/	/	0·23	0·38	/		14
15	0·21	/	0·17	/	/	/	0·13	0·37	/	/	0·02	/		15
16	/	/	0·64	/	/	0·20	0·05	/	/	0·05	/	/		16
17	0·01	/	0·42	/	/	0·25	/	/	0·05	/	0·08	/		17
18	0·10	/	0·20	/	/	0·11	/	/	/	/	/	/		18
19	/	0·10	0·03	0·03	/	0·05	0·06	/	0·41	/	0·04	/		19
20	/	/	0·04	0·14	/	/	/	/	/	/	/	/		20
21	/	0·09	/	/	/	0·18	/	0·07	0·23	/	/	/		21
22	/	/	/	/	0·06	/	/	0·21	0·05	0·25	0·05	/		22
23	/	/	/	0·09	2·86	0·04	/	/	0·11	0·05	/	/		23
24	/	1·21	/	0·07	/	0·85	/	/	0·18	/	/	/		24
25	/	0·94	/	0·27	/	/	/	/	0·10	/	0·02	/		25
26	/	0·60	/	0·04	/	0·07	/	/	0·08	0·07	/	0·23		26
27	/	0·02	/	/	0·32	0·03	/	/	0·02	0·21	/	0·06		27
28	/	/	/	/	/	/	0·16	/	/	0·29	/	0·05		28
29	0·04		0·01	/	0·02	/	0·02	/	/	0·06	/	/		29
30	0·10	×	0·04	/	0·11	/	0·01	/	0·09	0·07	/	/		30
31	0·11	×	0·01	×	/	×	/	0·07	×	0·02	×	0·14		31
TOTAL	1·45	3·91	2·96	0·64	5·03	2·11	1·32	0·78	2·79	1·97	1·01	0·48	Year's Total 24·45	
*Days with ·01 in. or more.	14	12	16	6	17	12	13	6	13	16	13	4	142	
*Days with ·04 in. or more.	11	10	13	5	14	11	10	5	12	14	10	4	119	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) G. F. Hawkins

[P.T.O.

Section **A** **for the entry of Daily Observations.**

COPY FOR OFFICIAL USE.

Station No. 225

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at WISLEY OUTFALL WORKS.
in the County of SURREY
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 53 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	–	–	–	–	·12	–	·04	·02	48		1
2	·06	–	·11	–	·11	–	–	–	·70	·22	–	·15		2
3	·03	·04	–	·05	–	–	–	–	–	·13	–	·08		3
4	·08	–	·05	·07	·08	–	–	–	–	·06	·08	·34		4
5	–	–	·04	–	–	–	–	·02	–	–	·07	·37		5
6	–	–	·29	–	·18	·09	–	·24	–	·15	·02	·47		6
7	–	·03	–	–	–	–	–	·10	–	·16	–	·17		7
8	·05	–	–	–	·06	–	–	·03	·22	–	·32	·02		8
9	–	–	–	–	–	–	–	–	–	–	·83	·38		9
10	–	–	·14	·13	–	–	–	–	–	·01	·33	·02		10
11	·34	–	·36	·06	–	–	·02	–	–	–	–	·11		11
12	·06	–	·02	–	–	–	·14	·28	–	–	·01	·06		12
13	·35	–	·18	·02	–	–	·53	·02	–	–	·06	·13		13
14	·06	–	·32	–	–	·16	–	–	–	·01	·22	·60		14
15	–	–	·15	–	·14	–	–	–	–	·10	·12	·61		15
16	·12	–	·18	–	·07	–	–	–	–	·13	–	–		16
17	·01	–	–	·05	·03	–	–	–	–	·04	–	·14		17
18	·39	–	·01	·19	–	–	·47	–	–	–	–	·28		18
19	–	–	·25	·13	–	–	–	–	·05	–	–	·24		19
20	–	–	·05	–	–	·02	·33	–	–	–	–	·01		20
21	–	–	·01	·20	–	·04	·15	·05	–	·02	–	–		21
22	–	–	–	–	–	–	·31	·12	·14	–	·01	·08		22
23	–	–	–	·22	–	·30	–	–	–	–	·02	·03		23
24	–	–	·06	·21	–	·03	·94	–	·06	–	–	·05		24
25	·14	–	–	·11	–	·40	–	–	–	·06	–	·22		25
26	–	·10	–	·45	–	·13	–	–	·03	–	–	·03		26
27	–	–	–	·17	–	·07	–	–	–	·04	–	·15		27
28	–	–	–	·09	–	·16	·05	·73	–	–	–	·18		28
29	–	·07	–	–	–	–	·08	–	·17	–	–	–		29
30	·09	×	–	–	–	–	–	–	–	–	–	·20		30
31	·01	×	–	×	–	×	–	·03	×	·30	×	·05		31
TOTAL	1·79	·24	2·22	2·15	·67	1·40	3·02	1·74	1·37	1·47	2·11	5·65	Year's Total. 23·83	
* Days with .01 in. or more.	14	4	16	15	7	10	10	11	7	15	13	28	150	
* Days with .04 in. or more.	11	3	13	14	6	8	9	7	6	12	8	23	120	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.✓

Section **A** for the entry of Daily Observations. Station No. 225

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at SEWAGE DISPOSAL WORKS. WISLEY.

in the County of SURREY

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 53 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·16	·04	–	·04	·03	·09	1·82	–	·25	·10	·15	–		1
2	·03	–	·06	–	–	–	–	–	·16	·14	–	–		2
3	–	–	·05	·08	–	·05	–	–	·18	·79	·14	–		3
4	–	·03	–	·08	–	·31	–	–	·17	·18	–	·06		4
5	–	·13	·05	·05	–	·05	·06	–	·50	–	·02	·02		5
6	–	–	–	·25	–	·50	–	–	–	–	·03	–		6
7	·04	–	–	·27	–	·07	–	–	–	–	·93	·16		7
8	–	–	–	·36	–	~~·54~~	–	–	–	·25	·29	–		8
9	–	–	–	·20	–	·54	–	–	–	·68	·06	–		9
10	·07	–	–	·16	–	–	–	–	–	–	·08	·04		10
11	·26	–	–	·10	–	·06	·06	–	–	–	·37	–		11
12	–	–	–	–	–	·13	–	·12	·03	–	·69	–		12
13	·06	·14	–	·11	·04	·07	–	–	–	–	–	–		13
14	–	–	–	·01	·19	·05	–	–	–	–	·07	·08		14
15	–	·16	–	·34	·02	·06	–	–	·05	–	·33	·09		15
16	–	–	–	·06	–	·62	–	–	·26	–	·59	·02		16
17	–	–	–	·04	–	·09	–	–	·06	–	·22	–		17
18	–	–	–	·17	–	·14	·02	–	·21	·04	·03	–		18
19	–	–	–	–	·30	·03	·12	–	·02	–	·08	·05		19
20	·01	·24	–	·14	·22	·06	·26	–	–	–	·23	–		20
21	–	·46	–	·02	–	–	–	–	–	·07	–	–		21
22	–	·03	·08	–	–	–	–	·20	·20	–	–	–		22
23	–	–	·11	–	–	–	–	·41	·15	·12	–	·06		23
24	·05	·67	–	–	·13	–	–	1·48	·21	–	–	·12		24
25	·11	·16	–	·25	·07	·78	–	–	–	–	–	·15		25
26	·04	·29	–	–	–	–	–	·17	·04	–	–	·39		26
27	–	·51	–	–	–	–	–	–	·11	–	·08	·18		27
28	–	·05	–	–	·41	–	–	–	–	–	–	·05		28
29	–	✕	–	–	–	–	–	–	·80	·03	–	·40		29
30	·06	✕	–	–	–	–	–	·78	·02	·15	·41	·38		30
31	–	✕	–	✕	–	✕	–	–	✕	·40	✕	·29		31
													Year's Total	
TOTAL	·89	2·91	·35	2·73	1·41	3·70	2·34	3·16	3·42	2·95	4·80	2·54	31·20	
* Days with .01 in. or more.	11	13	5	19	9	18	6	6	18	12	19	17	153	
* Days with .04 in. or more.	9	11	5	17	7	17	5	6	15	11	16	15	134	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) T. Y. Hawkins [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 225

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at SEWAGE DISPOSAL WORKS, WISLEY.

in the County of SURREY.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 53 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·31	/	·03	·06	/	·22	·10	·07	/	/	·06	·03		1
2	/	·04	/	/	/	·29	/	/	/	/	/	/		2
3	/	/	/	·27	/	·12	/	/	·17	/	·25	/		3
4	·09	/	·07	/	/	·09	/	/	·29	/	/	·03		4
5	·17	/	/	/	/	/	/	·11	·68	/	·07	·05		5
6	·34	/	/	/	/	·08	/	·01	·08	/	·39	/		6
7	·14	/	/	/	/	·02	·04	/	·05	/	·06	·07		7
8	·24	/	·08	/	/	/	·06	/	·02	/	·22	·13		8
9	·40	/	/	/	/	/	·42	/	·15	/	/	/		9
10	·12	/	/	/	/	/	·04	·60	/	/	/	/		10
11	/	/	/	/	/	/	·24	/	/	/	·76	/		11
12	/	/	/	·10	/	·56	·17	/	·18	/	·19	·21		12
13	/	/	/	·07	/	·08	/	/	/	/	/	·13		13
14	/	·04	/	/	/	·05	·58	/	·05	/	·13	·62		14
15	/	/	/	/	/	/	/	/	·22	/	/	·07		15
16	·44	·12	/	/	/	/	·06	/	/	/	·40	·03		16
17	·17	·57	/	/	·14	·12	/	/	/	/	·13	·23		17
18	/	·07	/	/	/	·34	·04	/	/	/	/	·15		18
19	·19	·03	/	/	/	·35	·19	·09	/	·06	/	/		19
20	·11	·06	·03	·45	/	·11	/	/	·84	/	/	/		20
21	/	/	/	·39	·03	·30	·07	/	/	/	/	/		21
22	·10	·40	·09	/	·43	·14	·11	/	/	/	/	·12		22
23	/	/	·57	·03	/	/	·08	/	/	·09	/	/		23
24	·04	·17	/	/	/	/	/	/	·06	·70	/	/		24
25	·07	/	·12	·20	/	/	·05	/	·21	·18	/	/		25
26	/	·09	·13	/	/	·03	·16	/	·04	·21	/	·03		26
27	·22	/	/	/	/	/	/	/	·14	·07	/	/		27
28	·82	/	·03	/	/	/	·29	/	/	/	/	·04		28
29	·05	·09	·11	/	/	·44	·12	/	/	/	·16	·01		29
30	·05	✕	/	/	·10	·15	·08	/	/	·33	/	/		30
31	·71	✕	·27	✕	·04	✕	·26	/	✕	·59	✕	·22		31
TOTAL	4·78	1·68	1·53	1·57	0·74	3·49	3·15	0·88	3·18	2·23	2·81	2·17	Year's Total 28·21	✓
* Days with .01 in. or more.	20	11	11	8	5	18	20	5	15	8	12	17	150	✓
* Days with .04 in. or more.	20	10	8	7	4	16	20	4	14	8	12	12	135.	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ……………………

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 225

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at SEWAGE DISPOSAL WORKS WDLEY

in the County of SURREY

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 53 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·36	·04	-	·09	-	-	-	-	-	-	·65	·69		1
2	·01	·22	·06	·74	-	-	-	-	·24	-	-	·43		2
3	-	·16	-	-	-	-	-	-	-	-	-	-		3
4	·04	·54	-	-	-	-	-	-	-	-	-	·31		4
5	·14	·08	·18	-	-	-	·10	-	-	-	-	-		5
6	·02	-	·95	-	·32	-	-	-	-	·04	-	-		6
7	-	·55	·05	·07	-	-	-	-	-	-	-	-		7
8	-	-	-	-	·09	·07	-	-	-	-	·17	·27		8
9	-	-	-	·29	·10	-	-	-	·33	-	-	·15		9
10	-	-	·44	·08	-	·28	·02	·37	-	-	-	·32		10
11	-	-	·16	-	·19	·06	·05	-	-	-	-	·03		11
12	·15	·16	·09	-	·70	-	·03	·24	·10	-	-	·21		12
13	·15	·05	·60	-	-	·38	-	·56	·29	-	-	1·04		13
14	-	·09	·03	-	-	·02	-	·38	·04	-	-	-		14
15	·19	·08	-	14	-	-	·32	-	·03	-	-	-		15
16	·02	·19	·26	·67	-	·03	-	·19	·64	-	-	-		16
17	·50	-	·14	·04	-	-	-	-	·20	-	-	-		17
18	·38	·10	-	·03	·12	·47	-	-	-	-	·15	·10		18
19	·03	·05	·04	·08	-	·16	-	-	·06	-	-	·06		19
20	·37	-	·04	·17	·70	-	-	-	-	-	-	-		20
21	·48	·45	·09	·06	-	-	·05	-	-	-	-	-		21
22	·39	·03	-	-	·04	·34	·08	-	-	·99	·23	·06		22
23	·26	·03	·03	-	·15	-	-	-	-	·32	-	-		23
24	·41	·42	·04	-	-	-	-	-	-	·38	-	-		24
25	·08	·28	·10	-	·20	-	-	-	·09	·24	-	-		25
26	-	·18	·08	-	-	-	-	-	·06	·15	-	-		26
27	·02	·16	·01	·15	-	-	-	-	-	·57	-	-		27
28	-	·12	-	·03	-	-	-	-	-	·09	-	·05		28
29	-	✕	-	-	-	·04	-	-	-	-	·03	·04		29
30	·21	✕	-	-	-	-	-	-	-	·07	·29	-		30
31	·21	✕	-	✕	-	✕	-	-	✕	·08	✕	·03		31
TOTAL	4·42	9 3·97	3·39	2·64	2·61	1·85	·65	1·74	2·08	2·93	1·52	3·79	Year's Total 31·59	✓
* Days with .01 in. or more.	21	21	19	14	12	10	7	5	11	10	6	15	15~~3~~1	✓
* Days with .04 in. or more.	16	19	16	12	10	8	5	5	10	10	5	13	129	✓

† Spare column, no entries required.

(*Signed*) J. T. Hawkins [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 225

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at SEWAGE DISPOSAL WORKS, WISLEY

in the County of SURREY

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ Ground „ Sea Level 53 ft.

Acc

w.J.F.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	/	/	/	/	.01	.10	.14	/	/	.08	/	.08		1
2	.10	/	/	.03	.03	/	/	/	/	.18	/	/		2
3	/	/	/	/	.40	/	/	/	/	.42	/	/		3
4	.02	/	/	/	/	/	/	.05	/	/	/	/		4
5	/	/	/	/	/	/	/	/	.02	.22	/	.03		5
6	.03	/	/	/	/	/	.18	/	/	/	/	/		6
7	/	/	/	/	/	/	.21	.13	.03	.13	/	/		7
8	.18	/	/	/	/	/	.09	.17	/	.31	/	/		8
9	.07	/	/	/	/	/	/	.08	/	/	/	.76		9
10	.07	.07	/	/	/	/	/	.08	/	/	/	.11		10
11	.22	/	/	/	/	/	/	.13	/	/	.16	.09		11
12	.23	/	/	/	.02	/	/	1.11	/	.15	/	/		12
13	.26	/	/	/	/	/	/	/	.05	.02	.23	.12		13
14	.27	/	/	/	.08	/	/	/	/	/	/	/		14
15	.08	.04	/	/	/	/	.24	/	/	.36	/	.25		15
16	.22	/	/	/	/	/	/	/	/	/	.06	.60		16
17	/	.10	/	/	.04	/	/	/	/	.12	/	/		17
18	.02	/	/	/	/	/	/	/	.32	/	.43	/		18
19	/	/	/	/	/	/	/	.06	.02	/	.13	x		19
20	/	/	/	/	/	/	/	/	.04	/	.63	x		20
21	/	/	/	/	/	/	/	.08	.06	/	.07	x		21
22	/	/	/	/	/	/	/	/	/	/	.17	1.03		22
23	/	/	/	.03	/	/	/	/	/	/	.11	–		23
24	/	/	.06	/	/	/	/	/	.24	/	.04	–		24
25	.13	/	.08	/	.31	/	.02	/	/	/	1.21	–		25
26	.20	.10	.03	/	/	/	/	/	.17	.29	/	x		26
27	/	.03	/	/	.07	.32	.30	/	.46	.07	.30	x		27
28	/	.06	/	/	.40	.04	/	.50	.02	/	/	.12		28
29	.11	×	/	/	.13	/	/	.03	/	/	.03	.17		29
30	.22	✕	/	/	.12	.16	/	/	.08	.09	.20	/		30
31	.15	✕	/	✕	.07	✕	/	/	✕	.13	✕	.20		31 "d"
TOTAL	2.58	.40	.17	.06	1.68	.62	1.18	2.42	1.51	2.57	3.71	3.56	Year's Total 20.52	
* Days with .01 in. or more.	18	6	3	2	12	4	7	11	12	14	14	17 ~~16~~	~~119~~	120
* Days with .04 in. or more.	15	5	2	/	9	4	6	10	8	13	13	16 ~~15~~	~~100~~	101

† Spare column, no entries required.

(*Signed*) G. J. Hawkins

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 225

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Sewage Disposal Works, Wisley

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 535 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	·43	·36	—	—	—	·02	—	—	—		1
2	—	—	—	—	·03	—	—	·52	·50	—	·04	—		2
3	·25	—	—	·24	—	—	—	·34	—	—	·25	·24		3
4	·17	—	·18	·15	—	—	·11	1·01	—	·36	·03	·01		4
5	—	—	—	·17	—	—	·03	—	—	·20	·34	·03		5
6	·32	—	·04	—	·13	—	·15	·01	—	—	·19	·04		6
7	—	·12	—	—	—	—	—	·02	—	—	·12	·08		7
8	—	·05	·15	—	—	—	·05	·08	—	·40	·41	·21		8
9	·09	·05	—	—	—	—	—	·01	—	·14	·29	·14		9
10	·21	—	—	—	—	·12	—	·26	·02	·11	·01	—		10
11	—	—	·18	—	—	—	—	—	—	·33	—	—		11
12	—	—	—	—	—	—	—	—	—	—	—	—		12
13	—	—	—	—	—	—	—	—	—	1·70	—	—		13
14	·51	—	·01	·06	·07	·04	·07	—	—	·30	·55	—		14
15	·40	—	·06	—	·65	·17	·05	—	·13	·80	·06	—		15
16	·51	—	·07	·02	·25	·12	—	—	—	·03	·44	—		16
17	·21	—	—	—	·12	—	·25	—	—	—	·08	—		17
18	·18	—	·05	—	—	·20	·07	—	—	·07	·22	—		18
19	·16	—	—	—	—	—	·15	—	—	·15	—	—		19
20	·24	—	—	—	—	·34	·50	—	—	—	—	·07		20
21	·03	·13	·09	—	—	—	·21	—	·10	—	—	—		21
22	·09	·22	—	—	—	·13	·10	—	—	—	·03	—		22
23	—	—	—	·25	—	—	·04	·05	—	·03	·58	—		23
24	·22	—	—	·17	—	—	·07	—	—	·16	—	—		24
25	·68	·25	·05	—	—	—	·01	—	—	—	·32	—		25
26	·04	—	—	—	—	·08	—	—	—	·22	·23	—		26
27	·02	·08	·08	·09	—	·03	—	—	—	—	·24	—		27
28	—	·22	·05	·23	—	—	—	—	—	·12	·10	—		28
29	—	—	—	·34	—	—	·04	—	—	·03	·02	—		29
30	—	✕	—	·64	—	·09	—	—	—	—	·22	—		30
31	—	✕	—	✕	—	✕	·20	·04	✕	—	✕	—		31
													Year's Total	
TOTAL	4·33	1·12	1·01	2·79	1·61	1·32	2·10	2·34	·77	5·15	4·77	·82	28·13	
* Days with .01 in. or more.	~~18~~	~~8~~	~~12~~	~~12~~	~~7~~	~~10~~	~~17~~	~~10~~	~~5~~	~~17~~	~~22~~	~~8~~	~~146~~	
* Days with .04 in. or more.	16	8	11	11	6	9	15	7	3	14	18	6	124	

"d"

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 225

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1930

Kept at Wisley Sewage Disposal Works

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 53 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	—	—	—	—	—	—	·09	—		1
2	—	·10	—	·08	—	—	·04	—	—	·08	·60	—		2
3	—	·16	—	·04	—	—	—	—	—	·10	1·31	·08		3
4	·18	·08	—	·04	—	—	—	—	—	—	·10	·02		4
5	—	—	—	—	—	—	—	—	—	—	·24	·13		5
6	·29	·13	—	—	—	—	·14	—	—	·30	—	—		6
7	·22	·18	—	—	·03	—	·11	—	—	—	—	—		7
8	—	—	—	—	—	—	—	—	·04	·22	—	·24		8
9	—	—	—	—	—	—	—	—	—	·15	·20	·08		9
10	—	—	—	—	—	—	·14	·03	—	·15	·02	—		10
11	—	—	—	·07	—	—	·03	—	—	—	·75	—		11
12	—	—	·14	—	—	—	·08	—	—	—	·04	—		12
13	—	—	·68	—	—	·03	—	—	·24	—	1·03	—		13
14	—	—	·21	·10	—	—	—	—	—	·04	—	·20		14
15	—	—	—	·01	·11	—	·39	—	—	—	·18	·02		15
16	—	—	·25	·18	—	·08	·20	—	·16	·47	1·12	—		16
17	—	—	·40	—	—	—	·03	—	—	—	·50	—		17
18	—	·35	·08	·28	—	—	·14	·02	—	·15	·16	·13		18
19	—	·12	·05	·03	—	—	·16	—	·71	—	·06	—		19
20	—	—	—	·02	—	—	·04	·01	·02	—	·10	—		20
21	—	—	—	—	·36	—	·32	—	—	·11	·35	—		21
22	—	—	—	—	·45	·47	—	—	·04	—	—	—		22
23	—	·07	·10	·16	—	·03	—	—	—	—	—	—		23
24	—	—	—	·26	—	—	37	—	—	—	—	—		24
25	—	—	·60	—	—	—	—	—	—	·02	—	—		25
26	·92	·10	·80	·66	·18	—	—	—	—	—	—	—		26
27	·13	·28	—	·14	—	—	—	—	—	—	—	—		27
28	—	—	—	—	·06	—	·07	—	·01	—	—	—		28
29	—	·07	·07	—	—	—	—	—	—	—	—	·27		29
30	·04	✕	—	·11	—	—	—	—	—	·03	—	—		30
31	·89 snow	✕	—	✕	—	✕	—	—	✕	·65	✕	·08		31
TOTAL	2·67	1·64	3·38	2·18	1·19	·61	2·26	·06	1·22	2·47	6·85	1·25	Year's Total 25·78	
* Days with .01 in. or more.	7	11	11	16	6	4	16	3	7	13	17	10	119	
* Days with .04 in. or more.	7	11	11	12	5	2	13	—	5	11	16	8	101	

198

d

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.